

STRUCTURE OF THE GLOBAL NANOSCIENCE AND NANOTECHNOLOGY RESEARCH LITERATURE

Dr. Ronald N. Kostoff
Office of Naval Research
875 N. Randolph St.
Arlington, VA 22217
Phone: 703-696-4198
Fax: 703-696-8744
Internet: kostofr@onr.navy.mil

Mr. Ray Koytcheff
Office of Naval Research
975 N. Randolph St.
Arlington, VA 22217

Dr. Clifford GY Lau
Institute for Defense Analyses
4850 Mark Center Drive
Alexandria, VA 22311

KEYWORDS

Nanoparticle; Nanotube; Nanostructure; Nanocomposite; Nanowire; Nanocrystal; Nanofiber; Nanofibre; Nanosphere; Nanorod; Nanotechnology; Nanocluster; Nanocapsule; Nanomaterial; Nanofabrication; Nanopore; Nanoparticulate; Nanophase; Nanopowder; Nanolithography; Nano-Particle; Nanodevice; Nanodot; Nanoindent; Nanolayer; Nanoscience; Nanosize; Nanoscale; Information Technology; Text Mining; Bibliometrics; Citation Analysis; Computational Linguistics; Document Clustering; Correlation Map; Factor Matrix.

DISCLAIMER

(The views in this paper are solely those of the authors, and do not represent the views of the Department of the Navy or any of its components, or the Institute for Defense Analyses)

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2006		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Structure of the Global Nanoscience and Nanotechnology Research Literature				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Office of Naval Research Dr. Ronald N. Kostoff 875 N. Randolph St. Arlington, VA 22217				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 1491	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

ABSTRACT

Text mining was used to extract technical intelligence from the open source global nanotechnology and nanoscience research literature. An extensive nanotechnology/ nanoscience-focused query was applied to the Science Citation Index/ Social Science Citation Index (SCI/ SSCI) databases. The nanotechnology/ nanoscience research literature technical structure (taxonomy) was obtained using computational linguistics, document clustering, and factor analysis. The nanotechnology/ nanoscience research literature infrastructure (prolific authors, key journals/ institutions/ countries, most cited authors/ journals/ documents) for each of the clusters generated by the document clustering algorithm was obtained using bibliometrics. Another novel addition was the use of phrase auto-correlation maps to show technical thrust areas based on phrase co-occurrence in Abstracts, and the use of phrase-phrase cross-correlation maps to show technical thrust areas based on phrase relations due to the sharing of common co-occurring phrases. The use of factor matrices quantified further the strength of the linkages among institutions and among countries, and validated the co-publishing networks shown graphically on the maps.

The ~400 most cited nanotechnology papers since 1991 were grouped, and their characteristics generated. Whereas the main analysis provided technical thrusts of all nanotechnology papers retrieved, analysis of the most cited papers allowed their unique characteristics to be displayed.

The instrumentation literature associated with nanoscience and nanotechnology research was examined. About 65000 nanotechnology records for 2005 were retrieved from the Science Citation Index/ Social Science Citation Index (SCI/SSCI), and ~27000 of those were identified as instrumentation-related. All the diverse instruments were identified, and the relationships among the instruments, and among the instruments and the quantities they measure, were obtained. Metrics associated with research literatures for specific instruments/ instrument groups were generated.

The Applications literature associated with nanoscience and nanotechnology research was examined. Through visual inspection of the Abstract phrases of the same ~65000 downloaded 2005 records, all the diverse non-medical Applications were identified, and the relationships among the non-medical Applications, both direct and indirect, were obtained. Metrics associated

with research literatures for specific Applications/ Applications groups were generated.

For medical Applications, a fuzzy clustering algorithm was applied to the ~65000 downloaded 2005 records. A sub-network that encompassed all the medical Applications was identified. Again, metrics associated with research literatures for specific medical applications were generated.

EXECUTIVE SUMMARY

Introduction

Nanotechnology is booming! In the global fundamental nanotechnology research literature as represented by the Science Citation Index/ Social Science Citation Index (SCI/ SSCI (SCI, 2006)), global nanotechnology publications grew dramatically in the last two decades.

Due to this exponential growth of the global open nanotechnology literature, there is need for gaining an integrated quantitative perspective on the state of this literature. In 2003-2005, a comprehensive text mining study was performed to overview the technical structure and infrastructure of the global nanotechnology research literature, as well as the seminal nanotechnology literature (Kostoff et al, 2005a, 2005b, 2006a, 2006b). Based on the wide-scale interest generated by these reports, it was decided to update and expand the study using more recent data, a much more comprehensive query, and more sophisticated analytical tools.

In the updated study, text mining was used to extract technical intelligence from the open source global nanotechnology and nanoscience research literature (SCI/SSCI databases). Identified were: (1) the nanotechnology/nanoscience research literature infrastructure (prolific authors, key journals/institutions/countries, most cited authors/journals/documents); (2) the technical structure (pervasive technical thrusts and their inter-relationships); (3) nanotechnology instruments and their relationships; (4) potential nanotechnology applications, and (5) potential health impacts and applications. A comprehensive literature survey of the seminal works in nanotechnology is contained in Appendix 1.

The results of this updated text mining study are divided into four main sections: Infrastructure; Technical Structure; Instrumentation; and Applications. In turn, Applications are divided into non-medical and medical. The results will be presented in the order listed above.

Infrastructure describes the performers of nanoscience/ nanotechnology research at different levels, ranging from individual to national performers, and it includes the archived literature as well. *Technical Structure* identifies the pervasive technical thrusts (and their inter-relationships) of the nanoscience/ nanotechnology literature. *Instrumentation* provides both the

infrastructure and technical structure of the sub-set of the nanoscience/ nanotechnology literature that addresses specific instruments. Finally, Applications provides the infrastructure and taxonomy of the sub-set of the nanoscience/ nanotechnology literature that addresses specific non-medical and medical applications.

ES1. INFRASTRUCTURE

ES1.1. Country Publications

- Global nanotechnology research article production has exhibited exponential growth for more than a decade (See Figure ES1).
- The most rapid growth over that time period has come from East Asian nations, notably China and South Korea (See Figure ES2).
- Some of this apparent rapid growth (in China for example) is partially due to 1) a country's researchers publishing a non-negligible fraction of total papers in domestic low Impact Factor journals, and 2) these journals being accessed recently by the SCI/ SSCI, rather than due to growth based on increased sponsorship or productivity.
- China's representation in high Impact Factor journals is small, but increasing
- From 1998 to 2002, China's ratio of high impact nanotechnology papers to total nanotechnology papers doubled, placing China at parity for this metric with the advanced nations of Japan, Italy, and Spain.
- The US remains the leader in aggregate nanotechnology research article production
- In some selected nanotechnology sub-areas, China has achieved parity or taken the lead (see Figure ES3 for nanocomposites example).
- South Korea started even further behind than China in both total nanotechnology publications and highly cited papers, but they have advanced rapidly to become second-tier contenders in total and highly cited papers.

**FIGURE ES1 – SCI/ SSCI ARTICLES VS TIME
TOTAL RECORDS RETRIEVED**




FIGURE ES2 – COUNTRY COMPARISON TIME TREND
(number of articles vs. time)





FIGURE ES3 – # PAPERS CONTAINING “NANOCOMPOSITE*”



ES1.2. Country Citations

- There is a clear distinction between the publication practices of the three most prolific Western nations and the three most prolific East Asian nations. The Western nations publish in journals with almost twice the weighted average Impact Factors of the East Asian nations. Much of the difference stems from the East Asian nations publishing a non-negligible amount in domestic low Impact Factor journals, while the Western nations publish in higher Impact Factor international journals.
- Two countries that lead in production of the most cited nanotechnology papers are the US (126) and Germany (31). The US and Germany account for forty percent of the most cited nanotechnology papers
- The high paper volume production East Asian countries of China and South Korea account for two percent of the most cited nanotechnology papers.
- Despite the increased paper productivity from East Asian countries, the US continues to generate the most cited nanotechnology papers.


ES1.3. Institution and Journal Citations

- Of the thirty institutions publishing the most nanotechnology papers, four are from the US, whereas of the twenty-five institutions producing the most cited nanotechnology papers, twenty-one are in the US.
- The top-tier institutions producing cited papers are Harvard University (27), University of California Berkeley (23), Rice University (17), University of California Santa Barbara (16).
- The two journals that overwhelmingly contain the most cited nanotechnology papers since 1991 are Science (56) and Nature (37).

ES1.4. Country Collaborations

- The dominant country co-publishing network is a complex web of mainly European nations roughly following geographic lines: Nordic, Central Europe, Eastern Europe, and a Western Europe/ Latin American group of Romance language nations. There is also a UK component country network, but it is not linked to the interconnected continental members of the European Union (See Figure ES4).
- Correlation of countries by common thematic interest shows two major poles: US and China. The US pole is strongly connected thematically to a densely connected network of English-speaking North American representatives, Western/ Central European nations, and most of the East Asian allies. China is relatively isolated except for India, and the Eastern European and Latin American representatives are outside the main network as well.

FIGURE ES4 - COUNTRY AUTO-CORRELATION MAP (fifty most prolific countries)



ES1.5. Institutional Collaborations

- The main institution co-publishing groups are East Asian: one each from China, Japan, and South Korea.
- Publication connectivity among institutions is much weaker than common interest or citation connectivity.
- Cross-Correlation of institutions by the journals they cite reveals four nationality-based (or locality-based) clusters: Chinese, Japanese, American, and European (See Figure ES5). Institutions from the same nationality group cite the same focused journals (primarily, but not exclusively, domestic).
- Cross-Correlation of institutions by the documents they cite reveals *only the Chinese institutions constitute a strongly-connected network* (See Figure ES6).

FIGURE ES5 – INSTITUTION-CITED JOURNAL CROSS-CORRELATION MAP (Cited Journals 502-1003)





FIGURE ES6 - INSTITUTION-CITED DOCUMENT CROSS-CORRELATION MAP



ES2. TECHNICAL STRUCTURE

The total retrieved nanotechnology database for 2005 was examined from four perspectives to identify pervasive thematic thrusts: document clustering, autocorrelation mapping, factor analysis, cross correlation mapping. Each perspective provided valuable insights on the fundamental nanotechnology literature structure.

ES2.1. Document Clustering

The database was divided into 256 thematic clusters by the clustering algorithm. The USA produced most papers in 169 thrusts, China led in 70, Japan led in 15, and India, South Korea, and Spain each led in one.

A hierarchical taxonomy was constructed from these 256 elemental clusters. Of the taxonomy's sixteen fourth level categories, China was the publication leader in six. Specifically, China led in: Properties of Thin Films; Diamond Films; Applications of Carbon Nanotubes; Multi-Walled Nanotubes; Nanomaterials and Nanoparticles; and Polymers, Composites, and Metal Complexes (See Figure ES7; shaded areas denote China's publication leadership; darker shading represents stronger publication leadership). Essentially, China led in the materials and nanostructures component of the database, whereas the USA led in the Physical Science phenomena and biomedical components.

FIGURE ES7 – FOUR LEVEL HIERARCHICAL TAXONOMY

LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4
Quantum Phenomena, Optics, Electronics, Magnetism, Tribology, and Films (32983 Rec)	Quantum Phenomena, Optics, Electronics, Magnetism, and Tribology (26077 Rec)	Quantum Phenomena (3326 Rec)	Quantum Dots (2028 Rec)
		Optics, Electronics, Magnetism, and Tribology (22751 Rec)	Quantum Wells, Wires, and States (1298 Rec)
	Films (6906 Rec)	Thin Films (4760 Rec)	Optics and Electronics (16432 Rec)
		Deposition of Films (2146 Rec)	Magnetism and Tribology (6319 Rec)
			Properties of Thin Films (2251 Rec)
			Applications of Thin Films (2509 Rec)
			Deposition of Thin Films (1752 Rec)
Nanotubes, Nanomaterials, Nanoparticles, Polymers, Composites, Metal Complexes, and Bionanotechnology (31742 Rec)	Nanotubes (3211 Rec)	Multi-walled Nanotubes (2350 Rec)	Diamond Films (394 Rec)
			Applications of Carbon Nanotubes (474 Rec)
		Single-walled Nanotubes (861 Rec)	Multi-walled Nanotubes (1876 Rec)
	Nanomaterials, Nanoparticles, Polymers, Composites, Metal Complexes, and Bionanotechnology (28531 Rec)	Nanomaterials, Nanoparticles, Polymers, Composites, and Metal Complexes (22686 Rec)	Single- and Double-walled Nanotubes (447 Rec)
			Single-walled Nanotubes (414 Rec)
		Bionanotechnology (5845 Rec)	Nanomaterials and Nanoparticles (14263 Rec)
			Polymers, Composites, and Metal Complexes (8423 Rec)
			DNA (775 Rec)
			Proteins and Cellular Components (5070 Rec)

ES2.2. Autocorrelation Analysis

A map of the thirty highest frequency technical phrases showed the nanotechnology database divided into two major thematic groups. One was focused on instrumentation, and the other on structures that the instruments measure. The largest structures network was Films (deposition, nucleation, growth, electrooptical properties, mechanical properties), and there were Nanoparticle, Crystal, and Nanocomposite sub-networks linked to the instrumentation core as well.

ES2.3. Factor Analysis

A factor matrix of the retrieved database showed seven major thematic groups: Instrumentation; Film Formation and Properties; Nanotubes and nanowires; Nanocomposite Mechanical Properties; Growth and Nucleation; Crystal Structure; and protein Adsorption.

ES2.4. Cross-Correlation Analysis

A phrase-phrase map showed the two main thematic thrusts of 1) instrumentation and the quantities they measure (particle size, crystal structure, grain size, electrical properties), and 2) films and their related

phenomena (deposition, optical properties). In this structure, Atomic Force Microscopy is the only instrument located within the Film group.

ES3. INSTRUMENTATION

A wide variety of instruments are used in nanoscience and nanotechnology research. Key among these instruments are XRD, electron microscope variants, atomic force microscopy, scanning tunneling microscopy, and spectroscopy variants.

ES3.1. Measured Quantities

Key materials, properties, phenomena, and nanostructures measured by the leading instruments are as follows:

- Materials: TiO₂, Ti, Si, SiO₂, and polymers
- Properties: Morphology/ surface morphology, thickness/diameter/particle size, surface roughness/surface area, mechanical properties/optical properties/thermal properties, crystal structure/crystallinity
- Phenomena: Deposition, oxidation, crystallization, catalytic activity, nucleation, adsorption, polymerization, adhesion, decomposition/ degradation
- Thin films, nanocomposites, nanowires, nanotubes, monolayers/self-assembled monolayers

ES3.2. Instrument Correlations

Key findings from the instrumentation correlation maps are as follows:

- Instrumentation auto-correlation map showed that the main network is in x-ray diffraction and electron microscopy. This is an indication that a well-equipped chemistry and/or material science laboratory usually contains a variety of instruments for characterizing various material properties. The instrument factor matrix showed similar grouping of a diversity of instruments in the same laboratory.
- Instrumentation-materials cross-correlation map showed that the main group consisted of electron microscopes and variants. Many of the

- instruments are used to characterize materials of interest to semiconductor and microelectronics research.
- Similarly the instrumentation-properties cross-correlation map is focused mostly on the electronic properties of materials of interest to microelectronics research such as electron microscopy and atomic force microscopy.
 - Same instruments are used to investigate the growth and fabrication phenomena in the instrumentation-phenomena cross-correlation map.
 - Because of the dominance of nanoelectronics research, many nanostructures are focused on electronic applications and thus the Instrumentation-nanostructures cross-correlation map also showed the emphasis on instruments for characterizing the electronic structures.

ES3.3. Instrument Taxonomy

The hierarchical taxonomy offered the following insights:

- In this nanotechnology instrumentation study, **China produced about 25% more papers than the USA** (See Figure ES8; shading represents China's publication leadership; darker shading represents stronger publication leadership). By contrast, in the full nanotechnology study, **the USA produced about 25% more papers than China.**
- Much of China's over-production occurred in the XRD-related categories, but there was some over-production in the transmission electron microscopy and NMR-calorimetry related categories as well.
- USA dominance appears to be in atomic force microscopy areas
- Because of the large Chinese and South Korean contributions to the nanotechnology instrumentation literature, author name analysis at aggregate levels is not effective; these Asian names are usually monosyllable, many times with no middle names. Due to the relatively high frequency of paper publications, there is good possibility that the same last name represents multiple authors. Potential name disambiguation is under study.
- Even though the USA has a large presence overall, relatively few USA institutions are listed among the most prolific in the nanotechnology instrumentation papers. The Asian and European efforts appear concentrated in relatively few but large institutions.

FIGURE ES8. NANOTECHNOLOGY INSTRUMENTATION TAXONOMY

AFM, NMR, Calorimetry (8423)	NMR, RS, Calorimetry (4684)	NMR, Complexes, Compounds (1546)	NMR Spectroscopy (306)
			NMR, Complexes, Compounds (1240)
		RS, Calorimetry (3138)	DSC (1138)
	AFM (3739)		Raman Scattering, RS, AFM (2000)
		AFM, Films, Tip, Imaging (2003)	AFM, Film, Tip, Imaging (1055)
			AFM, Film, Substrate, Deposit (948)
		AFM, Films, Deposition, Growth, Substrate (1736)	AFM, Film, Deposit, Substrate, Growth (1511)
EM, XRD (19090)	EM (4492)		AFM, Magnetic (226)
		TEM (2545)	HRTEM (296)
			TEM (2249)
		SEM, Films, Composites, Particles, Cells (1947)	SEM, Film, Particle, Cell (1652)
	XRD, Films (14598)		SEM, IS (295)
		SEM, XRD, Films, Coatings, Composites (3634)	SEM, XRD (1451)
			SEM, Film, Coating, Deposit, XRD (2183)
		XRD, TEM, Thin Films (10964)	TEM, Film, Particle, Nanoparticle, STM (5986)
			Film, XRD, XPS (4978)

Abbreviations:

AFM-Atomic Force Microscopy

NMR-Nuclear Magnetic Resonance

EM-Electron Microscopy

XRD-X-Ray Diffraction

RS-Raman Spectroscopy

TEM-Transmission Electron Microscopy

HRTEM-High Resolution Transmission Electron Microscopy

SEM-Scanning Electron Microscopy

DSC-Differential Scanning Calorimetry

IS-Infrared Spectroscopy

STM-Scanning Tunneling Microscopy

ES4. APPLICATIONS

The studies also identified the main nanotechnology Applications, both medical and non-medical, as well as the related science and infrastructure. These relationships will allow the potential user communities to become involved with the Applications-related science and performers at the earliest stages, to help guide the science conversion towards specific user needs most efficiently.

ES4.1. Non-Medical Applications

Related Science – Most Frequently Mentioned Non-Medical Applications

The pervasive materials, materials properties, phenomena, and nanostructures related to the ***most frequently mentioned*** non-medical nanotechnology Applications were identified, as follows:

- *TiO₂, Pt, Si, gold, and polymers tend to stand out as the most pervasive material types*
- *Morphology, thickness /diameter/particle size, optical properties, catalytic performance, and electrochemical properties tend to stand out as the most pervasive material properties*
- *Deposition, absorption, oxidation, immobilization, catalysis, degradation, and self-assembly tend to stand out as the most pervasive nanoscale phenomena*
- *Thin films, nanowires, nanotubes (especially carbon), and self-assembled monolayers tend to stand out as the most pervasive nanostructures*

Applications Thrust Areas – Auto-Correlation

Maps were constructed to show groupings of related non-medical Applications into broader thematic areas. An autocorrelation map of the most widely referenced non-medical Applications showed five weakly-connected sub-networks:

- Electronic Devices and Components
- Optical Switching
- Tribology and Corrosion
- Optoelectronic Sensors
- Electrochemical Conversion and Catalysis

Applications Thrust Areas – Factor Analysis

Factor analyses were performed to show non-medical Applications thematic areas from a slightly different perspective. A six factor analysis showed the following themes:

- Factor 1: Optoelectronics
- Factor 2: Tribology
- Factor 3: Lithography
- Factor 4: Control Systems
- Factor 5: Devices
- Factor 6: Microsystems

Applications Thrust Areas – Factor Analysis and Visual Inspection

The main non-medical Applications thrusts identified above were augmented by important, but non-networked thrusts, and the nine resulting themes were related to science and infrastructure by co-occurrence matrices. Also, the total non-medical Applications were combined into one unit, and related to science and infrastructure by co-occurrence matrices. For non-medical Applications:

- The USA leads in total non-medical Applications publications and in six out of nine themes in the high-tech research areas such as devices, sensors, and lithography. China leads in publications in three traditional area themes such as catalysis, tribology, and electrochemistry.
- In total non-medical Applications, two of the top three institutions are Chinese. However, the USA is well represented by the large University of California and University of Illinois state university systems.
- Applied Physics Letters appears in the top layer in seven of the nine themes and is by far the leader in total non-medical Applications

publications. Journal of Physical Chemistry B appears in four of the nine themes, as does Journal of Applied Physics.

- For total non-medical Applications, the key underlying science areas include XRD, TEM, films, SEM, XPS, electron microscopy, AFM, fabrication, thickness, growth, hydrogen, substrate, carbon nanotubes, microstructures, nanoparticles, particles, diameter, TiO₂, deposits, coatings, electrodes, silicon, CO, infrared spectroscopy FTIR, electrons, biosensors, catalytic activity, oxidation, silica, thin films, nanotubes, silicon substrates, PL, photocatalytic activity, crystals, Raman spectroscopy, mechanical properties, particle sizes, proteins, catalysis, sol-gel, gold, storage, metals, optical properties, annealing, adsorption, platinum, polymer, corrosion, quantum dots. Instrumentation and the associated growth of nanostructures dominate the science efforts at present.

4.2. Medical Applications

Related Science – Most Frequently Mentioned Medical Applications

The pervasive instrumentation, materials, structures, and phenomena related to the most frequently mentioned nanotechnology medical applications were identified, as follows:

- Instrumentation: *surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, fourier transform infrared spectroscopy, quartz crystal microbalance, magnetic resonance imaging, confocal laser scanning, enzyme linked immunosorbent assay, laser scanning microscopy, x-ray diffraction, mass spectrometry.*
- Materials: *protein, DNA, peptides, drugs, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, lipids, human serum albumin, Escherichia Coli, antibodies, tissues, enzymes, genes, oligonucleotides, gold, nucleic acid.*
- Structures: *cells, membranes, surfaces, nanoparticles, self-assembled monolayers, cell surfaces, endothelial cells, receptors*

- Phenomena: *fluorescence, interaction, polymerase chain reaction, dynamic light scattering, resonance energy transfer, particle size, drug release, cell adhesion, binding, affinity, gene expression, transfection efficiency*

Applications Thrust Areas – Visual Inspection

A medical Applications categorization constructed from visual inspection of the fuzzy clustering categories showed five thematic categories:

- Cancer Treatment
- Sensing and Detection
- Cells
- Proteins
- DNA

Applications Thrust Areas – Fuzzy Clustering

For medical Applications, analysis of nineteen thematic categories obtained from fuzzy clustering of the total 2005 nanotechnology database revealed the following:

- The USA is the publication leader in total Health types, and in all the thematic areas as well, most by a wide margin. China was the second most prolific in seven thematic areas, Japan in six, Germany in four, and England in two.
- The University of California system led in five clusters, the Chinese Academy of Science led in four, and the National University of Singapore led in three. The University of California and the Chinese Academy of Science were the most prolific in the non-medical Applications as well, but their orders were reversed. The National University of Singapore is a prolific contributor, especially in pharmaceuticals and biomaterials.
- The journal Langmuir contains the most articles in total Health, and is in the top layer of ten of nineteen themes. The only journals in common in the top layers of Applications and Health are Langmuir and Journal of Physical Chemistry B.
- For total medical applications, the key underlying science areas include cells, proteins, DNA, membranes, binding, drugs,

fluorescence, peptides, nanoparticles, detection, lipids, antibodies, immobilization, tissues, receptors, enzymes, genes, drug delivery, self assembly, cell surface, detection limit, escherichia coli, amino acid, molecular weight, particle size, real time, serum albumin, drug release, cell line, cell adhesion, DNA molecules, endothelial cells, surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, fourier transform infrared spectroscopy, quartz crystal microbalance, polymerase chain reaction, self assembled monolayer, magnetic resonance imaging, confocal laser scanning, dynamic light scattering, enzyme linked immunosorbent assay, resonance energy transfer, extracellular matrix, laser scanning microscopy, human serum albumin, and poly lactic acid.

Thus, the instrumentation and nanostructure growth science areas still play a key role, but unique health-related issues/ phraseology such as proteins, drugs, antibodies, bacteria, DNA, peptides, tissues, collagen, genes, etc, are strong science interests that focus on the unique aspects of nanotechnology medical research.

BACKGROUND

There are two main technical underpinnings for this report: text mining and nanotechnology. A brief overview of each is provided in this section.

Text Mining

A typical text mining study of the published literature develops a query for comprehensive information retrieval, processes the retrieved database using computational linguistics and bibliometrics, and integrates the processed information. In this section, the computational linguistics and bibliometrics are overviewed.

Science and technology (S&T) computational linguistics [Kostoff, 2003a; Hearst, 1999; Zhu and Porter, 2002; Losiewicz et al, 2000] identifies pervasive technical themes in large databases from technical phrases that occur frequently. It also identifies relationships among these themes by grouping (clustering) these phrases (or their parent documents) on the basis of similarity. Computational linguistics can be used for:

- Enhancing information retrieval and increasing awareness of the global technical literature [Kostoff et al, 1997; Greengrass, 1997; TREC, 2004]
- Potential discovery and innovation based on merging common linkages among very disparate literatures [Kostoff, 2003b, 2005a; Swanson, 1986; Swanson and Smalheiser, 1997; Gordon and Dumais, 1998]
- Uncovering unexpected asymmetries from the technical literature [Kostoff, 2003c; Goldman et al, 1999]. For example, Kostoff [2003c] predicted asymmetries in recorded bilateral organ (lungs, kidneys, testes, ovaries) cancer incidence rates from the asymmetric occurrence of lateral word frequencies (left, right) in Medline case study articles.
- Estimating global levels of effort in S&T sub-disciplines [Kostoff et al, 2000, 2004a; Viator and Pastorius, 2001]
- Helping authors potentially increase their citation statistics by improving access to their published papers, and thereby potentially helping journals to increase their Impact Factors [Kostoff et al, 2004a, 2004b]
- Tracking myriad research impacts across time and applications areas [Kostoff et al, 2001; Davidse and VanRaen, 1997].

Evaluative bibliometrics [Narin, 1976; Garfield, 1985; Schubert et al, 1987] uses counts of publications, patents, citations and other potentially informative items to develop science and technology performance indicators. Its validity is based on the premises that 1) counts of patents and papers provide valid indicators of R&D activity in the subject areas of those patents or papers, 2) the number of times those patents or papers are cited in subsequent patents or papers provides valid indicators of the impact or importance of the cited patents and papers, and 3) the citations from papers to papers, from patents to patents and from patents to papers provide indicators of intellectual linkages between the organizations that are producing the patents and papers, and knowledge linkage between their subject areas [Narin et al, 1994]. Evaluative bibliometrics can be used to:

- Identify the infrastructure (authors, journals, institutions) of a technical domain,
- Identify experts for innovation-enhancing technical workshops and review panels,
- Develop site visitation strategies for assessment of prolific organizations globally,
- Identify impacts (literature citations) of individuals, research units, organizations, and countries

Nanotechnology

2.2.1. Literature Review Overview

A comprehensive background of the seminal works in nanotechnology is contained in Appendix 1. There are numerous books (e.g., Bhushan's Handbook of Nanotechnology [Bhushan, 2004]; Goddard's Handbook on Nanoscience, Engineering, and Technology [Goddard, 2002]; and Freitas' multi-volume set on nanomedicine [Freitas, 1999, 2003]). Appendix 1A is a more complete listing of reference books, review articles (e.g., Kricka's multi-lingual survey of nanotechnology books and patents [Kricka and Fortina, 2002]; Simon's review of the science and potential applications of nanotechnology [Simon, 2005]), and reports (e.g., The Royal Society's comprehensive review on nanoscience and nanotechnologies [Dowling et al, 2004]; Colton's in-depth review of nanoscale measurements and manipulation [Colton, 2004]). However, none of these published reviews have the spatial and temporal breadth and depth of coverage of the present

report, none use a query of the extent and complexity of the present report, and none do full text mining of the results to obtain structure and infrastructure of the nanotechnology literature. Every published research review on nanotechnology typically covers a focused technology sub-set, not the total field as is done in the present report. For the Patent literature, [Huang et al, 2004] provides a comprehensive text mining analysis of international nanotechnology development that serves to complement the present study.

Technical Background Overview

Nanoscience refers to the study of materials, structures, and devices at the nanometer scale. More recently, nanoscience and nanotechnology refer to the research of materials and structures where some critical dimension is in the range of 1 to 100 nanometers. Below that size scale, the disciplines of Chemistry and Atomic/Molecular Physics have already provided detailed scientific understanding. Above that size scale, Condensed Matter Physics and Materials Science have provided detailed scientific understanding of microstructures in the last 50 years. So, the nanoscale is the last “size” frontier for materials science.

If one expected to simply extrapolate the properties of nanomaterials from the size scales above or below, then there would be little reason for the current interest in nanoscience / nanotechnology. However, there are three reasons for nanostructured materials to behave very differently at nanoscale levels: large surface/interface to volume ratios; size effects (where cooperative phenomena like ferromagnetism are compromised by the limited number of atoms/molecules); and quantum effects. Many of the models for materials properties at the micron and larger sizes have characteristic length scales of nanometers. When the size of the structure is in the nanometer region, the parameters used in the microscopic models will no longer be adequate to model/predict the property. One can expect “surprises” – new materials properties that may be technologically exploitable.

While the scientific understanding of nanostructures is deficient, their use in technology is at least two thousand years old. The Lycurgis cup, a Roman artifact pictured in the lower left of Figure 1, utilizes nanosized gold (Au) clusters to provide different colors depending on front or back lighting. The Roman artisans knew how to achieve the effect even though they may not have understood the scientific basis for the nanoclusters. In the last century,

nanotechnologies have contributed to many significant technologies - examples include the addition of nanosized carbon particles to rubber for improved mechanical properties (tires), the use of nanosized particles for catalysis in the petrochemical industries, and the nucleation of nanosized silver (Ag) clusters during photographic film exposure. These technologies were all developed empirically. As depicted in Figure 0, one might assign these examples to an empiric epoch in the continuing evolution of nanotechnology.




Figure 0: Paleontology of Nanostructures

Empirically based technology, without greater scientific understanding, is usually difficult to extend or control. The scientific foundation of nanostructures received a boost in the 1960s when surface science enjoyed a renaissance. Surface science deals with the study of material surfaces, and generally was constrained to the nanometer size scale in one dimension. Events catalyzing that renaissance were the development of new surface-sensitive analytical tools, the ready availability of ultra-high vacuum (a by-product of the space age), and the maturity of solid-state physics (surfaces representing a controlled lattice defect – termination of repeating unit cells). The principal economic driving force was the electronics industry, but surfaces were also recognized to play an essential role in many “reliabilities”

– adhesives, corrosion protection, friction, wear, fracture, etc. From 1960 to the present, surface science has progressed from “clean, flat and cold” into the technologies of thin films (two or more nanoscale interfaces) and film processing.

What might be labeled as modern nanotechnology development began in the late 1980s, when the science literature involving nanostructures showed the beginnings of a classic S-curve. The emergence of nanoscience/nanotechnology in the 1990s has close parallels to the 1960 surface science renaissance. First, beginning in 1980, the discovery and development of proximal probes – scanning tunneling microscopy/spectroscopy, atomic force microscopy/spectroscopy, near-field microscopy/spectroscopy – have provided tools for visualization, measurement, and manipulation of individual nanosized structures. Those tools took 10-15 years for invention to the development of reliable commercial instruments in the market. The properties of the individual nanostructures can now be observed, instead of at the macroscopic ensemble averaged level. In turn, those properties can be understood in terms of composition / structure. With that understanding came the possibility for control, and with control came the possibility for accelerated progress toward new materials and new technology.

Second, in addition to the new experimental measurement capabilities, computer hardware is now sufficiently advanced (speed and memory capacity) such that accurate predictions, based on *ab initio* first principles, are enabled for reasonable number of atoms in a nanostructure. Modeling and simulation will play a leading role in the race toward nanotechnology. Third, the disciplines of biology, chemistry, materials, and physics have all reached a point where nanostructures are of interest – chemistry building up from simpler molecules, physics/materials working down from microstructures, and biology sorting out from very complex cellular systems into simpler subsystems. Finally, there are several economic engines driving the interest in information technology (electronics and photonics), biotechnology (pharmaceuticals and healthcare), and high performance materials. Estimates of potential economic impact cite a worldwide commercial market on the order of \$1 trillion per year well before 2020 for systems whose function is enabled by the properties of nanostructures – “Nano-Inside.”

With the substantial scientific and economic opportunities, it is not surprising to find strong global interest in fostering nanoscience / nanotechnology, with the intent of accelerating scientific discovery into innovative commercial product. The increasing nanotechnology patent literature gives evidence for that acceleration. From estimates of global FY05 budgets, over \$3.5 billion was invested worldwide in nanotechnology S&T in 2005, with the U.S. federal government nanotechnology investment of about \$1.1 billion. Every industrialized nation, as well as almost every developing nation, has launched nanotechnology initiatives. This strong commitment of science and technology (S&T) funds ensure the rapid growth in nanoscience and nanotechnology will continue.

INTRODUCTION

Broadly speaking, nanotechnology is the development and use of techniques to study physical phenomena and construct structures in the physical size range of 1-100 nanometers (nm), as well as the incorporation of these structures into applications. Although size is a convenient way of defining the area, it alone is not enough to distinguish the nanoscale material from microscopic material. For example, there is no line of demarcation that separates structures at 120 nm from that of 100 nm. In practice, nanotechnology has more to do with the investigation of novel properties that manifest themselves at that size scale, and of the ability to manipulate and artificially construct structures at that scale. Experiments and computer simulation have been targeted at very small scales for decades. The advances in high speed and high storage capacity computers, as well as accurate instruments for measuring and manipulating at the nanoscale, have accelerated the development of nanoscale structures and devices into reality.

Public and private support for further nanotechnology development has increased dramatically. In the National Nanotechnology Initiative, launched in 2001, the U. S. Federal government will contribute billions of dollars to further development by the end of the decade. World-wide, other governments have infused substantial funding to nanotechnology programs. The private sector is heavily investing in this technology as well, anticipating the large size of the potential market for nanotechnology products.

Along with the growth in the tools and products of nano-science and technology (and its financial support) has come the growth in the related technical literature. In the fundamental nanotechnology research literature as represented by the SCI/ SSCI, publications grew from 11,265 articles in 1991 to 64,737 articles in 2005 (almost a sixfold increase in fourteen years), using the query listed in Appendix 2.

Given this voluminous literature, as well as the other voluminous literatures of Patents, Technical Reports, other large databases, and the Web, how can one gain an integrated perspective of the overall state of nanotechnology? Text mining offers one potential approach. This report describes the results of applying text mining to the SCI/ SSCI nanotechnology literature. The full list of keywords used in queries to retrieve the data in the literature is contained in Appendix 2.

Then, the retrieved dataset is analyzed to produce the following characteristics and key features of the nanotechnology field: recent prolific nanotechnology authors; journals that contain numerous nanotechnology papers; institutions that produce numerous nanotechnology papers; keywords most frequently specified by the nanotechnology authors; authors, papers and journals cited most frequently; pervasive technical themes of the nanotechnology literature; and relationships among the pervasive themes and sub-themes.

APPROACH

1. Databases

The primary objective of this study was to identify and characterize the global research literature that was related directly to nanotechnology/ nanoscience. A secondary objective was to estimate the relative level of global effort in the sub-categories of nanoscience/ nanotechnology research, as reflected by the emphasis in the published literature.

To accomplish these objectives, the first step was to define the most appropriate databases to be accessed consistent with available resources. There are multiple global databases that contain research articles in the diverse disciplines that comprise nanotechnology/ nanoscience, multiple global patent databases, sponsoring agency award narrative databases, classified databases, proprietary technology databases, technical report databases (e.g., DTIC, NTIS), books, physical science and biomedical magazines not accessed by the major databases, Web articles/ pages, and many other types.

Each of these databases/ sources has its own perspective to offer on the nanoscience/ nanotechnology problem, and each has value to contribute. Unfortunately, because of terminology that tends to be specific to each database (e.g., the basic research literature databases tend to use different terminology from the very applied research literature databases.), a separate text mining analysis of each database, including database-specific query development, is required to maximally exploit the information available from each database. These multiple database analyses translate into massive resource expenditures. Therefore, the database selection task translates into a decision to select the most appropriate database(s) that will allow the study objectives to be attained.

The SCI/ SSCI covers most of the research disciplines related to nanoscience/ nanotechnology, and allows citation information to be obtained. Because citation bibliometrics are an important tool used by the first author's text mining group, and this citation capability is an SCI/ SSCI specialty, the SCI/ SSCI was selected as the database for the analyses. Additionally, it was desired to focus on the original research component of the SCI/ SSCI, as well as reviews, and not mix objects of different categories

(e.g., editorials, letters, etc). Therefore, only records classified as Articles or Reviews in the SCI/ SSCI were downloaded.

2. Query Development

Once the source database was selected, the iterative search approach of Simulated Nucleation (Kostoff et al, 1997a) was used to generate the bulk of the search query. The SCI/ SSCI-retrieved database consisted of selected journal records (including authors, titles, journals, author addresses, author keywords, abstract narratives, and references cited for each paper) obtained by searching the Web version of the SCI/ SSCI for nanoscience/ nanotechnology research articles. While some time trends were studied, most of the analysis covered 2005 only. The database used represented the bulk of the documented, peer-reviewed high quality nanoscience/ nanotechnology research open literature.

To extract relevant articles from the SCI/ SSCI, a test query was used, and the Title, Keyword, and Abstract fields were searched using phrases relevant to nanoscience/ nanotechnology. The resultant Abstracts were then culled to leave those relevant to nanoscience/ nanotechnology. Gradations of relevancy or non-relevancy were not considered. Phrase frequency analyses were performed on the textual database of retrieved papers. The high frequency single, double, and triple word phrases judged to be characteristic of relevant papers, and their Boolean combinations, were then added to produce the topic field component of the final query shown in the Introduction.

Two additional fields were accessed for the remainder of the query. All journals with nano* in their title were retrieved using the Source field. All their contents were relevant. Essentially all institutions with nano* in their address field were retrieved using the Address field. All these retrievals were relevant. The detailed query is contained in Appendix 2.

3. Bibliometrics

The results from the publications bibliometric analyses are presented first, followed by the results from the citations bibliometrics analysis. The SCI/ SSCI bibliometric fields incorporated into the database included, for each paper, the author, journal, institution, keywords, and references for each paper.

The publications bibliometrics are counts of papers published by different entities. These metrics can be viewed as output and productivity measures. They are not direct measures of research quality, although there is some threshold quality level inferred, since these papers are published in the (typically) high caliber journals accessed by the SCI/ SSCI.

The citation bibliometrics are counts of citations to documents published by different entities. While citations are ordinarily used as impact or quality metrics (Garfield, 1985), much caution needs to be exercised in their frequency count interpretation, since there are numerous reasons why authors cite or do not cite particular documents (MacRoberts and MacRoberts, 1989, 1996; Kostoff, 1998b).

The citations in all the retrieved SCI/ SSCI papers were aggregated, the authors, specific documents, years, journals, and countries cited most frequently were identified, and are presented in order of decreasing frequency. A small percentage of any of these categories received large numbers of citations.

4. Taxonomies

Past text mining studies by the first author (e.g., Kostoff et al, 1998a, 1999, 2000a, 2000b, 2001a, 2001b, 2002, 2004a, 2004b, 2004c, 2005b, 2005c, 2005d, 2005e, 2006a, 2006c, 2006d) have used a variety of approaches to identify the main technical themes in the database(s) being analyzed, as well as the inter-relationships among themes. These approaches include extracting key phrases and manually assigning them to categories; extracting key phrases and assigning them with a statistical computer algorithm, using factor analyses and multi-link clustering; and grouping documents based on text similarity.

Based on recent text mining results, three theme identification/ relationship identification methods were used: document clustering, factor analysis, correlation mapping. All these methods used the Abstracts text only. All will now be overviewed briefly.

4A. In document clustering, documents are combined into groups based on their text similarity. Document clustering yields numbers of documents in

each cluster directly, a proxy metric for level of emphasis in each taxonomy category.

Different document clustering approaches exist (Cutting et al, 1992; Guha et al, 1998; Hearst, 2000; Karypis et al, 1999; Prechelt et al, 2002; Rasmussen, 1992; Steinbach et al, 2000; Willet, 1988; Wise, 1992; Zamir and Etzioni, 1998). The approach presented in this section is based on a partitional clustering algorithm (Karypis, 2004; Zhao and Karypis, 2004) contained within a software package named CLUTO. Most of CLUTO's clustering algorithms treat the clustering problem as an optimization process that seeks to maximize or minimize a particular clustering criterion function defined either globally or locally over the entire clustering solution space. CLUTO uses a randomized incremental optimization algorithm that is greedy in nature, and has low computational requirements. CLUTO is described in more detail in Appendix 3.

Two hundred and fifty-six individual clusters were chosen for the database (2005 Articles retrieved from the SCI/ SSCI). Because of the data volume, these clusters are presented in detail in Appendix 7. Compared to past document clustering algorithm inputs, a much larger trivial words list was selected to eliminate obvious non-technical words. With more trivial words eliminated, text similarity becomes based on the desired high technical content words, and sharper, less ambiguous clusters result. CLUTO also agglomerates the 256 clusters in a hierarchical tree (taxonomy) structure, and this taxonomy is presented later in the present report.

4B. Factor Analysis

Factor analysis of a database aims to reduce the number of variables in a system, and to detect structure in the relationships among variables. Correlations among variables are computed, and highly correlated groups (factors) are identified. The relationships of these variables to the resultant factors are displayed clearly in the factor matrix, whose rows are variables and columns are factors. In the factor matrix, the matrix elements M_{ij} are the factor loadings, or the contribution of variable i (in row i) to the theme of factor j (in column j). The theme of each factor is determined by those variables that have the largest values of factor loading. Each factor has a positive value tail and negative value tail. For each factor, one of the tails typically dominates in terms of absolute value magnitude. This dominant

tail is used to determine the central theme of each factor. Factor analysis was used to quantify word/ phrase, institution, and country collaborations.

4C. Correlation Mapping

An auto-correlation function describes the correlation between a random function and a copy of itself shifted by some ‘lag’ distance. One can produce a map showing terms that commonly occur together. For example, an auto-correlation map of institutions shows teams of institutions that publish together.

A cross-correlation map shows relationships among items in a list based on the values in another list. A cross-correlation map of institutions and phrases can show groups of organizations that write about the same things. A cross-correlation map of countries and phrases can show groups of nations that write about the same things.

5. Instrument Identification

The following approach describes how the main nanotechnology instruments were identified, along with the main categories of items that they measure. A phrase frequency analysis was performed on the total retrieved 2005 database, and hundreds of thousands of phrases were generated. All single word, adjacent double word, and adjacent triple word phrases were extracted and corrected to eliminate phrases containing trivial words at the beginning or end, and their occurrence frequencies were recorded. The phrases were then inspected visually, starting from the highest frequency. Approximately 60000 phrases were examined visually. Every instrument-related phrase was extracted. Then, the root phrase for each instrument (e.g., microscop*, spectroscop*) was inserted into the phrase search engine, and all variants of the instrument terminology were retrieved, including the lowest frequency variants. Approximately 240 phrases resulted. Additionally, phrases related to materials, properties, phenomena, and nanostructures were extracted during the visual inspection process.

6. Applications Identification

The same visual inspection procedure was used to identify non-medical applications as was used for instrumentation, with the exception that every non-medical applications-related phrase was extracted. For medical applications, a fuzzy clustering approach was used. The sub-section of the hierarchical taxonomy that covered medical applications was identified.

RESULTS

Query/ Records Retrieved

As stated previously, the query described in the Introduction and contained in Appendix 2 was input to the SCI/ SSCI search engine, and 64737 research Article and Review records were retrieved for 2005. The query was also used to generate time trends of publications.

Publication Time Trends

1. Numbers of Aggregate Publications

**FIGURE 1 – SCI/ SSCI ARTICLES VS TIME
TOTAL RECORDS RETRIEVED**




Figure 1 shows the annual totals of nanotechnology/ nanoscience articles retrieved from the SCI/ SSCI for the period 1991-2005. The points are the actual number of articles retrieved, the solid line is an exponential fit to the data that includes the two end points, and the two dotted lines are linear fits to the data for adjacent time periods (1991-2000; 2001-2005). The slope of the second line is greater, indicating that the rate of increase of nanoscience/ nanotechnology articles produced was higher in the last five years than during the 1990s.

2. Temporal Country Publication Distributions

FIGURE 2A – COUNTRY COMPARISON TIME TREND




Figure 2A shows the breakdown of nanoscience/ nanotechnology article production by country for three selected years (1991, 1998, and 2005). All of the leading countries in nanotechnology have increased production from 1991 to 2005, but the growth in research has not been uniform globally. The USA leads the world in nanotechnology paper publications, whereas the most dramatic increase is from the Peoples Republic of China, from 1,860 papers in 1998 to 11,768 papers in 2005. South Korea has increased published research output by a factor of forty since 1991.

FIGURE 2B – COUNTRY TIME TREND PERCENTAGES





Figure 2B shows the breakdown of nanoscience/ nanotechnology article production by countries in percentage shares for the same three selected years. The numbers in parentheses above the bars are actual numbers of papers produced for the year in question. Over this time period, the United States' and Japan's shares of global nanotechnology/ nanoscience publications have dropped (the USA dropped from 36% to 23%, and Japan from 16.5% to 12.5%), as countries that were not as prolific at the beginning of the 1990s grew rapidly over the course of the decade. Most notably, China and South Korea both published about forty times more research articles in 2005 than in 1991. The other leading countries increased their output by at most five times.

Figure 2C places these nanotechnology/ nanoscience numbers in perspective by plotting their temporal trends as a function of total country SCI/ SSCI articles. As the total number of research articles for most countries has gone up, the percentage of nanotechnology papers has also gone up disproportionately relative to other technical disciplines.

FIGURE 2C – NANOTECHNOLOGY FRACTION OF TOTAL ARTICLES



From the aggregate country temporal perspective of Figure 2B, the US appears well ahead of China in numbers of articles produced, although China is growing rapidly. From the aggregate nanotechnology perspective of Figure 2A, the US is moderately ahead of China in articles produced, although China appears poised to overtake the US in a few years if the trends shown continue.

3. Temporal Nanotechnology Sub-Area Publication Distributions across Countries

While the publication results aggregated across all nanotechnology/nanoscience sub-areas are interesting, even more illuminating are the results dis-aggregated by nanotechnology sub-area. Based on a recent comparison of China's research area emphases with those of the US (Kostoff et al, 2006c), some nanotechnology sub-areas were identified where China's research article outputs were comparable in absolute numbers to those of the US. The time histories of the major country contributors to three selected nanotechnology sub-areas are shown in Figures 3A-3C.

Two caveats are in order. The numbers shown do not add up to 100% in any year, since only four selected countries are shown. Other contributors will supply the remainder. Second, when all contributions are included, the numbers could total beyond 100%, since co-authored papers are counted for each of the co-authors. With those caveats, the discussion proceeds.

FIGURE 3A – # PAPERS CONTAINING “XRD AND NANO*”




FIGURE 3B – # PAPERS CONTAINING “NANOCOMPOSITE*”





FIGURE 3C – # PAPERS CONTAINING “NANOCRYSTAL*”



From the aggregate country temporal perspective of Figure 2B, the US appears well ahead of China in numbers of articles produced, although China is growing rapidly. From the aggregate nanotechnology perspective of Figure 2A, the US is moderately ahead of China in articles produced, although China appears poised to overtake the US in a few years if the trends shown continue.

However, from the dis-aggregated nanotechnology perspective of Figures 3A-3C, China has already achieved parity with the US in some important nanotechnology sub-areas, at least from an article production perspective. This analysis shows the importance of going beyond the national aggregate (overall technology) level, as exemplified by King, 2004, and even beyond a broad technology aggregate level (such as nanotechnology), to understand critical sub-technology trends occurring globally.

Bibliometrics

Prolific Authors

1. List of Prolific Author Names

TABLE 1 – MOST PROLIFIC NANOTECHNOLOGY RESEARCH AUTHOR NAMES (2005)*

AUTHOR	#PAPERS
Zhang, Y	237
Wang, J	219
Li, Y	215
Wang, Y	209
Liu, Y	204
Zhang, J	174
Lee, JH	165
Wang, L	151
Kim, JH	142
Chen, Y	141
Wang, X	139
Li, J	137
Zhang, L	137
Wang, H	135
Kim, J	133
Kim, SH	115
Lee, J	114
Lee, JY	113
Lee, S	111
Liu, J	111
Chen, J	107
Xu, J	106
Yang, Y	104
Li, L	103
Zhang, X	102
Wang, Q	98
Kim, H	92
Lee, SJ	90
Yang, J	87
Zhang, H	87

*Note: Each name does not necessarily refer to one person.

Table 1 presents the 30 most prolific nanotechnology research author names from 2005 and their publication frequency. All of the names listed are monosyllabic, either of Chinese or Korean origin, and many surnames are

identical. This implies that the names are quite common, and for a field of study as large as nanoscience/ nanotechnology one might find easily find multiple authors with the same name. The unrealistically high author publication frequencies listed for one year validate that assumption.

2. List of Prolific Authors and their Institutions (names partially disambiguated)

TABLE 2 – MOST PROLIFIC NANOTECHNOLOGY RESEARCH AUTHORS LISTED WITH THEIR INSTITUTION (2005)

AUTHOR	#PAPERS	INSTITUTION	COUNTRY
Qian, YT	86	UNIV SCI & TECHNOL CHINA	PEOPLES R CHINA
Li, Y	54	CHINESE ACAD SCI	PEOPLES R CHINA
Jiang, L	53	CHINESE ACAD SCI	PEOPLES R CHINA
Chu, PK	52	CITY UNIV HONG KONG	PEOPLES R CHINA
Cingolani, R	52	UNIV LECCE	ITALY
Zhang, LD	52	CHINESE ACAD SCI	PEOPLES R CHINA
Wang, ZG	51	CHINESE ACAD SCI	PEOPLES R CHINA
Zhang, Y	45	CHINESE ACAD SCI	PEOPLES R CHINA
Du, YW	44	NANJING UNIV	PEOPLES R CHINA
Hopkinson, M	44	UNIV SHEFFIELD	ENGLAND
Shi, JL	44	CHINESE ACAD SCI	PEOPLES R CHINA
Gao, L	43	CHINESE ACAD SCI	PEOPLES R CHINA
Liu, Y	43	CHINESE ACAD SCI	PEOPLES R CHINA
Knoll, W	42	MAX PLANCK INST POLYMER RES	GERMANY
Zhu, DB	42	CHINESE ACAD SCI	PEOPLES R CHINA
Chang, SJ	41	NATL CHENG KUNG UNIV	TAIWAN
Mullen, K	41	MAX PLANCK INST POLYMER RES	GERMANY
Bando, Y	40	NATL INST MAT SCI	JAPAN
Bhushan, B	40	OHIO STATE UNIV	USA
Lee, ST	40	CITY UNIV HONG KONG	PEOPLES R CHINA
Reinhoudt, DN	40	UNIV TWENTE	NETHERLANDS
Schubert, US	40	EINDHOVEN UNIV TECHNOL	NETHERLANDS
Yu, DP	40	PEKING UNIV	PEOPLES R CHINA
Arakawa, Y	39	UNIV TOKYO	JAPAN
Kim, TW	39	HANYANG UNIV	SOUTH KOREA
Li, YD	39	TSING HUA UNIV	PEOPLES R CHINA
Zhang, J	39	CHINESE ACAD SCI	PEOPLES R CHINA
Liu, WM	38	CHINESE ACAD SCI	PEOPLES R CHINA
Pearton, SJ	38	UNIV FLORIDA	USA

Appendix 4 explores the “multiple authors with same name” issue further, and presents a partial name disambiguation approach. An author-institution co-occurrence matrix is generated for the most prolific authors and institutions. The top authors are extracted manually, by looking for author-

institution pairings with high publication totals. This method identifies each author uniquely provided that each institution contains only one author with a given full name in a specific technology. However, the software is not configured to allow mapping by authors deconvolved using this approach.

Only four names from the list of top 30 prolific author names (Table 1) remained in the list of the 29 most prolific authors (Table 2). The author with the most papers, YT Qian, was not included in the original list of 30. The four authors included in both tables are Y. Zhang (45/237), Y. Li (54/215), Y. Liu (43/204), and J. Zhang (39/174), given here with the amount of papers they published and the total amount of papers for authors with the same name. The top 29 authors are dominated by Chinese authors, as were the names, but other nations are represented, and there is a smaller Korean presence. Work is continuing on improving the name disambiguation procedure, and will be reported in *Scientometrics* at a later date.

Prolific Journals

TABLE 3 – JOURNALS CONTAINING MOST ARTICLES ON NANOTECHNOLOGY (2005)

JOURNAL	#PAPERS	IMPACT FACTOR	THEME
APPLIED PHYSICS LETTERS	2332	4.13	PHYS
PHYSICAL REVIEW B	2273	3.19	PHYS
JOURNAL OF APPLIED PHYSICS	1488	2.50	PHYS
JOURNAL OF PHYSICAL CHEMISTRY B	1450	4.03	CHEM
LANGMUIR	1103	3.71	CHEM
THIN SOLID FILMS	932	1.57	MATLS
JOURNAL OF THE AMERICAN CHEMICAL SOCIETY	817	7.42	CHEM
JOURNAL OF CRYSTAL GROWTH	776	1.68	MATLS
JAPANESE JOURNAL OF APPLIED PHYSICS PART 1-REGULAR PAPERS BRIEF COMMUNICATIONS & REVIEW PAPERS	771	1.10	PHYS
PHYSICAL REVIEW LETTERS	721	7.50	PHYS
CHEMISTRY OF MATERIALS	655	4.82	CHEM
NANOTECHNOLOGY	655	2.99	NANO
APPLIED SURFACE SCIENCE	640	1.26	MATLS
POLYMER	552	2.85	MATLS
MATERIALS LETTERS	531	1.30	MATLS
MACROMOLECULES	516	4.02	CHEM
NANO LETTERS	473	9.85	NANO
JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS	456	0.99	MATLS
SURFACE & COATINGS TECHNOLOGY	449	1.65	MATLS
PHYSICA E-LOW-DIMENSIONAL SYSTEMS & NANOSTRUCTURES	432	0.95	PHYS
CHEMICAL COMMUNICATIONS	422	4.43	CHEM
ADVANCED MATERIALS	409	9.11	MATLS
CHEMICAL PHYSICS LETTERS	384	2.44	PHYS
JOURNAL OF VACUUM SCIENCE & TECHNOLOGY B	380	1.63	PHYS
APPLIED PHYSICS A-MATERIALS SCIENCE & PROCESSING	378	1.99	MATLS
JOURNAL OF THE ELECTROCHEMICAL SOCIETY	376	2.19	CHEM
SURFACE SCIENCE	370	1.78	MATLS
JOURNAL OF ALLOYS AND COMPOUNDS	363	1.37	MATLS
JOURNAL OF MATERIALS CHEMISTRY	360	3.69	MATLS
JOURNAL OF APPLIED POLYMER SCIENCE	355	1.07	MATLS
JOURNAL OF CHEMICAL PHYSICS	355	3.14	PHYS

The journals containing the most research articles on nanotechnology/nanoscience are shown in Table 3. The highest ranking journals emphasize physics, chemistry, and materials, in that order. The physics journals listed have a median Impact Factor of 3.14, the chemistry journals 4.03, the materials journals 1.65, and the nanotechnology journals 6.42.

There are many causes that can contribute to low journal Impact Factor. These include low quality publications and/ or limited journal circulation and/ or overly applied papers and/ or technical field covered (i.e., number of researchers working in technical field and available to cite papers). The Impact Factor issue will be explored with greater resolution when the specific taxonomy categories are analyzed.

To identify hierarchical groups of journals, Bradford's Law is invoked. Bradford's law states that documents on a given 'subject' [are] distributed (scattered) according to a certain mathematical function so that a growth in papers on a subject requires a growth in the number of journals/information sources. The numbers of the groups of journals to produce nearly equal numbers of articles is roughly in proportion to $1: n: n^2 \dots$, where n is called the Bradford multiplier (Hjorland and Nicolaisen, 2005).

The top 31 journals can be subdivided according to Bradford's law into four groups, each one of which contains roughly 5000 articles. *Applied Physics Letters* and *Physical Review B* make up the first set (4605 articles), the next four journals comprise the next echelon (4973), and the following eight are in the third group (5587). It should take another doubling of the number of journals to get approximately 5000 more articles total, and the next sixteen journals account for 6654 articles. Even though this figure is still in the vicinity of the 5000 benchmark, the fact that the number of articles increases for each group means that the Bradford multiplier is probably less than 2.

Prolific Institutions

1. List of Prolific Institutions

TABLE 4 – INSTITUTIONS PRODUCING MOST NANOTECHNOLOGY PAPERS (2005)

INSTITUTION	COUNTRY	#REC
Chinese Acad Sci	PEOPLES R CHINA	2916
Russian Acad Sci	RUSSIA	1217
CNRS	FRANCE	824
Tsing Hua Univ	PEOPLES R CHINA	749
Tohoku Univ	JAPAN	680
Univ Tokyo	JAPAN	664
Osaka Univ	JAPAN	652
Natl Inst Adv Ind Sci & Technol	JAPAN	568
Natl Univ Singapore	SINGAPORE	565
Nanjing Univ	PEOPLES R CHINA	534
Zhejiang Univ	PEOPLES R CHINA	528
Tokyo Inst Technol	JAPAN	515
CNR	ITALY	502
Kyoto Univ	JAPAN	498
Seoul Natl Univ	S. KOREA	484
Univ Sci & Technol China	PEOPLES R CHINA	482
Univ Illinois	USA	461
Natl Inst Mat Sci	JAPAN	459
CSIC	SPAIN	455
Univ Calif Berkeley	USA	427
Univ Texas	USA	419
Peking Univ	PEOPLES R CHINA	400
Korea Adv Inst Sci & Technol	S. KOREA	392
Univ Cambridge	UK	392
Jilin Univ	PEOPLES R CHINA	378
Shanghai Jiao Tong Univ	PEOPLES R CHINA	367
MIT	USA	364
Indian Inst Technol	INDIA	361
Natl Tsing Hua Univ	TAIWAN	357
Hanyang Univ	S. KOREA	355

Table 4 presents the 30 institutions producing the most nanotechnology research papers. Universities comprise two-thirds of the top institutions, and they account for six of the top ten. Twenty-one of the prolific institutions are located in Asia. The most prolific is the Chinese Academy of Sciences (CAS), which consists of 84 institutes throughout China, one University of Science and Technology of China at Hefei, Anhui, two colleges, four



documentation centers, three technical support centers, and two news and publishing units. Both China and Japan have the largest number of prolific organizations, with eight and seven institutions, respectively. The top three institutions are not universities, but rather multi-center national research institutions. The more applied nature of such institutions correlates with the substantial representation of applied journals as shown later.

On the other hand, the USA institutions shown are all universities. Universities of Illinois and Texas are multi-campus state university systems, while University of California Berkeley and MIT are single campus institutions. ***However, if the University of California campuses are combined into one, as is the case for Texas and Illinois, then the University of California system total becomes 1604, making the University of California system second in the institutional rankings.*** Neither the research budgets nor numbers of researchers of the institutions are analyzed, so the relative productivity cannot be estimated and assessed at this time.

The Russian Academy of Sciences' contribution is significant because their nanoscience/ nanotechnology paper output is more than half of the total nanotechnology output for the country. This indicates that the Russian Academy is the principal nanotechnology research institution in Russia, with significantly diminished participation from other universities and institutions.

2. Institution Auto-Correlation Map

**FIGURE 4A – INSTITUTION AUTO-CORRELATION MAP
(top thirty institutions)**



What are the linkages among these institutions? To display linkages among institutions visually, two mapping approaches were performed: auto-correlation mapping and cross-correlation mapping. Figure 4A is an institution auto-correlation map that shows institutional relationships based on actual co-authorships. Figure 4B is a cross-correlation map that shows institutional relationships based on use of common terminology, and Figures 4C and 4D show institutional linkages based on cited journals. The only difference between the two institution-cited journal maps is that Figure 4C displays the network of institutions based on the 500 cited journals publishing the most nanoscience/ nanotechnology articles, and Figure 4D maps institutions according to common citation of the next 500 journals. Figure 4E is a cross-correlation map of institutions and cited documents.

There are three main co-publishing groups seen in the institution auto-correlation map (Figure 4A), one Chinese, one Japanese, and one South Korean. Out of the intra-national groups, the Japanese one has the strongest links. All the Japanese institutions that were plotted are included in the group, namely, Tohoku University, the University of Tokyo, Osaka University, the National Institute for Advanced Industrial Science and Technology, Tokyo Institute of Technology, Kyoto University, and the National Institute for Materials Science. Similarly, the three leading Korean institutions (Seoul National University, Korea Advanced Institute of Science & Technology, Hanyang University) are all grouped together, but the Chinese group (Chinese Academy of Sciences, Tsing Hua University, Peking University, Jilin University) is not all-inclusive, as a few Chinese institutions remain separate from it. There is also weak international connectivity among MIT, the National University of Singapore, the University of Texas, and Tohoku University.

TABLE 5 – CO-OCCURRENCE MATRIX FOR TOP CHINESE INSTITUTIONS

	CHINESE ACAD SCI	TSING HUA UNIV	NANJING UNIV	ZHEJIANG UNIV	UNIV SCI & TECHNOL CHINA	PEKING UNIV	JILIN UNIV	SHANGHAI JIAO TONG UNIV
CHINESE ACAD SCI	2916	84	33	23	29	62	38	27
TSING HUA UNIV	84	749	4	1	2	20	21	11
NANJING UNIV	33	4	534	3			2	2
ZHEJIANG UNIV	23	1	3	528	2	1	2	2
UNIV SCI & TECHNOL CHINA	29	2		2	482	3		12
PEKING UNIV	62	20		1	3	400	3	
JILIN UNIV	38	21	2	2		3	378	
SHANGHAI JIAO TONG UNIV	27	11	2	2	12			367

A co-occurrence matrix was generated for the eight Chinese institutions shown in Figure 4A to understand quantitatively why some institutions are linked, whereas others are not. Looking at the absolute number of co-authored papers gives one a general idea as to which institutions are linked. For instance, the largest entry in Table 5 is for the Chinese Academy of Sciences and Tsing Hua University. None of the institution pairs with single digit (or less) collaboration totals are connected on Figure 4A. However, Table 5 does not explain why Tsing Hua University and Jilin University (21 co-occurrences) are connected, but Nanjing University and the Chinese Academy of Sciences (33 co-occurrences) are not. For this reason, Table 5 was recast in percentage terms.

TABLE 6 – CO-OCCURRENCE MATRIX FOR TOP CHINESE INSTITUTIONS (BY PERCENTAGE OF TOTAL ARTICLES)

	CHINESE ACAD SCI	TSING HUA UNIV	NANJING UNIV	ZHEJIANG UNIV	UNIV SCI & TECHNOL CHINA	PEKING UNIV	JILIN UNIV	SHANGHAI JIAO TONG UNIV
CHINESE ACAD SCI		2.9%	1.1%	0.8%	1.0%	2.1%	1.3%	0.9%
TSING HUA UNIV	11.2%		0.5%	0.1%	0.3%	2.7%	2.8%	1.5%
NANJING UNIV	6.2%	0.7%		0.6%	0.0%	0.0%	0.4%	0.4%
ZHEJIANG UNIV	4.4%	0.2%	0.6%		0.4%	0.2%	0.4%	0.4%
UNIV SCI & TECHNOL CHINA	6.0%	0.4%	0.0%	0.4%		0.6%	0.0%	2.5%
PEKING UNIV	15.5%	5.0%	0.0%	0.3%	0.8%		0.8%	0.0%
JILIN UNIV	10.1%	5.6%	0.5%	0.5%	0.0%	0.8%		0.0%
SHANGHAI JIAO TONG UNIV	7.4%	3.0%	0.5%	0.5%	3.3%	0.0%	0.0%	

In Table 6, the rows and columns are the institutions, and the matrix entries are the percentage of the papers written by the institutions. For example, 2.9% of the Chinese Academy of Sciences research articles were co-authored with Tsing Hua University, and these same 84 articles represent 11.2% of all of Tsing Hua’s nanotechnology articles. There is no set cut-off for which institutions are linked on the map; rather, each institution is connected with the partners who made the most significant contribution. Jilin University is linked to the Chinese Academy of Sciences and to Tsing Hua University because these two institutions co-authored 10.1% and 5.6%, respectively, of Jilin’s articles, almost an order of magnitude higher than Jilin’s other partners. On the other hand, the only substantial contribution to Nanjing’s nanotechnology output came from the Chinese Academy of Sciences (6.2% compared to 0.7% at best), but these 33 papers accounted for only 1.1% of the Chinese Academy of Sciences’ total papers. The latter institution has more significant collaborators, so these two insitutions do not appear linked on Figure 4A.

3. Institution Cross-Correlation Maps

FIGURE 4B – INSTITUTION-PHRASE CROSS-CORRELATION MAP




FIGURE 4C – INSTITUTION-CITED JOURNAL CROSS-CORRELATION MAP (Cited Journals 1-501)




FIGURE 4D – INSTITUTION-CITED JOURNAL CROSS-CORRELATION MAP (Cited Journals 502-1003)





FIGURE 4E - INSTITUTION-CITED DOCUMENT CROSS-CORRELATION MAP



Publication connectivity is much weaker than common interest connectivity or citation connectivity. On Figure 4A, all connections shown are weak (barely visible), based on the link strength criteria listed in the legend on the figure. On Figures 4B and 4C many links are very strong, and Figure 4E has strong links.

The institution-phrase cross-correlation map (Figure 4B) contains two very strongly intra-connected groups, one Chinese and one containing primarily Japanese and South Korean institutions. The Indian Institute of Technology (a national multi-institution group) forms a strong link with the Chinese Academy of Sciences as well, and CNR (Consiglio Nazionale delle Ricerche) and CNRS (Centre National de la Recherche Scientifique) are included in the Japanese/ Korean group. Four American universities and the University of Cambridge stand apart as a fourth group, but the connections among these institutions are very weak at best.

Figure 4C, the first institution-cited journal cross-correlation map, shows that the connections based on the leading cited journals are very strong. It is not possible to classify the top thirty institutions based on references to the 500 most cited journals. All of the important nanotechnology centers are aware of the key journals in which high quality articles appear.

Performing a cross-correlation map of the top thirty institutions with the next 500 cited journals provides a better picture of linkages that exist. Figure 4D shows four clusters based on nationality, one Chinese, one Japanese, one American, and one European. The map demonstrates that institutions from the same country cite the same focused journals, and these journals tend to be domestic, although not exclusively. One can verify this result by tabulating the top five cited journals (out of Cited Journals 502-1003) for each institution and identifying their origins in the SCI. For the Chinese group, half of the 34 top journals are Chinese publications. Fourteen of the 25 identified journals for Japanese institutions were published in Japan, and nine out of ten journals are domestic for the American group. The European group is slightly different in nature, as CNR and CSIC do not have any highly cited domestic journals. However, CNRS has two of three top journals printed in France, and altogether the three institutions have twelve of fifteen cited journals published within the European Union. Another point to note from Figure 4D is that the Chinese group is isolated from the

other institutions, whereas the Japanese and the American institutions link to the European research centers, both through CNRS.

The institution-cited document cross-correlation map (Figure 4E) shows a strongly-linked group of Chinese institutions, which also contains the National University of Singapore, Hanyang University (South Korea), and the National Tsing Hua University (Taiwan). The isolation of the Chinese institutions in Figure 4D and the strong intra-connectivity of the Chinese institutions in Figure 4E are in line with the findings of Zhou and Leydesdorff (2006). They concluded that Chinese researchers cite articles in leading international journals, but non-Chinese researchers do not cite Chinese-authored articles to the same extent, especially those published in Chinese-language journals. The strong intra-Chinese institution connectivity of Figure 4E reflects strong China-China citations. The citation of articles in international journals by Chinese institutions is backed up by the fact that Iijima's 1991 article in *Nature* is the most highly cited document for all ten of the institutions in the main group of Figure 4E. Furthermore, these institutions cite articles from *Science* by ZW Pan and MH Huang next most frequently, followed by an *Advanced Materials* article by YN Xia. While these three highly cited first authors are all of Chinese descent, all of them work at US institutions. MIT and Tohoku University have a formidable link based on documents cited in common, but no other organizations are connected based on cited documents.

4. Institution Factor Matrices

Based on the thirty institutions shown in Table 4 and on the roughly four-five groupings discerned from the auto-correlation map of Figure 4A, the six factor institution factor matrix of Table 7 was generated (using the TechOasis software (Search, 2006)). The institution names listed in Table 4 constitute the first column of Table 7, and the factors are the remaining columns. Each factor represents a group of institutions that co-author significantly. The high factor loadings that determine the main collaborators are shaded.

TABLE 7 – SIX FACTOR MATRIX
(thirty most prolific institutions)

FACTOR	1	2	3	4	5	6
NATL INST MAT SCI	0.486	0.048	0.027	-0.038	0.054	0.02
UNIV TOKYO	0.472	-0.029	-0.077	0.041	-0.047	-0.057
NATL INST ADV IND SCI & TECHNOLOG	0.451	-0.013	0.008	0.034	0.026	-0.06
TOHOKU UNIV	0.438	0.028	0.094	-0.199	0.094	0.082
TOKYO INST TECHNOLOG	0.361	0.023	0.027	0.053	-0.055	0.038
OSAKA UNIV	0.292	-0.136	-0.073	0.104	0.019	-0.221
KYOTO UNIV	0.199	-0.132	-0.136	0.148	-0.065	-0.257
TSING HUA UNIV	-0.027	0.536	-0.032	0.08	-0.025	-0.013
CHINESE ACAD SCI	-0.108	0.522	-0.005	0.083	0.212	-0.153
PEKING UNIV	-0.025	0.437	-0.034	-0.134	-0.047	-0.101
JILIN UNIV	-0.019	0.394	-0.102	0.147	-0.174	-0.007
HANYANG UNIV	-0.011	-0.033	0.588	0.049	-0.212	-0.07
KOREA ADV INST SCI & TECHNOLOG	-0.038	-0.027	0.572	0.064	-0.26	-0.061
SEOUL NATL UNIV	-0.044	-0.058	0.398	0.069	-0.26	-0.064
MIT	0.046	0.026	0.051	-0.561	-0.024	0.152
NATL UNIV SINGAPORE	-0.089	-0.06	-0.069	-0.55	-0.021	-0.168
UNIV TEXAS	-0.094	-0.068	-0.084	-0.434	-0.11	-0.199
UNIV SCI & TECHNOLOG CHINA	-0.081	-0.093	0.217	-0.023	0.556	-0.035
SHANGHAI JIAO TONG UNIV	-0.062	-0.015	0.22	0.033	0.54	-0.007
ZHEJIANG UNIV	-0.075	-0.079	-0.015	0.002	0.18	-0.113
CNRS	-0.005	-0.054	-0.045	0.07	-0.012	0.458
UNIV CAMBRIDGE	0.01	0.033	0.005	-0.093	-0.014	0.429
CSIC	-0.039	-0.066	-0.057	0.077	-0.015	0.407
CNR	-0.046	-0.072	-0.07	0.097	-0.019	0.363
UNIV CALIF BERKELEY	-0.038	-0.021	-0.05	-0.06	-0.212	0.013
UNIV ILLINOIS	-0.067	0.017	-0.088	-0.018	-0.218	-0.02
INDIAN INST TECHNOLOG	-0.056	-0.125	-0.078	0.048	-0.018	-0.07
RUSSIAN ACAD SCI	-0.145	-0.271	-0.227	0.166	-0.16	-0.088
NATL TSING HUA UNIV	-0.093	-0.141	-0.094	0	-0.006	-0.13
NANJING UNIV	-0.076	-0.044	-0.089	0.188	0.094	-0.208

Six distinct groupings, based mainly on nationality, are shown, one for each factor.

- Factor 1 is the Japanese-based group. National Institute for Materials Science is strongly linked to University of Tokyo, National Institute of Advanced Industrial Science & Technology, Tohoku University, and Tokyo Institute of Technology and weakly linked to Osaka University and Kyoto University. Japanese authors from the top institutions frequently co-author research articles with their counterparts at other institutions.

- Factor 2 is one of the two China-based groups. Tsing Hua University is strongly linked to Chinese Academy of Sciences, Peking University, and Jilin University. As in Japan, there is ample co-publication among the researchers from China's top institutions.
- Factor 3 is the Korean-based group. Hanyang University is strongly linked to Korea Advanced Institute of Science and Technology and Seoul National University. This group represents co-authorship within South Korea only; no links to North Korea are shown.
- Factor 4 is the only multi-national group. MIT is strongly linked to National University of Singapore (NUS) and University of Texas. As indicated by Figure 4A this group is probably based on the individual connections between the American universities and NUS, rather than an association among all three. The Singapore-MIT Alliance (SMA) was formed in 1998, joining the engineering and life sciences programs of MIT, NUS, and Nanyang Technological University (NTU). Thus, the SMA is being used to pursue joint research in nanoscience/ nanotechnology, and likely a factor matrix containing fifty institutions would include NTU in a group with MIT and NUS.
- Factor 5 is the second China-based group. University of Science & Technology of China (USTC) is strongly linked to Shanghai Jiao Tong University (SJTU). These two Chinese universities are likely separate from the other top institutions of their country due to some difference in the technical thrusts emphasized. Also, note that USTC and SJTU are weakly linked to the Korean group.
- Factor 6 is a Western European group. CNRS is strongly linked to University of Cambridge, CSIC, and CNR. This group represents cooperation among European institutions, as a French, a Spanish, and an Italian research center are joined with a British university.

Thus, the main groupings from the auto-correlation institution map are reproduced in the first four factors in the six factor matrix. The last two factors are additional groupings that were not readily evident in the auto-correlation map.

7. Institution Technical Themes

What are the technical areas of emphasis of the major nanotechnology/ nanoscience research institutions? To identify these technical themes, an institution-phrase co-occurrence matrix was generated for the five leading

institutions. The major Abstract phrases for the top five institutions are as follows:

- **Chinese Academy of Sciences** (x-ray diffraction [XRD], transmission electron microscopy [TEM], scanning electron microscopy [SEM], films, atomic force microscopy [AFM], room temperature, x-ray photoelectron spectroscopy [XPS], electron microscopy, microstructures, crystals, photoluminescence [PL], thickness, Fourier-transform infrared [FTIR] spectroscopy, growth, diameter, materials, Raman spectroscopy, water, carbon nanotubes [CNTs], substrate, nanowires, nanoparticles, annealing, particles, infrared [IR], magnetic properties, mechanical properties, infrared [IR] spectroscopy, optical properties)
- **Russian Academy of Sciences** (XRD, crystals, structures, films, TEM, nanoparticles, materials, electrons, quantum dots [QD], thickness, quantum wells [QW], growth, electron microscopy, particles, AFM, PL, room temperature [RT], water, annealing, conductivity, irradiation, hydrogen [H], nanotubes, magnetic fields, XPS, IR spectroscopy, kinetics, molecular beam epitaxy [MBE])
- **Centre National de la Recherche Scientifique** (TEM, XRD, films, materials, RT, growth, AFM, XPS, annealing, particles, crystals, SEM, nanoparticles, substrate, silicon, optical properties, deposits, MBE, electron microscopy, PL, devices, QD, thickness, water, microstructures, thin films, structures, H, electrons, Raman spectroscopy, adsorption)
- **Tsing Hua University** (XRD, SEM, TEM, microstructures, films, XPS, thickness, AFM, CNTs, materials, electron microscopy, diameter, sol-gel, crystals, RT, particles, Raman spectroscopy, nanoparticles, substrate, nanotubes, Auger electron spectroscopy [AES], nanowires, particle sizes, powders, water, FTIR spectroscopy, coatings, electrodes, crystallization, growth, corrosion resistance)
- **Tohoku University** (XRD, films, TEM, RT, diameter, annealing, thickness, growth, particles, crystals, single-walled carbon nanotubes [SWNTs], magnetic fields, electrons, microstructures, CNTs, substrate, H, silicon, silica, scanning tunneling microscopy [STM], SEM, AFM, materials, nitrogen, magnetic properties, fabrication, precipitation, grain boundary, deposits, conductivity, microscopy)

It is hard to determine a unique technical focus for each institution because the same instruments, structures, mechanisms, and substances are repeated for the five institutions. One explanation for this finding is that each research center wants to work at the cutting edge of nanotechnology, and these forefront areas of research are heavily funded at each institution. Figure 24C supports an argument of competitiveness in similar areas, since commonality of seminal references among major institutions implies a similarity in the referencing research.

The top three American institutions and the major Abstract phrases for each are shown below for comparison.

- **University of Illinois** (films, AFM, devices, TEM, XRD, growth, substrate, annealing, water, SWNTs, electrons, XPS, nanotubes, thin films, diameter, silicon, RT, materials, fabrication, electron microscopy, QD, membranes, structures, gold, thickness, adsorption, chemical vapor deposition [CVD], pores, simulations, particles, microscopy)
- **University of California-Berkeley** (TEM, AFM, films, materials, particles, substrate, RT, XRD, electron microscopy, water, carbon monoxide [CO], nanowires, devices, growth, nanoparticles, oxidation, diameter, structures, iron, thickness, adsorption, metals, dislocations, kinetics, tip, annealing, thin films, silicon, SEM, platinum, electronic structures, nucleation)
- **University of Texas** (TEM, XRD, materials, nanoparticles, XPS, particles, SEM, growth, AFM, films, annealing, electron microscopy, proteins, substrate, silicon, devices, RT, structures, fabrication, mechanical properties, silica, water, SWNTs, PL, nanowires, nanocomposites, diameter, deposits, binding, hafnium dioxide [HfO₂])

Although the three American institutions do have some unique phrases (such as CVD, CO, and HfO₂) that are top phrases for the five leading institutions, there is a significant amount of overlap among the technical thrusts of the three leading American institutions and those of the world's top institutions.

8. Institution-Journal Co-Occurrence Matrix

The leading five institutions (the term institution is used loosely even though the academies have many institutes) based on the number of publications are listed below along with the five journals in which they published nanotechnology articles most frequently in 2005. The journals and institutions are followed by their Impact Factors (in square brackets) and the number of articles published. An average Impact Factor is calculated for each institution as a weighted average of the five Impact Factors listed. Non-journal sources are given an Impact Factor of zero. Note that there are no U.S. institutions in this select group.

- **Chinese Academy of Sciences [2.63] 2916** (Applied Physics Letters [4.13] 116, Journal of Physical Chemistry B [4.03] 99, Journal of Crystal Growth [1.68] 87, Acta Physica Sinica [1.05] 80, Chinese Physics Letters [1.28] 78)
- **Russian Academy of Sciences [1.21] 1217** (Semiconductors [0.62] 85, Physics of the Solid State [0.70] 66, Physical Review B [3.19] 53, Russian Chemical Bulletin [0.59] 50, JETP Letters [1.45] 41)
- **Centre National de la Recherche Scientifique [3.71] 824** (Physical Review B [3.19] 59, Applied Physics Letters [4.13] 42, Journal of Applied Physics [2.50] 29, Physical Review Letters [7.50] 23, Journal of Crystal Growth [1.68] 19)
- **Tsing Hua University [1.03] 749** (High-Performance Ceramics III, Pts. 1 and 2 [0.00] 49, Rare Metal Materials and Engineering [0.40] 32, Physical Review B [3.19] 21, PRICM 5: The Fifth Pacific Rim International Conference on Advanced Materials and Processing, Pts 1-5 [0.00] 16, Journal of Physical Chemistry B [4.03] 14)
- **Tohoku University [2.72] 680** (Physical Review B [3.19] 44, Applied Physics Letters [4.13] 39, Materials Transactions [1.10] 24, Journal of Applied Physics [2.50] 22, IEEE Transactions on Magnetics [1.01] 19)

The major thrust of four of the top five research institutions is towards physics, and a large number of articles are also published in materials science. Physics journals have higher Impact Factors than those focused on materials (as shown previously), and, in both subjects, the Impact Factor drops as journals are dedicated to a narrower field. At the institution level,

the average Impact Factor is low if many articles appear in non-journal sources, which is the case for Tsing Hua University.

CNRS has the highest average Impact Factor of the five institutions, ahead of the two universities and two national academies, which are on par with each other. Incidentally, the French research center is the only institution to have all of its top journals in the top 30 most prolific nanoscience/nanotechnology journals. Tohoku University and the Chinese Academy of Sciences have three of their top five journals in the top 30, and they have the second and third highest average Impact Factors out of the top five institutions. The Russian Academy of Sciences and Tsing Hua University, fourth and fifth highest average Impact Factors respectively, each have only one of their top journals in the top 30 journals overall.

Researchers from the national academies have a substantial amount of their work published in domestic journals. Four of the Russian Academy of Sciences' top five sources (*Semiconductors*, *Physics of the Solid State*, *Russian Chemical Bulletin*, and *JETP Letters*) are printed in Russia (albeit in English), and the Chinese Academy of Sciences has two top journals published on home soil (*Acta Physica Sinica* and *Chinese Physics Letters*), one in Chinese and the other in English.

The top three American institutions and the journals in which they publish most frequently are shown below for comparison.

- **University of Illinois [3.99] 461** (Applied Physics Letters [4.13] 39, Physical Review B [3.19] 35, Journal of Physical Chemistry B [4.03] 25, Langmuir [3.71] 20, Journal of Applied Physics [2.50] 14, Journal of the American Chemical Society [7.42] 14)
- **University of California-Berkeley [5.87] 427** (Nano Letters [9.85] 37, Applied Physics Letters [4.13] 33, Physical Review B [3.19] 32, Physical Review Letters [7.50] 22, Journal of Physical Chemistry B [4.03] 22)
- **University of Texas [4.43] 419** (Applied Physics Letters [4.13] 29, Physical Review B [3.19] 14, Journal of Physical Chemistry B [4.03] 14, Journal of the American Chemical Society [7.42] 13, Langmuir [3.71] 10)

The American research institutions have higher average Impact Factors than the highest average Impact Factor of the top five institutions, none of which

are located in the United States. This suggests that the American institutions published articles in higher quality journals, even though their publication total was lower than other institutions. Also, all of the journals listed for these American institutions are included in the top 30 journals publishing in nanoscience/ nanotechnology. The American universities' articles focused on fundamental science, primarily physics and chemistry, and three journals from these fields (*Applied Physics Letters*, *Physical Review B*, and *Journal of Physical Chemistry B*) appear in all the rankings of the American universities.

Prolific Countries

Table 8 contains the thirty countries producing the most nanoscience/nanotechnology research papers.

TABLE 8 – COUNTRIES PRODUCING MOST NANOSCIENCE/NANOTECHNOLOGY PAPERS (2005)

COUNTRY	#PAPERS
USA	14750
PEOPLES R CHINA	11746
JAPAN	7971
GERMANY	5665
SOUTH KOREA	4098
FRANCE	3994
ENGLAND	2786
ITALY	2297
RUSSIA	2185
TAIWAN	2165
INDIA	2103
SPAIN	1700
CANADA	1579
NETHERLANDS	1130
POLAND	1105
AUSTRALIA	1048
SINGAPORE	1045
SWITZERLAND	1009
SWEDEN	944
BRAZIL	932
BELGIUM	712
ISRAEL	641
AUSTRIA	540
MEXICO	518
UKRAINE	502
DENMARK	448
FINLAND	428
CZECH REPUBLIC	421
TURKEY	418
GREECE	353

The output of research articles was dominated by the United States and China, the two nations accounting for 40% of the world's production. China's rise is particularly outstanding, as in 1991 the country was the ninth-

leading country in nanotechnology, contributing 2.7% of the research articles published worldwide. In 2005, the other key players were Japan, Germany, South Korea, and France. The three most prolific Western countries and the three most prolific Asian countries published roughly the same amount of papers, about 24000. After the six countries that stand out, three-fifths of the remaining countries are in Europe.

To identify country-country collaborations for the major research article producers, a country-country matrix was generated. The five most prolific countries, and their major collaborators, are presented (collaborator, # co-authored papers):

RESULTS FROM CO-OCCURRENCE MATRIX FOR TOP FIVE MOST PROLIFIC COUNTRIES (Number of records in common listed in the parentheses)

- **USA** (Germany 604, Peoples R China 498, Japan 441, South Korea 423, France 300);
- **Peoples R China** (USA 498, Japan 304, Germany 178, Singapore 154, South Korea 110);
- **Japan** (USA 441, Peoples R China 304, South Korea 218, Germany 144, France 124)
- **Germany** (USA 604, France 352, Russia 290, England 194, Peoples R China 178)
- **South Korea** (USA 423, Japan 218, Peoples R China 110, India 56, Russia 38, England 38)

The USA was the chief collaborator with the other four countries, and China and Japan vied for the position of second-most prolific collaborator, except for the case of Germany, where France was the second-most prolific collaborator. The above results measure the absolute value of the amount of collaboration between two countries; hence the top collaborators with the big players are very prolific countries themselves. Singapore and India are the only collaborators listed that are not in the top ten, and they worked together extensively with China and South Korea, respectively.


**RESULTS FROM PERCENTAGE CO-OCCURRENCE MATRIX
FOR TOP FIVE MOST PROLIFIC COUNTRIES** (Percent of records in
common listed in the parentheses)

- **USA** (Israel 18.9%, Canada 15.5%, Denmark 15.4%, Mexico 15.3%, Turkey 12.7%);
- **Peoples R China** (Singapore 14.7%, Australia 8.4%, Canada 4.2%, Japan 3.8%, Sweden 3.8%);
- **Japan** (Czech Republic 7.6%, South Korea 5.3%, Australia 4.5%, India 4.2%, England 3.7%)
- **Germany** (Austria 23.9%, Switzerland 17.2%, Czech Republic 16.6%, Ukraine 13.7%, Russia 13.3%)
- **South Korea** (USA 2.9%, Japan 2.7%, India 2.7%, Ukraine 2.2%, Russia 1.7%)

The above table shows countries that co-published a high proportion of their articles with one of the five most prolific countries. For instance, 18.9% of Israel's nanoscience/ nanotechnology articles were co-authored with the USA. This analysis takes the emphasis away from more prolific nations whose co-authorship is substantial in terms of number of papers, but less significant when measured as a fraction of that nation's total nanotechnology output.

The United States' neighbors and strategic allies published many of their research articles together with the US, and similarly Germany's top collaborators are in geographic proximity, in Central/ Eastern Europe. The percentages associated with these two countries are high, while South Korea has low percentages associated with it. Japan and China have moderate percentages associated with them, with the exception of Singapore's collaboration with China. Collaboration between these countries is given more value in this table than in the preceding table, and there are some unexpected occurrences, such as the Czech Republic's considerable cooperation with Japan.

FIGURE 5A - COUNTRY AUTO-CORRELATION MAP (fifty most prolific countries)



China's and the USA's global positions in nanotechnology are made clearer by the country auto-correlation map (Figure 5A). Although both publish extensively with other nations, no linkages show up on the map. The two powerhouses appear at two poles of Figure 5A, which says the US and China co-authorships are very broad and distributed, not heavily tied to any other countries relative to US and China total publications.

The only significant, although weak, connections are among European countries, and this complex web of nations roughly follows geographic lines. Norway, Denmark, Sweden, and Finland make up a Nordic group; the Netherlands, Belgium, Austria, Switzerland, and Germany constitute Central Europe; and the Eastern European group is made up of Romania, the Czech Republic, Slovakia, Poland, Ukraine, Byelarus, Russia, Bulgaria, Hungary, and Lithuania. Brazil, Argentina, Portugal, Spain, Mexico, France, and Italy compose a group of Romance language nations. The individual groups can be distinguished based on geographic and/ or linguistic similarities, but the connections stretch across, and beyond, the continent of Europe.

Outside of the network containing the other European nations, the United Kingdom's countries (Northern Ireland, England, Scotland, and Wales) and Ireland are linked. Also, Australia and New Zealand are connected, and there is an East/ Southeast Asian group consisting of extremely weak links among South Korea, Taiwan, Thailand, and Singapore. Why is the United Kingdom not linked to the interconnected continental members of the European Union?

A more quantitative perspective on country connections can be obtained from factor analysis. Table 9 shows a seven factor matrix for the top forty countries.

TABLE 9 – SEVEN FACTOR MATRIX
(forty most prolific countries)

FACTOR	1	2	3	4	5	6	7
ENGLAND	-0.632	0.254	-0.003	-0.04	-0.109	-0.024	-0.006
SCOTLAND	-0.519	0.2	-0.028	0.059	-0.018	0.022	0.039
IRELAND	-0.295	0.083	0.01	-0.096	0.013	0.019	-0.005
AUSTRALIA	-0.226	0.064	-0.052	-0.058	0.058	-0.057	-0.037
NEW ZEALAND	-0.183	0.066	-0.006	0.013	0.022	-0.014	-0.012
IRAN	-0.129	0.061	0.009	0.039	0.002	-0.031	-0.02
PEOPLES R CHINA	-0.053	-0.547	-0.666	0.161	0.228	-0.225	-0.057
JAPAN	-0.04	-0.371	0.703	0.026	0.124	-0.112	-0.107
SOUTH KOREA	0.038	0.014	0.304	0.071	0.18	-0.102	-0.036
INDIA	-0.022	-0.046	0.205	0.036	0.005	-0.07	0.002
SWEDEN	-0.012	-0.066	-0.025	-0.541	0.053	0.096	0.01
NORWAY	-0.025	0.012	-0.027	-0.469	0.005	-0.096	0.008
DENMARK	-0.013	0.006	-0.022	-0.463	0.013	-0.01	0.03
NETHERLANDS	0.046	-0.025	-0.039	-0.376	-0.259	-0.094	-0.187
FINLAND	-0.069	-0.049	0.016	-0.232	0.039	0.117	0.025
FRANCE	0.022	-0.024	0.019	0.095	-0.532	0.082	0.019
BELGIUM	0.136	-0.04	-0.054	-0.184	-0.409	-0.108	-0.198
ITALY	-0.03	0.049	0.004	0.055	-0.37	0.02	-0.093
SPAIN	-0.077	-0.017	-0.003	-0.033	-0.344	-0.017	0.384
ROMANIA	0.019	-0.013	0.043	0.136	-0.296	-0.026	-0.196
SWITZERLAND	-0.016	0.105	-0.041	-0.022	-0.186	0.118	-0.209
GERMANY	0.013	0.047	-0.089	-0.011	-0.085	0.565	-0.094
RUSSIA	0.022	-0.007	0.03	-0.133	0.088	0.39	0.033
UKRAINE	0.031	-0.017	-0.005	-0.065	0.167	0.363	0.213
AUSTRIA	-0.003	0.019	-0.039	0.015	-0.042	0.351	-0.116
POLAND	0.084	-0.032	0.009	0.004	0.01	0.351	0.107
BULGARIA	0	-0.016	-0.015	0.064	-0.044	0.222	-0.023
GREECE	-0.034	0.049	-0.014	0.163	-0.039	0.178	-0.048
ARGENTINA	0.066	-0.01	-0.007	0.039	-0.16	-0.063	0.506
BRAZIL	0.078	0	0.019	0.037	-0.17	-0.09	0.425
MEXICO	0.076	0.005	0.011	-0.024	-0.035	-0.007	0.323
PORTUGAL	-0.08	-0.049	-0.004	-0.067	-0.073	0.095	0.306
TAIWAN	-0.04	-0.025	0.072	0.053	0.12	-0.028	0.051
USA	0.418	0.745	-0.065	-0.012	0.212	-0.185	-0.006
ISRAEL	0.103	0.104	-0.048	0.023	-0.036	0.033	-0.008
CANADA	0.002	0.149	-0.051	0.076	-0.028	-0.019	-0.028
SINGAPORE	-0.029	-0.016	-0.187	0.027	0.067	-0.084	-0.053
TURKEY	-0.065	0.082	0.021	0.079	0.025	0.05	-0.057
HUNGARY	0.052	-0.007	-0.03	-0.046	-0.102	0.131	-0.096
CZECH REPUBLIC	0.089	-0.083	0.055	0.041	-0.149	0.174	-0.129


Seven groupings are shown, one for each factor.

- Factor 1 - England strongly linked to Scotland, weakly linked to Ireland and Australia, and very weakly linked to New Zealand.
- Factor 2 - China and Japan strongly linked. (East Asia)
- Factor 3 - Japan strongly linked to South Korea and weakly linked to India.
- Factor 4 - Sweden strongly linked to Norway, Denmark, and the Netherlands; and weakly linked to Finland.
- Factor 5 - France strongly linked to Belgium, Italy, and Spain; and weakly linked to Romania and the Netherlands.
- Factor 6 - Germany strongly linked to Russia, Ukraine, Austria, and Poland; and weakly linked to Bulgaria.
- Factor 7 - Argentina strongly linked to Brazil, Mexico, Portugal, and Spain.

Adding more institutions should further bring out the cooperation present in Europe. Also, the US is far on the opposite tail of the Japan/ China theme, which means that there are proportionally few American authors on papers with Japanese and Chinese authors.

Figure 5B contains a country-phrase cross-correlation map. While the US and China represent two poles as in Figure 5A, the US pole is strongly connected thematically to a densely connected network, whereas China is relatively isolated except for India. The densely connected network consists of the English-speaking North American representatives, Western/ Central European nations, and most of the East Asian allies. The Eastern European and Latin American representatives tend to be outside the dense network.

**FIGURE 5B - COUNTRY-PHRASE CROSS-CORRELATION MAP
(top thirty countries)**



Country Technical Themes

The major Abstract phrases for the top five countries are as follows:

- **USA** (transmission electron microscopy [TEM], films, x-ray diffraction [XRD], materials, atomic force microscopy [AFM], particles, growth, nanoparticles, room temperature [RT], electron microscopy, water, devices, substrate, x-ray photoelectron spectroscopy [XPS], scanning electron microscopy [SEM], structures, thickness, proteins, diameter, silicon, nanotubes, electrons, fabrication, hydrogen [H], carbon nanotubes [CNTs], crystals, microstructures, deposits, quantum dots [QD], thin films)
- **People's Republic of China** (XRD, TEM, SEM, films, microstructures, XPS, crystals, RT, AFM, electron microscopy, Fourier-transform infrared [FTIR] spectroscopy, diameter, thickness, materials, growth, photoluminescence [PL], water, structures, particles, nanoparticles, infrared [IR], sol-gel, particle sizes, CNTs, Raman spectroscopy, mechanical properties, substrate, thermogravimetric analysis [TGA], annealing, nanowires)
- **Japan** (XRD, films, TEM, RT, thickness, AFM, diameter, particles, SEM, substrate, crystals, water, growth, materials, electron microscopy, XPS, annealing, structures, H, silicon, electrons, microstructures, PL, deposits, fabrication, nanoparticles, silicon substrates, silica, conductivity, thin films)
- **Germany** (XRD, TEM, films, AFM, materials, particles, crystals, growth, RT, electron microscopy, structures, SEM, thickness, carbon monoxide [CO], water, substrate, nanoparticles, deposits, XPS, diameter, QD, annealing, microstructures, silicon electrons, H, proteins, devices, adsorption, microscopy, thin films)
- **South Korea** (XRD, films, TEM, SEM, RT, AFM, thickness, PL, XPS, electron microscopy, microstructures, growth, annealing, optical properties, substrate, CNTs, water, devices, particles, materials, diameter, crystals, fabrication, silicon, electrical properties,

nanoparticles, mechanical properties, particle sizes, crystallinity, FTIR spectroscopy)

No connections between countries are discernible from either the top phrases of the most prolific countries or on the country-phrase cross-correlation map, which relates the 30 most prolific countries with the 1147 one-word, two-word, and three-word phrases that occur most frequently in the retrieved abstracts. Just like for institutions, countries are striving to be leaders in all aspects of nanotechnology, so one cannot pinpoint the topics on which a certain nation focuses. One thing that is noticeable from the country-phrase cross-correlation map is the relative position of the US and China. The United States appears strongly linked to various other countries, whereas China is isolated, only having a connection with India. It cannot be said whether, for the US, the linkages are due to shared research interests or just incidental overlap in the phrases used.

Where do the leading countries publish? The leading six countries are listed below along with the five journals in which they published nanoscience/nanotechnology articles most frequently in 2005. Each institution is listed with an average Impact Factor in square brackets (calculated in the same way as for the five leading institutions in Section 8). The total number of research articles, and the journals, are followed by their Impact Factors (in square brackets) and the number of articles published. Non-journal sources are given an Impact Factor of zero.

- **USA [4.10] 14750** (Applied Physics Letters [4.13] 862, Physical Review B [3.19] 729, Journal of Applied Physics [2.50] 517, Journal of Physical Chemistry B [4.03] 506, Journal of the American Chemical Society [7.42] 449)
- **Peoples Republic of China [1.98] 11746** (Rare Metal Materials and Engineering [0.40] 348, Materials Letters [1.30] 313, Chinese Journal of Inorganic Chemistry [0.70] 271, Journal of Physical Chemistry B [4.03] 270, Applied Physics Letters [4.13] 261)
- **Japan [2.33] 7971** (Japanese Journal of Applied Physics Part 1* [1.10] 522, Applied Physics Letters [4.13] 338, Physical Review B [3.19] 237, Journal of Applied Physics [2.50] 193, Japanese Journal of Applied Physics Part 2* [1.10] 170)
- **Germany [3.99] 5665** (Physical Review B [3.19] 377, Applied Physics Letters [4.13] 219, Journal of Applied Physics [2.50] 158,

- Physical Review Letters [7.49] 142, Journal of Physical Chemistry B [4.03] 117)
- **South Korea [1.50] 4098** (Journal of the Korean Physical Society [0.83] 280, Applied Physics Letters [4.13] 170, On the Convergence of Bio-Information-, Environmental-, Energy-, Space- and Nano-Technologies, Pts 1 And 2 [0.00] 157, Thin Solid Films [1.57] 101, Japanese Journal of Applied Physics Part 1* [1.10] 85)
 - **France [3.72] 3994** (Physical Review B [3.19] 227, Applied Physics Letters [4.13] 149, Journal of Applied Physics [2.50] 113, Physical Review Letters [7.49] 97, Langmuir [3.71] 78, Thin Solid Films [1.57] 78)

*Note: one SCI Impact Factor for *Japanese Journal of Applied Physics* given, no separate Impact Factors for each part.

There is a clear distinction between the three Western nations and the three Asian nations. The Western nations have average Impact Factors within 5% of 3.9, while the Asian nations are within 10% of 2.13 (excluding the non-SCI proceedings in South Korea's top five), almost a factor of two difference. Much of the difference comes from the Asian nations publishing a not-insignificant fraction of their output in domestic journals (most of which have low Impact Factors), while the Western nations publish almost exclusively in international journals. Whether this stems from problems with the English language or easier publication acceptance cannot be discerned from the present data.

Additionally, some of the Asian countries are publishing in journals whose initial access date in the SCI/ SSCI is relatively recent. For example, the median initial SCI/ SSCI access date for the five journals (above) in which the USA published nanoscience/ nanotechnology articles most frequently is 1962, whereas the median initial access date for China is 1997. This initial access date phenomenon was discovered recently in a comparison of India's and China's published research outputs, where it was shown that for the twenty journals in which China (in aggregate) published most frequently, their median initial SCI/ SSCI access date was 1995, whereas for the twenty journals in which India (in aggregate) published most frequently, their median initial SCI/ SSCI access date was 1970.

Why is this difference in median access dates important in the present nanotechnology study, or in the India-China comparison study? These

studies place some emphasis on growth in research article production. Increased production is ordinarily assumed to be due to increased research sponsorship and/ or increased research productivity. However, a neglected source of ‘increased production’ is access to the articles of a journal that had not been accessed previously. If China, for example, is publishing a non-negligible fraction of its research output in newly-accessed relatively low Impact Factor journals (as appeared to be the case examined in the India-China comparison), then some of its apparent growth will not be in the traditional sense of increased sponsorship or productivity, but rather due to the SCI/ SSCI’s decision to access existing journals’ articles. From another perspective, the reality may be that China’s research article production may have been somewhat more competitive for decades, but was artificially suppressed by many of its journals’ non-inclusion in the SCI/ SSCI until only recently.

For example, the first journal above listed for China, Rare Metal Materials and Engineering, has been published since 1970, but was initially accessed by the SCI/ SSCI in 1997. In doing an SCI-based comparison of pre and post 1997 research article production for China, any articles published in e.g. Rare Metal Materials and Engineering would be registered as research production growth for China, even though it is in actuality a book-keeping artifice relative to growth.

***Most Cited First Authors (SCI only)

Table 10 contains the thirty first authors receiving the most total citations from the retrieved nanotechnology records along with the institution at which they work currently or worked for most recently.

TABLE 10 – MOST CITED FIRST AUTHORS

AUTHOR	#INSTANCES CITED	INSTITUTION	COUNTRY
Sheldrick, GM	2039	UNIV GOTTINGEN	GERMANY
Iijima, S	1751	HAMAMATSU UNIV	JAPAN
Wang, J	1561	<i>MULTIPLE</i>	
Wang, Y	968	<i>MULTIPLE</i>	
Chen, J	905	<i>MULTIPLE</i>	
Perdew, JP	897	TULANE UNIV	USA
Xia, YN	888	UNIV WASHINGTON	USA
Alivisatos, AP	880	UNIV CALIF BERKELEY	USA
Dresselhaus, MS	868	MIT	USA
Li, J	853	<i>MULTIPLE</i>	
Caruso, F	834	MAX PLANCK INST COLLOIDS & INTERFACES	GERMANY
Liu, Y	806	<i>MULTIPLE</i>	
Saito, R	795	TOHOKU UNIV	JAPAN
Kresse, G	781	UNIV VIENNA	AUSTRIA
Zhang, Y	729	<i>MULTIPLE</i>	
Nakamura, S	720	NICHIA CHEM IND LTD	JAPAN
Huang, MH	718	NATL TSING HUA UNIV	TAIWAN
Wang, ZL	708	GEORGIA INST TECH	USA
Li, Y	701	<i>MULTIPLE</i>	
Ulman, A	689	POLYTECH UNIV	USA
Zhang, J	688	<i>MULTIPLE</i>	
Murray, CB	688	IBM CORP	USA
Chen, Y	651	<i>MULTIPLE</i>	
Frisch, MJ	636	GAUSSIAN INC.	USA
Liu, J	625	DUKE UNIV	USA
Sun, SH	611	BROWN UNIV	USA
Inoue, A	611	TOHOKU UNIV	JAPAN
Sun, YG	608	UNIV ILLINOIS	USA
Rao, CNR	606	JAWAHARLAL NEHRU CTR ADV SCI RES	INDIA
Ajayan, PM	584	RENSSELEAR POLYTECH	USA

Of the 21 most cited first authors that were identified along with their institution, twelve are from the USA, four are from Japan, two are from Germany, and one each is from Austria, India, and Taiwan. Seventeen of the authors are from universities, three are from industry, and one is from a research institution. Past text mining studies performed by the present paper's first author have shown that cited documents tend to be at a more fundamental level than the citing papers, so the heavy contribution from universities agrees with previous text mining studies.

TABLE 11 – MOST CITED JOURNALS

JOURNAL	#INSTANCES CITED	IMPACT FACTOR	THEME
PHYS REV B	71207	3.19	PHYS
APPL PHYS LETT	68026	4.13	PHYS
J AM CHEM SOC	53417	7.42	CHEM
PHYS REV LETT	51648	7.49	PHYS
J PHYS CHEM*	45268	2.90 (A), 4.03 (B)*	CHEM
SCIENCE	41776	30.93	SCIENCE
J APPL PHYS	35439	2.50	PHYS
NATURE	34914	29.27	SCIENCE
LANGMUIR	33387	3.71	CHEM
MACROMOLECULES	24282	4.02	CHEM
CHEM MATER	21792	4.82	CHEM
J CHEM PHYS	20431	3.14	PHYS
ADV MATER	19534	9.11	MATLS
ANGEW CHEM INT EDIT	17777	9.60	CHEM
THIN SOLID FILMS	14574	1.57	MATLS
CHEM PHYS LETT	13561	2.44	PHYS
J ELECTROCHEM SOC	12929	2.19	CHEM
SURF SCI	12190	1.78	MATLS
ANAL CHEM	12040	5.64	CHEM
POLYMER	11452	2.85	MATLS
P NATL ACAD SCI USA	10723	10.23	SCIENCE
J CRYST GROWTH	9708	1.68	MATLS
INORG CHEM	9628	3.85	CHEM
CHEM REV	9366	20.87	CHEM
J CATAL	9275	4.78	CHEM
NANO LETT	8915	9.85	NANO
J MATER CHEM	8533	3.69	MATLS
CHEM COMMUN	8501	4.43	CHEM
J COLLOID INTERF SCI	8244	2.02	CHEM
J AM CERAM SOC	8025	1.59	MATLS

Table 11 contains the thirty journals most cited by the authors of the ~65000 papers retrieved for 2005. Of the top ~thirty journals in which

nanotechnology authors publish and those which they cite, twenty overlap. This is consistent with past text mining studies. The very top journals on the most cited list are weighted toward physics, while the bottom journals are weighted toward chemistry. There tend to be recognizably more materials journals in the list of prolific journals than in the cited journals list. The median Impact Factor of the thirty journals in which nanotechnology authors publish most is 2.50, while the median Impact Factor of those they cite most is 4.03. However, the median Impact Factor of the journals on the most cited list but not on the most published list is 7.62.

*Note: The *Journal of Physical Chemistry* counts all papers published in the *Journal of Physical Chemistry* (which existed from 1896-1996), the *Journal of Physical Chemistry A*, and the *Journal of Physical Chemistry B* (the latter two which were created in 1997). The impact factors for both the *Journal of Physical Chemistry A* and the *Journal of Physical Chemistry B* are given.

There appear to be four major journal groups. The first group consists of the two most cited journals (Phys Rev B, Applied Physics Letters), both physics journals. The second group (Journal of the American Chemical Society, Physics Review letters, Journal of Physical Chemistry, Science) has more of a chemistry emphasis, the third group (the next eight journals on the list) is chemistry-dominated, and the fourth group (the next sixteen journals on the list) is essentially split between chemistry and materials. The general science journals have the highest Impact Factors, followed by chemistry, physics, and materials journals, in that order.

The papers in these highly cited journals were referenced by the 2005 retrieved papers. The references include both nanotechnology and non-nanotechnology papers. In the analysis of the seminal literature of nanotechnology performed by the present authors, the most highly cited nanoscience/ nanotechnology papers written from 1991-2003 were also retrieved and analyzed. Authors, journals, institutions, and countries associated with the most highly cited nanotechnology papers were identified and discussed. This analysis of highly cited nanoscience/ nanotechnology papers is included in Appendix 1.

TABLE 12 – MOST CITED DOCUMENTS

DOCUMENT	#CITES	TOTAL SCI CITES	MAX JRNL CITES
IIJIMA S, 1991, NATURE, V354, P56 (HELICAL MICROTUBULES OF GRAPHITIC CARBON)	1463	5080	5080
SHELDRICK GM, 1997, SHELX-97 (SHELX-97) [SET OF PROGRAMS FOR CRYSTAL STRUCTURE DETERMINATION FROM SINGLE-CRYSTAL DIFFRACTION DATA]	803	N/A	N/A
KRESGE CT, 1992, NATURE, V359, P710 (ORDERED MESOPOROUS MOLECULAR-SIEVES SYNTHESIZED BY A LIQUID-CRYSTAL TEMPLATE MECHANISM)	517	4992	4992
HUANG MH, 2001, SCIENCE, V292, P1897 (ROOM-TEMPERATURE ULTRAVIOLET NANOWIRE NANOLASERS)	453	1264	3549
ALIVISATOS AP, 1996, SCIENCE, V271, P933 (SEMICONDUCTOR CLUSTERS, NANOCRYSTALS, AND QUANTUM DOTS)	443	2231	2693
XIA YN, 2003, ADV MATER, V15, P353 (ONE-DIMENSIONAL NANOSTRUCTURES: SYNTHESIS, CHARACTERIZATION, AND APPLICATIONS)	430	840	840
PAN ZW, 2001, SCIENCE, V291, P1947 (NANOBELTS OF SEMICONDUCTING OXIDES)	388	1133	3549
OLIVER WC, 1992, J MATER RES, V7, P1564 (AN IMPROVED TECHNIQUE FOR DETERMINING HARDNESS AND ELASTIC-MODULUS USING LOAD AND DISPLACEMENT SENSING INDENTATION EXPERIMENTS)	387	2684	2684
BECK JS, 1992, J AM CHEM SOC, V114, P10834 (A NEW FAMILY OF MESOPOROUS MOLECULAR-SIEVES PREPARED WITH LIQUID-CRYSTAL TEMPLATES)	379	3952	3952
SUN SH, 2000, SCIENCE, V287, P1989 (MONODISPERSE FePt NANOPARTICLES AND FERROMAGNETIC FePt NANOCRYSTAL SUPERLATTICES)	337	1093	2171
SAITO R, 1998, PHYS PROPERTIES CARB (PHYSICAL PROPERTIES OF CARBON NANOTUBES) [BOOK, PUBLISHED BY IMPERIAL COLLEGE PRESS]	334	N/A	N/A
ULMAN A, 1996, CHEM REV, V96, P1533 (FORMATION AND STRUCTURE OF SELF-ASSEMBLED MONOLAYERS)	332	2087	2087
MURRAY CB, 1993, J AM CHEM SOC, V115, P8706 (SYNTHESIS AND CHARACTERIZATION OF NEARLY MONODISPERSE CDE (E = S, SE, TE) SEMICONDUCTOR NANOCRYSTALLITES)	327	1812	1812
OREGAN B, 1991, NATURE, V353, P737 (A LOW-COST, HIGH-EFFICIENCY SOLAR-CELL BASED ON DYE-SENSITIZED COLLOIDAL TiO2 FILMS)	326	2554	5080
BRUCHEZ M, 1998, SCIENCE, V281, P2013 (SEMICONDUCTOR NANOCRYSTALS AS FLUORESCENT BIOLOGICAL LABELS)	325	1173	3549
SHANNON RD, 1976, ACTA CRYSTALLOGR A, V32, P751 (REVISED EFFECTIVE IONIC-RADII AND SYSTEMATIC STUDIES OF INTERATOMIC DISTANCES IN HALIDES AND CHALCOGENIDES)	298	14724	14724
BAUGHMAN RH, 2002, SCIENCE, V297, P787 (CARBON NANOTUBES - THE ROUTE TOWARD APPLICATIONS)	292	763	1278
TANS SJ, 1998, NATURE, V393, P49 (ROOM-TEMPERATURE TRANSISTOR BASED ON A SINGLE CARBON NANOTUBE)	284	1402	4514
CHAN WCW, 1998, SCIENCE, V281, P2016 (QUANTUM DOT BIOCONJUGATES FOR ULTRASENSITIVE NONISOTOPIC DETECTION)	283	1059	3549
ZHAO DY, 1998, SCIENCE, V279, P548 (TRIBLOCK COPOLYMER SYNTHESIS OF MESOPOROUS SILICA WITH PERIODIC 50 TO 300 ANGSTROM PORES)	283	1595	3549

***Most Cited Documents (SCI only)

Table 12 contains the twenty most cited documents. The column headed #CITES reflects the citations from the retrieved documents only, whereas the column headed TOTAL SCI CITES reflects citations from all documents contained in the SCI/ SSCI. Finally, the right-most column labeled MAX JRNL CITES is the maximum number of citations received by any paper published in that journal for that year. Thus, the first paper listed (published in Nature in 1991) was cited 639 times by other papers in the retrieved nanotechnology-specific database, and was cited 5080 times by all the papers in the SCI/ SSCI. The highest cited paper published in Nature in 1991 received 5080 cites.

A number of the nanotechnology papers were in fact the highest-cited papers of the year for the (high Impact Factor) journals in which they were published, which shows 1) how much of scientific research is geared towards nanotechnology and 2) the quality of the best nanotechnology papers.

Taxonomies

Knowledge of pervasive technical thrusts (and their inter-relationships) in a technical area is important from multiple perspectives. It identifies adequacies or gaps in specific areas, which are important for setting research directions. It shows which technical areas are closely integrated, allowing research environments to be restructured for exploiting these technical relationships. If the technical thrusts can be coupled to infrastructure information, as our upgraded document clustering capabilities allow, then even more powerful insights can be gleaned from the S&T taxonomies. National research priorities and strategies can be estimated by the levels of publication activity in specific sub-areas. Research thrusts can be coordinated more closely with use of organizational information.

The present section presents four methods for categorizing the technical thrusts of the retrieved 2005 database. Each method provides a unique perspective on the technical structure, and all four methods should be viewed as complementary.

1. Document Clustering

The first method, document clustering, groups the retrieved records with Abstracts by text similarity of the Abstracts, and is the most detailed of the four approaches. It provides bibliometrics at each taxonomy node, and shows very specific technical areas where each country concentrates its nanotechnology investment. In this section, the lowest level of detail is supplied for the sixteen Level 4 clusters. For detailed analysis of the full 256 elemental clusters, see Appendix 7.

TABLE 13 – FOUR LEVEL HIERARCHICAL TAXONOMY

Quantum Phenomena, Optics, Electronics, Magnetism, Tribology, and Films (32983 Rec)	Quantum Phenomena, Optics, Electronics, Magnetism, and Tribology (26077 Rec)	Quantum Phenomena (3326 Rec)	Quantum Dots (2028 Rec)
			Quantum Wells, Wires, and States (1298 Rec)
	Films (6906 Rec)	Optics, Electronics, Magnetism, and Tribology (22751 Rec)	Optics and Electronics (16432 Rec)
			Magnetism and Tribology (6319 Rec)
		Thin Films (4760 Rec)	Properties of Thin Films (2251 Rec)
			Applications of Thin Films (2509 Rec)
		Deposition of Films (2146 Rec)	Deposition of Thin Films (1752 Rec)
Nanotubes, Nanomaterials, Nanoparticles, Polymers, Composites, Metal Complexes, and Bionanotechnology (31742 Rec)	Nanotubes (3211 Rec)	Multi-walled Nanotubes (2350 Rec)	Diamond Films (394 Rec)
			Applications of Carbon Nanotubes (474 Rec)
		Single-walled Nanotubes (861 Rec)	Multi-walled Nanotubes (1876 Rec)
	Nanomaterials, Nanoparticles, Polymers, Composites, Metal Complexes, and Bionanotechnology (28531 Rec)	Nanomaterials, Nanoparticles, Polymers, Composites, and Metal Complexes (22686 Rec)	Single- and Double-walled Nanotubes (447 Rec)
			Single-walled Nanotubes (414 Rec)
		Bionanotechnology (5845 Rec)	Nanomaterials and Nanoparticles (14263 Rec)
			Polymers, Composites, and Metal Complexes (8423 Rec)
			DNA (775 Rec)
			Proteins and Cellular Components (5070 Rec)

Table 13 is a four level hierarchical taxonomy of the global nanoscience and nanotechnology literature. In each succeeding level, the categories are bifurcated. Categories with no shading are those in which the USA has the most publications. Categories with solid shading denote China publication lead, and categories with diagonal shading denote Japan publication lead. Light shading means category leader has 100-125% of USA publications; medium shading 125-150%; dark shading >150%.

In the first level (leftmost column), the total retrieved records are divided into two technical categories. One category (Quantum Phenomena, Optics, Electronics, Magnetism, Tribology, and Films) focuses mainly on physical phenomena, whereas the other category (Nanotubes, Nanomaterials, Nanoparticles, Polymers, Composites, Metal Complexes, and Bionanotechnology) focuses on materials and structures. The two categories are about the same size.

The primarily phenomena category sub-divides into two categories, with the larger category (phenomena) being roughly four times the size of the smaller category (films). The materials and structures category likewise divides into two asymmetric categories, with the smaller sub-category focusing on

nanotubes and the nine times larger category focusing on all other structures and materials. China has a modest publications lead in this latter category.

At the fourth level, China out-publishes the USA in:

- Properties of Thin Films (modestly, 2251 rec)
- Diamond Films (modestly, 394 rec)
- Applications of Carbon Nanotubes (strongly, 474 rec)
- Multi-Walled Nanotubes (modestly, 1876 rec)
- Nanomaterials and Nanoparticles (noticeably, 14263 rec)
- Polymers, Composites, and Metal Complexes (noticeably, 8423 rec)

Also at this level, Japan out-publishes the USA in Deposition of Thin Films.

A more detailed description of the fourth level follows. The elemental clusters of each of the sixteen fourth level categories are bulletized. Selected metrics of each elemental cluster (a novel feature of our upgraded clustering algorithm) are displayed. While the US is the overall leader in nanotechnology, there are elemental clusters in which other countries out-produce the US, sometimes markedly so. The detailed results down to the 256 elemental clusters are presented in Appendix 7.

Specifically, out of the 256 elemental clusters, the US leads in 168, many times very heavily. China leads in 70 (many times very heavily), Japan leads in 15 (rarely heavily), and India, South Korea, and Spain each lead in one. The metrics of the following sixteen level 4 categories show the broad nanotechnology areas where each country is strong.

CATEGORY 1 (6 leaf clusters)

Quantum Dots (2028 REC)

(Leading authors for this category include Hopkinson M, Arakawa Y, Bimberg D, and Lee JI. The major journals are all physics-related: Physical Review B (dominant), Applied Physics Letters, Physica e-Low-Dimensional Systems & Nanostructures, Physical Review Letters, Journal of Applied Physics. USA is dominant (In this section, ‘dominant,’ is used when a country or institution has about twice the number of publications as its closest competitor, ‘very dominant’ signifies about three times the number of publications, and ‘extremely dominant’ is about four or more times the number of publications.), followed by

Germany (In this section, ‘followed by’ is used when the first country or organization has a noticeable advantage over the succeeding country, but somewhat less than double the frequency difference), Japan, China. Main institutions are Chinese Academy of Science (CAS), Russian Academy of Science (RAS), University of Tokyo, CNRS. Leading USA institutions include UCSB.)

- Investigation of electronic transport properties of quantum dots, focusing on Kondo and Fano effects (192 Records) Cluster 83

(USA leader, with Germany and China following. German institutions leading: University Karlsruhe; Ruhr University Bochum; Shanghai Jiao Tong University; Polish Academy of Science; CNRS. USA institutions include MIT.)

- Spin in quantum dots, especially electron spin, spin-orbit interactions, spin dynamics, and spin relaxation; properties of quantum dots in magnetic fields (274 Records) Cluster 78

(USA more dominant, with Germany and China following. Strong USA institutional leadership. UC Santa Barbara tied for lead with Ohio University. Other leading USA institutions include Harvard, US Navy [NRL], Suny-Buffalo.).

- Optical properties of quantum dots, namely exciton states and dynamics, fabrication and use of quantum dot lasers (401 Records) Cluster 116

(USA dominant, followed by Germany/ England/ China. Top single institutions are University of Cambridge, University of Sheffield, University of Michigan. USA leaders also include UCSB, University of Texas. Concentrated British effort.)

- Self-assembly, growth, and properties of quantum dots, especially CdSe and Ge/Si quantum dots (577 Records) Cluster 120

(USA dominant, followed by Germany, Japan, China. Main institutions are almost exclusively non-universities: Russian Academy of Science (RAS), Chinese Academy of Science (CAS), University of Tokyo, Tokyo Institute of Technology, CNRS, CEA. USA leaders include UCLA, UCB.)

-

- Quantum dots, particularly CdSe, GaAs, and InAs quantum dots, and their photoluminescence and emission properties (239 Records)
Cluster 48

(USA moderately dominant, with Japan, Korea, and China close behind. Chinese, Korean and Russian institutes lead. USA leaders include Notre Dame University, Virginia Commonwealth University.)

- Engineering and properties of quantum dots, especially InAs, GaAs, and InAs/GaAs, many of which are grown on GaAs layers/ matrices (345 Records) Cluster 39

(USA/ Japan/ Germany essentially tied for lead. University Tokyo/ CAS essentially tied for institutional lead. USA leaders include University of New Mexico.)

CATEGORY 2 - 508A1b (4 leaf clusters)

Quantum Wells, Wires, and States (1298 REC)

(Leading authors in this category are Pessa M, Pfeiffer LN, and Hopkinson M. Two journals stand out: Physical Review B and Applied Physics Letters. USA is dominant, followed by Germany, China, Japan, Russia. Leading institutions include RAS, CAS, CNRS, University of Sheffield, University of Tokyo. Leading USA institutions include UCSB, University of Arkansas.)

- Quantum wells containing combinations of gallium, indium, arsenic, nitrogen, and aluminum, especially those grown by molecular beam epitaxy (265 Records) Cluster 146

(USA/ Japan tied for country lead. RAS/ CAS are institutional leaders. USA leaders include University of Arkansas. Applied physics journals predominate, as was the case for the previous Quantum Dot clusters.)

- Quantum wells, especially intersubband absorption and transitions (326 Records) Cluster 133

(USA dominant, with many countries vying for second place [Germany/ England/ Japan/ Russia/ China/ France]. RAS institutional leader. USA

leaders include UCSB, University of Iowa, University of Arizona, Stanford University.).

- Quantum wires, including those with impurities (133 Records) Cluster 72

(USA leader, followed by China, Germany, Japan. Many institutions making first appearance in results. Trakya University and Yerevan State University are leading new institutions, and USA leaders include University of Illinois, Stevens Institute of Technology, Arizona State University, and Argonne National Labs.).

- Quantum states and systems (329 Records) Cluster 223

(USA dominant; China, Germany follow. Main institutions are RAS, Tsing Hua University, CAS. Leading USA institutions include Princeton University, UCSB, University of Arkansas.).

CATEGORY 3 - 508A2a (67 leaf clusters)

Optics and Electronics (16432 REC)

(All leading authors have Asian names. Metrics may be for more than one author. Leading journals include Applied Physics Letters (dominant), followed by Physical Review B, Journal of Applied Physics, Journal of Physical Chemistry B, Journal of Crystal Growth. USA dominant, followed by Japan, China, followed by Germany, followed by South Korea, France.

However, Japan and China each led in seven elemental clusters. Japan: surface treatments; dye-sensitized films; silicon carbide structure growth, silicon-containing substances; silicide-containing substrates/layers/films; particle beam irradiation; magnetic tunnel junctions/ magnetoresistance. China: rare earth ion luminescence (very dominant); rare earth ion phosphorence (very dominant); optical activity; zinc oxide films fabrication (dominant); zinc oxide films growth (dominant); zinc oxide nanostructures (dominant); nanowires (China-USA dominant).

Leading institutions include CAS (dominant), RAS, CNRS. Leading USA institutions include UCB, University of Illinois.)

- Fabrication and characterization of vertical-cavity surface-emitting lasers and detection using them (72 Records) Cluster 2

(USA leading; Taiwan, Germany follow. Two new institutions leading: Tampere University of Technology; National Chiao Tung University. American leaders include University of Illinois, Stanford University, University of Arizona.).

- Devices related to quantum wells, especially quantum cascade lasers and quantum well infrared photodetectors (115 Records) Cluster 119

(USA leader, followed by Germany. Main institutions are CAS, RAS. Leading USA institutions: University of Wisconsin, Lehigh University.).

- Lasers, focusing on diode lasers, waveguide lasers, and optically pumped lasers (275 Records) Cluster 152

(Countries: USA, Germany. Institutions: CAS, RAS. USA leaders: USAF, University of Central Florida, UCSB, Stanford.).

- Applications of lasers, especially YAG laser irradiation and laser ablation to prepare materials (325 Records) Cluster 196

(Country: USA dominant, Japan. Institution: CAS, RAS, Osaka University. Substantial representation of American institutions: University of Texas, LLNL, UCI, Washington State University, USN (NRL), Colorado State University.).

- Studies of femtosecond pulse lasers, especially enhancement of laser pulses, creation of 3d nanostructures, and ablation processes (243 Records) Cluster 144

(Countries: USA, Germany. Institutions: RAS, CAS. American: University of Michigan.).

- Photonic, especially two-photonic, effects: photon absorption and fluorescence, as well as detection (153 Records) Cluster 145

(All previous leading journals have been applied physics related. Present journal leaders: Journal of Physical Chemistry, Optics Letters. Countries:

USA, followed by Germany, France, Japan. Institutions: University of Tokyo, University of Grenoble, UCB (only USA institution represented).

- Fabrication and structural/ optical properties of photonic crystals, especially photonic band gap features (238 Records) Cluster 76

(Countries: USA, Japan. Institutions: CNRS, Technical University Denmark, Moscow Lomonosov State University, RAS. No USA representation among leaders.).

- Optical waveguides, especially propagation of light through waveguides (139 Records) Cluster 79

(Countries: USA, followed by Japan, France. Institutions: University Trent, Polytechnic Milan, CAS, CNR. No USA representation among leaders.).

- Design, fabrication, and characterization of gratings, such as Bragg gratings, or structures containing gratings, primarily for optical applications (103 Records) Cluster 40

(Countries: USA prominent, followed by China, Japan, France, Korea. Institutions: Paul Scherrer Institute, MIT, Electronics and Telecommunications Research Institute. Other USA leaders are UCSB, University of Arizona.).

- Optical properties of nanostructures/ nanomaterials, optical materials and devices, and optical microscopy studies (359 Records) Cluster 236

(Countries: USA very dominant, followed by Japan, France, Germany. Institutions: CAS, Chalmers University Technology, CNRS. Leading USA institutions include University of Central Florida, University of Arizona, Northwestern University.).

- Optical nonlinearities in nanostructures and investigation of second harmonic generation (105 Records) Cluster 128

(Countries: USA, followed by a second tier of Japan and Russia, followed by a third tier of Germany, China, France. Institutions: RAS, CAS, University Angers, Moscow Lomonosov State. USA leaders: University of Texas.).

- Plasmons: surface-plasmon resonance technology, surface dynamics, surface-plasmons in metallic structures, Raman scattering experiments, and studies of plasmons by finite difference time domain method (336 Records) Cluster 169

(Country: USA dominant, followed by France, Japan, Germany.

Institutions: University Maryland, University Aalborg, RAS, Northwestern University. USA leaders also include UCB, Argonne National Lab.)

- Measurement and detection using optical instruments, with focus on the instrument parameters and features, especially mirrors and lenses (314 Records) Cluster 247

(Countries: USA dominant, followed by Japan, Germany, China.

Journals: mainly optics and instrumentation journals. Institutions: NASA, Tsing Hua University, RAS, CAS. Other leading USA institutions include US Army, University Colorado, Caltech, University of Central Florida, UCI, UCB, Northwestern University, University Washington, MIT.)

- Imaging using various forms of electron microscopy, including SEM, STEM, and TEM, as well as atomic force microscopy (178 Records) Cluster 189

(Countries: USA dominant; Germany, Japan, next tier. Institutions: University Melbourne, UCB, ORNL, University Osaka. Other USA institutions include NIST, BNL, Northwestern University.)

- Machining, cutting, grinding, polishing of materials, especially surfaces, and characterization of the materials after these processes (86 Records) Cluster 109

(Countries: Japan, followed by USA, China tied for second. Very applied literature. Institutions: Harbin Institute of Technology, followed by Tohoku University and Singapore Institute of Manufacturing Technology tied for second. USA institutions far behind include Purdue University, Penn State University, ORNL.)

- Modeling, design, and simulation of processes and systems at the nanoscale; measurement and minimization, control, and correction of errors (325 Records) Cluster 252

(Countries: USA dominant; followed by Japan, followed by Korea and China. Institutions: Tohoku University, followed by Nanyang Technological University, MIT, Chalmers University Technology. Other leading USA institutions include Penn State University, George Washington University, University of Texas, University of Illinois.).

- Nanomechanical systems, including actuators, resonators, hard disk drives, sensors, and motors (211 Records) Cluster 213

(Countries: USA dominant, followed by Japan and Korea. Institutions: Yonsei University, Ohio State University, Nanyang Technological University, Boston University. Other USA includes UCB, Georgia Institute of Technology.).

- Applications of atomic force microscopy and similar methods of nanomanipulation, with focus on tips and cantilevers, namely their uses and responses to different influences (241 Records) Cluster 154

(Countries: USA dominant, with Germany and Japan the second tier. Institutions: UCB, Tel Aviv University, University Munster, Georgia Institute of Technology. Other USA include North Carolina State University, University of Illinois, Iowa State University, ORNL.)

- Atomic force microscopy to measure, fabricate, and manipulate, with focus on rough surfaces (237 Records) Cluster 214

(Countries: USA dominant, followed by Japan, Germany, China. Institutions: CAS, University Tokyo, Osaka University, USAF, University Cambridge, Tsing Hua University, Max Plank Institute for Polymer Research. Other USA include University of Utah, University of South Carolina.).

- Probing polymer/ molecular chain properties and surface interactions, especially by means of atomic force microscopy (AFM) (274 Records) Cluster 245

(Countries: USA dominant, followed by Japan, Germany, China.
Institutions: CAS, Max Plank Institute of Polymer Research, Kyoto University. Other USA include Harvard University, University of Massachusetts, Columbia University, VPI, University of Utah.).

- Molecular dynamics simulations and models of physical and biological systems (241 Records) Cluster 234

(Countries: USA predominant, followed by Germany and Japan.
Institutions: National University of Singapore, University of Wisconsin, Northwestern University. Other USA include USAF, University of Washington, University of Illinois.).

- Models and simulations, especially Monte Carlo and molecular dynamics simulations, of systems and comparison to experiments or other models (578 Records) Cluster 254

(Countries: USA dominant, followed by Germany, Japan, France.
Institutions: RAS, CAS, University of Michigan, CNRS. Other USA include University of Illinois.).

- Phonon scattering, transport, and states; phonon-electron interactions; Raman scattering; related topics concerning vibrational modes and acoustics (176 Records) Cluster 167

(USA dominant, China, France next tier. Institutions: CAS, University Lyon, Pusan National University, MIT, CRNS. Other USA include University of Illinois, UCB, Ohio State University, University of Texas, UC Riverside, Penn State University.).

- Electronic properties, structures, and states; energy transfer, levels, and loss; band gap properties; and spectroscopic studies (325 Records) Cluster 246

(Countries: USA, followed by Germany, Japan. Institutions: Tsing Hua University, CNRS, RAS, CAS, UCB. Other USA include Cornell University).

- Density functional theory, with focus on its use for condensed matter, atomic, molecular, and chemical physics calculations, especially to study nanoclusters (266 Records) Cluster 215

(Countries: USA dominant, followed by Germany, China, Japan.
Institutions: Forschungszentrum Karlsruhe, Tsing Hua University,
University Oslo, Osaka University. USA includes UCB.)

- Nanosized clusters, including their structures and properties, density functional theory calculations, molecular dynamics simulations, and their interactions with compounds and each other (251 Records)
Cluster 197

(Countries: USA dominant, followed by second tier China, Japan, Germany. Institutions: CAS, CNRS, University Karlsruhe, Forschungszentrum Karlsruhe. USA include Georgia Institute of Technology, VCU.).

- Scanning tunneling microscopy studies (268 Records) Cluster 161

(Countries: USA, closely followed by Japan, then by Germany.
Institutions: University of Tokyo, UCI, RAS, Free University of Berlin, CNRS. Other USA include Northwestern University and UCB.)

- Studies of individual molecules, especially on surfaces and in organic materials, with the aid of scanning tunneling microscopy (332 Records) Cluster 227

(Countries: USA dominant, followed by Japan and Germany. Institutions: CAS, CNRS, University of Texas, Kyoto University. Other USA include UCB, Princeton University, Arizona State University, University of Pittsburgh.)

- Fluorescence/ luminescence properties, of dyes for instance, and their applications, especially to sensors (112 Records) Cluster 192

(Countries: USA, followed by China and Germany. Institutions: MIT, followed closely by CAS and Anhui Normal University. Other USA include UCSB, UCLA, University of Massachusetts, University of Maryland.).

- Improvement of solar cells by dye-sensitized films (especially TiO₂ films) or nanostructures (92 Records) Cluster 18

(Countries: Japan dominant, followed by China, USA, Switzerland, Germany. Sri Lanka next, but far behind. Institutions: Swiss Federal

Institute of Technology, CAS, National Institute of Advanced Industrial Science and Technology, Osaka University. USA includes NREL, UCB.).

- Ring compounds, especially porphyrins, fullerenes, and their derivatives, with emphasis on reactions, synthesis, and structure of these compounds (332 Records) Cluster 250

(Countries: Japan and USA essentially tied. Well behind are China, Germany, Russia. Institutions: RAS, CAS, Tokyo Institute of Technology, Tohoku University, Gunma University. USA includes University of Massachusetts, UCR.).

- Chemical studies of bonding (especially hydrogen bonding), host-guest interactions, and other molecular interactions involved in structure and assembly, with focus on supramolecular structures and macrocycles (246 Records) Cluster 230

(Countries: USA, well ahead of China, Japan, Germany. Institutions: CAS, UCLA, University Twente. Other USA includes UCB, University of Utah.).

- Self-assembly, formation of supramolecular structures, aggregation, and block copolymers (694 Records) Cluster 210

(Countries: USA dominant, China, Japan, Germany. Institutions: CAS dominant, Northwestern University. Other USA include University of Michigan, Georgia Institute of Technology, University of Massachusetts, UCLA.).

- Self-assembled monolayers (SAMs), especially gold and alkanethiol SAMs, (294 Records) Cluster 50

(Countries: USA dominant, followed by Japan, Germany, South Korea, China. Institutions: University of Heidelberg, Korea Advanced Institute S&T, University of Washington, Kyoto University. Other USA include Penn State, Clemson University, University of Houston).

- Self-assembled monolayers (SAMs), especially gold and alkanethiol SAMs, as well as Langmuir-Blodgett monolayers/ films (335 Records) Cluster 168

(Countries: USA dominant, followed by Japan, Germany, China. Institutions: CAS, UCLA, University of Alberta, National Institute of Advanced Industrial S&T. Other USA include Pacific Northwest National Lab, Northwestern University).

- Studies of surfaces (especially copper, gold, and silver-containing surfaces), focusing on the effects of cluster formation and deposition on surfaces and the use of scanning tunneling microscopy to characterize surfaces (STM) (220 Records) Cluster 244

(Countries: USA, Japan, Germany. Institutions: National Institute of Materials Science, University of Tokyo, CAS. Other USA include University of Pittsburgh, UCSB).

- Layers, emphasizing properties of thickness and deposition, as well as interactions at the interfaces/ barriers (325 Records) Cluster 253

(Countries: USA, Japan, Germany, China. Institutions: CAS, National Chiao Tung University, RAS. Other USA include University of Illinois, UCSD, Georgia Institute of Technology, University of Wisconsin).

- Growth of layers/ films, especially InN and GaAs, by means of molecular beam epitaxy, chemical vapor deposition, and similar deposition techniques (264 Records) Cluster 205

(Countries: USA, Japan, Germany. Institutions: RAS, CNRS, CAS. Other USA include Arizona State University, University of Houston).

- Growth of crystals and islands, emphasizing growth parameters and properties of the products (269 Records) Cluster 229

(Countries: USA, China, Japan, Germany, France. Institutions: Shandong University, CAS, CNRS. USA includes Sandia National Laboratories).

- Silicon carbide (SiC), emphasizing growth of desired structures by epitaxy or chemical vapor deposition (CVD) and issues concerning defects on the products (174 Records) Cluster 58

(Countries: Japan, USA, Germany. Institutions: Kyoto University, Linköping University, Technical University Ilmenau. Other USA include University of South Carolina, Rensselaer Polytechnic Institute, US Navy.).

- Silicon-containing substances, emphasizing processes on and interactions with silicon surfaces and scanning tunneling microscopy to characterize the substances (228 Records) Cluster 131

(Countries: Japan, USA, Germany. Institutions: Tohoku University, Osaka University, University of Illinois, CAS. Other USA include Arizona State University, University of Wisconsin.).

- Silicon, silica, and silicide-containing substrates/ layers/ films: their properties and processes that occur on them (461 Records) Cluster 190

(Countries: Japan, USA, China, Germany, South Korea. Institutions: Nanjing University, National Tsing Hua University, CNR, Tohoku University, National Chiao Tung University. No USA institutions among leaders.).

- Growth and characterization of silicon-germanium (SiGe) structures and their application to circuits, with focus on strained/ strain-relaxed SiGe layers (113 Records) Cluster 36

(Countries: USA, Japan, Taiwan, Germany. Institutions: RAS, CAS, National Tsing Hua University. Other USA include MIT, University of Illinois.).

- Germanium-based substances, including germanium nanocrystals, islands, and substrates, as well as heterostructures containing silicon (176 Records) Cluster 42

(Countries: USA dominant, China, Germany, Japan, France. Institutions: National University Singapore, Arizona State University, CAS, CEA. Other USA include University of Texas, Oak Ridge National Labs.).

- Ion implantation to modify or create materials, including nanocrystals, sometimes accompanied by or followed by annealing, thermal or laser (354 Records) Cluster 117

(Countries: USA, China, Japan, Germany. Institutions: Tsing Hua University, CAS, CNRS, CNR, Australian National University).

- Applications of ion/ electron beam/ irradiation techniques, including focused ion beam (FIB) technology, ion and electron-beam-induced deposition, and ion-beam milling (200 Records) Cluster 178

(Countries: Japan, USA. Institutions: National Institute of Materials Sciences. USA includes Arizona State University).

- Lithography and etching, including nanoimprint lithography and electron-beam lithography and focusing on nanopatterning (166 Records) Cluster 149

(Countries: USA, Japan, South Korea. Institutions: University of Wisconsin, Hewlett-Packard Laboratories. University of New Mexico, University of Michigan).

- Etching, especially plasma etching and reactive ion etching (282 Records) Cluster 113

(Countries: USA, Japan, Korea. Institutions: Sungyunkwan University, CAS, Tohoku University. USA includes University of Maryland).

- Hafnium dioxide (HfO₂), hafnium-containing, and oxide films, compounds, and layers, with emphasis on dielectric properties, fabrication by atomic layer deposition (ALD), and use as gate dielectrics (195 Records) Cluster 111

(Countries: USA, South Korea. Institutions: Seoul National University, University of Helsinki, National Chiao Tung University, Nanjing University. USA include IBM Corp., Freescale Semiconductor, Inc.).

- Gate dielectrics and metal-oxide semiconductor field-effect transistors (MOSFETs), emphasizing those made from silica (SiO₂), hafnium dioxide (HfO₂), silicon, and silicides (152 Records) Cluster 139

(Countries: USA, Japan, South Korea, Singapore. Institutions: Imec, University of Texas, National University of Singapore. Other USA include North Carolina State University, Rutgers State University, UCSB, International Sematech.).

- Field transistors, single-electron transistors, electron mobility transistors, and similar electronic devices, with emphasis on design and properties of gates (243 Records) Cluster 122

(Countries: USA, Japan, South Korea. Institutions: IBM Corp., University of Florida. Other USA include University of Illinois, Purdue University, UCLA.).

- Metal-oxide semiconductor field-effect transistors (MOSFETs) and silicon-on-insulator (SOI) devices (128 Records) Cluster 60

(Countries: USA, Japan, Taiwan, South Korea. Institutions: National Chiao Tung University, National University of Singapore. USA include Purdue University, University of Texas, University of Florida, United Microelectronic Corp., IBM Corp.).

- Electronic devices, circuits, and complementary metal-oxide semiconductor (CMOS) systems, emphasizing performance as measured by frequency, power, current, and voltage (331 Records) Cluster 224

(Countries: USA very dominant, Taiwan, Japan. Institutions: National Chiao Tung University dominant, Purdue University, National Nano Device Labs. Other USA include University of Florida, UCSB, Intel Corp., Hewlett-Packard Labs, University of Texas, UCLA, IBM Corp, Caltech, University of Illinois).

- Modeling and design of electronic devices, including properties of those based on junctions (molecular junctions, metal junctions, Josephson junctions, and Schottky barriers), electron transport properties, current/ voltage characteristics, negative differential resistance (NDR) (407 Records) Cluster 243

(Countries: USA dominant, Japan, Germany. Institutions: RAS, University of Illinois, Northwestern University, Delft University of Technology, CAS. Other USA include Ohio State University, University of Texas.).

- Properties and fabrication of magnetic tunnel junctions (MTJs) and investigation of magnetoresistance (121 Records) Cluster 53

(Countries: Japan, USA. Institutions: Tohoku University, Osaka University, National Institute of Advanced industrial S&T, Korea University, Japan S&T Agency. No USA institutional representation.).

- Field-emission properties of materials, especially carbon nanotubes (CNTs) and nanowires (180 Records) Cluster 95

(Countries: USA, China in first tier, followed by South Korea and Japan. Institutions: CAS, Peking University. USA include Vanderbilt University, University of North Carolina).

- Upconversion emission/ luminescence properties and spectroscopic studies of rare earth ions (Er^{3+} , Yb^{3+} , and Tm^{3+}), especially in doped crystals and glass ceramics (82 Records) Cluster 27

(Countries: China completely dominant. Institutions: CAS, followed by City University Hong Kong. No USA institutional representation.).

- Phosphorescence and luminescence of materials containing rare earth ions (especially Eu^{3+}), with focus on synthesis by combustion method and from precursors (107 Records) Cluster 98

(Countries: China completely dominant; South Korea distant second. Institutions: CAS, followed by Tongji University, followed by Tsing Hua University).

- Studies on optical activity (emission, luminescence, photoluminescence, and fluorescence), especially in nanocrystals and thin films, and factors that affect activity (326 Records) Cluster 219

(Countries: China, USA, followed by Japan. Institutions: CAS dominant, followed by RAS, University of Hong Kong. USA includes Pacific Northwest National Labs.).

- Light-emitting diodes (LEDs), including organic LEDs and emphasizing construction and optimization of LEDs (263 Records) Cluster 89

(Countries: USA, China, followed by Taiwan, South Korea, followed by Japan. Institutions: CAS, National Chiao Tung University, National Cheng

Kung University, Jilin University. USA include University of Florida, UCSB, University of South Carolina).

- Multiple quantum wells (MQWs), especially GaN, InGaN, and GaN/InGaN, and focusing on structural and photoluminescence properties (151 Records) Cluster 61

(Countries: USA, South Korea. Institutions: Polish Academy of Sciences, National Cheng Kung University, Gwangju Institute of S&T. USA include UCSB, Cornell University.).

- Gallium nitride (GaN) films, layers, and structures, primarily grown by vapor-phase/ molecular-beam epitaxy and chemical vapor deposition, as well as gallium heterostructures, especially those containing sapphire (270 Records) Cluster 74

(Countries: USA, Japan, China. Institutions: CAS, Chonbuk National University, National Cheng Kung University. USA include VCU, UCSB, UCB, SUNY Albany.).

- Nitride (AlGa_N, GaN, AlGa_N/GaN, and AlN) structures grown and/or used for applications using ohmic contact, high-electron-mobility transistors (HEMTs), and heterojunction field-effect transistors (HFETs) (100 Records) Cluster 41

(Countries: USA, Japan, South Korea, Taiwan. Institutions: Nagoya institute of Technology, Gwangju Institute of S&T, National Cheng Kung University. USA include University of Illinois, University of Florida, Sandia National labs, Penn State University, Georgia Institute of Technology).

- Zinc oxide (ZnO) thin films, emphasizing fabrication by magnetron sputtering, deposition, and annealing; doped ZnO films; and optical properties of ZnO films (254 Records) Cluster 62

(Countries: China dominant, followed by Japan, Korea, USA. Institutions: CAS dominant, followed by Shandong University, Chonnam National University. No USA institutional presence.).

- Zinc oxide (ZnO) thin films, emphasizing growth by deposition, doped ZnO films, and emission/ magnetic/ optical/ electronic properties of ZnO films (70 Records) Cluster 7

(Countries: China dominant, followed by South Korea, India, Japan. Institutions: CAS, Zhejiang University, Nanyang Technological University. No USA institutional presence.).

- Zinc oxide (ZnO) nanowires and other nanostructures, focusing on growth, emission and photoluminescence properties, doped zinc nanostructures, and nanowire arrays (304 Records) Cluster 67

(Countries: China dominant, followed by USA, South Korea, followed by Japan, Taiwan. Institutions: CAS dominant, followed by University S&T China, Hanyang University, Zhejiang University. USA includes University of Florida.).

- Nanowires: growth by vapor deposition, nanowire arrays, silicon nanowires, single crystal nanowires (645 Records) Cluster 100

(Countries: China, USA dominant, followed by Japan, South Korea, Taiwan. Institutions: CAS dominant, followed by Peking University, National Institute of Material Science, University S&T China, National Tsing Hua University, Nanjing University. USA include UCB, Penn State University.).

CATEGORY 4 - 508A2b (24 leaf clusters)

Magnetism and Tribology (6319 REC)

(Same problem with Asian names as previous category. Leading journals again physics-dominated, and include Physical Review B, Journal of Applied Physics, Journal of Magnetism and Magnetic Materials, Applied Physics Letters. Leading countries include USA, followed by China, Japan, followed by Germany, followed by France.

Japan leads in two elemental cluster categories, and China leads in eight categories. Japan: Iron-Platinum thin films; grain boundary phenomena. China: amorphous and crystalline iron and cobalt alloys; mechanical Mg/Cu/Ag/Ti/Zr alloy properties; Ni/Cu/Sn/Ti/Zr alloys metallurgy; composite material alloys; coating deposition properties (dominant);

nanotribology; corrosion-resistant steel surfaces (dominant); corrosion mechanisms and protection.

Leading institutions include CAS (dominant), RAS, Tohoku University. Leading USA institutions include ORNL.)

- Spin, emphasizing properties and applications of qubits, spin-orbit interactions (SOIs) (especially Rashba SOIs), and studies of spin relaxation and polarization (139 Records) Cluster 55

(Countries: USA dominant, followed by Japan, Germany, China. Institutions: RAS, University of Toronto, Tohoku University, CAS. USA include SUNY Buffalo, U Iowa, UCSB, UCB).

- Spin polarization, spin-orbit interactions, spin dynamics, spin-dependent transport, and other spin-related phenomena as exhibited in and influenced by magnetic (especially ferromagnetic) fields and structures (481 Records) Cluster 141

(Countries: USA, Japan, Germany. Institutions: CAS, Osaka University, CNRS. USA includes Argonne National Lab.).

- Superconductors, superconducting materials, and superconducting devices; vortex states, dynamics, and effects (188 Records) Cluster 159

(Countries: USA, Japan, Germany. Institutions: Katholieke University of Leuven, Tohoku University, RAS, Argonne National Lab. Other USA includes University of Illinois).

- Applications and effects of external magnetic fields, especially magnetoresistance, ferrofluids, and uses of nanowires (418 Records) Cluster 162

(Countries: USA, Japan, followed by China, Germany, followed by France, Russia. Institutions: National Institute of Materials Science, RAS, Tohoku University. USA includes MIT).

- Magnetic properties of magnetic nanostructures (including arrays, films nanoparticles, nanotubes) and nanomaterials, emphasizing

magnetic anisotropy, coercivity, magnetization reversal (657 Records)
Cluster 171

(Countries: USA, followed by Japan, China, Germany. Institutions: CAS, CNRS, RAS, CSIC. Other USA include Argonne National Lab, UCSB, Georgia Institute of Technology, University of Texas).

- Properties of ferromagnetic and antiferromagnetic materials, especially manganese and iron compounds (355 Records) Cluster 193

(Countries: USA, Japan, followed by China, Germany. Institutions: CAS, Tohoku University, Polish Academy of Sciences. USA includes University of Notre Dame).

- Magnetic properties of thin films (especially iron and cobalt films), focusing on anisotropy, coercivity, and preparation of films by sputtering, annealing, and deposition processes (266 Records) Cluster 181

(Countries: USA, China, Japan. Institutions: RAS, CAS, Tokyo Institute of Technology. USA include University of Alabama, ORNL.).

- Iron-platinum (FePt) thin films, emphasizing their magnetic properties, fabrication, and the effect of annealing (53 Records) Cluster 0

(Countries: Japan, USA, China, Taiwan, Singapore. Institutions: Data Storage Institute, University of Minnesota. Other USA includes University of Nebraska, University of Delaware).

- Amorphous and crystalline alloys (especially iron and cobalt), with emphasis on their magnetic properties, annealing processes, preparation by milling, and iron and cobalt (347 Records) Cluster 187

(Countries: China, Japan, USA, Poland. Institutions: CAS, Warsaw University of Technology, Tohoku University, RAS. No USA institutional presence.).

- Alloys (especially magnesium, copper, titanium, silver, and zirconium), focusing on structural and mechanical properties, effects of temperature, and corrosion resistance (520 Records) Cluster 160

(Countries: China, USA, followed by Japan, Germany, France. Institutions: CAS, Tohoku University, RAS. USA includes UC Davis.).

- Alloys (especially nickel, copper, tin, titanium, and zirconium), emphasizing fusible/ eutectic alloys, formation of alloys, and mechanical/ structural characterization (139 Records) Cluster 123

(Countries: China, Japan, South Korea, USA. Institutions: CAS, Sungkyunkwan University. USA includes UCLA.)

- Preparation, reactions, and structure of composite materials, especially copper, nickel, and silver alloys (222 Records) Cluster 242

(Countries: China, USA, Japan, Germany. Institutions: Tohoku University, CAS, National Institute of Material Science, Harbin Institute of Technology. USA include University of Wisconsin, Washington State University.).

- Coatings formed by deposition, especially chemical vapor deposition and thermal and plasma spraying, emphasizing their properties, particularly hardness, wear/ corrosion resistance, and magnetic properties (487 Records) Cluster 150

(Countries: China dominant, followed by Germany and England, followed by Japan, Korea, France, Poland. Institutions: CAS dominant, Xian Jiaotong University, Harbin Institute of Technology. No USA institutional presence.).

- Nanotribological studies, focusing on friction, sliding, adhesive, and wear behavior (99 Records) Cluster 47

(Countries: USA dominant, Japan, China. Institutions: Ohio State University extremely dominant. Other USA includes Georgia Institute of Technology.).

- Nanotribological studies, emphasizing wear behavior (especially steel substrates and silicon carbide [SiC] composites) and including analyses of sliding and abrasion (154 Records) Cluster 34

(Countries: China, USA, followed by England. Institutions: CAS, Tsing Hua University. USA include University of Wisconsin, University of Texas.).

- Fabrication and characteristics of corrosion-resistant steel surfaces and layers (210 Records) Cluster 157

(Countries: China dominant, USA, Japan. Institutions: CAS, Tsing Hua University, National Institute of Materials Science. USA include ORNL, Northeastern University.).

- Corrosion mechanisms and protection/ inhibition, especially of steel, zinc, and iron surfaces (76 Records) Cluster 66

(Countries: China, India, USA. Institutions: CAS, University of Delhi. USA includes BNL.).

- Crack, fatigue, and fracture processes, behavior, and mechanisms, emphasizing on analysis with scanning electron microscopy (210 Records) Cluster 118

(Countries: USA, Japan, China, followed by Germany. Institutions: CAS dominant. USA include Princeton University, Georgia Institute of Technology.).

- Materials subject to stress and strain, focusing on welded materials, residual stresses, effects of loading, and stress relaxation (131 Records) Cluster 115

(Countries: USA, China, Japan, France. Institutions: Kyoto Institute of Technology, CAS. USA include Colorado School of Mines, USAF, University of Michigan, University of Dayton.).

- Nanoidentation, especially to test hardness, elasticity/ plasticity, and mechanical properties of materials (278 Records) Cluster 140

(Countries: USA, followed by China, Japan. Institutions: CAS, Tsing Hua University, University Poitiers, ORNL, CNRS. Other USA include UCB, OSU, University of Tennessee, University of Illinois, UCSF).

- Deformation behavior, shear bands, and related mechanical properties of materials and microstructures (239 Records) Cluster 112

(Countries: USA, China, followed by Russia, Germany, followed by Japan, South Korea, Poland. Institutions: CAS, RAS, UFA State Aviation Technical University. USA include UCD, JHU, University of Tennessee).

- Dislocations, deformation, (crystal) twinning, and stress/ strain in materials, particularly crystals (147 Records) Cluster 86

(Countries: USA dominant, China, followed by Germany, France. Institutions: CAS, Paul Scherrer Institute, LANL. Other USA include LLNL, MIT, UCB, Georgia Institute of Technology, University of Illinois, SNL, Ohio State University, North Carolina State University.).

- Grain boundary characteristics and processes, including diffusion, segregation, fracture, and growth (220 Records) Cluster 52

(Countries: Japan, USA, followed by Germany, China, France. Institutions: University of Tokyo, RAS, Tohoku University, National Institute of Materials Science. USA includes UCB, ORNL.).

- Effects of and influences on grain size, emphasizing grain growth, texture characterization, and effect of annealing (283 Records) Cluster 166

(Countries: USA, China, followed by Japan, Germany. Institutions: CAS, RAS, CNR. USA include UCD, UCB.)

CATEGORY 5 - 508B1a (9 leaf clusters)

Properties of Thin Films (2251 REC)

(Same problem with Asian names. Leading journals are still physics-dominated, but now include a surface chemistry focus as well. They include Thin Solid Films (dominant), Langmuir, Applied Physics Letters, Applied Surface Science, Journal of Physical Chemistry B, Journal of Applied Physics, Surface & Coatings Technology, Physical Review B. Leading countries include China, USA, Japan, followed by Germany, South Korea.

Japan is dominant in two elemental clusters, China in four. Japan: YBCO films; indium tin oxide films. China: multi-layer film deposition; layered double hydroxides; magnetron sputtering films; film growth and characterization.

Leading institutions include CAS (extremely dominant), National Institute of Advanced Industrial S&T, Tsing Hua University, Kyoto University, University of Tokyo, Tohoku University. Leading USA institutions include University of Illinois.)

- Thin films and processes related to film thickness, including dewetting, deposition, and growth (411 Records) Cluster 225

(Countries: USA dominant, followed by China, Japan, Germany. Institutions: CAS, University of Illinois, Tsing Hua University. Other USA include UCB, University of Texas, ORNL.)

- Films, focusing on polymer and polyimide films, mechanical and optical properties (such as the refractive index), effects of irradiation, and conductivity (558 Records) Cluster 251

(Countries: USA, China, Japan. Institutions: CAS, Tohoku University, Tsing Hua University, Tokyo Institute of Technology. USA includes University of Illinois.)

- Properties and fabrication by deposition of multilayer films, especially Langmuir, Blodgett, Langmuir-Blodgett, and polyelectrolyte films (231 Records) Cluster 200

(Countries: China, USA, Japan. Institutions: CAS, NE Normal University, Kyoto University. USA includes UCB.).

- Preparation, characterization, and applications of layered double hydroxides (LDHs) (47 Records) Cluster 8

(Countries: China, Brazil. Institutions: Beijing University of Chemical Technology.).

- YBCO ($\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$) films, emphasizing YBCO conductors and growth of buffer layers, especially CeO_2 (59 Records) Cluster 16

(Countries: Japan, China, USA. Institutions: National Institute of Advanced Industrial S&T, ISTECH. USA include USAF, ORNL, ANL, University of Houston, University of Dayton.).

- Indium tin oxide (ITO) thin films, focusing on transparency, transmittance, and resistivity of ITO films (95 Records) Cluster 33

(Countries: Japan, China, USA, Taiwan, South Korea. Institutions: University of Hong Kong, Osaka University).

- Oxide (especially WO₃ and SnO₂) films, emphasizing formation of anodic films, use as gas sensors, and electrochemical applications (238 Records) Cluster 209

(Countries: USA, China, Japan. Institutions: University of Manchester, Keio University, Hokkaido University, Harbin Institute of Technology, CAS. USA includes Texas A&M.).

- Preparation of films by magnetron sputtering, especially titanium (Ti), titanium nitride (TiN), and aluminium nitride (AlN) films (230 Records) Cluster 172

(Countries: China, USA, followed by South Korea, Japan, followed by Taiwan, Germany, France. Institutions: CAS, Sungyunkwan University, Shanghai Jiao Tong University, National Cheng Kung University).

- Growth and characterization of films, focusing on effects of annealing, deposition, and copper, silicon, and gallium nitride films (382 Records) Cluster 231

(Countries: China, USA, Japan. CAS dominant, Yonsei University, University of Tokyo, Kyoto University, Indian Institute of Technology, Bulgarian Academy of Sciences. USA presence not shown.).

CATEGORY 6 - 508B1b (7 leaf clusters)

Applications of Thin Films (2509 REC)

(Leading journals include Thin Solid Films, Applied Physics Letters (essentially tied), Journal of Applied Physics. Leading countries include USA, China, Japan, South Korea.

However, Japan, China, South Korea, India each lead in one elemental cluster. Japan: PZT thin films. China: pulsed laser deposition-grown thin

films. South Korea: Ferroelectric thin films. India: optical and band gap properties of thin films.

Leading institutions include CAS (dominant), Tokyo Institute of Technology, National Institute of Advanced Industrial S&T. No leading USA institutional presence.)

- Thin film transistors (TFTs), especially pentacene and organic thin film transistors (OTFTs) (93 Records) Cluster 28

(Countries: USA, South Korea, Japan. Institutions: Yonsei University, Tokyo Institute of Technology, Xerox Research Center Canada, University of Minnesota. Other USA include University of Kentucky, Stanford University, RPI, Oregon State University, Northwestern University.).

- Thin films, emphasizing fabrication by deposition, sensor and device applications, and optical properties (395 Records) Cluster 222

(Countries: USA, Japan, China, followed by South Korea, Germany. Institutions: CAS, Osaka University, Nagoya University, Korea Institute of S&T. USA include Stanford University, Penn State University.).

- Thin films, focusing on optical and band gap properties, absorption, and preparation by deposition, annealing, and evaporation (329 Records) Cluster 180

(Countries: India, followed by China, followed by USA, South Korea, France. Institutions: Shivaji University, CAS, University National Autonoma Mexico, Bharathiar University. USA include Northwestern University.).

- Thin films, emphasizing orientation of films, silicon films, and preparation by deposition, magnetron sputtering, and annealing (959 Records) Cluster 217

(Countries: USA, China, Japan. Institutions: CAS dominant, Nanyang Technological University, National Tsing Hua University, National Institute of Advanced Industrial S&T. USA includes Penn State University.).

- Ferroelectric thin films (including platinum [Pt], BST, BLT, and silica [SiO₂] films), with emphasis on polarization, orientation, and dielectric/ ferroelectric properties (258 Records) Cluster 132

(Countries: South Korea, Japan, China, followed by USA. Tokyo Institute of Technology, Hynix Semiconductor, Inc., National Institute of Advanced Industrial S&T, Korea Advanced Institute S&T. USA includes Caltech.).

- Pb(ZrTi)O₃ (PZT) thin films, emphasizing ferroelectric properties and orientation control (122 Records) Cluster 10

(Countries: Japan, South Korea, China. Institutions: CAS, Tokyo Institute of Technology, National Institute of Advanced Industrial S&T.).

- Characterization of thin films grown by pulsed laser deposition (PLD), especially SrTiO₃ films (353 Records) Cluster 137

(Countries: China, USA, Japan, followed by South Korea, Germany, France. Institutions: CAS dominant, Nanjing University, Tokyo Institute of Technology, Hong Kong Polytechnical University. USA include USN, UCB, USAF.).

CATEGORY 7 - 508B2a (6 leaf clusters)

Deposition of Thin Films (1752 REC)

(Leading authors include Soga, T, Adhikary, S, Jimbo, T, Rusop, M. The main journals include Thin Solid Films (dominant), Journal of Applied Physics, Surface & Coatings Technology. Leading countries include Japan, USA, China, followed by South Korea.

Japan is dominant in two categories, and China is dominant in one category. Japan: carbon thin films; diamond-like carbon coatings. China: silicon films.

Leading institutions include CAS, followed by Sungkyunkwan University, RAS. No USA presence in leading institutions.)

- Studies on silicon, especially porous and amorphous silicon, silicon nanocrystals, silicon nitride materials, and silicon wafers (222 Records) Cluster 176

(Countries: USA, China, followed by Japan, Germany, France, South Korea, Russia. Institutions: CNRS, CAS, RAS. USA includes NREL.).

- Silicon films (some hydrogenated and/or amorphous) prepared primarily by chemical vapor deposition (405 Records) Cluster 170

(Countries: China, USA, Japan. Institutions: CAS, Sungyunkwan University, Nankai University. USA include MIT, NREL.).

- Chemical vapor deposition (CVD), focusing on techniques (such as metal organic CVD), growth of films from certain precursors, and properties of deposited films (461 Records) Cluster 216

(Countries: USA, Japan, followed by China, South Korea. Institutions: Tokyo Institute of Technology, RAS, University of Illinois, University of Shizuoka, Tohoku University. Other USA include University of Maryland, Penn State University.).

- Plasma polymerization, treatment, and ion implantation and deposition (242 Records) Cluster 156

(Countries: USA, Japan, South Korea, China, Germany. Institutions: Sungyungwan University, National University of Singapore, Nanyang Technological University. USA include USAF, University of Michigan.).

- Carbon thin films, focusing on preparation by deposition and sputtering, amorphous carbon and carbon nitride films, and characterization, especially of bonding properties (297 Records) Cluster 163

(Countries: Japan, China. Institutions: Nagoya Institute of Technology dominant, CAS, Chubu University. No USA presence shown.).

- Diamond-like carbon (DLC) coatings, emphasizing preparation by deposition and/or plasma ion implantation and Raman studies (125 Records) Cluster 17

(Countries: Japan, China. Institutions: CAS, Sungyunkwan University, Chubu University. No USA presence shown.).

CATEGORY 8 - 508B2b (2 leaf clusters)

Diamond films (394 REC)

(Leading journals include Diamond and Related Materials (very dominant), Thin Solid Films, Applied Physics Letters, Journal of Applied Physics.

Leading countries include China, USA, followed by Japan.

China dominant in one category. China: diamond films (CVD).

Leading institutions include RAS, CAS, followed by Shanghai University, Osaka University. Leading USA institutions include Michigan State University.)

- Diamond films, emphasizing chemical vapor deposition (CVD), nanocrystalline, and boron-doped diamond films (219 Records)
Cluster 26

(Countries: China, followed by Japan, USA. Institutions: Shanghai University, RAS, CAS. USA includes Michigan State University.).

- Chemical vapor deposition (CVD) diamond films, emphasizing plasma CVD, growth, and interactions with silicon (175 Records)
Cluster 138

(Countries: USA, followed by China, Japan. Institutions: RAS, CAS, National Chiao Tung University. USA include Ohio State university, UCLA.).

CATEGORY 9 - 509A1a (1 leaf cluster)

Applications of Carbon Nanotubes (474 REC)

(Leading journals include Diamond and Related Materials, followed by Applied Physics Letters, Carbon, Journal Of Physical Chemistry B. Leading countries include China, USA, followed by South Korea, followed by Japan. Leading institutions include CAS (dominant), Sungkyunkwan University, Seoul National University, Tsing Hua University, Hunan University, Zhejiang University. No USA presence in leading universities.)

- Carbon nanotubes (CNTs), especially application to electrodes and catalysts, CNT composites, and preparation of aligned CNTs (474 Records) Cluster 37

(Countries: China, followed by USA, South Korea, followed by Japan.
Institutions: CAS dominant, followed by Sungyunkwan University. USA includes PNNL.).

CATEGORY 10 - 509A1b (6 leaf clusters)

Multi-walled Nanotubes (1876 REC)

(Leading authors include Bando, Y, Golberg, D, Li, Y. Leading journals include physics and chemistry topics: Physical Review B, Applied Physics Letters, Carbon, Nanotechnology, Journal of the American Chemical Society, Journal of Physical Chemistry B. Leading countries include China, USA (very dominant) followed by Japan, followed by South Korea, Germany.

However, China leads in three clusters. China: MWNTS (very dominant); nanotube template synthesis; MWCNTS.

Leading institutions include CAS (dominant), Tsing Hua University, RAS, Nanjing University, Zhejiang University, Peking University, University S&T China. Leading USA institutions include NASA, University of Illinois).

- Multi-walled (carbon) nanotubes (MWNTs), including composites and surface, magnetic, and structural properties (240 Records) Cluster 14

(Countries: China very dominant, USA, South Korea. Institutions: CAS dominant, Zhejiang University, Nanjing University.).

- Nanotubes, emphasizing template synthesis, especially of titanium dioxide (TiO₂), titania, and titanate nanotubes; nanowires; and nanotube arrays (517 Records) Cluster 183

(Countries: China, followed by USA, followed by Japan. Institutions: CAS, followed by RAS, Tsing Hua University, Nanjing University. USA include CUNY Hunter College, University of Florida.).

- Boron nitride nanotubes (BNNTs) and nanohorns, emphasizing electronic properties (59 Records) Cluster 5

(Countries: USA, China, Japan. Institutions: Osaka University, University S&T China, UCB, National Institute of Materials Science. Other USA include University of Illinois, Clemson University.).

- Multi-walled carbon nanotubes (MWCNTs), focusing on electronic, mechanical, and structural properties (140 Records) Cluster 32

(Countries: China, USA. Institutions: CAS dominant, Tsing Hua University, Sungyunkwan University, National University of Singapore. Other USA include UNC, RPI, ORNL, MIT).

- Carbon nanotubes, including composites, nanotube bundles, conductance, and application to electrodes and transistors (283 Records) Cluster 96

(Countries: USA dominant, China, South Korea. Institutions: CAS dominant, Tsing Hua University, RPI, Osaka University, NASA, Chung Ang University. Other USA include UCSD, Georgia Institute of Technology, University of Texas.).

- Carbon nanotubes (CNTs), including single-walled and multi-walled CNTs and emphasizing electronic and structural properties (637 Records) Cluster 105

(Countries: USA, followed by China. Institutions: CAS, RAS, Tsing Hua University. USA include University of Illinois, NASA, ORNL, MIT.).

CATEGORY 11 - 509A2a (2 leaf clusters)

Single and Double-walled Nanotubes (447 REC)

(Leading authors include Kataura, H, Iijima, S, Lee, YH, Sauvajol, JL
Leading journals include Physical Review B, Journal of Physical Chemistry, Chemical Physics Letters, Nano Letters, Carbon, Journal of the American Chemical Society. Leading countries include USA (dominant), Japan, China, followed by Germany, France, England, South Korea, Italy. Leading institutions include University Montpellier, Rice University, University of

Illinois, Tohoku University, Sungkyunkwan University, Osaka University, CAS.)

- Single-walled carbon nanotubes (SWCNTs), including surface/ structural properties and Raman studies (139 Records) Cluster 30

(Countries: USA, Japan. Institutions: University of Vienna, Tohoku University. USA include University of Notre Dame, University of Texas, New Jersey Institute of Technology.).

- Single- and double-walled carbon nanotubes, including nanotube films, integration of nanoparticles into nanotubes, and electronic/ structural properties (308 Records) Cluster 31

(Countries: USA dominant, China, followed by Japan. Institutions: Rice University, University of Montpellier, University of Illinois. Other USA include University of Pennsylvania, University of Delaware, MIT.).

CATEGORY 12 - 509A2b (2 leaf clusters)

Single-walled Nanotubes (414 REC)

(Leading authors include Li, F, Dresselhaus, MS, Smalley, RC, Haddon, RC, Cheng, HM. Leading journals include Journal of Physical Chemistry B, Physical Review B, Applied Physics Letters, Journal of the American Chemical Society, Chemical Physics Letters, Carbon, Nanotechnology. Leading countries include USA (dominant), China, Japan. Leading institutions include Rice University, CAS, Peking University, Tohoku University, UCR, NASA, MIT. Other leading USA institutions include University of Pennsylvania, University of Illinois, USN, Georgia Institute of Technology.)

- Single-walled (carbon) nanotubes (SWNTs), including nanotube thin films, surface and structural properties, and interaction of nanoparticles with nanotubes (274 Records) Cluster 6

(Countries: USA dominant, China, Japan. Institutions: CAS, Rice University, UCR, Peking University. Other USA include Penn State University, USN, NASA, University of Pennsylvania.).

- Single-walled (carbon) nanotubes (SWNTs), emphasizing electrode applications, nanotube films, and surface/ structural properties (140 Records) Cluster 9

Countries: USA very dominant, Japan, China. Institutions: Rice University, MIT, Tohoku University, Peking University, NASA, Georgia Institute of Technology. Other USA include Yale, Rochester Institute of Technology, University of Pennsylvania, University of Illinois, NREL, University of Texas.).

CATEGORY 13 - 509B1a (58 leaf clusters)

Nanomaterials and Nanoparticles (14263 REC)

(The chemistry and materials-dominated leading journals include Journal of Physical Chemistry B, Langmuir, Chemistry of Materials, Materials Letters. Leading countries include China, followed by USA, followed by Japan, followed by Germany, South Korea, France. China leads in 39 clusters, many dominant.

China: adsorption; activated carbon applications; carbon-containing materials' physical properties; fibers; lithium-ion batteries (dominant); electrochemistry (dominant); electrode behaviour (dominant); mesoporous silica materials synthesis; mesoporous silica materials properties (dominant); porous materials geometry; MCM mesoporous silicas applications (dominant); zeolites (dominant); MCM/ Palladium catalysts (dominant); Al₂O₃/ Ni/ Co catalysts (dominant); TiO₂ films applications; TiO₂ films preparation; photocatalytic TiO₂ (dominant); visible light photocatalysis (dominant); sol-gel synthesis (dominant); powder preparation; high-energy ball milling; sintering, emphasizing spark plasma; sintering, including liquid phase (dominant); ceramics-ZrO₂, YSZ, Al₂O₃, SiC (dominant); ceramic dielectric properties; glass ceramics; nanorod synthesis (dominant); ZnO/ GaN nanorods (dominant); nanobelts (dominant); synthesis of nanostructures-especially hydrothermally (very dominant); hydrothermal/ solvothermal synthesis of crystals (very dominant); phosphate and calcium compounds; SiO₂/ TiO₂ nanoparticles (dominant); magnetic particles; magnetic properties of nanoparticles; core-shell nanostructures and hollow nanospheres; TiO₂/ CdS/CdSe nanoparticles and nanocrystals; Ag nanoparticles; Ag and Au nanoparticles.

Leading institutions include CAS (very dominant), Tsing Hua University, RAS, Zhejiang University, University S&T China, CSIC, CNRS, Nanjing University. No USA presence in leading institutions.)

- Adsorption, focusing on removal of material from solution, measuring adsorption capacity, and adsorption by bentonites (65 Records) Cluster 94

(Countries: China, USA. Institutions: CAS, University of Kerala, National University of Singapore.).

- Applications of activated carbon, porous carbon, and carbon aerogels, especially for adsorption and as capacitors (182 Records) Cluster 106

(Countries: China, Japan, USA, followed by France, South Korea. Institutions: CSIC, National Institute of Materials Science, CNRS. USA includes ORNL.).

- Graphite, carbon black, fullerenes, carbon fibers, and other carbon-containing materials, emphasizing their magnetic/optical/surface properties and electrochemical applications (444 Records) Cluster 221

(Countries: China, USA, Japan. Institutions: CAS, National University of Singapore, CNRS. USA includes University of Texas.).

- Growth, catalytic applications, and properties of carbon nanofibers (CNFs) and carbon supports (110 Records) Cluster 25

(Countries: USA, Japan, Korea, China. Institutions: Shinshu University, University Utrecht, University of Strasbourg, Norwegian University of Science and Technology. USA include ORNL, University of Texas, University of Tennessee, University of Pennsylvania, University of Akron.).

- Preparation of materials, especially nanofibers, by electrospinning (91 Records) Cluster 71

(Countries: USA, followed by South Korea, China. Institutions: National University of Singapore, University of Washington, University of Akron, Seoul National University. Other USA include Penn State University, Ohio State University, University of Florida.).

- Fibers, emphasizing electrospun fibers, cellulose, and morphology and strength of fibers (164 Records) Cluster 46

(Countries: China, USA, followed by Japan, South Korea. Institutions: CAS, Inha University, Donghua University, Chulalongkorn University. USA include Drexel University, VPI, University of Nebraska, University of Massachusetts.).

- Lithium-ion (especially LiCoO₂ and lithium-nickel) batteries, with emphasis on enhancement of capacity and cycle-ability (345 Records) Cluster 129

(Countries: China dominant, Japan, USA. Institutions: Hanyang University, Wuhan University, CAS, Zhejiang University.).

- Electrochemical studies and applications, focusing on electrode/electrolyte properties and applications, capacitors, and hydrogen storage (216 Records) Cluster 204

(Countries: China dominant, Japan, USA. Institutions: CAS, Zhejiang University, Nankai University, Tsing Hua University, Harbin Institute of Technology.)

- Electrode (especially gold) behavior and applications to biosensors (especially glucose and enzyme) and immunosensors (227 Records) Cluster 184

(Countries: China dominant, USA, followed by Japan. Institutions: SW China Normal University, Nanjing University, Hunan University, CAS. USA include PNNL, Arizona State University, University of Illinois.).

- Nano silica particles, emphasizing coating applications, effects of particle size, dispersion, and aggregation (130 Records) Cluster 103

(Countries: USA, China, Japan. Institutions: Fudan University, Tokyo University Agriculture and Technology, CAS. USA include University of Kentucky, Clarkson University, University of Illinois.).

- Characteristics and synthesis of silica-containing materials, with focus on gels, films, surfaces, monoliths, and porous silica (153 Records) Cluster 121

(Countries: USA, China, Japan. Institutions: CAS, Fudan University. USA includes USAF.).

- Mesoporous silica materials, emphasizing methods of synthesis, as well as adsorption properties (262 Records) Cluster 90

(Countries: China, followed by Japan, USA. Institutions: CAS, Jilin University, Fudan University. USA include Iowa State University, University of Akron.).

- SBA-15, SBA-1, and other mesoporous silica materials, focusing on adsorption properties and functionalization of SBA-15 with acid (90 Records) Cluster 20

(Countries: China dominant, USA. Institutions: CAS, Fudan University, Ben Gurion University Negev. USA include UCLA, UCB.).

- Nanoporous, mesoporous, and porous materials, with emphasis on determination and control of pore size, evaluation of surface area, alumina and silica materials, and adsorption properties (292 Records) Cluster 185

(Countries: China, USA, followed by Japan. Institutions: CAS, University of Queensland, Kent State University, Beijing University of Chemical Technology. Other USA include University of Kentucky, University of Iowa, UCB.).

- Synthesis and characterization of MCM mesoporous silicas and use as molecular sieves and catalysts (147 Records) Cluster 19

(Countries: China dominant, USA, Germany, India, France. Institutions: CAS, National Taiwan University, Jilin University. USA includes Yale University.).

- Zeolites (especially ZSM-5, silicalite-1, and MFI), with emphasis on ion exchange, adsorption and acid properties, and synthesis, particularly hydrothermally (145 Records) Cluster 29

(Countries: China dominant, USA, Germany, Japan. Institutions: Fudan University, University of Stuttgart, University of Iowa, Jilin University. Other USA includes UCR.).

- Oxidation and reduction reactions, emphasizing the catalysts involved (particularly CeO₂) and their catalytic activity (470 Records) Cluster 237

(Countries: USA, China, followed by Italy, Japan, Germany. Institutions: CAS, University of Trieste, Nankai University. USA includes UCB.).

- Catalysts (especially MCM-incorporated, palladium, and heterogeneous catalysts), especially studies on catalytic activity/selectivity, surface area, and hydrogenation/dehydrogenation reactions (554 Records) Cluster 153

(Countries: China dominant, USA, India, Germany. Institutions: CAS, SIC, National Chemistry Lab.).

- Catalysts (especially gamma-Al₂O₃, nickel, and cobalt catalysts), emphasizing activity, structure, and formation of catalysts; steam reforming of methanol; and hydrogenation reactions (222 Records) Cluster 102

(Countries: China dominant, USA, Japan, Spain, France. Institutions: CAS, Tsing Hua University, CSIC. USA includes VPI.).

- Platinum (Pt) and platinum-ruthenium (PtRu) catalysts, emphasizing their electrochemical applications, including methanol and other fuel cells, methanol electro-oxidation, and reduction reactions (270 Records) Cluster 87

(Countries: USA, China, followed by Japan. Institutions: CAS dominant, University of Illinois, Tsing Hua University. Other USA include University of Texas, University of Wisconsin, BNL.).

- Platinum (Pt) and iron-platinum (FePt) nanoparticles, focusing on electrocatalytic activity (especially for oxygen reduction), size-dependent effects/processes, and synthesis (especially by polyol process) of nanoparticles (109 Records) Cluster 80

(Countries: USA, Japan, China. Institutions: CAS, Tokyo Institute of Technology, Osaka University. USA include UCB, LANL, USC, UCD.).

- Titanium dioxide (TiO₂) films, including sol-gel derived and nanocrystalline films, use in dye-sensitized solar cells, photocatalytic activity, and preparation by deposition (141 Records) Cluster 124

(Countries: China, followed by Japan. Institutions: CAS, Zhejiang University, Institute of Fundamental Studies.).

- Preparation of titanium dioxide (TiO₂) thin films by sol-gel process or deposition, photocatalytic activity of TiO₂ films, and doped TiO₂ films (105 Records) Cluster 24

(Countries: China, followed by South Korea. Institutions: CAS dominant, Zhejiang University, Seoul National University, UNAM.).

- Anatase and rutile titanium dioxide (TiO₂), emphasizing photocatalytic use and characterization of TiO₂ nanoparticles (379 Records) Cluster 107

(China dominant, Japan, USA, South Korea. Institutions: CAS, Tianjin University, Kyoto University, Tsing Hua University. USA includes ORNL.).

- Studies on photocatalytic activity, such as photocatalytic degradation, of titanium dioxide (TiO₂), primarily under visible light irradiation (224 Records) Cluster 65

(Countries: China very dominant, Japan, South Korea. Institutions: CAS, University of Osaka Prefecture, Zhejiang University, Kyoto University.).

- Preparation of materials (including powders, silica (SiO₂), and particles) by sol-gel synthesis and subsequent characterization, especially using x-ray diffraction (XRD) (429 Records) Cluster 199

(Countries: China dominant, USA, India. Institutions: National Chemistry lab, CAS, Shandong University.).

- Preparation and characterization of powders, emphasizing studies of particle size, synthesis by combustion process or co-precipitation method, and x-ray diffraction (XRD) analyses (491 Records) Cluster 208

(Countries: China, South Korea, India, followed by USA, Japan.
Institutions: CAS, National Chemistry Lab, Tsing Hua University.).

- High-energy ball milling, focusing on production of materials (especially nanocrystalline powders), phase formation/transformation, and studies on magnesium hydride (MgH_2) (200 Records) Cluster 49

(Countries: China, followed by Japan, USA. Institutions: CAS, RAS. USA includes UCD.).

- Sintering (especially spark plasma sintering) to produce and modify materials, including ceramics and magnesium diboride (MgBr_2) materials (143 Records) Cluster 198

(China, followed by USA, Japan. Institutions: CAS dominant, Polish Academy of Sciences, UCD, National Institute of Materials Science.).

- Sintering (including spark plasma and liquid phase sintering) of powders, ceramics, nanocomposites, and alumina-based materials, with emphasis on densification and microstructure of products (200 Records) Cluster 101

(Countries: China dominant, Japan, USA, South Korea. Institutions: CAS, Lehigh University, Hanyang University. Other USA includes Penn State University.).

- Ceramics made of zirconia (ZrO_2) and yttrium stabilized zirconia (YSZ), alumina (Al_2O_3), and silicon carbide (SiC), focusing on mechanical properties and microstructural characterization (255 Records) Cluster 211

(Countries: China dominant, USA, followed by Japan, France. Institutions: CAS, RAS, Tsing Hua University.).

- Dielectric (especially ferroelectric and piezoelectric) properties of ceramics, emphasizing glass and barium-titanate (BaTiO_3) based materials (192 Records) Cluster 155

(Countries: China, India, USA. Institutions: Indian Institute of Technology, CAS, Tsing Hua University.).

- Glass ceramics, including cordierite and various ceramic oxides (Na_2O , SiO_2 , and CaO), focusing on crystallization, nucleation, and heat treatment (78 Records) Cluster 59

(Countries: China, followed by France, Russia. Institutions: CAS, Tsing Hua University. USA includes UCD.).

- Synthesis of nanorods (especially cadmium-sulfide [CdS]), with focus on hydrothermal fabrication, transmission electron microscopy (TEM) studies, and characterization of length and diameter (132 Records) Cluster 68

(Countries: China very dominant, USA. Institutions: University S&T China, CAS, Zhejiang University, Nanjing University.).

- Zinc oxide (ZnO), as well as gallium nitride (GaN), nanorods, emphasizing growth, nanorod arrays, and field emission properties (123 Records) Cluster 12

(Countries: China dominant, South Korea, USA, followed by Taiwan, Japan. Institutions: CAS, Zhejiang University, National Tsing Hua University. USA includes University of Florida.).

- Nanobelts (especially gallium oxide [Ga_2O_3], zinc oxide [ZnO], and silicon nitride [Si_3N_4]) and nanoribbons, emphasizing growth, fabrication by thermal evaporation, and photoluminescence and emission properties (49 Records) Cluster 13

(Countries: China dominant, USA, South Korea. Institutions: CAS, Inha University, Georgia Institute of Technology. Other USA include UCF, University of Texas, University of Pittsburgh.).

- Synthesis (especially hydrothermally) of nanostructures and subsequent analysis using transmission electron microscopy (TEM) and x-ray diffraction (XRD) (270 Records) Cluster 218

(Countries: China very dominant, USA, Japan. Institutions: CAS, University S&T China, followed by Shandong University, Nanjing University.).

- Hydrothermal/solvothermal synthesis and morphology of nanocrystals, crystalline materials, and nanowires (302 Records) Cluster 249

(Countries: China very dominant, USA, followed by Japan, India. Institutions: University S&T China, CAS. USA includes University of Texas.).

- Reaction, surface, phase, and temperature dynamics/behavior of oxides, systems affected by water, and aqueous solutions (648 Records) Cluster 255

(Countries: USA, China, followed by Japan, France, Germany. Institutions: RAS, CSIC, CAS, CNRS. USA include University of Illinois, UCLA, University of Wisconsin.).

- Ferrous substances (especially ferrihydrites and iron oxides, namely goethite and hematite), characterized by Mossbauer spectroscopy and used for dechlorination, arsenic removal, and chemical reduction (162 Records) Cluster 173

(Countries: USA, followed by China, France, Germany, Canada. Institutions: CAS, University of New South Wales, RAS, CSIC, CNRS, CNR. USA include UCB, NASA.).

- Studies on minerals (especially calcite, smectite, illitite, and fly ash), emphasizing leaching/sorption behavior and weathering (260 Records) Cluster 233

(Countries: USA dom, Germany, France, followed by China, Spain, Japan, Canada. Institutions: Stanford, RAS, CNRS, CAS. Other USA include USGS, UCB, University of New Mexico, Washington State University, University of Michigan.).

- Biofilms and other biological systems at the nanoscale, focusing on adhesive behavior, applications of/to bacteria, biofilm formation, surface properties, and electron microscopy studies (182 Records) Cluster 226

(Countries: USA dominant, Germany, Japan, England. Institutions: University of Toronto, CAS. USA include USDA ARC, University of

Minnesota, University of Massachusetts, Montana State University, Medical College of Wisconsin, Case Western Reserve, USDA, University of Texas.).

- Phosphate and calcium compounds (especially calcium phosphates, such as apatite and hydroxyapatite [HAP]), emphasizing studies on cements, bone and bone-like material, and enamel (226 Records)
Cluster 194

(Countries: China, followed by USA, Japan, Germany, England.

Institutions: Sichuan University, CAS, University of Bristol. USA includes NIST.).

- Soot, flame-synthesized particles, and humic substances, emphasizing aggregation, particle size, analysis using fractionation (125 Records)
Cluster 186

(Countries: USA dominant, Germany. Institutions: University of Kentucky, University of Naples Federico, University of Delaware, Technical University of Munich, ETH. Other USA include University of Minnesota, ANL, University of Washington, University of Utah.).

- Aerosols and other fine/ultrafine particles, with emphasis on nucleation and measuring particle size, mass, and concentration, especially in the atmosphere (251 Records) Cluster 126

(Countries: USA dominant, Germany, followed by Finland, Japan.

Institutions: University of Helsinki, followed by University of Minnesota. Other USA include USC, University of Colorado, UCLA, UCD, PNNL.).

- Investigations on particle size, focusing on determination of particle size distribution, particles prepared by precipitation method, dispersion of particles, and barium titanate (BaTiO_3) particles and powders (380 Records) Cluster 212

(Countries: USA, China, followed by Japan, Germany, followed by South Korea, Taiwan. Institutions: CAS, Zhejiang University, University Erlangen Nurnberg. USA include University of Connecticut, Rutgers State University.).

- Studies on nano-sized particles, characterized by size, surface characteristics, shape, and morphology (580 Records) Cluster 238

(Countries: USA, followed by Japan, China, Germany, followed by Korea, France. Institutions: Osaka University, CAS. USA include University of Texas, University of Alabama, University of Maryland.).

- Nanoparticles (especially silica [SiO₂] and titanium dioxide [TiO₂]), emphasizing preparation, surface modification, and core/shell composites (125 Records) Cluster 164

(Countries: China dominant, USA, South Korea. Institutions: CAS, Zhejiang University, Tsing Hua University. USA include US Army, University of New Orleans, University of Maryland, University of Kentucky.).

- Colloidal particles, spheres, suspensions, and crystals, emphasizing particle size, hollow spheres, stabilization, dispersion, and latex materials (258 Records) Cluster 228

(Countries: USA, China, followed by Germany, Japan, South Korea. Institutions: CAS, Rice University, RAS. Other USA include University of Washington, Georgia Institute of Technology, Texas A&M.).

- Magnetic particles, focusing on ferrites (such as Fe₃O₄ and Fe₂O₃) and ferrofluids, superparamagnetic particles, particle size, and Mossbauer spectroscopy (178 Records) Cluster 179

(Countries: China, USA, Japan. Institutions: CAS, University of Sao Paulo, Indian Institute of Technology, Tohoku University. USA includes University of Alabama.).

- Magnetic properties of nanoparticles, emphasizing iron oxide (especially magnetite [Fe₃O₄] and hematite [Fe₂O₃]) nanoparticles and superparamagnetic particles (237 Records) Cluster 175

(Countries: China, USA, followed by South Korea. Institutions: CAS, University of Brasilia, University S&T China, CNRS. USA includes University of New Orleans.).

- Core-shell nanostructures and hollow nanospheres, made of silver (Ag), bimetallic material, and silica (211 Records) Cluster 70

(Countries: China, followed by USA. Institutions: CAS, followed by University S&T China, Nanjing University, National University of Singapore. USA include University of Notre Dame, University of Washington, UCSB, UCB, Northwestern University).

- Titanium dioxide (TiO₂), cadmium sulfide (CdS), cadmium selenide (CdSe), and solid lipid nanoparticles and nanocrystals (138 Records) Cluster 147

(Countries: China, followed by USA, followed by Japan, Germany. Institutions: ANL, Zhejiang University, Tatung University, National Taipei University of Technology, Free University of Berlin. Other USA include UCB, Stanford University.).

- Nanoparticles, including particle size, synthesis, metal and silica nanoparticles, surface properties, dispersion, reactions, and stabilization (930 Records) Cluster 239

(Countries: USA, China, followed by Japan, followed by France, Germany. Institutions: CAS dominant, RAS, CNRS, Seoul National University, National University of Singapore. USA include Texas A&M University, University of Illinois.).

- Gold nanoparticles and nanorods, emphasizing plasmon and surface properties, stabilization, synthesis, and application to electrodes (334 Records) Cluster 104

(Countries: USA, China, Japan. Institutions: CAS dominant, University of Tokyo, University of Melbourne, Indian Institute of Technology.).

- Gold nanoparticles, focusing on surface properties studied by surface-enhanced Raman scattering (SERS), self-assembly of monolayers and other structures, and electrode applications (221 Records) Cluster 158

(Countries: USA, China, followed by Japan. Institutions: CAS, Seoul National University, Hunan University. USA include University of Washington, University of South Carolina, University of Massachusetts, UCB, Stanford University.).

- Silver (Ag) nanoparticles, with emphasis on surface-enhanced Raman scattering (SERS) studies (122 Records) Cluster 75

(Countries: China, USA, South Korea, Japan. Institutions: CAS dominant, Seoul National University, Jilin University. USA include University of Washington, University of Chicago, Purdue University, Penn State University.).

- Silver (Ag), gold, and gold-silver nanoparticles, including surface-enhanced Raman scattering, reduction behavior, effect of ions, and surface properties (294 Records) Cluster 56

(Countries: China, followed by USA, followed by India. Institutions: CAS dominant, RAS, National Chemical Lab. USA include Clemson University, University of Washington, University of Maryland, ORNL.).

CATEGORY 14 - 509B1b (35 leaf clusters)

Polymers, Composites, and Metal Complexes (8423 REC)

(Leading (chemistry) journals include Polymer, Macromolecules, followed by Journal of Applied Polymer Science, followed by Langmuir, followed by Inorganic Chemistry, Journal of Polymer Science Part A-Polymer Chemistry, Chemistry of Materials. Leading countries include China, USA (dominant), followed by Japan, Germany. China leads in 19 (many dominant), and Spain, Japan, each lead in one.

Spain: structure of metal complexes, especially arene complexes and those containing Cl, the hemilabile ligand, amines, and Zr. Japan: crystal structure, examined by XRD and single crystal methods. China: copolymers; latex particles, gels (dominant); polymer creation by atom transfer radical polymerization; graft polymers (dominant); structural properties of starch; polyaniline; polymer blends; rubber and other elastomeric blends (dominant); improving nanocomposite mechanical properties; epoxy resins and composites (dominant); montmorillonites (dominant); nanocomposites; phase formation and transitions in powders; synthesis and characterization of diterpinoid, cyclodextrin, and peptide compounds; structural characterization and synthesis of compounds, emphasizing crystallography and NMR spectroscopy (dominant); crystal structure using single crystal XRD; crystal and bond structure of coordination polymers, complexes, and hydrates (very dominant); metal complexes and coordination polymers, especially Ni complexes, chelates, and pyridines (very dominant); metal complexes and coordination polymers, especially Pt and Cl complexes (dominant).

Leading institutions include CAS, followed by RAS, followed by University S&T China, followed by Jilin University, Zhejiang University. No USA presence in leading institutions.)

- Poly(ethylene oxide) (PEO), poly(ethylene glycol) (PEG), and poly(lactic acid) (PLA), focusing on films and surfaces made from these polymers (168 Records) Cluster 63

(Countries: USA, China, followed by Germany, Korea. Korea Research Institute Chemical Technology, Max Planck Institute Polymer Research, CAS. USA include University of Massachusetts, SUNY Buffalo.)

- Micelles, emphasizing polymer and block micelles, core-shell nanostructures, drug delivery/release applications, and light-scattering studies (148 Records) Cluster 44

(Countries: USA, China. Institutions: CAS, Washington University, University S&T China, Seoul National University, Kyoto Institute of Technology.)

- Synthesis and characterization of block copolymers (including di-, tri-, and star-block copolymers), focusing on polystyrene block copolymers, morphology, differential scanning calorimetry studies, and atom transfer radical polymerization (294 Records) Cluster 77

(Countries: USA dominant, China, Japan, Germany, Korea. Institutions: University of Minnesota, University of Massachusetts, Tokyo Institute of Technology, CAS. Other USA include UCB, University of Southern Mississippi, UCSB.)

- Copolymers, emphasizing graft, diblock, and triblock copolymers; polymers made of styrene and methacrylate; and differential scanning calorimetry (DSC) studies (341 Records) Cluster 143

(Countries: China, followed by USA, followed by Japan. Institutions: CAS Zhejiang University. USA include ANL, VPI, University of Minnesota.)

- Poly(methyl methacrylate) (PMMA) and poly(2-hydroxyethyl methacrylate) (HEMA) (121 Records) Cluster 88

(Countries: USA, followed by China, Japan. Institutions: University of Southern Mississippi. Other USA include Georgia Institute of Technology, University of Massachusetts, University of Illinois.).

- Latex particles, hydrogels, microgels, core-shell particles, and substances made of acrylate poly(N-isopropylacrylamide) (PNIPAM) (135 Records) Cluster 151

(Countries: China dominant, USA. Institutions: University S&T China, Max Planck Institute Colloids and Interfaces, Fudan University, CAS. USA include Cornell University, University of Notre Dame.).

- Creation of polymers by means of atom transfer radical polymerization, emulsion polymerization, and ring-opening polymerization (295 Records) Cluster 202

(Countries: China, followed by USA, followed by Japan. Institutions: Eindhoven University of Technology, National University of Singapore, CAS.).

- Graft polymers, including synthesis, grafting of polymer brushes to surfaces, grafted silica, and polyethylene terephthalate (PET) (132 Records) Cluster 69

(Countries: China dominant, Japan, France, USA. Institutions: CAS, Hebei University, Niigata University.).

- Molecular and structural properties of starches (including flour, potatoes, corn, wheat, and rice and banana starches), emphasizing characteristics of starch granules and biodegradation of starch and substances based on starches (49 Records) Cluster 1

(Countries: China, Poland, France. Institutions: Polish Academy of Science, RAS, CSIC, CAS. USA includes Washington State University.).

- Dendrimers, emphasizing poly(amidoamine) (PAMAM), porphyrin, and carbosilane dendrimers; changes over generations; and dendrimers with mesogenic terminal groups (49 Records) Cluster 3

(Countries: USA dominant, France, Japan, Germany. Institutions: University of Michigan, Central Michigan University, Montana State University.).

- Hybrid materials and composites (especially polymers and films), including polyurethane, polyimides, poly(dimethylsiloxane) (PDMS), organic-inorganic materials, and silica-based substances (273 Records) Cluster 248

(Countries: USA, China, followed by South Korea, Japan, Taiwan. Institutions: CAS, followed by Zhejiang University, Yonsei University, University S&T China, Tatung University. USA include VPI, University of Missouri.).

- Differential scanning calorimetry (DSC) to characterize materials (especially polymers), including effects of molecular weight, studies on glass transitions, and phase behavior (268 Records) Cluster 232

(Countries: USA, China, Japan, Germany. Institutions: CAS, University of Paris, University of Akron, Tokyo Institute of Technology. Other USA include UCSB, University of Cincinnati.).

- Polymer properties, focusing on conducting polymers, polymer surfaces and films, influence of nanoparticles, and liquid crystals (694 Records) Cluster 235

(Countries: USA dominant, Japan, China, Germany. Institutions: Kyoto University, CAS, RAS, Max Planck Institute Polymer Research, Eindhoven University of Technology: USA include MIT, University of Massachusetts, Georgia Institute of Technology.).

- Polymer electrolytes, emphasizing poly(ethylene oxide) (PEO) and poly(3,4-ethylenedioxythiophene) (PEDOT), conductivity studies, and application to lithium batteries (113 Records) Cluster 73

(Countries: USA, China, South Korea. Institutions: Korea Advanced Institute of S&T, Zhejiang University, Shanghai Jiao Tong University. USA includes University of Tulsa.).

- Polyaniline (PANI) focusing on dodecylbenzene sulfonic acid doped polyaniline (PANI-DBSA), synthesis of conducting PANI materials, and nanofibers of PANI (67 Records) Cluster 15

(Countries: China, USA, India. Institutions: Drexel University, Xinjiang University, National Central University, Jilin University. Other USA include University of Texas, UCLA.).

- Polymer blends (especially poly(vinyl chloride) (PVC), poly(vinyl alcohol) (PVA), and poly(styrene) blends), emphasizing morphology, miscibility, melt blending, and shear studies (150 Records) Cluster 114

(Countries: China, USA, Japan. Institutions: CAS, Sichuan University, Tsing Hua University, CNR.).

- Rubber and other elastomeric blends, emphasizing nitrile-butadiene rubber (NBR), ethylene-propylene diene terpolymer (EPDM) blends, rubber/silica nanocomposites, nano-calcium carbonate (CaCO_3) composites, and measurement/comparison of mechanical properties (117 Records) Cluster 84

(Countries: China dominant, India, USA. Institutions: Indian Institute of Technology, Beijing University of Chemical Technology, CAS, University Sains Malaysia. USA includes SUNY Stony Brook.).

- Strengthening and improvement of mechanical and tensile properties of nanocomposites (especially polypropylene) by using filler and reinforcing with fibers (237 Records) Cluster 206

(Countries: China, USA. Institutions: University of Wisconsin, SUNY Stony Brook, Michigan State University, University of Cincinnati.).

- Investigation of resin-dentin interfaces and other studies on adhesive resin cements, including determination of bond strength and factors affecting self-etching primer bonding systems (85 Records) Cluster 35

(Countries: USA, Japan, China. Institutions: Tokyo Medical and Dental University, Medical College of Georgia, University of Hong Kong, University of Turku. Other USA includes UCSF.).

- Epoxy resins and composites, including polyhedral oligomeric silsesquioxane (POSS) composites and reinforced epoxy resins, as well as bisphenol-A glycidol ether (DGEBA) epoxy resin (129 Records) Cluster 38

(Countries: China dominant, USA, Italy, Germany. Institutions: Shanghai Jiao Tong University, University S&T China, Iran Polymer and Petrochemical Institute. USA include Georgia Institute of Technology, Case Western Reserve University, Michigan State University.).

- Clay materials and nanocomposites (including montmorillonites, organoclays, layered silica nanocomposites, and polypropylene- and epoxy-clay nanocomposites), emphasizing exfoliation degree and mechanism, preparation by melt intercalation, dispersion, and mechanical properties (429 Records) Cluster 43

(Countries: USA, followed by China, followed by South Korea, Taiwan, France, Japan. Institutions: Marquette University, CAS, Inha University. Other USA include University of Akron, Michigan State University, NIST.).

- Montmorillonites (MMTs) (especially MMT nanocomposites), emphasizing intercalation, exfoliation, and thermal properties (133 Records) Cluster 21

(Countries: China dominant, South Korea, USA, Japan. Institutions: CAS, University S&T China, Shanghai Jiao Tong University, Korea Research Institute of Chemical Technology.).

- Nanocomposites (including layered silicate and layered double hydroxide [LDH] nanocomposites), organoclays, and organic montmorillonites (OMMTs), emphasizing preparation, exfoliation, intercalation, and enhanced properties, especially thermal properties (445 Records) Cluster 188

(Countries: China, USA, followed by South Korea, Japan. Institutions: CAS dominant, University S&T China, NAS Ukraine, RAS. USA include SUNY Stony Brook.).

- Phase formation, transitions, and behavior in powders, cubic solids, and crystals, as explored by x-ray powder diffraction (296 Records) Cluster 241

(Countries: China, followed by India, Japan, Germany. Institutions: RAS, CAS, University S&T China, Bhabha Atomic Research Center.).

- Structural studies, emphasizing crystal structure, x-ray powder diffraction, and structure refinement (278 Records) Cluster 220

(Countries: USA, Germany, Japan, Ukraine, France. Institutions: Volyn State University dominant, Polish Academy of Science, Moscow Lomonosov State University, University of Munster.).

- Crystal structure, examined by x-ray diffraction and single crystal methods (388 Records) Cluster 240

(Countries: Japan, USA, followed by China, Germany. Institutions: RAS, CAS, Osaka University, Tokyo Institute of Technology.).

- Structure, synthesis, and characterization of compounds (especially diterpenoids, cyclodextrin, and peptides), with emphasis on isolation from other materials, crystal structure, x-ray diffraction studies, and preferred conformations (102 Records) Cluster 127

(Countries: China, Japan, USA, Germany. Institutions: CAS, RAS, University of Padua.).

- Structural characterization and synthesis of compounds, emphasizing crystallography (especially single crystal x-ray diffraction) and NMR spectroscopy (280 Records) Cluster 203

(Countries: China dominant, USA, Germany. Institutions: RAS, CAS, Qingdao University S&T, Nankai University. USA includes University of Texas.).

- Crystal structure at the resolution of a few angstroms using single crystal x-ray diffraction (574 Records) Cluster 108

(Countries: China, followed by USA, followed by Russia, Germany, France. Institutions: CAS, RAS, Moscow Lomonosov State University, Jilin University, Nanjing University. USA includes University of North Texas.).

- Crystal and bond structure of coordination polymers, complexes, hydrates, and other compounds, emphasizing studies on hydrogen bonds and single crystal x-ray diffraction (306 Records) Cluster 148

(Countries: China very dominant, Germany, USA, France. Institutions: CAS, Jilin University, Nankai University, Nanjing University.).

- Metal complexes and coordination polymers, especially copper (Cu), cadmium (Cd), and pyridyl compounds, with emphasis on synthesis and crystal structure (205 Records) Cluster 125

(Countries: China very dominant, USA, Germany, Spain. Institutions: CAS dominant, Nanjing University, University of Barcelona, Nankai University.).

- Metal complexes and coordination polymers, focusing on structure and reactivity, especially of nickel (Ni) complexes, chelates, and pyridines (237 Records) Cluster 136

(Countries: USA, China, Germany. Institutions: RAS, Nankai University, CAS. USA includes University of South Carolina.).

- Metal complexes and coordination polymers, emphasizing structure, reactivity, NMR spectroscopy, and synthesis, especially of platinum (Pt) and chlorine (Cl) complexes (647 Records) Cluster 207

(Countries: China dominant, USA, Germany, Japan, Russia. Institutions: RAS, CAS, followed by Nanjing University, CNR.).

- Structure, reactions, and synthesis of metal complexes, especially arene complexes and those containing chlorine (Cl), the hemilabile ligand, amines, and zirconium (Zr) (126 Records) Cluster 23

(Countries: Spain, USA, China. Institutions: RAS, University of Zaragoza, University Alcala de Henares. USA Include University of North Texas, University of Houston.).

- Ruthenium (Ru) complexes (especially those containing bipyridine, triphenylphosphine [PPh₃], and chlorine [Cl]), including investigations of structure, reactivity, and synthesis, as well as x-ray diffraction studies (112 Records) Cluster 45

(Countries: USA dominant, Japan, Switzerland, Italy, Germany.
Institutions: National Taiwan University, CNR. USA include University of Miami, University of South Carolina.).

CATEGORY 15 - 509B2a (2 leaf clusters)

DNA (775 REC)

(Leading authors include Wang, L, Seela, F, Mao, CD, Knoll, W, Dekker, C, Yan, H, Mirkin, CA. Leading (chemistry) journals include Langmuir, followed by Journal of the American Chemical Society, Nano Letters, Analytical Chemistry, Nucleic Acids Research. Leading countries include USA (dominant), China, Japan, followed by Germany. Leading institutions include CAS (dominant), University of Tokyo, Purdue University, UCB, RAS, University of Illinois. Other USA institutions include Northwestern University, Arizona State University, Duke University, University of Wisconsin.)

- DNA studies, emphasizing self-assembly of DNA molecules, DNA-directed assembly of nanostructures (especially nanoparticles), evaluation of protein-DNA binding, and gene delivery (554 Records) Cluster 54

(Countries: USA dominant, Japan, China, Germany. Institutions: CAS dominant, RAS, University of Tokyo. USA include Purdue University, University of Wisconsin, University of Illinois, UCB, Duke University.).

- Detection of DNA, emphasizing hybridization detection, use of microarrays, interaction of DNA with gold nanoparticles, DNA biosensors, and DNA immobilization (221 Records) Cluster 92

(Countries: USA dominant, China, followed by Germany, Japan.
Institutions: SE University, University of New South Wales, Northwestern University, Max Planck Institute of Polymer Research, Institute for Materials Research and Engineering. Other USA include University of Rochester, UCI, UCB, USN, University of Maryland, University of Illinois).

CATEGORY 16 - 509B2b (24 leaf clusters)

Proteins and Cellular Components (5070 REC)

(Leading journals include Langmuir, Biomaterials, Journal Of Biological Chemistry, followed by Biophysical Journal, Analytical Chemistry, Journal of Controlled Release. Leading countries include USA (very dominant), Japan, Germany, China.

However, China is dominant in two clusters. China: biomaterials, bioactive substances, and biodegradable composites; preparation and investigation of membranes, emphasizing proton conductivity, permeability studies, filtration applications, preparation by grafting, sulfonated membranes, and methanol fuel cell applications.

Leading institutions include CAS, National University of Singapore, followed by University of Texas, Osaka University, Harvard University. Other USA institutions include University of Illinois, Northwestern University, University of Michigan, University of Pennsylvania, Johns Hopkins University, NCI.)

- Protein studies, focusing on surface interactions (especially protein adsorption and adhesion), unfolding and refolding, and related atomic force microscopy studies, especially of bovine serum albumin (BSA), poly(ethylene glycol) (PEG), and fibrinogen (212 Records) Cluster 177

(Countries: USA dominant, Germany, Japan, Switzerland, England, China. Institutions: Tokyo Institute of Technology, ETH, McMaster University, CAS. USA include University of Illinois, University of Washington, University of Texas, UCLA, UCB).

- Protein studies, focusing on structure and function, namely binding domain features, alteration of protein binding, protein-protein interactions, fluorescent proteins, and proteomics (594 Records) Cluster 174

(Countries: USA very dominant, Germany, Japan, followed by England, Italy, China, France, South Korea. Institutions: University of Texas, CAS, Osaka University, University of Illinois. Other USA include UCSD, UCLA, Harvard University, Vanderbilt University, UCB).

- Analysis and adjustment of immunoassays, including fluoroimmunoassays and immunoglobulin (especially IgG) studies (221 Records) Cluster 165

(Countries: USA dominant, China, Japan. Institutions: Tsing Hua University, University of Twente, University of Turku. USA include Northwestern University, US Navy.).

- Biosensors and immunosensors based on surface plasmon resonance (SPR) (140 Records) Cluster 91

(Countries: USA, followed by Japan, China, Germany. Institutions: Kyushu University, Arizona State University, Northwestern University, CAS. Other USA include Purdue University, USDA ARS).

- Analysis of protein binding, including effects of inhibitors, investigation of binding sites/domains, and surface plasmon resonance analysis to determine binding properties (337 Records) Cluster 182

(Countries: USA very dominant, Japan, Germany, England, followed by France, Sweden. Institutions: NCI, University of Oxford, CNRS, Scripps Research Institute, Lund University, CAS. Other USA include University of Pittsburgh, University of Pennsylvania, University of Illinois, NIAID, University of Washington).

- Receptor/ ligand interactions, emphasizing receptor structural characteristics, recognition, regulation, and ligand activity, including affinity of agonists and antagonists (88 Records) Cluster 51

(Countries: USA very dominant, England, Germany, Japan. Institutions: University Aarhus, University of Cambridge, University of Pennsylvania, University of Massachusetts, Merck Research Labs, CAS. Other USA include Purdue University).

- Peptides, emphasizing binding properties, peptide-membrane interactions, structure, mass spectrometry of peptides, antimicrobial peptides, and identification of peptides by means of chromatography (166 Records) Cluster 57
- (166 Records)

(Countries: USA very dominant, Japan, followed by Germany, Canada, Australia, China. Institutions: MIT, Weizmann Institute of Science, Harvard University. Other USA include University of Wisconsin, University of Minnesota, Scripps Research institute, Rice University, Northwestern University, Vanderbilt University, University of Texas).

- Fibrils (especially amyloid and collagen fibrils), focusing on formation by aggregation, role of amyloids in neural conditions (especially Alzheimer's disease), and structure (102 Records) Cluster 11

(Countries: USA very dominant, England, Japan. Institutions: University of Cambridge, Osaka University, NIDDKD, Japan S&T Agency. Other USA include JHU, Baylor College of Medicine, Arizona State University, UCLA).

- Viruses and RNA, focusing on structure determination, capsid properties, and sequencing (129 Records) Cluster 110

(Countries: USA very dominant, Japan, Germany, France, China, England. Institutions: UCI, Scripps Research Institute, UCD, National Institute Infectious Diseases, CAS. Other USA include Vanderbilt University, University of Texas, UCSD, Texas A&M.).

- Gene expression and gene delivery for therapeutic benefit, focusing on nanoparticles as non-viral vectors for gene delivery, analysis of gene expression data, and DNA transfection systems (157 Records) Cluster 130

(Countries: USA very dominant, South Korea, Japan, China, Germany, France. Institutions: National University of Singapore, Dankook University, Institute of Bioengineering and Nanotechnology. USA include University of Utah, University of Texas, University of Tennessee.).

- Treatment and risk prediction of cancer and cardiovascular disease (CVD), focusing on evaluation of lymphatic system (especially sentinel lymph nodes [SLNs]), especially for patients with breast cancer (88 Records) Cluster 64

(Countries: USA very dominant, England, Netherlands. Institutions: Massachusetts General Hospital, Harvard University, University of Utah,

University of Barcelona, Hospital Clinia Barcelona. Other USA include University of Texas, MIT, Brigham and Women's Hospital, Boston University, Beth Israel Deaconess Medical Center).

- Studies of tumors and the brain, with emphasis on liposomal and nanoparticle-based delivery (especially of drugs), nanostructure-aided magnetic resonance imaging of cells, and crossing of the blood-brain barrier (208 Records) Cluster 201

(Countries: USA very dominant, China, Japan, Germany, South Korea, France. Institutions: Washington University, CAS, University of Paris, University of Michigan, EWHA Women's University. Other USA include University of Pennsylvania, Ohio State University, Massachusetts General Hospital, University of Utah, University of Missouri, University of Kentucky, Rice University).

- Cellular function and processes, focusing on endothelial and epithelial cells, cellular response to gene expression, induction and inhibition of apoptosis, and studies on cancer and tumor cells (339 Records) Cluster 191

(Countries: USA dominant, Germany, South Korea, Japan, China. Institutions: Harvard University, Wonkwang University, Kyung Hee University, JHU. Other USA include University of Florida, University of Pennsylvania, University of Michigan, University of Missouri, UCLA.).

- Investigation of cell surface and plasma membrane (especially of bacteria), focusing on cell adhesion, labeling for detection, imaging techniques, and intercellular transfer (608 Records) Cluster 195

(Countries: USA very dominant, Japan, Germany, followed by China, France, England. Institutions: University of Tokyo, Harvard University, University of Texas, National University of Singapore, CNRS. Other USA include JHU, Stanford University, University of Wisconsin, University of Washington, University of Pennsylvania, MIT).

- Connective and anatomical support tissue (especially bone and its main component, collagen), focusing on studies on osteoblasts, cell proliferation, and orthopedic implants (226 Records) Cluster 135

(Countries: USA dominant, Japan, China, Singapore. Institutions: National University Singapore, Sichuan University, MIT. Other USA include University of Michigan, Harvard University, Northwestern University, JHU, UCLA).

- Biomaterials, bioactive substances, and biodegradable composites (especially chitosan, poly(lactide-co-glycolide) [PLGA], alginate, and poly(lactic acid)), focusing on microspheres and encapsulation, tissue engineering scaffolds, and hydrogels (119 Records) Cluster 134

(Countries: China dominant, USA, South Korea, Japan. Institutions: National University Singapore, Zhejiang University, Sichuan University, CAS. USA includes Louisiana Technical University.).

- Preparation and investigation of membranes, emphasizing proton conductivity, permeability studies, filtration applications, preparation by grafting, sulfonated membranes, and methanol fuel cell applications (253 Records) Cluster 82

(Countries: China dominant, USA, Japan, South Korea. Institutions: National University Singapore, CAS, Zhejiang University.).

- Lipid (especially phospholipid) bilayers, focusing on properties of vesicles, channel interactions, membrane binding, and dipalmitoyl phosphatidylcholine (DPPC) and cholesterol structures (231 Records) Cluster 142

(Countries: USA very dominant, Germany, France, Japan. Institutions: University of Illinois, University of Munster, RAS, CAS. Other USA include UCR, Stanford University, UCLA, Cornell University).

- Drug delivery systems, focusing on drug release, especially of nanoparticles and from nanocapsules (219 Records) Cluster 97

(Countries: USA, China, followed by India, South Korea, Japan. Institutions: National University of Singapore, Institute of Bioengineering and Nanotechnology, Bharati Vidyapeeth Deemed University. USA includes University of Notre Dame).

- Drug delivery systems, emphasizing targeting of cancer cells, oral delivery, and lipid and nanoparticle-based carriers (169 Records) Cluster 93

(Countries: USA very dominant, Germany, India. Institutions: University of Michigan, University of Frankfurt, University of Texas, University of Nebraska. Other USA include Washington University, NCI, Wayne State University, University of Washington.).

- Ethical, health, and social issues of nanotechnology (especially biological applications), weighing the risks and benefits to the public (142 Records) Cluster 81

(Countries: USA very dominant, Germany. Institutions: NSF, UCSD, NCI. Other USA include University of Wisconsin, UCB, Cornell University, University of Texas, University of Pennsylvania, University of Michigan, UCSB, Thomas Jefferson University, SNL).

- Network and self-organization processes, with emphasis on self-organizing neural networks, self-organized maps (SOMs), and learning systems (132 Records) Cluster 99

(Countries: USA very dominant, China, Japan, Germany. Institutions: Riken, Northwestern University. Other USA include University of Massachusetts, University of Florida, Rice University, Ohio University, North Carolina State University, Boston University, Arizona State University).

- Microtubule motor proteins (kinesin and dynein), with models and analysis of movement mechanism (106 Records) Cluster 22

(Countries: USA very dominant, Japan, England, China. Institutions: University of Illinois, University of Tokyo, CAS. Other USA include University of Washington, University of Texas, University of Michigan, UCSC, UCSD, UCI.).

- Microfilament proteins (myosin and actin), emphasizing dynamics of muscle contraction and function of myosin heads (84 Records) Cluster

(Countries: USA dominant, England, followed by France, Japan, Germany.
Institutions: University of Vermont, University of London, University of
Florence, RAS, Osaka University, NHIBI, National Institute of Medical
Research, European Synchrotron Radiation Facility. Other USA include
Yale University, University of Pennsylvania, University of Massachusetts).


2. Phrase Auto-Correlation

The TechOasis (SEARCH, 2006) software generates phrases by Natural Language Processing. A meticulous extraction of high technical content phrases is then performed by human expert analysts. Thirty high frequency technical phrases are shown in Figure 6 (an auto-correlation map). The proximity of the phrases and the strength of the linkages is determined by their co-occurrence frequencies in the Abstracts.

Figure 6 contains two major groups. One group is related to instruments or measurement techniques at the nanoscale. It includes Raman spectroscopy, electron microscopy, XRD (x-ray diffraction), TEM (transmission electron microscopy), XPS (x-ray photoelectron spectroscopy), and SEM (scanning electron microscopy), and the quantities they measure (particle size, crystal structure, mechanical properties). The phrases were compiled so that each acronym encompasses the technique, the instrument, and all other relevant phrases, e.g. TEM refers both to transmission electron microscopy and microscope, among other phrases.

The other major group is centered on films deposition, substrate, growth, nucleation, electrical properties, optical properties, hardness, AFM (atomic force microscopy)). Although AFM also measures nanoscale quantities and is weakly linked to XPS in the first group, it is included in the same group as films because this group has to do with manipulation, as well as measurement. Also, nanocomposites, mechanical properties, and hardness form a group; growth and nucleation are weakly linked; and nanotubes and carbon nanotubes are connected. There is some linkage between the two major groups.

**Figure 6 – PHRASE AUTO-CORRELATION MAP
(top thirty phrases)**



3. Factor Matrix

Table 14 shows a factor matrix of the same thirty technical phrases that were mapped in Figure 6. Based on the groupings in the auto-correlation map, a six factor matrix was generated. Seven groupings are shown, the first five of which correspond to the groupings seen in Figure 6.

- XRD strongly linked to TEM, SEM, and XPS; and weakly linked to Raman spectroscopy and electron microscopy. Measurement is the focus of this group, as each term describes a method of observing nanoscale properties and phenomena. TEM and SEM both fit under the general heading of electron microscopy.
- Films strongly linked to deposition, substrate, and AFM; and weakly linked to electrical properties. This group emphasizes the formation of thin films and their properties.
- Nanotubes strongly linked to carbon nanotubes and weakly linked to nanowires.
- Mechanical properties strongly linked to hardness and nanocomposites. This is significant because it shows what critical features of nanocomposites are primarily being measured and evaluated by researchers today. Electrical, optical, and magnetic properties all show up in the top 30 phrases, but none are linked to nanocomposites.
- Nucleation strongly linked to growth and very weakly linked to nanoparticles and kinetics.
- Crystal structure strongly linked to magnetic properties and grain size and weakly linked to IR.
- Adsorption strongly linked to proteins.


TABLE 14 - PHRASE SIX FACTOR MATRIX (top thirty phrases)

FACTOR	1	2	3	4	5	6
XRD	0.674	0.023	0.009	-0.05	0.016	0.234
TEM	0.588	-0.145	-0.073	-0.081	-0.158	0.1
SEM	0.45	0.029	-0.023	-0.062	0.034	0.147
XPS	0.391	0.267	0.035	0.112	0.142	-0.227
RAMAN SPECTROSCOPY	0.265	0.18	-0.222	0.014	0.095	-0.063
ELECTRON MICROSCOPY	0.242	0.089	-0.036	-0.101	-0.063	-0.175
FILMS	0.11	0.623	0.067	-0.062	0.051	0.062
DEPOSITION	-0.009	0.403	-0.022	0.027	-0.089	-0.009
SUBSTRATE	-0.045	0.375	0.028	-0.018	-0.149	-0.01
AFM	0.174	0.36	0.072	-0.029	0.036	-0.242
ELECTRICAL PROPERTIES	-0.024	0.247	-0.035	0.008	0.082	0.17
NANOTUBES	-0.023	-0.012	-0.735	-0.026	0.008	-0.017
CARBON NANOTUBES	-0.04	0.006	-0.705	-0.025	0.045	-0.04
NANOWIRES	0.016	-0.025	-0.249	0.072	-0.18	0.131
MECHANICAL PROPERTIES	-0.011	0.019	-0.018	-0.722	0.048	0.009
HARDNESS	-0.048	0.172	0.049	-0.603	0.059	0.051
NANOCOMPOSITES	0.115	-0.211	-0.05	-0.427	-0.051	-0.037
NUCLEATION	-0.034	0.08	-0.019	-0.018	-0.67	-0.01
GROWTH	-0.015	0.225	-0.075	0.036	-0.66	0.043
NANOPARTICLES	0.107	-0.196	0.025	0.01	-0.224	-0.101
KINETICS	0.033	-0.021	0.094	-0.004	-0.204	-0.22
CRYSTAL STRUCTURE	0.053	-0.043	0.043	0.102	0.096	0.362
MAGNETIC PROPERTIES	0.009	-0.013	0.02	0.039	-0.077	0.343
GRAIN SIZE	0.001	0.146	0.072	-0.146	-0.01	0.326
IR	0.152	-0.085	0.014	0.093	0.104	0.253
NI	0.043	0.009	-0.037	0.058	-0.013	0.195
OPTICAL PROPERTIES	0.022	0.184	0.002	0.031	0.003	0.045
PARTICLE SIZE	0.214	-0.204	0.101	0.019	-0.18	0.037
SILICON	-0.017	0.207	-0.025	0.001	-0.013	0.01
DEVICES	-0.142	0.028	-0.039	0.045	0.104	0.007
TIO2	0.19	0.009	0.056	0.074	0.037	-0.053
PORES	0.087	-0.012	-0.04	0.029	-0.074	-0.093
SELF-ASSEMBLY	-0.037	-0.036	0.034	0.037	-0.05	-0.111
CALORIMETRY	0.07	-0.096	0.06	-0.164	-0.042	-0.159
POLYMER	0.067	-0.089	-0.019	-0.16	0.011	-0.237
PROTEINS	0	-0.042	0.022	0.059	0	-0.311
ADSORPTION	0.064	0.022	-0.029	0.135	0.08	-0.369

4. Phrase-Phrase Correlation Map

The final taxonomy (Figure 7) shows the thirty phrases mapped not by co-occurrence with each other, as was the case in the auto-correlation map, but by their co-occurrence with common phrases. In contrast with the auto-correlation map, the two main groups are merged more closely, with instrumentation assuming the central network role. Small groups that were attached weakly on the periphery of the auto-correlation map (e.g., growth-nucleation, nanocomposites-mechanical properties) or individual themes that were connected weakly at the periphery (e.g., nanoparticles) are now isolated in the cross-correlation map.

FIGURE 7 - PHRASE-PHRASE CROSS-CORRELATION MAP



NANOTECHNOLOGY INSTRUMENTATION

In the updated nanotechnology study, all of the technical structural analyses of the total nanotechnology database, including the phrase correlation mapping, the factor analysis, and the document clustering taxonomy, show instrumentation playing a central role in nanoscience and nanotechnology research. The objectives of this section are to examine the nanotechnology instrumentation literature in depth, and show how suites of instruments are used in concert, especially in relation to measurements on common materials, properties, phenomena, and nanostructures. An overview of the instrumentation effort is presented first, followed by a summary of results. The full study's details are contained in Appendix 5.

There are four main sub-sections to Appendix 5. The first lists the key nanotechnology instruments, and emphasizes those used most frequently. The second presents key findings of co-occurrence matrices, showing the relation of the major nanotechnology instruments to materials, properties, phenomena, and nanostructures. The third presents correlation mapping of the nanotechnology instruments to each other, especially how they relate to common materials, properties, phenomena, and nanostructures. Included in this section is a factor matrix analysis, which presents a more quantitative description of the relationships shown on the maps. The fourth presents a hierarchical taxonomy (generated by document clustering) of all the retrieved nanotechnology records related to instrumentation, with metrics provided at every taxonomy node.

Instrumentation Overview

The instrumentation literature associated with nanoscience and nanotechnology research was examined. Of the ~65000 nanotechnology records for 2005 retrieved from the SCI/SSCI, about ~27000 of those were identified as instrumentation-related. All the diverse instruments were identified, and the relationships among the instruments, and among the instruments and the quantities they measure, were obtained. Metrics associated with research literatures for specific instruments/ instrument groups were generated. The detailed analysis and results are presented in Appendix 5. A brief summary of results follows.

Instrumentation Summary

A wide variety of instruments are used in nanoscience and nanotechnology research. Key among these instruments are XRD, electron microscope variants, atomic force microscopy, scanning tunneling microscopy, and spectroscopy variants.

Key materials, properties, phenomena, and nanostructures measured by the leading instruments are as follows:

- Materials: TiO₂, Ti, Si, SiO₂, and polymers
- Properties: Morphology/ surface morphology, thickness/diameter/particle size, surface roughness/surface area, mechanical properties/optical properties/thermal properties, crystal structure/crystallinity
- Phenomena: Deposition, oxidation, crystallization, catalytic activity, nucleation, adsorption, polymerization, adhesion, decomposition/ degradation
- Thin films, nanocomposites, nanowires, nanotubes, monolayers/self-assembled monolayers

Key findings from the correlation maps are as follows:

- Instrumentation auto-correlation map showed that the main network is in x-ray diffraction and electron microscopy. This is an indication that a well-equipped chemistry and/or material science laboratory usually contains a variety of instruments for characterizing various material properties. The instrument factor matrix showed similar grouping of a diversity of instruments in the same laboratory.
- Instrumentation-materials cross-correlation map showed that the main group consisted of electron microscopes and variants. Many of the instruments are used to characterize materials of interest to semiconductor and microelectronics research.
- Similarly, the instrumentation-properties cross-correlation map is focused mostly on the electronic properties of materials of interest to microelectronics research such as electron microscopy and atomic force microscopy.
- Same instruments are used to investigate the growth and fabrication phenomena in the instrumentation-phenomena cross-correlation map.
- Because of the dominance of nanoelectronics research, many nanostructures are focused on electronic applications and thus the

Instrumentation-nanostructures cross-correlation map also showed the emphasis on instruments for characterizing the electronic structures.

The hierarchical taxonomy offered the following insights:

- In this nanotechnology instrumentation study, **China produced about 25% more papers than the USA**. By contrast, in the full nanotechnology study, the USA produced about 25% more papers than China.
- Much of China's over-production occurred in the XRD-related categories, but there was some over-production in the transmission electron microscopy and NMR-calorimetry related categories as well.
- USA dominance appears to be in atomic force microscopy areas
- Because of the large Chinese and South Korean contributions to the nanotechnology instrumentation literature, author name analysis at aggregate levels is not effective; these Asian names are usually monosyllable, many times with no middle names. Due to the relatively high frequency of paper publications, there is good possibility that the same last name represents multiple authors. Potential name disambiguation is under study.
- Even though the USA has a large presence overall, relatively few USA institutions are listed among the most prolific in the nanotechnology instrumentation papers. The Asian and European efforts appear concentrated in relatively few but large institutions.

NANOTECHNOLOGY APPLICATIONS

Applications Overview

The Applications literature associated with nanoscience and nanotechnology research was derived from the ~65000 nanotechnology records for 2005 retrieved from the SCI/SSCI. Through visual inspection of the ~65000 records' Abstract phrases, all the diverse non-medical Applications were identified, and the relationships among the Applications, both direct and indirect, were obtained. The medical applications were identified through a fuzzy clustering process. Metrics associated with research literatures for specific Applications/ Applications groups were generated. A detailed analysis of the approach and results is presented in Appendix 6. A brief summary of the results follows.

Applications Results

The study has identified the main nanotechnology Applications, both medical and non-medical, as well as the related science and infrastructure. These relationships will allow the potential user communities to become involved with the Applications-related science and performers at the earliest stages, to help guide the science conversion towards specific user needs most efficiently.

The pervasive materials, materials properties, phenomena, and nanostructures related to the most frequently mentioned non-medical nanotechnology Applications were identified, as follows:

- *TiO₂, Pt, Si, gold, and polymers tend to stand out as the most pervasive material types*
- *Morphology, thickness /diameter/particle size, optical properties, catalytic performance, and electrochemical properties tend to stand out as the most pervasive material properties*
- *Deposition, absorption, oxidation, immobilization, catalysis, degradation, and self-assembly tend to stand out as the most pervasive nanoscale phenomena*
- *Thin films, nanowires, nanotubes (especially carbon), and self-assembled monolayers tend to stand out as the most pervasive nanostructures*

The pervasive instrumentation, materials, structures, and phenomena related to the most frequently mentioned nanotechnology medical applications were identified, as follows:

- **Instrumentation:** *surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, fourier transform infrared spectroscopy, quartz crystal microbalance, magnetic resonance imaging, confocal laser scanning, enzyme linked immunosorbent assay, laser scanning microscopy, x-ray diffraction, mass spectrometry.*
- **Materials:** *protein, DNA, peptides, drugs, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, lipids, human serum albumin, Escherichia Coli, antibodies, tissues, enzymes, genes, oligonucleotides, gold, nucleic acid.*
- **Structures:** *cells, membranes, surfaces, nanoparticles, self-assembled monolayers, cell surfaces, endothelial cells, receptors*
- **Phenomena:** *fluorescence, interaction, polymerase chain reaction, dynamic light scattering, resonance energy transfer, particle size, drug release, cell adhesion, binding, affinity, gene expression, transfection efficiency*

Maps were constructed to show groupings of related Applications into broader thematic areas. An autocorrelation map of the most widely referenced non-medical Applications showed five weakly-connected sub-networks:

- Electronic Devices and Components
- Optical Switching
- Tribology and Corrosion
- Optoelectronic Sensors
- Electrochemical Conversion and Catalysis

A medical Applications categorization constructed from visual inspection of the fuzzy clustering categories showed five thematic categories:

- Cancer Treatment
- Sensing and Detection
- Cells
- Proteins
- DNA

Factor analyses were performed to show non-medical thematic areas from a slightly different perspective. A six factor analysis showed the following themes:

- Factor 1: Optoelectronics
- Factor 2: Tribology
- Factor 3: Lithography
- Factor 4: Control Systems
- Factor 5: Devices
- Factor 6: Microsystems

The main non-medical Applications thrusts identified above were augmented by important, but non-networked thrusts, and the nine resulting themes were related to science and infrastructure by co-occurrence matrices. Also, the total non-medical Applications were combined into one unit, and related to science and infrastructure by co-occurrence matrices. For non-medical Applications:

- The USA leads in total Applications publications and in six out of nine themes in the high-tech research areas such as devices, sensors, and lithography. China leads in publications in three traditional area themes such as catalysis, tribology, and electrochemistry.
- In total Applications, two of the top three institutions are Chinese. However, the USA is well represented by the large University of California and University of Illinois state university systems.
- Applied Physics Letters appears in the top layer in seven of the nine themes and is by far the leader in total Applications publications. Journal of Physical Chemistry B appears in four of the nine themes, as does Journal of Applied Physics.
- For total Applications, the key underlying science areas include XRD, TEM, films, SEM, XPS, electron microscopy, AFM, fabrication, thickness, growth, hydrogen, substrate, carbon nanotubes,

- microstructures, nanoparticles, particles, diameter, TiO₂, deposits, coatings, electrodes, silicon, CO, infrared spectroscopy FTIR, electrons, biosensors, catalytic activity, oxidation, silica, thin films, nanotubes, silicon substrates, PL, photocatalytic activity, crystals, Raman spectroscopy, mechanical properties, particle sizes, proteins, catalysis, sol-gel, gold, storage, metals, optical properties, annealing, adsorption, platinum, polymer, corrosion, quantum dots.
- Instrumentation and the associated growth of nanostructures dominate the science efforts at present.

For medical Applications, analysis of nineteen thematic categories obtained from fuzzy clustering of the total 2005 nanotechnology database revealed the following:

- The USA is the publication leader in total Health types, and in all the thematic areas as well, most by a wide margin. China was the second most prolific in seven thematic areas, Japan in six, Germany in four, and England in two.
- The University of California system led in five clusters, the Chinese Academy of Science led in four, and the National University of Singapore led in three. The University of California and the Chinese Academy of Science were the most prolific in the non-medical Applications as well, but their orders were reversed. The National University of Singapore is a prolific contributor, especially in pharmaceuticals and biomaterials.
- The journal Langmuir contains the most articles in total Health, and is in the top layer of ten of nineteen themes. The only journals in common in the top layers of Applications and Health are Langmuir and Journal of Physical Chemistry B.
- For total Health, the key underlying science areas include cells, proteins, DNA, membranes, binding, drugs, fluorescence, peptides, nanoparticles, detection, lipids, antibodies, immobilization, tissues, receptors, enzymes, genes, drug delivery, self assembly, cell surface, detection limit, escherichia coli, amino acid, molecular weight, particle size, real time, serum albumin, drug release, cell line, cell adhesion, dna molecules, endothelial cells, surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, bovine serum albumin, poly

ethylene glycol, single stranded dna, double stranded dna, green fluorescent protein, fourier transform infrared spectroscopy, quartz crystal microbalance, polymerase chain reaction, self assembled monolayer, magnetic resonance imaging, confocal laser scanning, dynamic light scattering, enzyme linked immunosorbent assay, resonance energy transfer, extracellular matrix, laser scanning microscopy, human serum albumin, and poly lactic acid.

Thus, the instrumentation and nanostructure growth science areas still play a key role, but unique health-related issues/ phraseology such as proteins, drugs, antibodies, bacteria, DNA, peptides, tissues, collagen, genes, etc, are strong science interests that focus on the unique aspects of Health nanotechnology research.

SUMMARY AND CONCLUSIONS

Overview

An extensive nanotechnology/ nanoscience-focused query (300+ terms) was applied to the SCI/ SSCI database. The nanotechnology/ nanoscience research literature technical structure (taxonomy) was obtained using computational linguistics, document clustering, and factor analysis. The nanotechnology/ nanoscience research literature infrastructure (prolific authors, key journals/ institutions/ countries, most cited authors/ journals/ documents) for each of the clusters generated by the document clustering algorithm was obtained using bibliometrics.

A novel addition was the use of phrase auto-correlation maps to show technical thrust areas based on phrase co-occurrence in Abstracts, and the use of phrase-phrase cross-correlation maps to show technical thrust areas based on phrase relations due to the sharing of common co-occurring phrases. The use of factor matrices quantified further the strength of the linkages among institutions and among countries, and validated the co-publishing networks shown graphically on the maps.

The ~400 most cited nanotechnology papers since 1991 were grouped, and their characteristics generated. This allowed the most cited papers' characteristics to be delineated from overall nanotechnology papers' characteristics.

The instrumentation literature associated with nanoscience and nanotechnology research was examined. About 65000 nanotechnology records for 2005 were retrieved from the Science Citation Index/ Social Science Citation Index (SCI/SSCI), and ~27000 of those were identified as instrumentation-related. All the diverse instruments were identified, and the relationships among the instruments, and among the instruments and the quantities they measure, were obtained. Metrics associated with research literatures for specific instruments/ instrument groups were generated.

The Applications literature associated with nanoscience and nanotechnology research was examined. Through visual inspection of 60000 of the Abstract phrases of the same downloaded 2005 records, all the diverse non-medical Applications were identified, and the relationships among the non-medical Applications, both direct and indirect, were obtained. Metrics associated

with research literatures for specific Applications/ Applications groups were generated.

For medical Applications, a fuzzy clustering algorithm (where a record could be assigned to multiple clusters) was applied to the downloaded 2005 records. A sub-network that encompassed all the medical Applications was identified. Again, metrics associated with research literatures for specific medical applications were generated.

Results

1. INFRASTRUCTURE

1.1. Country Publications

- Global nanotechnology research article production has exhibited exponential growth for more than a decade.
- The most rapid growth over that time period has come from East Asian nations, notably China and South Korea.
- Some of this apparent rapid growth (in China for example) is partially due to 1) a country's researchers publishing a non-negligible fraction of total papers in domestic low Impact Factor journals, and 2) these journals being accessed recently by the SCI/ SSCI, rather than due to growth based on increased sponsorship or productivity.
- China's representation in high Impact Factor journals is small, but increasing
- From 1998 to 2002, China's ratio of high impact nanotechnology papers to total nanotechnology papers doubled, placing China at parity for this metric with the advanced nations of Japan, Italy, and Spain.
- The US remains the leader in aggregate nanotechnology research article production
- In some selected nanotechnology sub-areas, China has achieved parity or taken the lead.
- South Korea started even further behind than China in both total nanotechnology publications and highly cited papers, but they have advanced rapidly to become second-tier contenders in total and highly cited papers.

1.2. Country Citations

- There is a clear distinction between the publication practices of the three most prolific Western nations and the three most prolific East Asian nations. The Western nations publish in journals with almost twice the weighted average Impact Factors of the East Asian nations. Much of the difference stems from the East Asian nations publishing a non-negligible amount in domestic low Impact Factor journals, while the Western nations publish in higher Impact Factor international journals.
- Two countries that lead in production of the most cited nanotechnology papers are the US (126) and Germany (31). The US and Germany account for forty percent of the most cited nanotechnology papers
- The high paper volume production East Asian countries of China and South Korea account for two percent of the most cited nanotechnology papers.
- Despite the increased paper productivity from East Asian countries, the US continues to generate the most cited nanotechnology papers.

1.3. Institution and Journal Citations

- Of the thirty institutions publishing the most nanotechnology papers, four are from the US, whereas of the twenty-five institutions producing the most cited nanotechnology papers, twenty-one are in the US.
- The top-tier institutions producing cited papers are Harvard University (27), University of California Berkeley (23), Rice University (17), University of California Santa Barbara (16).
- The two journals that overwhelmingly contain the most cited nanotechnology papers since 1991 are Science (56) and Nature (37).

1.4. Country Collaborations

- The dominant country co-publishing network is a complex web of mainly European nations roughly following geographic lines: Nordic, Central Europe, Eastern Europe, and a Western Europe/ Latin

American group of Romance language nations. There is also a UK component country network, but it is not linked to the interconnected continental members of the European Union.

- Correlation of countries by common thematic interest shows two major poles: US and China. The US pole is strongly connected thematically to a densely connected network of English-speaking North American representatives, Western/ Central European nations, and most of the East Asian allies. China is relatively isolated except for India, and the Eastern European and Latin American representatives are outside the main network as well.

1.5. Institutional Collaborations

- The main institution co-publishing groups are East Asian: one each from China, Japan, and South Korea.
- Publication connectivity among institutions is much weaker than common interest or citation connectivity.
- Cross-Correlation of institutions by the journals they cite reveals four nationality-based (or locality-based) clusters: Chinese, Japanese, American, and European. Institutions from the same nationality group cite the same focused journals (primarily, but not exclusively, domestic).
- Cross-Correlation of institutions by documents they cite reveals **only the Chinese institutions constitute a strongly-connected network.**

2. TECHNICAL STRUCTURE

The total retrieved nanotechnology database for 2005 was examined from four perspectives to identify pervasive thematic thrusts: document clustering, autocorrelation mapping, factor analysis, cross correlation mapping. Each perspective provided valuable insights on the fundamental nanotechnology literature structure.

2.1. Document Clustering

The database was divided into 256 thematic clusters by the clustering algorithm. The USA produced most papers in 169 thrusts, China led in 70, Japan led in 15, and India, South Korea, and Spain each led in one.

A hierarchical taxonomy was constructed from these 256 elemental clusters. Of the taxonomy's sixteen fourth level categories, China was the publication leader in six. Specifically, China led in: Properties of Thin Films; Diamond Films; Applications of Carbon Nanotubes; Multi-Walled Nanotubes; Nanomaterials and Nanoparticles; and Polymers, Composites, and Metal Complexes. Essentially, China led in the materials and nanostructures component of the database, whereas the USA led in the Physical Science phenomena and biomedical components.

2.2. Autocorrelation Analysis

A map of the thirty highest frequency technical phrases showed the nanotechnology database divided into two major thematic groups. One was focused on instrumentation, and the other on structures that the instruments measure. The largest structures network was Films (deposition, nucleation, growth, electrooptical properties, mechanical properties), and there were Nanoparticle, Crystal, and Nanocomposite sub-networks linked to the instrumentation core as well.

2.3. Factor Analysis

A factor matrix of the retrieved database showed seven major thematic groups: Instrumentation; Film Formation and Properties; Nanotubes and nanowires; Nanocomposite Mechanical Properties; Growth and Nucleation; Crystal Structure; and protein Adsorption.

2.4. Cross-Correlation Analysis

A phrase-phrase map showed the two main thematic thrusts of 1) instrumentation and the quantities they measure (particle size, crystal structure, grain size, electrical properties), and 2) films and their related phenomena (deposition, optical properties). In this structure, Atomic Force Microscopy is the only instrument located within the Film group.

3. INSTRUMENTATION

A wide variety of instruments are used in nanoscience and nanotechnology research. Key among these instruments are XRD, electron microscope variants, atomic force microscopy, scanning tunneling microscopy, and spectroscopy variants.

3.1. Measured Quantities

Key materials, properties, phenomena, and nanostructures measured by the leading instruments are as follows:

- Materials: TiO₂, Ti, Si, SiO₂, and polymers
- Properties: Morphology/ surface morphology, thickness/diameter/particle size, surface roughness/surface area, mechanical properties/optical properties/thermal properties, crystal structure/crystallinity
- Phenomena: Deposition, oxidation, crystallization, catalytic activity, nucleation, adsorption, polymerization, adhesion, decomposition/ degradation
- Thin films, nanocomposites, nanowires, nanotubes, monolayers/self-assembled monolayers

3.2. Instrument Correlations

Key findings from the instrumentation correlation maps are as follows:

- Instrumentation auto-correlation map showed that the main network is in x-ray diffraction and electron microscopy. This is an indication that a well-equipped chemistry and/or material science laboratory usually contains a variety of instruments for characterizing various material properties. The instrument factor matrix showed similar grouping of a diversity of instruments in the same laboratory.
- Instrumentation-materials cross-correlation map showed that the main group consisted of electron microscopes and variants. Many of the instruments are used to characterize materials of interest to semiconductor and microelectronics research.
- Similarly the instrumentation-properties cross-correlation map is focused mostly on the electronic properties of materials of interest to microelectronics research such as electron microscopy and atomic force microscopy.
- Same instruments are used to investigate the growth and fabrication phenomena in the instrumentation-phenomena cross-correlation map.
- Because of the dominance of nanoelectronics research, many nanostructures are focused on electronic applications and thus the Instrumentation-nanostructures cross-correlation map also showed the emphasis on instruments for characterizing the electronic structures.

3.3. Instrument Taxonomy

The hierarchical taxonomy offered the following insights:

- In this nanotechnology instrumentation study, **China produced about 25% more papers than the USA**. By contrast, in the full nanotechnology study, **the USA produced about 25% more papers than China**.
- Much of China's over-production occurred in the XRD-related categories, but there was some over-production in the transmission electron microscopy and NMR-calorimetry related categories as well.
- USA dominance appears to be in atomic force microscopy areas
- Because of the large Chinese and South Korean contributions to the nanotechnology instrumentation literature, author name analysis at aggregate levels is not effective; these Asian names are usually monosyllable, many times with no middle names. Due to the relatively high frequency of paper publications, there is good possibility that the same last name represents multiple authors. Potential name disambiguation is under study.
- Even though the USA has a large presence overall, relatively few USA institutions are listed among the most prolific in the nanotechnology instrumentation papers. The Asian and European efforts appear concentrated in relatively few but large institutions.

4. APPLICATIONS

The studies also identified the main nanotechnology Applications, both medical and non-medical, as well as the related science and infrastructure. These relationships will allow the potential user communities to become involved with the Applications-related science and performers at the earliest stages, to help guide the science conversion towards specific user needs most efficiently.

4.1. Non-Medical Applications

Related Science – Most Frequently Mentioned Non-medical Applications

The pervasive materials, materials properties, phenomena, and nanostructures related to the ***most frequently mentioned*** non-medical nanotechnology Applications were identified, as follows:

- *TiO₂, Pt, Si, gold, and polymers tend to stand out as the most pervasive material types*
- *Morphology, thickness /diameter/particle size, optical properties, catalytic performance, and electrochemical properties tend to stand out as the most pervasive material properties*
- *Deposition, absorption, oxidation, immobilization, catalysis, degradation, and self-assembly tend to stand out as the most pervasive nanoscale phenomena*
- *Thin films, nanowires, nanotubes (especially carbon), and self-assembled monolayers tend to stand out as the most pervasive nanostructures*

Applications Thrust Areas – Auto-Correlation

Maps were constructed to show groupings of related non-medical Applications into broader thematic areas. An autocorrelation map of the most widely referenced non-medical Applications showed five weakly-connected sub-networks:

- Electronic Devices and Components
- Optical Switching
- Tribology and Corrosion
- Optoelectronic Sensors
- Electrochemical Conversion and Catalysis

Applications Thrust Areas – Factor Analysis

Factor analyses were performed to show non-medical Applications thematic areas from a slightly different perspective. A six factor analysis showed the following themes:

- Factor 1: Optoelectronics
- Factor 2: Tribology
- Factor 3: Lithography
- Factor 4: Control Systems

- Factor 5: Devices
- Factor 6: Microsystems

Applications Thrust Areas – Factor Analysis and Visual Inspection

The main non-medical Applications thrusts identified above were augmented by important, but non-networked thrusts, and the nine resulting themes were related to science and infrastructure by co-occurrence matrices. Also, the total non-medical Applications were combined into one unit, and related to science and infrastructure by co-occurrence matrices. For non-medical Applications:

- The USA leads in total non-medical Applications publications and in six out of nine themes in the high-tech research areas such as devices, sensors, and lithography. China leads in publications in three traditional area themes such as catalysis, tribology, and electrochemistry.
- In total non-medical Applications, two of the top three institutions are Chinese. However, the USA is well represented by the large University of California and University of Illinois state university systems.
- Applied Physics Letters appears in the top layer in seven of the nine themes and is by far the leader in total non-medical Applications publications. Journal of Physical Chemistry B appears in four of the nine themes, as does Journal of Applied Physics.
- For total non-medical Applications, the key underlying science areas include XRD, TEM, films, SEM, XPS, electron microscopy, AFM, fabrication, thickness, growth, hydrogen, substrate, carbon nanotubes, microstructures, nanoparticles, particles, diameter, TiO₂, deposits, coatings, electrodes, silicon, CO, infrared spectroscopy FTIR, electrons, biosensors, catalytic activity, oxidation, silica, thin films, nanotubes, silicon substrates, PL, photocatalytic activity, crystals, Raman spectroscopy, mechanical properties, particle sizes, proteins, catalysis, sol-gel, gold, storage, metals, optical properties, annealing, adsorption, platinum, polymer, corrosion, quantum dots. Instrumentation and the associated growth of nanostructures dominate the science efforts at present.

4.2. Medical Applications

Related Science – Most Frequently Mentioned Medical Applications

The pervasive instrumentation, materials, structures, and phenomena related to the most frequently mentioned nanotechnology medical applications were identified, as follows:

- Instrumentation: *surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, fourier transform infrared spectroscopy, quartz crystal microbalance, magnetic resonance imaging, confocal laser scanning, enzyme linked immunosorbent assay, laser scanning microscopy, x-ray diffraction, mass spectrometry.*
- Materials: *protein, DNA, peptides, drugs, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, lipids, human serum albumin, Escherichia Coli, antibodies, tissues, enzymes, genes, oligonucleotides, gold, nucleic acid.*
- Structures: *cells, membranes, surfaces, nanoparticles, self-assembled monolayers, cell surfaces, endothelial cells, receptors*
- Phenomena: *fluorescence, interaction, polymerase chain reaction, dynamic light scattering, resonance energy transfer, particle size, drug release, cell adhesion, binding, affinity, gene expression, transfection efficiency*

Applications Thrust Areas – Visual Inspection

A medical Applications categorization constructed from visual inspection of the fuzzy clustering categories showed five thematic categories:

- Cancer Treatment
- Sensing and Detection
- Cells
- Proteins
- DNA

Applications Thrust Areas – Fuzzy Clustering

For medical Applications, analysis of nineteen thematic categories obtained from fuzzy clustering of the total 2005 nanotechnology database revealed the following:

- The USA is the publication leader in total Health types, and in all the thematic areas as well, most by a wide margin. China was the second most prolific in seven thematic areas, Japan in six, Germany in four, and England in two.
- The University of California system led in five clusters, the Chinese Academy of Science led in four, and the National University of Singapore led in three. The University of California and the Chinese Academy of Science were the most prolific in the non-medical Applications as well, but their orders were reversed. The National University of Singapore is a prolific contributor, especially in pharmaceuticals and biomaterials.
- The journal Langmuir contains the most articles in total Health, and is in the top layer of ten of nineteen themes. The only journals in common in the top layers of Applications and Health are Langmuir and Journal of Physical Chemistry B.
- For total medical applications, the key underlying science areas include cells, proteins, DNA, membranes, binding, drugs, fluorescence, peptides, nanoparticles, detection, lipids, antibodies, immobilization, tissues, receptors, enzymes, genes, drug delivery, self assembly, cell surface, detection limit, escherichia coli, amino acid, molecular weight, particle size, real time, serum albumin, drug release, cell line, cell adhesion, DNA molecules, endothelial cells, surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, fourier transform infrared spectroscopy, quartz crystal microbalance, polymerase chain reaction, self assembled monolayer, magnetic resonance imaging, confocal laser scanning, dynamic light scattering, enzyme linked immunosorbent assay, resonance energy transfer, extracellular matrix, laser scanning microscopy, human serum albumin, and poly lactic acid.

Thus, the instrumentation and nanostructure growth science areas still play a key role, but unique health-related issues/ phraseology such as proteins, drugs, antibodies, bacteria, DNA, peptides, tissues, collagen, genes, etc, are strong science interests that focus on the unique aspects of nanotechnology medical research.

REFERENCES

- Davidse RJ, Van Raan AFJ. (1997). Out of particles: impact of CERN, DESY, and SLAC research to fields other than physics. *Scientometrics* 40:2. 171-193.
- Garfield E. (1985). History of citation indexes for chemistry - a brief review. *JCICS*. 25(3). 170-174.
- Goldman JA, Chu, WW, Parker, DS, Goldman, RM. (1999). Term domain distribution analysis: a data mining tool for text databases. *Methods of Information in Medicine*. 38. 96-101.
- Gordon MD, Dumais S. (1998). Using latent semantic indexing for literature based discovery. *Journal of the American Society for Information Science*. 49 (8): 674-685.
- Greengrass E. (1997). Information retrieval: An overview. National Security Agency. TR-R52-02-96.
- Hearst MA. (1999). Untangling text data mining. *Proceedings of ACL 99, the 37th Annual Meeting of the Association for Computational Linguistics*, University of Maryland, June 20-26.
- Karypis G. (2006). CLUTO—A clustering toolkit. <http://www.cs.umn.edu/~cluto>.
- King DA. The scientific impact of nations. *Nature* 430 (6997): 311-316 2004.
- Kostoff RN, Eberhart HJ, Toothman DR. (1997a). Database Tomography for information retrieval. *Journal of Information Science*. 23:4. 301-311.
- Kostoff RN (1997b). Accelerating the conversion of science to technology: Introduction and overview", in Kostoff, R. N., (ed), *Journal of Technology Transfer, Special Issue on Accelerating the Conversion of Science to Technology*, 22:3, Fall 1997.

Kostoff RN, Green KA, Toothman DR, and Humenik, JA. (2000a). Database Tomography applied to an aircraft science and technology investment strategy. *Journal of Aircraft*. 37:4. 727-730.

Kostoff RN, Del Rio JA, García EO, Ramírez AM, Humenik JA. (2001). Citation mining: integrating text mining and bibliometrics for research user profiling. *Journal of the American Society for Information Science and Technology*. 52:13. 1148-1156.

Kostoff RN. (2003a). Text mining for global technology watch. In *Encyclopedia of Library and Information Science, Second Edition*. Drake, M., Ed. Marcel Dekker, Inc. New York, NY. Vol. 4. 2789-2799.

Kostoff RN. (2003b). Stimulating innovation. *International Handbook of Innovation*. Larisa V. Shavinina (ed.). Elsevier Social and Behavioral Sciences, Oxford, UK. 388-400.

Kostoff, RN. (2003c). Bilateral asymmetry prediction. *Medical Hypotheses*. 61:2. 265-266. August 2003.

Kostoff RN, Shlesinger M, Tshiteya R. (2004a). Nonlinear dynamics roadmaps using bibliometrics and Database Tomography. *International Journal of Bifurcation and Chaos*. 14:1. 61-92.

Kostoff RN, Shlesinger M, Malpohl G. (2004b). Fractals roadmaps using bibliometrics and database tomography. *Fractals*. 12:1. 1-16.

Kostoff, R. N., Stump, J.A., Johnson, D., Murday, J., Lau, C., and Tolles, W. (2005a). The structure and infrastructure of the global nanotechnology literature. DTIC Technical Report Number ADA435984 (<http://www.dtic.mil/>). Defense Technical Information Center. Fort Belvoir, VA. 2005.

Kostoff RN, Murday J, Lau CGY, and Tolles W. (2005b). The seminal literature of global nanotechnology research. *DTIC Technical Report Number ADA435986* (<http://www.dtic.mil/>). Defense Technical Information Center. Fort Belvoir, VA. 2005.

Kostoff, R. N., Stump, J.A., Johnson, D., Murday, J., Lau, C., and Tolles, W. (2006a). The structure and infrastructure of the global

nanotechnology literature. *Journal of Nanoparticle Research*. 8 (3-4): 301-321. 2006.

Kostoff, R. N., Murday, J., Lau, C., and Tolles, W. (2006b). The seminal literature of global nanotechnology research. *Journal of Nanoparticle Research*. 8 (2): 193-213. 2006.

Kostoff, R.N., Koytcheff, R., and Lau, CGY. (2006c). Structure of the global nanoscience and nanotechnology research literature. DTIC Technical Report. (<http://www.dtic.mil/>) Defense Technical Information Center. Fort Belvoir, VA. 2007.

Kostoff RN, Briggs MB, Rushenberg RL, Bowles CA, and Pecht M. (2006d). The structure and infrastructure of Chinese science and technology. *DTIC Technical Report Number ADA443315*. (<http://www.dtic.mil/>). Defense Technical Information Center. Fort Belvoir, VA. 2006d.

Kostoff RN, Johnson D, Bowles CA, and Dodbele S. (2006e). Assessment of India's research literature. *DTIC Technical Report Number ADA444625* (<http://www.dtic.mil/>). Defense Technical Information Center. Fort Belvoir, VA. 2006e.

Kostoff, RN. (2006f). Systematic acceleration of radical discovery and innovation in science and technology. *Technological Forecasting and Social Change*. 73 (8): 923-936. 2006.

Kostoff, RN., Koytcheff, RG., and Lau, CGY. (2007). Characteristics of the seminal nanotechnology literature. *Encyclopedia of Nanoscience and Nanotechnology*. 2007.

Losiewicz P, Oard D, Kostoff RN. (2000b). Textual data mining to support science and technology management. *Journal of Intelligent Information Systems*. 15. 99-119.

Narin F. (1976). Evaluative bibliometrics: the use of publication and citation analysis in the evaluation of scientific activity (monograph). NSF C-637. National Science Foundation. Contract NSF C-627. NTIS Accession No. PB252339/AS.

Narin F, Olivastro D, Stevens KA. (1994). Bibliometrics theory, practice and problems. *Evaluation Review*. 18(1). 65-76.

Schubert A, Glanzel W, Braun T. (1987). Subject field characteristic citation scores and scales for assessing research performance. *Scientometrics*. 12 (5-6): 267-291.

SCI. (2006). Certain data included herein are derived from the Science Citation Index/ Social Science Citation Index prepared by the THOMSON SCIENTIFIC ®, Inc. (Thomson®), Philadelphia, Pennsylvania, USA: © Copyright THOMSON SCIENTIFIC ® 2006. All rights reserved.

SEARCH (2006). TechOasis, CopyRight, Search Technology Inc., Norcross, GA. 2006.

Swanson DR. (1986). Fish Oil, Raynauds Syndrome, and undiscovered public knowledge. *Perspect Biol Med*. 30: (1). 7-18.

Swanson DR, Smalheiser NR. (1997). An interactive system for finding complementary literatures: a stimulus to scientific discovery. *Artif Intell*, 91 (2). 183-203.

TREC (Text Retrieval Conference), (2004). Home Page, <http://trec.nist.gov/>.

Viator JA, Pestorius FM. (2001). Investigating trends in acoustics research from 1970-1999. *Journal of the Acoustical Society of America*. 109 (5): 1779-1783 Part 1.

Zhao Y, Karypis G. (2004). Empirical and theoretical comparisons of selected criterion functions for document clustering. *Machine Learning*. 55:3. 311-331.

Zhao Y, Karypis G. Hierarchical clustering algorithms for document datasets. *Data Mining and Knowledge Discovery*. 10 (2): 141-168. 2005.

Zhou P, Leydesdorff L. The emergence of China as a leading nation in science. *Research Policy* 35 (1): 83-104. 2006.

Zhu DH, Porter AL. (2002). Automated extraction and visualization of information for technological intelligence and forecasting. *Technological Forecasting and Social Change*. 69 (5): 495-506.

APPENDICES

APPENDIX 1 - THE SEMINAL LITERATURE OF NANOSCIENCE/ NANOTECHNOLOGY RESEARCH *(SCI DATABASE ONLY)*

BACKGROUND

The global nanotechnology research literature has two main components: spatial and temporal. The spatial component covers present-day nanotechnology research being conducted globally. Most of the main body of this report uses the literature analysis technique of text mining to assess the characteristics of (mainly) the existing global nanotechnology literature. This is a quantity-based approach, which reflects the volume of literature production.

The present Appendix examines the temporal component. It uses complementary text mining techniques to identify and retrieve the high impact (seminal) nanotechnology literature over a span of time. This can be viewed as a quality-based approach, which reflects the impact the vintage literature has had on modern day nanotechnology research.

Both the temporal and spatial components need to be understood for full comprehension of global nanotechnology research, and for the establishment of strategic nanotechnology policy. Assessment tools and processes have advanced sufficiently to allow an integrated picture of nanotechnology to be obtained.

Two main approaches to identifying seminal nanotechnology documents are shown in this Appendix. The first approach (Section 1.1) examines all the references in the 64737 record retrieved 2005 nanotechnology database, then extracts the highest frequency references using our Citation-Assisted Background (CAB) approach. These references will include both nanotechnology documents as well as non-nanotechnology documents. The second approach (Section 1.2) examines all the nanotechnology documents published between 1991 and 2005, extracts the sub-set with the highest number of citations, and performs a text mining analysis of that sub-set to obtain characteristics of the most cited nanotechnology documents. While there will obviously be some overlap between the documents identified in both approaches, there are some substantial differences.

Section 1.3 provides additional perspectives on the most cited nanotechnology documents literature. In particular, it identifies the relationship between document production and seminal paper production for countries and institutions. For the USA, an important finding is identification of the core institutions that are producing the bulk of the seminal documents. For other countries, their seminal paper production is more closely normalized to their total nanotechnology paper production.

1.1. Seminal Nanoscience/ Nanotechnology Literature Determination using Citation-Assisted Background (CAB)

INTRODUCTION

Research is a method of systematically exploring the unknown to acquire knowledge and understanding. Efficient research requires awareness of all prior research and technology that could impact the research topic of interest, and builds upon these past advances to create discovery and new advances. The importance of this awareness of prior art is recognized throughout the research community. It is expressed in diverse ways, including requirements for Background sections in journal research articles, invited literature surveys in targeted research areas, and required descriptions of prior art in patent applications.

For the most part, development of Background material for any of the above applications is relatively slow and labor intensive, and limited in scope. Background material development usually involves some combination of manually sifting through outputs of massive computer searches, manually tracking references through multiple generations, and searching one's own records for personal references. The few studies that have been done on the adequacy of Background material in documents show that only a modest fraction of relevant material is included (e.g., MacRoberts and MacRoberts, 1989, 1996; Liu, 1993).

Typically missing from standard Background section or review article development, as well as in the specific examples cited above, is a systematic approach for identifying the key documents and events that provided the groundwork for the research topic of interest. The present section presents such a systematic approach for identifying the key documents, called Citation-Assisted Background (CAB), and applies it to the area of nanotechnology research.

For nanotechnology specifically, the burgeoning global interest has been accompanied by numerous surveys and reviews of the technical literature. There are numerous books (e.g., Bhushan's Handbook of Nanotechnology [Bhushan, 2004]; Goddard's Handbook on Nanoscience, Engineering, and Technology [Goddard, 2002]; Freitas' multi-volume set on nanomedicine [Freitas, 1999, 2003]; see Appendix 1A for more complete listing of Reference Books), review articles (e.g., Kricka's multi-lingual survey of nanotechnology books and patents [Kricka and Fortina, 2002]; Simon's review of the science and potential applications of nanotechnology [Simon, 2005]), and reports (e.g., The Royal Society's comprehensive review on nanoscience and nanotechnologies [Dowling et al, 2004]; Colton's in-depth review of nanoscale measurements and manipulation [Colton, 2004]) that cover various sub-sets of nanotechnology.

Every published research review on nanotechnology typically covers a limited subset of the technology rather than the total discipline. None of these published reviews has the spatial and temporal breadth of coverage of the present Appendix, none uses a query of the extent and complexity of the present Appendix, and none uses the systematic approach described here to insure that all highly cited articles related to the discipline of interest are identified. In the present Appendix, we describe a systematic approach to insure that all highly cited seminal articles related to nanotechnology are identified.

CONCEPT DESCRIPTION

The CAB concept (Kostoff and Shlesinger, 2005b) identifies the seminal Background documents for a research area using citation analysis. CAB rests on the assumption that a seminal document for a specific research area will typically have been referenced positively by a substantial number of people who are active researchers in that specific area. Implementation of the CAB concept then requires the following steps:

- The research area of interest must be defined clearly
- The documents that define the area of interest must be identified and retrieved
- The references most frequently used in these documents must be identified and selected

- These critical references must be analyzed, and integrated in a cohesive narrative manner to form a comprehensive Background section or separate literature survey

These required steps are achieved in the following manner.

1. The research topic of interest is defined clearly by the researchers who are documenting their study results. In our present text mining study of nanotechnology, the topical area was defined to include development and use of techniques to study physical phenomena and construct structures in the physical size range of 1-100 nanometers (nm), as well as the incorporation of these structures into applications.
2. The topical definition is sharpened further by the development of a literature retrieval query. In the nanotechnology text mining study, the literature retrieval query was based on 300+ search terms (Appendix 2).
3. The query is entered into a database search engine, and documents relevant to the topic are retrieved. In the present nanotechnology text mining study, 64737 documents were retrieved from the Web version of the SCI/ SSCI for the year 2005. The SCI/ SSCI was used because it is the only major research database to contain references in a readily extractable format.
4. These documents are combined to create a separate database, and all the references contained in these documents are extracted. Identical references are combined, the number of occurrences of each reference is tabulated, and a table of references and their occurrence frequencies is constructed. In the present nanotechnology text mining study, >900,000 references were extracted and tabulated. Table A1-1 contains the ten highest frequency (most cited) references extracted from the nanotechnology database.

TABLE A1-1 – MOST HIGHLY CITED DOCUMENTS (by 64737 retrieved 2005 nanotechnology records)

FIRST AUTHOR	YEAR	SOURCE	VOL	PAGE	# CITES
IIJIMA S	1991	NATURE	V354	P56	1463
SHELDRIK GM	1997				803
KRESGE CT	1992	NATURE	V359	P710	517
HUANG MH	2001	SCIENCE	V292	P1897	453
ALIVISATOS AP	1996	SCIENCE	V271	P933	443
XIA YN	2003	ADV MATER	V15	P353	430
PAN ZW	2001	SCIENCE	V291	P1947	388

Two frequencies are computed for each reference, but only the first is shown in Table A1-1. The frequency shown in the rightmost column is the number of times each reference was cited by the 64737 records in the retrieved database only. This number reflects the importance of a given reference to the specific discipline of nanotechnology. The second frequency number (not shown) is the total number of citations the reference received from all sources in all years after publication, and reflects the importance of a given reference to all the fields of science that cited the reference. This second number is obtained from the citation field or citation window in the SCI. In CAB, only the first frequency is used, since it is topic-specific. Using the first discipline-specific frequency number obviates the need to normalize citation frequencies for different disciplines (due to different levels of activity in different disciplines), as would be the case if total citation frequencies were used to determine the ordering of the references.

CONCEPT IMPLEMENTATION

To identify the total candidate references for the Background section, a table similar in structure to Table A1-1, but containing all the references from the retrieved records, is constructed. A threshold frequency for selection can be determined by arbitrary inspection (e. g., a Background section consisting of 150 key references is arbitrarily selected). The first author has found a dynamic selection process more useful. In this dynamic process, references are selected, analyzed, and grouped based on their order in the citation frequency table until the resulting Background is judged sufficiently complete by the Background developers.

To insure that the influential documents published both long ago and very recently are included, the following total process is used. The reference frequency table is ordered by inverse frequency, as above, and a high value of the selection frequency threshold is selected initially. Documents with citations above this frequency are tagged. Then, the table is re-ordered chronologically. The early historical documents with citation frequencies substantially larger than those of their contemporaries are selected, as are the extremely recent documents with citation frequencies substantially larger than those of their contemporaries. By contemporaries, it is meant documents published in the same time frame, not limited to the same year (see next paragraph for examples of how we implement ‘same time frame’).

Then, the dynamic selection process defined above is applied to the early historical references, the intermediate time references (those falling under the high frequency threshold), and the extremely recent references (approximately two years or less).

Table A1-2 contains the final references selected for the nanotechnology Background survey. The first reference listed, Young's 1805 paper, had many more citations (twelve) than any reference paper published in the 1800s, up to Faraday's paper in 1857. In turn, Faraday's paper had many more citations (28) than any published previously, or those published until Wulff's paper in 1901. This is a graphic example of how we interpret a paper's having substantially more citations than its contemporaries. We do not constrain ourselves with a numerical threshold, but rather interpret the total citation pattern within a given time frame.

TABLE A1-2 – SEMINAL DOCUMENTS SELECTED FOR INCLUSION IN BACKGROUND (updated for 2005 records)

FIRST AUTHOR	YEAR	SOURCE	VOL	PAGE	# CITES
YOUNG T	1805	PHILOS T R SOC LONDO	V95	P65	12
FARADAY M	1857	PHILOS T ROY SOC LON	V147	P145	28
HERTZ H	1881	J REINE ANGEWANDTE M	V92	P156	27
LAMB H	1882	P LOND MATH SOC	V13	P189	20
WULFF G	1901	Z KRISTALLOGR	V34	P449	30
MAXWELLGARNETT JC	1904	PHILOS T ROY SOC LON	V203	P385	36
EINSTEIN A	1905	ANN PHYS-BERLIN	V17	P549	26
MIE G	1908	ANN PHYS-BERLIN	V25	P377	114
STONEY GG	1909	P R SOC LOND A-CONTA	V82	P172	72
SCHERRER P	1918	GOTTINGER NACHRICHT	V2	P98	39
FOWLER RH	1928	P R SOC LOND A-CONTA	V119	P173	88
FOCK V	1928	Z PHYS	V47	P446	31
DARWIN CG	1930	P CAMBRIDGE PHILOS S	V27	P86	23
KUBELKA P	1931	Z TECH PHYS	V12	P593	25
FORMHALS A	1934	1975504	US		28
BRUGGEMAN DAG	1935	ANN PHYS-BERLIN	V24	P636	69
WENZEL RN	1936	IND ENG CHEM	V28	P988	69
BRUNAUER S	1938	J AM CHEM SOC	V60	P309	166
AVRAMI M	1939	J CHEM PHYS	V7	P1103	61
AVRAMI M	1940	J CHEM PHYS	V8	P212	43
BRUNAUER S	1940	J AM CHEM SOC	V62	P1723	35
AVRAMI M	1941	J CHEM PHYS	V9	P177	45
CASSIE ABD	1944	T FARADAY SOC	V40	P546	49
STONER EC	1948	PHILOS T ROY SOC A	V240	P599	84
NEEL L	1949	ANN GEOPHYS	V5	P99	64
BARRETT EP	1951	J AM CHEM SOC	V73	P373	162

TURKEVICH J	1951	DISCUSS FARADAY SOC	P55		72
LOWRY OH	1951	J BIOL CHEM	V193	P265	58
HALL EO	1951	P PHYS SOC B	V64	P747	52
WILLIAMSON GK	1953	ACTA METALL	V1	P22	77
FLORY PJ	1953	PRINCIPLES POLYM CHE			67
PETCH NJ	1953	J IRON STEEL I	V174	P25	55
METROPOLIS N	1953	J CHEM PHYS	V21	P1087	52
PARRATT LG	1954	PHYS REV	V95	P359	91
DRESSELHAUS G	1955	PHYS REV	V100	P580	70
LANDAUER R	1957	IBM J RES DEV	V1	P223	71
KISSINGER HE	1957	ANAL CHEM	V29	P1702	64
SAUERBREY G	1959	Z PHYS	V155	P206	118
FANO U	1961	PHYS REV	V124	P1866	68
WAGNER RS	1964	APPL PHYS LETT	V4	P89	177
HOHENBERG P	1964	PHYS REV B	V136	P864	175
BONDI A	1964	J PHYS CHEM-US	V68	P441	99
KOHN W	1965	PHYS REV	V140	P1133	194
SNEDDON IN	1965	INT J ENG SCI	V3	P47	68
STOBER W	1968	J COLLOID INTERF SCI	V26	P62	168
RIETVELD HM	1969	J APPL CRYSTALLOGR	V2	P65	80
TUINSTRAL F	1970	J CHEM PHYS	V53	P1126	130
LAEMMLI UK	1970	NATURE	V227	P680	100
JOHNSON KL	1971	P ROY SOC LOND A MAT	V324	P301	86
FUJISHIMA A	1972	NATURE	V238	P37	183
JOHNSON PB	1972	PHYS REV B	V6	P4370	149
SHIRLEY DA	1972	PHYS REV B	V5	P4709	93
FRENS G	1973	NATURE-PHYS SCI	V241	P20	98
KLUG HP	1974	XRAY DIFFRACTION PRO			184
AVIRAM A	1974	CHEM PHYS LETT	V29	P277	102
MATTHEWS JW	1974	J CRYST GROWTH	V27	P118	76
SHANNON RD	1976	ACTA CRYSTALLOGR A	V32	P751	298
MONKHORST HJ	1976	PHYS REV B	V13	P5188	148
BRADFORD MM	1976	ANAL BIOCHEM	V72	P248	91
BUFFAT P	1976	PHYS REV A	V13	P2287	88
ASHCROFT NW	1976	SOLID STATE PHYS			84
SCOFIELD JH	1976	J ELECTRON SPECTROSC	V8	P129	78
CULLITY BD	1978	ELEMENTS XRAY DIFFRA			225
ILER RK	1979	CHEM SILICA			90
WAGNER CD	1979	HDB XRAY PHOTOELECTR			89
CEPERLEY DM	1980	PHYS REV LETT	V45	P566	88
BARD AJ	1980	ELECTROCHEMICAL METH			84
SZE SM	1981	PHYS SEMICONDUCTOR D			232
PERDEW JP	1981	PHYS REV B	V23	P5048	144
GREGG SJ	1982	ADSORPTION SURFACE A			142
ARAKAWA Y	1982	APPL PHYS LETT	V40	P939	123
LEE PC	1982	J PHYS CHEM-US	V86	P3391	88
BOHREN CF	1983	ABSORPTION SCATTERIN			173
BRUS LE	1984	J CHEM PHYS	V80	P4403	102
SING KSW	1985	PURE APPL CHEM	V57	P603	202
KROTO HW	1985	NATURE	V318	P162	172

MOSKOVITS M	1985	REV MOD PHYS	V57	P783	128
ZIEGLER JF	1985	STOPPING RANGE IONS			124
PALIK ED	1985	HDB OPTICAL CONSTANT			118
BINNIG G	1986	PHYS REV LETT	V56	P930	271
BRUS L	1986	J PHYS CHEM-US	V90	P2555	91
YABLONOVITCH E	1987	PHYS REV LETT	V58	P2059	170
TANG CW	1987	APPL PHYS LETT	V51	P913	154
ALLEN MP	1987	COMPUTER SIMULATION			138
PORTER MD	1987	J AM CHEM SOC	V109	P3559	118
JOHN S	1987	PHYS REV LETT	V58	P2486	107
LEE C	1988	PHYS REV B	V37	P785	240
BECKE AD	1988	PHYS REV A	V38	P3098	157
RAETHER H	1988	SURFACE PLASMONS SMO			100
BAIBICH MN	1988	PHYS REV LETT	V61	P2472	96
BAIN CD	1989	J AM CHEM SOC	V111	P321	126
HENGLEIN A	1989	CHEM REV	V89	P1861	114
GLEITER H	1989	PROG MATER SCI	V33	P223	107
BRINKER CJ	1990	SOL GEL SCI PHYS CHE			250
VANDERBILT D	1990	PHYS REV B	V41	P7892	218
CANHAM LT	1990	APPL PHYS LETT	V57	P1046	198
BURROUGHS JH	1990	NATURE	V347	P539	169
SHELDRIK GM	1990	ACTA CRYSTALLOGR A	V46	P467	153
DATTA S	1990	APPL PHYS LETT	V56	P665	122
IIJIMA S	1991	NATURE	V354	P56	1463
OREGAN B	1991	NATURE	V353	P737	326
ISRAELACHVILI JN	1991	INTERMOLECULAR SURFA			268
ULMAN A	1991	INTRO ULTRATHIN ORGA			222
TROULLIER N	1991	PHYS REV B	V43	P1993	158
KRESGE CT	1992	NATURE	V359	P710	517
OLIVER WC	1992	J MATER RES	V7	P1564	387
BECK JS	1992	J AM CHEM SOC	V114	P10834	379
MOULDER JF	1992	HDB XRAY PHOTOELECTR			170
PERDEW JP	1992	PHYS REV B	V46	P6671	146
HAMADA N	1992	PHYS REV LETT	V68	P1579	141
PERDEW JP	1992	PHYS REV B	V45	P13244	135
PAYNE MC	1992	REV MOD PHYS	V64	P1045	101
MINTMIRE JW	1992	PHYS REV LETT	V68	P631	100
MURRAY CB	1993	J AM CHEM SOC	V115	P8706	327
BECKE AD	1993	J CHEM PHYS	V98	P5648	256
IIJIMA S	1993	NATURE	V363	P603	242
USUKI A	1993	J MATER RES	V8	P1179	198
KOJIMA Y	1993	J MATER RES	V8	P1185	158
KRESSE G	1993	PHYS REV B	V47	P558	142
NAZEERUDDIN MK	1993	J AM CHEM SOC	V115	P6382	137
BETHUNE DS	1993	NATURE	V363	P605	122
BRUST M	1994	J CHEM SOC CHEM COMM	P801		243
MARTIN CR	1994	SCIENCE	V266	P1961	239
COLVIN VL	1994	NATURE	V370	P354	123
HOFFMANN MR	1995	CHEM REV	V95	P69	250

KREIBIG U	1995	OPTICAL PROPERTIES M			227
MASUDA H	1995	SCIENCE	V268	P1466	210
LEHN JM	1995	SUPRAMOLECULAR CHEM			204
DEHEER WA	1995	SCIENCE	V270	P1179	172
LINSEBIGLER AL	1995	CHEM REV	V95	P735	164
HAGFELDT A	1995	CHEM REV	V95	P49	160
DATTA S	1995	ELECT TRANSPORT MESO			159
CHOPRA NG	1995	SCIENCE	V269	P966	114
JOANNOPOULOS JD	1995	PHOTONIC CRYSTALS MO			105
YU G	1995	SCIENCE	V270	P1789	104
ALIVISATOS AP	1996	SCIENCE	V271	P933	443
ULMAN A	1996	CHEM REV	V96	P1533	332
PERDEW JP	1996	PHYS REV LETT	V77	P3865	275
THESS A	1996	SCIENCE	V273	P483	234
MIRKIN CA	1996	NATURE	V382	P607	212
GIANNELIS EP	1996	ADV MATER	V8	P29	199
KRESSE G	1996	PHYS REV B	V54	P11169	196
DRESSELHAUS MS	1996	SCI FULLERENES CARBO			181
TREACY MMJ	1996	NATURE	V381	P678	167
ALIVISATOS AP	1996	J PHYS CHEM-US	V100	P13226	163
VANHEUSDEN K	1996	J APPL PHYS	V79	P7983	144
KRESSE G	1996	COMP MATER SCI	V6	P15	141
DAI HJ	1996	NATURE	V384	P147	117
ALIVISATOS AP	1996	NATURE	V382	P609	115
HINES MA	1996	J PHYS CHEM-US	V100	P468	114
AHMADI TS	1996	SCIENCE	V272	P1924	110
YAKOBSON BI	1996	PHYS REV LETT	V76	P2511	108
RENEKER DH	1996	NANOTECHNOLOGY	V7	P216	104
MULVANEY P	1996	LANGMUIR	V12	P788	101
SHELDRIK GM	1997	SHELX-97			803
DECHER G	1997	SCIENCE	V277	P1232	277
NIE SM	1997	SCIENCE	V275	P1102	196
REED MA	1997	SCIENCE	V278	P252	175
WONG EW	1997	SCIENCE	V277	P1971	175
DILLON AC	1997	NATURE	V386	P377	169
OTWINOWSKI Z	1997	METHOD ENZYMOL	V276	P307	164
ELGHANIAN R	1997	SCIENCE	V277	P1078	155
TANS SJ	1997	NATURE	V386	P474	148
HARUTA M	1997	CATAL TODAY	V36	P153	146
DABBOUSI BO	1997	J PHYS CHEM B	V101	P9463	139
RAO AM	1997	SCIENCE	V275	P187	138
CORMA A	1997	CHEM REV	V97	P2373	133
JOURNET C	1997	NATURE	V388	P756	129
BAGNALL DM	1997	APPL PHYS LETT	V70	P2230	122
KNEIPP K	1997	PHYS REV LETT	V78	P1667	121
KAWASUMI M	1997	MACROMOLECULES	V30	P6333	115
HAN WQ	1997	SCIENCE	V277	P1287	112
NAKAMURA S	1997	BLUE LASER DIODE			109
PENG XG	1997	J AM CHEM SOC	V119	P7019	101

SAITO R	1998	PHYS PROPERTIES CARB			334
BRUCHEZ M	1998	SCIENCE	V281	P2013	325
TANS SJ	1998	NATURE	V393	P49	284
CHAN WCW	1998	SCIENCE	V281	P2016	283
ZHAO DY	1998	SCIENCE	V279	P548	283
MORALES AM	1998	SCIENCE	V279	P208	265
LOSS D	1998	PHYS REV A	V57	P120	203
ZHAO DY	1998	J AM CHEM SOC	V120	P6024	195
XIA Y	1998	ANGEW CHEM INT EDIT	V37	P550	192
FRISCH MJ	1998	GAUSSIAN 98 REVISION			178
CARUSO F	1998	SCIENCE	V282	P1111	172
VALDEN M	1998	SCIENCE	V281	P1647	168
REN ZF	1998	SCIENCE	V282	P1105	163
LIU J	1998	SCIENCE	V280	P1253	162
CHEN J	1998	SCIENCE	V282	P95	161
PRINZ GA	1998	SCIENCE	V282	P1660	140
MARTEL R	1998	APPL PHYS LETT	V73	P2447	139
BRAUN E	1998	NATURE	V391	P775	136
WILDOER JWG	1998	NATURE	V391	P59	120
STORHOFF JJ	1998	J AM CHEM SOC	V120	P1959	117
KANE BE	1998	NATURE	V393	P133	108
EBBESEN TW	1998	NATURE	V391	P667	106
ODOM TW	1998	NATURE	V391	P62	104
YANG PD	1998	NATURE	V396	P152	104
FRANK S	1998	SCIENCE	V280	P1744	103
OHNO H	1998	SCIENCE	V281	P951	102
HU JT	1999	ACCOUNTS CHEM RES	V32	P435	240
FAN SS	1999	SCIENCE	V283	P512	167
CHEN J	1999	SCIENCE	V286	P1550	142
AJAYAN PM	1999	CHEM REV	V99	P1787	135
PINER RD	1999	SCIENCE	V283	P661	135
LEBARON PC	1999	APPL CLAY SCI	V15	P11	130
YAO Z	1999	NATURE	V402	P273	123
RYOO R	1999	J PHYS CHEM B	V103	P7743	122
FRIEND RH	1999	NATURE	V397	P121	119
BIMBERG D	1999	QUANTUM DOT HETEROST			114
KATAURA H	1999	SYNTHETIC MET	V103	P2555	113
LIU C	1999	SCIENCE	V286	P1127	107
YING JY	1999	ANGEW CHEM INT EDIT	V38	P56	103
FARRUGIA LJ	1999	J APPL CRYSTALLOGR	V32	P837	100
SUN SH	2000	SCIENCE	V287	P1989	337
ALEXANDRE M	2000	MAT SCI ENG R	V28	P1	258
KONG J	2000	SCIENCE	V287	P622	251
PENG XG	2000	NATURE	V404	P59	203
TEMPLETON AC	2000	ACCOUNTS CHEM RES	V33	P27	148
MURRAY CB	2000	ANNU REV MATER SCI	V30	P545	145
DIETL T	2000	SCIENCE	V287	P1019	143
JOACHIM C	2000	NATURE	V408	P541	141
TATON TA	2000	SCIENCE	V289	P1757	125
FERRARI AC	2000	PHYS REV B	V61	P14095	120

COLLINS PG	2000	SCIENCE	V287	P1801	118
THURNALBRECHT T	2000	SCIENCE	V290	P2126	116
FUJISHIMA A	2000	J PHOTOCH PHOTOBIO C	V1	P1	112
DUAN XF	2000	ADV MATER	V12	P298	111
SHIPWAY AN	2000	CHEMPHYSICHEM	V1	P18	106
MANNA L	2000	J AM CHEM SOC	V122	P12700	105
PARK H	2000	NATURE	V407	P57	101
QIAN D	2000	APPL PHYS LETT	V76	P2868	101
SCHREIBER F	2000	PROG SURF SCI	V65	P151	100
HUANG MH	2001	SCIENCE	V292	P1897	453
PAN ZW	2001	SCIENCE	V291	P1947	388
WOLF SA	2001	SCIENCE	V294	P1488	249
WILK GD	2001	J APPL PHYS	V89	P5243	218
CUI Y	2001	SCIENCE	V293	P1289	193
DUAN XF	2001	NATURE	V409	P66	190
HUANG MH	2001	ADV MATER	V13	P113	162
PUNTES VF	2001	SCIENCE	V291	P2115	162
BACHTOLD A	2001	SCIENCE	V294	P1317	157
CUI Y	2001	SCIENCE	V291	P851	153
JIN RC	2001	SCIENCE	V294	P1901	149
DRESSELHAUS MS	2001	CARBON NANOTUBES SYN			149
CARUSO F	2001	ADV MATER	V13	P11	142
NIEMEYER CM	2001	ANGEW CHEM INT EDIT	V40	P4128	139
GRATZEL M	2001	NATURE	V414	P338	130
HUANG Y	2001	SCIENCE	V294	P1313	127
THOSTENSON ET	2001	COMPOS SCI TECHNOL	V61	P1899	119
CHEN RJ	2001	J AM CHEM SOC	V123	P3838	112
MATYJASZEWSKI K	2001	CHEM REV	V101	P2921	111
VURGAFTMAN I	2001	J APPL PHYS 1	V89	P5815	109
ELSAIED MA	2001	ACCOUNTS CHEM RES	V34	P257	107
HAN MY	2001	NAT BIOTECHNOL	V19	P631	106
SURYANARAYANA C	2001	PROG MATER SCI	V46	P1	102
BAUGHMAN RH	2002	SCIENCE	V297	P787	292
CONNELL MJ	2002	SCIENCE	V297	P593	174
SUN YG	2002	SCIENCE	V298	P2176	171
HUYNH WU	2002	SCIENCE	V295	P2425	170
BACHILO SM	2002	SCIENCE	V298	P2361	141
DUBERTRET B	2002	SCIENCE	V298	P1759	133
GUDIKSEN MS	2002	NATURE	V415	P617	129
PARK J	2002	NATURE	V417	P722	127
WHITESIDES GM	2002	SCIENCE	V295	P2418	109
AWSCHALOM DD	2002	SEMICONDUCTOR SPINTR			108
HIRSCH A	2002	ANGEW CHEM INT EDIT	V41	P1853	107
DAVIS ME	2002	NATURE	V417	P813	101
PATZKE GR	2002	ANGEW CHEM INT EDIT	V41	P2446	101
XIA YN	2003	ADV MATER	V15	P353	430
RAY SS	2003	PROG POLYM SCI	V28	P1539	138
KELLY KL	2003	J PHYS CHEM B	V107	P668	130
JAVEY A	2003	NATURE	V424	P654	129
DUAN XF	2003	NATURE	V421	P241	114

NITZAN A	2003	SCIENCE	V300	P1384	111
BARNES WL	2003	NATURE	V424	P824	104
DIEBOLD U	2003	SURF SCI REP	V48	P53	100
VAYSSIERES L	2003	ADV MATER	V15	P464	100
DANIEL MC	2004	CHEM REV	V104	P293	235
ZUTIC I	2004	REV MOD PHYS	V76	P323	132
KONG XY	2004	SCIENCE	V303	P1348	84
KITAGAWA S	2004	ANGEW CHEM INT EDIT	V43	P2334	79
MICHALET X	2005	SCIENCE	V307	P538	53
LOVE JC	2005	CHEM REV	V105	P1103	37

These results were examined by the authors of the present document. They judged that all papers in the table were relevant for a Background section, or review paper. Due to space considerations, not all papers listed will be included in the historical narrative shown in the Seminal Nanotechnology Documents section.

There are a number of technical attributes (e.g., technical themes, relation to 2005 nanotechnology documents, level of development, etc) and infrastructure attributes (e.g., author institution, author country, journal, language) that can be assigned to each document above. Temporal trends in these attributes can be tracked, and their evolution evaluated. Such a detailed evaluation was beyond of the scope of the present study. However, one sub-set was examined for demonstration purposes.

Below, in Table A1-3, journals with a significant amount of seminal papers are given. Their outputs are listed for the years 1980 to 2005, which are broken up into five year periods (six years for the most recent one because fewer seminal documents appeared for those years).

TABLE A1-3 – JOURNAL BREAKDOWN FOR CAB

Journal	1980-1984	1985-1989	1990-1994	1995-1999	2000-2005	Total # of Seminal Papers
PHYS REV LETT	1	4	2	3	0	10
J AM CHEM SOC	0	2	3	3	2	13
PHYS REV B	1	1	5	1	1	13
APPL PHYS LETT	1	1	2	2	1	8
J PHYS CHEM*	1	1	0	4	1	8
CHEM REV	0	1	0	6	3	10
NATURE	0	1	7	16	11	37
SCIENCE	0	0	1	30	25	56

* includes Seminal papers published in the *Journal of Physical Chemistry B*, which existed from 1997 onwards

Overall, the seminal document list is dominated by *Science* and *Nature*, but Table A1-3 shows that this supremacy in the noteworthy nanotechnology publications is fairly recent. The two journals have accounted for more than their share of quality papers since 1995, outpacing the other high-ranking journals by more than a factor of two. However, only *Nature* had many seminal documents published in the early 1990s, its seven seminal papers from 1990-1994 being slightly ahead of *Physical Review B* (5) and the *Journal of the American Chemical Society* (3). *Physical Review Letters* was the preeminent journal for 1985-1989, having twice as many seminal papers as the next-leading journal (*Journal of the American Chemical Society*, 2). In percentage terms, this almost matches *Science* and *Nature*'s output in recent years, but when nanotechnology was just emerging (1980-1984) no one journal dominated the publication of quality articles in the field.

Finally, from examination of the early years of Table A1-2, an interesting picture emerges. From 1805 until the mid-1930s, the journals containing the seminal documents appear to be either British or German. American journals containing seminal documents start to appear in the mid-1930s, although it is not clear how many of the authors are American. By the mid-1950s, the majority of the journals appear to be American.

SEMINAL NANOTECHNOLOGY DOCUMENTS

The intellectual heritage of a discipline can be represented by identifying, and relating, the significant documents, people, and events that have had major influences on the development of the discipline. Some influences can be quantified; others are evaluated more subjectively. One of the metrics used as a proxy for influence is the number (and quality) of citations to particular documents and/or events. The technique of Citation-Assisted Background is a useful way to trace the historical development in a discipline. With use of CAB, the previous section identified the key historical documents that served as the building blocks for present-day nanotechnology. These documents are the references extracted from the records retrieved from the SCI/ SSCI database with the full query (Appendix 2), using a systematic rigorous approach to identify references that have had significant influence on the development of nanotechnology.

Most of the references used for this section were identified as highly-cited from the ~65000 documents in the retrieved dataset only. For perspective, there were ~900,000 references accessed by the ~65000 SCI retrievals in 2005. The references described in the present section therefore represent the broader nanotechnology community's views on seminal papers, and go beyond the experiences or biases of any one person or small group. Due to space constraints, only about 284 of the most cited documents dating back to 1805 were analyzed and included in this Seminal Nanotechnology Documents section. Some of these papers, even though referenced in the nanotechnology literature, did not deal directly with nanotechnology. Still, they were part of the intellectual heritage that led to the development of nanotechnology as we know it today.

In the following section, another 401 Abstracts of the most cited nanotechnology papers published from 1991-2003 were retrieved and analyzed. These records, while partially overlapping with the 284 references described in the present section, had two significant differences. They were all nanotechnology documents, and they included citations by documents other than the ~65000 downloaded for 2005 and used in the CAB analysis. Many of these papers were deemed to have significant impact on the development of nanotechnology. In future literature surveys for Background, or for stand-alone reviews, the authors strongly recommend

that a systematic approach to defining seminal papers be used, such as the method presented here.

Now the seminal nanotechnology documents will be described. As stated in the Concept Description section, nanotechnology has two components: 1) development and use of techniques to study physical phenomena, and 2) construction of structures in the nanoscale size range or smaller. The first component has been ongoing for many decades, while the second component has come to the forefront within the last two decades. The following intellectual heritage reflects this division in time. The first section traces the nanoscience heritage of nanotechnology from the early 20th century to the middle 1980s. At the latter time, instruments were becoming experimentally available that allowed scanning and probing at the nanoscale level. These instruments offered the promise of being able to manipulate/measure these small structures, and were not limited to observing at the macroscopic level as ensemble averages, as had been done previously. Since about 1985, these advanced instruments were becoming commercially available, and this time period can be viewed as the transition to modern nanotechnology. The second section in the heritage traces the modern development of what can now be termed nanotechnology.

Early Nanoscience Development – pre 1985

The ability to conduct research and development in present-day nanotechnology required the advancement of many technical disciplines. Much of the earlier contributions were due to investigations in the electrical and optical properties of materials. That is the way of science, each new investigation builds on previous knowledge. For example, interpretation of the Scanning Tunneling Microscope (STM) scans requires knowledge of the electronic structure of the material being scanned, and required a century of electromagnetic research to arrive at the present level of understanding.

The earliest paper referenced in the nanotechnology literature was a paper in the Philosophical Transactions of the Royal Society of London (Young, 1805). Some of the intellectual giants of the day were also referenced (Faraday, 1857; Hertz, 1881; Einstein, 1905; Darwin, 1930). The first section describes some of this historical advancement, under the caveats about generational citation mentioned above. For ease of comprehension,

the historical papers are categorized into solid state electronic structure, Chemistry/ biochemistry, optics/ spectroscopy, surfaces/ films/ layers, instrumentation and materials. These six categories were generated by visual inspection of the historical records.

Solid State Electronic Structure/Properties

Determination of electronic structure in materials has been of long-term interest, for determining bulk and surface material properties, and later on especially for designing magnetic recording media. An early study focused on explaining the electron emission from metals using the Fowler-Nordheim model for current densities and tunneling currents, although its extension to other materials such as semiconductors is questionable (Fowler and Nordheim, 1928). Later came the effective medium approach, designed to address the inhomogeneous media in which different phases are randomly distributed in the form of grains of an arbitrary shape, size, and orientation (Bruggeman, 1935). One of the first post-WW2 advances in magnetic recording showed that the magnetization reversal of a single-domain nanoparticle can be described by the Stoner-Wohlfarth model (Stoner and Wohlfarth, 1948). This was followed shortly by the theory of thermal remnant magnetization in an ensemble of identical noninteracting single domain uniformly magnetized particles (Neel, 1949). Shortly after, papers on the electronic structures and spin-orbit coupling in solid state zinc-blende structure began to appear (Dresselhaus, G. 1955), as well as spatial variations of current and fields due to localized scatterers in metallic conduction (Landauer, 1957).

A decade later saw origination of the density functional theory (Hohenberg and Kohn, 1964; Kohn and Sham, 1965), which was effective in describing the ground state of finite many electron systems, and was later extended to excitation spectra also. The late 1960s produced the Rietveld method for profile refinement method of nuclear and magnetic structures, which employed directly the profile intensities obtained from step-scanning measurements of the neutron powder diagram (Rietveld, 1969). Another major advance in determining structure and electronic properties of nanocrystals was Raman spectra of graphite (Tuinstra and Koenig, 1970). Raman spectra from single crystals of graphite and other graphitic materials showed one single line for single graphite crystals, and another single line for the other materials. The Raman intensity of this band is inversely proportional to the crystallite size, and allows an estimate of the crystallite size in the surface layer of any carbon sample.

Mossbauer-effect measurements showed that the noncolinear spin arrangement in ultrafine ferromagnetic crystallites differs from the Néel type found in large crystallites, and led to the proposal that the ions in the surface layer are inclined at various angles to the direction of the net moment (Coe, 1971). Shortly thereafter, a molecular electronic device (rectifier), consisting of a single molecule that would demonstrate almost ideal diode characteristics in passing current preferentially in one direction, was proposed (Aviram and Ratner, 1974). Defects in epitaxial multiplayer solid state materials continued to be investigated (Matthews, 1974).

Subsequently, the Monkhorst-Pack method was used for Brillouin-Zone integrations, to analyze the electronic structure of materials (Monkhorst and Pack, 1976). At the same time, determination of effective ionic radii provided a useful capability for computing crystal structures (Shannon, 1976). Demonstration of field emission devices with high emission current density attained in metal tip arrays (Spindt et al, 1976) laid the groundwork for applications as electron emitters in flat panel displays, attracting many subsequent investigations. In that year, one of the most influential books on solid state physics was published (Ashcroft and Mermin, 1976) that remained to be a classic today.

The first important application of the quantum many-body algorithm (now known as the Quantum Diffusion Monte Carlo method, or quantum DMC) to electronic structure calculations used a stochastic method to calculate ground-state of the electronic gas (Ceperley and Alder, 1980). It was then applied to determine the properties of electron gases at intermediate densities. Shortly thereafter, a simple formula for the exchange-correlation energy per electron resulted from self-interaction correction to density-functional approximations for many-electron systems, an important quantity in electronic structure calculations (Perdew and Zunger, 1981). At the same time, a further advance in Raman diagnostics occurred through the one phonon Raman-spectrum in microcrystalline silicon, in which the spatial correlation model was developed to explain the modification of the Raman spectra of crystals by the introduction of disorder (Richter et al, 1981). In parallel, a seminal book on underlying physics and operational characteristics of all major bipolar, unipolar, special microwave, and optoelectronic devices (Sze, 1981) was published.

A norm-conserving form of model pseudo-potentials to treat the electron-ion interaction (Kleinman and Bylander, 1982) advanced ionic core description for density functional theory. An extensive review of surface-enhanced spectroscopy (Moskovits, 1985) was followed by two seminal papers on the electronic structure of semiconductors, emphasizing electron-electron and electron-hole interactions in small semiconductor crystallites, including the size dependence of the lowest excited electronic state, and electronic wave-functions in semiconductor clusters (Brus, 1984, 1986). A correlation-energy formula due to Colle and Salvetti in which the correlation density was expressed in terms of electron density and a Laplacian of the second-order density matrix was restated as a formula involving the density and local kinetic-energy density (Lee et al, 1987). The density-functional exchange-energy theory was further explored to correct for asymptotic behavior (Becke, 1988). Generalized eigenvalue formalism was used to express self-consistent pseudopotentials (Vanderbilt, 1990). In a series of papers, density-functional theory was used to explain the electronic structures by generalized gradient approximation (Perdew et al, 1992); by analytic representation of the electron-gas correlation energy (Perdew and Wang, 1992); by molecular-dynamics and conjugate gradient for ab initio total energy calculations (Payne et al, 1992); and by generalized gradient approximation to describe the local spin density in atoms, molecules, and solids (Perdew et al, 1996).

Improvement to Kohn's density functional theories with gradient corrections for exchange correlation, using a semi-empirical exchange-correlation functional containing local-spin-density, gradient, and exact-exchange terms, was demonstrated on 56 atomization energies, 42 ionization potentials, 8 proton affinities, and 10 total atomic energies of first- and second-row systems, and performed significantly better than previous functionals with gradient corrections only (Becke, 1993). A book on electron transport in mesoscopic systems was published (Datta, 1995). A connected system of programs for performing semi-empirical, ab initio, and density functional molecular orbital (MO) calculations (Gaussian 98) became available five years later (Frisch et al, 1998). In that year, a highly cited review paper on giant magneto resistance was published as an approach to electronics based on the up or down spin of the carriers rather than on the charge of electrons in semiconductor electronics (Prinz, 1998).

Chemistry/Biochemistry

Nanotechnology was built on the knowledge base in many disciplines, none more important than chemistry and biochemistry. A theory of van der Waal adsorption of gases was developed (Brunauer et al, 1940) and more than two decades later an article was published on the van der Waal forces in particles of varying sizes and diameter (Bondi, 1964). Wettability of porous surfaces was reported (Cassie and Baxter, 1944). In biochemistry, protein measurements were made with the folin phenol reagent (Lowry et al, 1951), and similarly two decades later cleavage of structural proteins was studied during assembly of head of bacteriophage-T4 (Laemmli, 1970). Several years later, a rapid and sensitive method was developed for the quantitation of small quantity of protein using the principles of protein-dye binding (Bradford, 1976). The classic book on the chemistry of silica was published a few years later (Iler, 1979) and the classic book on electrochemistry was published (Bard and Faulkner, 1980). Seven years later, optical ellipsometry, infrared spectroscopy, and electrochemistry were used to characterize normal-alkyl thiol monolayers assembled on gold surface (Porter et al, 1987).

Optics/Spectroscopy

Optical properties of thin films and other nanostructures are important for diagnostic purposes, for luminescent probe applications, and for photonic band gap materials. An effective dielectric constant was proposed for a medium consisting of a dispersion of conducting particles much smaller than the wavelength of light to predict the colors that would be observed (Maxwell Garnett, 1904). Perhaps the initial breakthrough relating the optical extinction of light by an isolated spherical particle to size and frequency was the classical electrodynamics analysis of the extinction cross-section (Mie, 1908). Much later came publications of optical absorption intensities of rare-earth ions (Judd, 1962) and intensities of crystal spectra of rare earth ions, the latter including an expression for the oscillator strength of a transition between different levels (Ofelt, 1962).

Lithographic fabrication of materials with visible stop bands is quite challenging. One class of materials that offers a unique solution to this problem is colloidal crystals, where one relies on the tendency of submicron dielectric spheres to spontaneously self-assemble into ordered arrays. Demonstrated controlled growth of monodisperse silica spheres in micron size range (Stober et al, 1968) allowed the change in optical transmission spectrum to be determined as a function of the thickness of the colloidal crystal. Later, optical constants (including dielectric constants) of noble

metals were published (Johnson and Christy, 1972), along with optical properties of solids, the latter emphasizing intrinsic optical properties and photoelectric emission (Wooten, 1972) and x-ray photoemission spectrum of valence bands of gold (Shirley, 1972).

Another optics-based application of potential interest to nanotechnology is photolytic-based catalysis. A critical demonstration of electrochemical photolysis of water at a TiO_2 semiconductor electrode (Fujishima and Honda, 1972) consisted of an n-type semiconducting TiO_2 (rutile) electrode exposed to sunlight and connected to a platinum electrode, leading to hydronium-ion and gaseous oxygen formation at the negative electrode. By the late 1970s, several books were published, one on x-ray diffraction (Cullity, 1978), and one on x-ray photoelectron spectroscopy (Wagner et al, 1979). By the mid 1980s, several books on absorption and scattering by nanoparticles were published, one on Absorption and Scattering of Light by Small Particles (Bohren and Huffman, 1983), one on Handbook of Optical Constants of Solids (Palik and Addamiano, 1985), and one on the Stopping and Range of Ions in Solids (Ziegler et al, 1985). Nanostructures have played important roles in improving the lasing characteristics of semiconductor lasers. For example, three-dimensional quantum confinement of electrons with quantum dots was proposed, along with the application of quantum dots to semiconductor lasers, and it predicted significant improvement of temperature sensitivity to the threshold current (Arakawa and Sakaki, 1982).

By then, interest began to focus on photon-electron interactions and on the use of photons for information processing. A paper on the strong localization of photons in certain disordered dielectric superlattices was published (John, 1987), and a paper on the electronic analog of the electrooptic modulator (Datta and Das, 1990). At this time, the book on surface plasmons on smooth and rough surfaces and on gratings was published (Raether, 1988); a handbook of x-ray photoelectron spectroscopy (Moulder et al, 1991); and a book on photonic crystals a few years later (Joannopoulos et al, 1995). At the same time, functionalized C-60 fullerenes were used to improve the carrier collection efficiency in polymer photovoltaic cells (Yu et al, 1995), and the mechanism for the green photoluminescence in ZnO phosphor powder was explained (Vanheusden et al, 1996).

Surfaces, Films and Layers

Measuring the properties of thin films has been a major component of nanotechnology research since its inception, but with far greater scientific insight post 1960. One of the early studies measured the tension of metallic thin films deposited by electrolysis (Stoney, 1909). Three decades later, it was shown that the surface area of a (ceramic) powder can be calculated from the N_2 -isotherm (Brunnauer et al, 1938). By the analysis of the adsorption curves, the volume is determined, which corresponds to the quantity of nitrogen necessary for a monomolecular layer. From this value, the specific surface of the sample can be determined. This paper is seminal for introducing methods to determine the presence of an adsorbed molecular monolayer.

A significant feature of nanomaterials is the presence of a high surface to volume ratio (S/V), as noted previously. Study of pure materials for significant times under the high S/V conditions becomes problematical, even under relatively high vacuum conditions. The entrance of even small amounts of air into the vacuum chamber results in almost instant oxidation of the material at the surface. To circumvent this oxidation problem, researchers have used the noble metals extensively, starting with examination of the nucleation and growth processes in the synthesis of colloidal gold (Turkevich et al, 1951).

A thin layer on a substrate will produce oscillations in the reflectivity related to the layer's thickness, and the distance between adjacent fringes gives an indication of layer thickness. An interference pattern is created when more than one layer is present. A major step forward occurred with publication of the Parratt formula for giving the reflectivity relation between the layers, using recursive solution (Parratt, 1954). Measuring the film mass is also critical for thin film analyses, and a variety of methods can be used. One unique approach showed that the frequency shift of a quartz crystal resonator is directly proportional to the added mass (Sauerbrey, 1959), and was the first step in the use of the quartz crystal microbalance to measure very small quantities of surface films. Surface energy and contact of elastic solids was reported (Johnson et al, 1971), as well as defects and dislocations in epitaxial multilayers (Matthews and Blakeslee, 1974). More than a decade later, a book on Adsorption, Surface Area, and Porosity was published (Gregg and Sing, 1982). Further advances on physical adsorption isotherms came through generalization of the Langmuir isotherm, which model assumes monolayer adsorption on a homogeneous surface, in order to extend the description for multilayer adsorption (Sing et al, 1985).

Instrumentation

Probably the single most important instrument for scientific research was the development of the digital computer. Fast computers allowed for the modeling and simulation of large number of molecules. Equation of states calculation by a fast computer was performed (Metropolis et al, 1953). The transition from nanoscience to nanotechnology took a major step forward in the early 1980s, with the invention of the first scanning tunneling microscope (STM) in 1981 (Binnig et al, 1982), followed by the invention of the atomic force microscope (AFM) in 1986. Both probes provide information about the outermost surface, give very accurate height measurements, and are very good for planar surfaces. In the STM, the tunneling currents measured vary exponentially with the tip-surface distance, and in the AFM, the force variations between a cantilevered tip and the surface are influenced by surface height variations. Interestingly, the only one of Binnig's papers to receive significant citations in the present database is the 1986 paper on AFM (Binnig et al, 1986). By the mid 1980s, much higher performance supercomputers had been developed, and the first book on Computer Simulation of Liquids was published (Allen and Tildesley, 1987).

Materials

The value of nanoscale materials is becoming more appreciated with the passage of time. A series of papers on the kinetics of phase transformation driven by nucleation and growth kinetics, containing the Avrami equation, related the transformed fraction to the extended fraction (Avrami, 1939, 1940, 1941). Another important nanotechnology materials area is the wettability of porous surfaces (Cassie, 1944) and the understanding of porosity at the nanoscale level, for eventual filtering and separation applications. A major advance occurred with the development of the BJH model for determination of pore volume and area distributions in porous substances, using computations from nitrogen isotherms (Barrett et al, 1951). Interest was developing to treat polymers as macromolecules, and a volume on the principle of polymer chemistry and quantitative characterization of macromolecules was published as part of the Baker lecture series at Cornell University (Flory, 1953). Cleavage strength of polycrystals was also reported (Petch, 1953).

One of the earliest post-war major advances was the use and appropriate interpretation of x-ray diffractometry to examine microstructures.

Diffraction pattern line broadening can be caused by both small grain size and/ or internal strain, and separation of the two effects by a quantitative analysis was shown using a plot according to the Williamson-Hall method (Williamson and Hall, 1953). This was followed by the first and second editions of a classic book on x-ray diffraction procedures for polycrystalline and amorphous materials (Klug and Alexander, 1954, 1974), and further followed by a methodology that allowed phase transition activation energies to be estimated from the temperature of maximum reaction rate and heating rate (Kissinger, 1957). Subsequently came a Vapor-Liquid-Solid mechanism to describe the growth of whiskers without dislocations, in which a drop of liquid at the tip of a whisker controls growth (Wagner and Ellis, 1964). Atoms from the vapor preferentially condense into, or are transported along, the crystal surface to the liquid droplet and then crystallize into the growing whisker tip. A decade later, controlled nucleation for the regulation of particle size was reported (Grens, 1973), and the size effect on the melting temperature of gold particles was published (Buffat, 1976).

More than a decade later, nanocrystalline materials began to receive attention (Gleiter, 1989). One of the most successful and highly cited set of tools consisting of nine computer programs for crystallographic analysis was developed (Sheldrick, 1990). Originally the programs were developed in the late 1960s, and then evolved into SHELX-76, SHELX-86, SHELX-90, SHELX-93, and finally into SHELX-97.

The book on intermolecular and surface forces was published (Israelachvili, 1991). Synthesis of mesoporous inorganic solids was reported (Kresge et al, 1992), as well as photocatalysis on TiO₂ surfaces (Hoffmann et al, 1995; Linsebigler et al, 1995). At the same time, several papers on plane wave calculations were published, including the use of pseudopotentials for copper, zinc blende, diamond, alpha quartz, rutile, and cerium (Troullier and Martins, 1991); efficient scheme for calculating the Kohn-Sham ground state of metallic systems (Kresse and Furmüller, 1996); and ab initio energy calculations for metals and semiconductors (1996).

Modern Nanotechnology Development – Post 1985

Based simply on the publication counts identified by the keyword search used in this paper, modern nanotechnology development has proceeded

along two major technology thrusts: nanotubes and the other nanotechnologies. This reflects the keen interest in the remarkable properties of carbon nanotubes that has led to many publications. Nanotubes can be bifurcated further into development, mainly growth and deposition issues, and into applications, mainly for field emission and functionalization as sensors. The other nanotechnologies split into many different focal areas, including surface quantum dot layers, lasers and optical emissions from nanostructures, film and layer deposition on substrates, nanomaterial magnetics, nanostructure metallurgy, precious metal nanoparticles, and polymer-based nanocomposites. The background and evolution of these developments will now be addressed.

Nanotubes

The basis of nanotube development is the pioneering paper on C-60 – buckminsterfullerene, which identified the unique carbon atomic structures of that class of carbon materials (Kroto et al, 1985). Specific nanotube development started about six years later with a very highly cited paper on the production of helical microtubules of graphitic carbon using an arc-discharge evaporation method (Iijima, 1991). It was shortly followed by synthesis of graphitic nanotubes in gram quantities, using a variant of the standard arc-discharge technique for fullerene synthesis under a helium atmosphere (Ebbesen and Ajayan, 1992); electronic-structure of chiral graphene tubules (Saito et al, 1992); calculation of the electronic structure of a fullerene tubule using a first-principles, self-consistent, all-electron Gaussian-orbital based local-density-functional approach (Mintmire et al, 1992); and electronic transport variation predictions for carbon microtubules (Hamada et al, 1992). In the same year, a general mechanism was proposed in which the graphitic sheets bend in an attempt to eliminate the high energetic dangling bonds at the edge of the growing structure (Ugarte, 1992). With intense electron beam irradiation, there was gradual reorganization of the tubular graphitic structures into quasi-spherical particles composed of concentric graphitic shells, suggesting that planar graphite may not be the most stable allotrope of carbon in systems of limited size. Although theoretical studies predicted that the electronic properties depended on the diameter of the carbon nanotubes and their chirality, experiments were hampered by the lack of large quantity of the material. A variant of the arc-discharge technique under helium atmosphere was developed for the synthesis of gram quantity of graphitic nanotubes (Ebbesen, et al, 1992).

The next year saw the emergence of single shell carbon nanotubes of 1-nm diameter (Iijima and Ichihashi, 1993), and cobalt-catalyzed growth of carbon nanotubes with single-atomic-layer walls (Bethune et al, 1993). Another class of organic nanotubes were designed, synthesized, and characterized based on rationally designed cyclic polypeptides (Ghadiri et al, 1993). When protonated, these compounds crystallize into tubular structures hundreds of nanometers long with internal diameters of 7-8 angstroms. Several papers were focused on the opening and filling of the carbon nanotubes and then capping them. The caps of the carbon nanotubes were edged away by high temperature oxidation, and the hollow carbon nanotubes were filled with inorganic material (Ajayan et al, 1993), and computer simulation showed that it was possible to fill the carbon nanotube by capillary suction (Ajayan and Iijima, 1993). Similarly a chemical method of opening and filling the carbon nanotubes with a variety of metal oxides was demonstrated (Tsang et al, 1994). Then, synthesis of pure boron nitride nanotubes (Chopra et al, 1995), large-scale synthesis of aligned carbon nanotubes (Li et al, 1996), production of single-wall nanotubes by condensation of a laser-vaporized carbon-nickel-cobalt mixture and their self-assembly into ropes (Thess et al, 1996), and a comprehensive book on the science of fullerenes and carbon nanotubes (Dresselhaus et al, 1996) followed shortly thereafter.

Efforts began to electrically and mechanically characterize the carbon nanotubes. In theory, whether the carbon nanotube is metallic or semiconducting depends on the diameter and the helicity. But the experiments faced enormous technical challenge in making the measurements on individual nanotubes. In four-probe measurements of single nanotubes, both metallic and non-metallic behaviors were observed, as well as abrupt jumps in conductivity as the temperature is varied (Ebbesen et al, 1996). The results suggested that differences in geometry of the nanotube played a profound part in determining the electronic behavior. Carbon nanotubes, because of their seamless cylindrical graphitic structure, have been predicted to have high stiffness and axial strength. The Young's moduli of carbon nanotubes were found to be exceptionally high, in the tera pascal range (Treacy et al, 1996). Carbon nanotubes were found to reversibly switch into different morphological patterns when subject to large deformations (Yakobson et al, 1996). Each shape change corresponded to an abrupt release of energy and a singularity in the stress-strain curve. Scanning Tunneling Microscope was used to explore the electrical characteristics of single walled carbon nanotubes (Collins et al, 1997). As

the STM tip moved along the length of the nanotube, well-defined positions were found where the transport current changed abruptly from a graphitic-like response to one that is highly nonlinear and asymmetrical, like that of rectification. Similarly Atomic Force Microscopy was used to determine the mechanical properties of multi-walled carbon nanotubes and silicon carbide nanorods (Wong, 1997). It was found that multi-walled carbon nanotubes were twice as stiff as the silicon carbide nanorods. Electrical properties of individual bundles of single walled carbon nanotubes were also measured (Bockrath et al, 1997).

Development toward more useful material quantities included: large-scale production of single-walled carbon nanotubes by the electric-arc technique (Journet et al, 1997); controlled production of aligned nanotube bundles (Terrones et al, 1997); synthesis of individual single-walled carbon nanotubes on patterned silicon wafers (Kong et al, 1998); synthesis of large arrays of well-aligned carbon nanotubes on glass (Ren et al, 1998); conversion of single-wall fullerene nanotubes from nearly endless, highly tangled ropes into short, open-ended pipes that behave as individual macromolecules (Liu et al, 1998); a readily scalable purification process capable of handling single-wall carbon nanotube (SWNT) material in large batches, including progress in scaling up SWNT production by the dual pulsed laser vaporization process, thereby enabling the production of gram per day quantities of highly pure SWNT (Rinzler et al, 1998); encapsulated C-60 in carbon nanotubes (Smith et al, 1998), on atomic structure and electronic properties of single-walled carbon nanotubes (Odom et al, 1998); solution properties of single-walled carbon nanotubes (Chen et al, 1998); electronic structure of atomically resolved carbon nanotubes (Wildoer et al, 1998); paralleled by a book on physical properties of carbon nanotubes (Saito et al, 1998).

The following year saw publication of optical properties of single-wall carbon nanotubes (Kataura et al, 1999), synthesis of nanowires and nanotubes (Hu et al, 1999), and gas-phase catalytic growth of single-walled carbon nanotubes from carbon monoxide (Nikolaev et al, 1999). More recently, catalytic growth of zinc oxide nanowires by vapor transport (Huang et al, 2001) was followed by room temperature UV nanowire nanolasers (Huang et al, 2001).

Synthesis of carbon nanotubes by chemical vapor deposition over patterned catalyst arrays led to the growth of nanotubes from specific sites on surfaces (Dai, 2002). Experimental evidence supported the view that carbon nanotubes were a new macromolecular form of carbon with unique properties associated with molecular species (Niyogi et al, 2002). Subsequently, synthesis of semiconductor nanowire superlattices from group III-V and group IV materials was demonstrated, where the superlattices are created within the nanowires by repeated modulation of the vapour-phase semiconductor reactants during growth of the wires (Gudiksen et al, 2002). At the same time, structure-assigned optical spectra of single-walled carbon nanotubes was demonstrated, where spectrofluorimetric measurements on single-walled carbon nanotubes (SWNT) isolated in aqueous surfactant suspensions have revealed distinct electronic absorption and emission transitions for more than 30 different semiconducting nanotube species. By combining these fluorimetric results with resonance Raman data, each optical transition has been mapped to a specific nanotube structure. Fluorescence was observed directly across the band gap of semiconducting carbon nanotubes (O'Connell et al, 2002). Optical spectroscopy can thereby be used to rapidly determine the detailed composition of bulk SWNT samples, providing distributions in both tube diameter and chiral angle (Bachilo et al, 2002). Later, a comprehensive review described current research activities that concentrate on one-dimensional (1D) nanostructures-wires, rods, belts, and tubes-whose lateral dimensions fall anywhere in the range of 1 to 100 nm, emphasizing 1D nanostructures that have been synthesized in relatively copious quantities using chemical methods (Xia et al, 2003). A method was developed to separate metallic from semiconducting single-walled carbon nanotubes by the use of alternating current dielectrophoresis (Krupke et al, 2003). Single crystal GaN nanotubes were synthesized by an epitaxial casting approach with potential for nanoelectronics, optoelectronics, and biochemical sensing applications (Goldberger et al, 2003).

Nanotube Applications

Seminal applications papers start to appear in the mid-1990s, about four years after the initial nanotube announcement referenced above. A carbon nanotube field emission electron source (Deheer et al, 1995) and an enhancement of field emission of electrons from individually mounted carbon nanotubes when the nanotube tips are opened by laser evaporation or oxidative etching (Rinzler et al, 1995) were described, followed by

observations of exceptionally high Young's modulus for individual carbon nanotubes (Treacy et al, 1996) and use of carbon nanotubes as nanoprobe in scanning probe microscopy (Dai et al, 1996). The following year saw hydrogen storage in single-walled nanotubes (Dillon et al, 1997), electrical transport measurements on individual single-wall nanotubes that demonstrate genuine quantum wire behavior (Tans et al, 1997), and synthesis of gallium nitride nanorods through a carbon nanotube-confined reaction (Han et al, 1997). Potential of single-walled carbon nanotubes for storage of hydrogen was reported (Dillon et al, 1997; Liu et al, 1999). The use of carbon nanotubule membranes for electrochemical energy storage and production in lithium-ion batteries and in fuel-cells was proposed (Che et al, 1998).

Applications in 1998 included a three-terminal switching field-effect transistor consisting of one semiconducting single-wall carbon nanotube connected to two metal electrodes (Tans et al, 1998), single- and multi-wall carbon nanotube field-effect transistors (Martel et al, 1998), and carbon nanotube quantum resistors (Frank et al, 1998). Covalently functionalized nanotubes were used as probe tips in chemistry and biology (Wong et al, 1998). The modified nanotubes were used as AFM tips to titrate acid and base groups, to image patterned samples based on molecular interactions, and to measure the binding force between single protein-ligand pairs. Further applications included carbon nanotubes as molecular quantum wires (Dekker, 1999), carbon nanotube intramolecular junctions (Yao et al, 1999), a fully sealed, high-brightness carbon-nanotube field-emission display (Choi et al, 1999), and Luttinger-liquid behaviour in carbon nanotubes based on a better approximation to one-dimensional electron transport in conductors (Bockrath et al, 1999). Sheets of single-walled carbon nanotubes as actuators in artificial muscle applications were shown to generate higher stresses than natural muscle and higher strain than high modulus ferroelectrics (Baughman et al, 1999). Self-oriented regular arrays of carbon nanotubes were synthesized by chemical vapor deposition on patterned porous silicon and plain silicon for use as field emission arrays (Fan et al, 1999).

Demonstrations in 2000 included extreme oxygen sensitivity of electronic properties of carbon nanotubes (Collins et al, 2000) and single-wall carbon nanotubes as chemical sensors (Kong et al, 2000). Subsequent seminal applications included: logic circuits with field-effect transistors based on

single carbon nanotubes (Bachtold et al, 2001; Derycke et al, 2001); indium phosphide nanowires as building blocks for nanoscale electronic and optoelectronic devices (Duan and lieber, 2001); logic gates and computation from assembled nanowire building blocks (Huang et al, 2001); use of nanowires as building blocks to assemble semiconductor nanodevices (Cui and Lieber, 2001); boron-doped silicon nanowire nanosensors for highly sensitive and selective detection of biological and chemical species (Cui et al, 2001); and noncovalent sidewall functionalization of single-walled carbon nanotubes for protein immobilization for biological and chemical sensing applications (Chen et al, 2001), in parallel with a survey of carbon nanotube applications (Baughman et al, 2002). Ballistic carbon nanotube field effect transistor was demonstrated by palladium contacts to eliminate the barriers for electron transport through the valence band (Javey et al, 2003).

Quantum Dots

While the concept of quantum dots was advanced by Arakawa in 1982, as discussed in the historical section, the earliest quantum dots were fabricated successfully in 1986 by an indirect method, the post-growth lateral patterning of the 2D quantum wells (Reed et al, 1986). A linear response theory was developed for resonant tunneling through a quantum dot of small capacitance (Beenakker, 1991). The theory extended the classical theory of coulomb blockade oscillations to the resonant tunneling regime. Islands of quantum-size dot structures were grown on strained InGaAs on GaAs substrate, and demonstrated photoluminescence at approximately 1.2 eV (Leonard et al, 1993). Quantum levels in InGaAs quantum dots were examined by infrared transmission spectroscopy (Drexler et al, 1994). Photoluminescence was further shown on InAs quantum dots grown by molecular beam epitaxy on GaAs (Marzin et al, 1994). Synthesis of semiconductor nanocrystallites based on pyrolysis of organometallic reagents by injection into a hot coordinating solvent (Murray et al, 1993) followed about a half-decade later. In turn, it was followed by vertically self-organized InAs quantum box islands on GaAs(100), demonstrating that the driving force for such vertically self-organized growth is the interacting strain fields induced by the islands that give rise to a preferred direction for Self organization of CdSe nanocrystallites into 3-D semiconductor quantum dot superlattices was demonstrated (Murray et al, 1995.) In migration (Xie et al, 1995), and InAs/GaAs pyramidal quantum dots, emphasizing strain

distribution, optical phonons, and electronic-structure (Grundmann et al, 1995).

The next year saw the growth of quantum dot superlattices in multilayer array of coherently strained islands in electronic devices (Tersoff et al, 1996). In the same year, research was focused on properties of semiconductor fragments consisting of hundreds to thousands of atoms with bulk bonding geometry (Alivisatos, 1996), size-dependent properties and physical chemistry of semiconductor nanocrystals (Alivisatos, 1996), as well as shell filling and spin effects in a few electron quantum dot (Tarucha et al, 1996). It was followed by: quantum dot bioconjugates for ultrasensitive nonisotopic detection (Chan and Nie, 1998); a universal set of one- and two-quantum-bit gates for quantum computation using the spin states of coupled single-electron quantum dots (Loss and DiVincenzo, 1998); Kondo effect in a single-electron transistor (Goldhaber-Gordon et al, 1998); a tunable Kondo effect in quantum dots, where a dot can be switched from a Kondo system to a non-Kondo system as the number of electrons on the dot is changed from odd to even, and the Kondo temperature can be tuned by means of a gate voltage as a single-particle energy state nears the Fermi energy (Cronenwett et al, 1998); and semiconductor nanocrystals as fluorescent biological labels (Bruchez et al, 1998). The role of oxygen in the electronic states and photoluminescence in porous silicon quantum dots was reported (Wolkin, 1999). It was shown that depending on the size, the photoluminescence can be tuned from the near infrared to ultraviolet.

In 1999, a seminal book on the principles and phenomena of quantum dot heterostructures (Bimberg, 1999) was published, followed by demonstration that control of the growth kinetics of the II-VI semiconductor cadmium selenide can be used to vary the shapes of the resulting particles from a nearly spherical morphology to a rod-like one (Peng et al, 2000), and then by triggered single photons from a quantum dot (Santori et al, 2001). A later demonstration showed in vivo imaging of quantum dots encapsulated in phospholipid micelles. Specifically, when conjugated to DNA, the nanocrystal-micelles acted as in vitro fluorescent probes to hybridize to specific complementary sequences (Dubertret et al, 2002). Still later, immunofluorescent labeling of cancer marker Her2 and other cellular targets with semiconductor quantum dots (QD) was demonstrated, indicating that QD-based probes can be very effective in cellular imaging and offer substantial advantages over organic dyes in multiplex target detection (Wu et al, 2003). Water soluble cadmium selenide-zinc sulfide quantum dots

were used as fluorescent labels for multiphoton microscopy to enable multicolor imaging in biological tissues (Larson et al, 2003).

In a comprehensive paper, the electronic structure of quantum dots was extensively reviewed (Reimann et al, 2002). The electronic structure was analyzed in terms of simple single particle models, density-functional theory, and exact diagonalization methods. The spontaneous magnetization due to Hund's rule, spin-density wave states, and electron localization were described. Another paper reviewed the electron transport on two lateral quantum dots coupled in series (van der Wiel et al, 2003). Charge stability diagram was given in terms of the electrochemical potentials of both dots.

A review of current approaches to the synthesis, solubilization, and functionalization of qdots and their applications to cell and animal biology emphasized recent examples of their experimental use, including the observation of diffusion of individual glycine receptors in living neurons and the identification of lymph nodes in live animals by near-infrared emission during surgery. The new generations of qdots have far-reaching potential for the study of intracellular processes at the single-molecule level, high-resolution cellular imaging, long-term in vivo observation of cell trafficking, tumor targeting, and diagnostics (Michalet et al, 2005).

Optics/Spectroscopy

Significant papers on the emission, transmission, reflection, and absorption in the optical spectrum for the purposes of diagnosis, detection, display, and communication start with organic electroluminescent diodes (Tang and Vanslyke, 1987) and inhibited spontaneous emission in solid-state physics and electronics, where strong diffraction effects can inhibit the propagation of electromagnetic waves of certain frequencies in systems that exhibit periodic dielectric properties (Yablonovitch, 1987). Light-emitting-diodes based on conjugated polymers, with electroluminescence generated from polymers where single and double bonds alternate in the main chain (Burroughs et al, 1990), were then described, followed by conversion of light to electricity by *cis*-bis(2,2'-bipyridyl-4,4'-dicarboxylate) ruthenium(II) charge-transfer sensitizers ($x = \text{Cl}^-$, Br^- , I^- , CN^- , and SCN^-) on nanocrystalline TiO_2 electrodes (Nazeeruddin et al, 1993).

Absorption spectra in the ultraviolet to visible wavelength were given for 10nm diameter colloidal particles of 52 metallic elements in the periodic

table, calculated from the optical constants of the metals by means of Mie theory (Creighton et al, 1991). A few years later, optical properties of manganese-doped nanocrystals of ZnS semiconductor were reported (Bhargava et al, 1994). Light-emitting-diodes made from cadmium selenide nanocrystals and a semiconducting polymer were shown subsequently (Colvin et al, 1994), followed by a review of interfacial electron transfer reactions in colloidal semiconductor solutions, and thin films and their application for solar light energy conversion and photocatalytic water purification (Hagfeldt and Gratzel, 1995), as well as a book on optical properties of metal clusters (Kreibig and Vollmer, 1995).

Optical detection and spectroscopy of single molecules and single nanoparticles were achieved at room temperature with the use of surface enhanced Raman scattering (Nie et al, 1997). Later came structural and luminescence properties of porous silicon (Cullis et al, 1997), followed by diameter-selective Raman scattering from vibrational modes in carbon nanotubes (Rao et al, 1997) and semiconductor nanocrystals as fluorescent biological labels (Bruchez et al, 1998). Several years later, the optical properties of metals nanoparticles were described, with a wide range of sizes, shapes, and dielectric environment (Kelly et al, 2003). Included was a description of the qualitative features of dipole and quadrupole plasmon resonances for spherical particles, a discussion of analytical and numerical methods for calculating extinction and scattering cross-sections, local fields, and other optical properties of nonspherical particles, and survey of applications to problems of interest involving triangular silver particles and related shapes.

Surfaces, Films and Layers

At the same time that positioning of single atoms with a scanning tunneling microscope (Eigler and Schweizer, 1990) was demonstrated, construction of first principles pseudopotentials with possible application to first row and transition metal systems (Vanderbilt, 1990) was an important electronic structures landmark, as was demonstration of dye-sensitized colloidal titanium dioxide thin films for efficient and cheap solar cells (Oregan and Gratzel, 1991), and a text on ultrathin organic films (Ulman, 1991). Self-assembly was emerging as a new strategy in chemical synthesis for generating nonbiological structures in the 1 to 100nm range (Whitesides et al, 1991). At the same time, atomic force microscope was used to directly

measure the force between a planar surface and an individual colloid particle (Ducker et al, 1991). The following year saw ordered mesoporous molecular sieves synthesized by a liquid crystal template mechanism (Kresge et al, 1992), as well as a new family of mesoporous molecular sieves prepared with liquid-crystal templates (Beck et al, 1992), and polyhedral and cylindrical structures of tungsten disulfide (Tenne et al, 1992). A method for confining electrons to artificial structures was demonstrated (Crommie et al, 1993). Surface state electrons on a copper (111) surface were confined to closed structures called corrals defined by barriers built from iron adatoms. The barriers were assembled by individually positioning iron adatoms with the tip of an STM at 4 degree Kelvin.

Surface plasmon spectrometry was used to monitor electrochemical changes on the surface of nanosized particles (Mulvaney, 1996). A review of the formation and structure of self-assembled monolayers covered organized molecular assemblies, penetration-controlled reactions, Langmuir-Blodgett monolayers, surface-confined monolayers, long-chain surfactants, phase probe molecules, aqueous permanganate interaction, transform infrared-spectroscopy, chemically adsorbed monolayers, and ray photoelectron-spectroscopy (Ulman, 1996), and was followed by nanoassemblies of layered polymeric composites (Decher, 1997).

A demonstration of direct-write "dip-pen" nanolithography to deliver collections of molecules in a positive printing mode, where molecules are delivered from an AFM tip to a solid substrate of interest via capillary transport (Piner et al, 1999) was a substantive advance in nanolithography, and was followed by monolayer protected cluster molecules (Templeton et al, 2000), and synthesis of semiconducting oxides by evaporation of commercial metal oxide powders at high temperatures (Pan et al, 2001). More recently, self-assembled monolayers of thiolates on metals were examined as a form of nanotechnology (Love et al, 2005).

Magnetics

While a substantial number of articles are published in nanotechnology magnetics, relatively few are cited highly, compared to some of the other sub-fields. Whether this is due to the more concentrated focus of the discipline, or the more applied nature, or some other factors, is not clear.

In 1988, a huge magnetoresistance was discovered in (001)Fe/(001)Cr superlattices prepared by molecular beam epitaxy, and ascribed this giant magnetoresistance to spin-dependent transmission of the conduction electrons between Fe layers through Cr layers (Baibich et al, 1988). Also that year, new Fe-based soft magnetic-alloys composed of ultrafine grain-structure (Yoshizawa et al, 1988) were described. Giant magnetoresistance was demonstrated with the measurement of currents perpendicular to the plane and current in the plane of Ag/Co magnetic multilayers (Pratt et al, 1991). Arrays of ferromagnetic nickel and cobalt nanowires were fabricated by electrochemical deposition of the metals into templates with nanometer size pores (Whitney et al, 1993). The preferred magnetization direction was perpendicular to the film plane. Clusters of metal ions that can change gradually from simple paramagnet to bulk magnet were investigated (Gatteschi et al, 1994). Measurements were made at low temperature on single crystal superparamagnetic manganese clusters to demonstrate the existence of quantum mechanical tunnelling of the bulk magnetization (Thomas et al, 1996).

Later, self-oriented regular arrays of carbon nanotubes and their field emission properties (Fan et al, 1999) were shown, followed by synthesis of monodisperse iron-platinum nanoparticles and ferromagnetic iron-platinum nanocrystal superlattices (Sun et al, 2000), and more recently by demonstrating a simple approach for controlling the colloidal synthesis of anisotropic cadmium selenide semiconductor nanorods can be extended to the size-controlled preparation of magnetic cobalt nanorods as well as spherically shaped nanocrystals (Puntes et al, 2001).

Materials

Synthesis of semiconductor materials were discussed to focus on the size effects on the optical and photophysical properties (Wang et al, 1991). In a review paper, various approaches to nanophase materials with stringent requirements of size, shape, and dimensionality were discussed (Ozin, 1992). An improved technique to determine hardness and elastic modulus using load and displacement sensing indentation experiments (Oliver and Pharr, 1992) was soon followed by demonstration of mechanical-properties of nylon 6-clay hybrid, emphasizing tensile, flexural, impact, and heat distortion tests (Kojima et al, 1993). Ultrafine grained metallic materials

with grain sizes as small as 20nm were investigated, and shown that the intercrystalline boundaries were the main element of the structure (Valiev et al, 1993). A few years later, nanobeam mechanics, including elasticity, strength, and toughness of nanorods and nanotubes (Wong et al, 1997) were described, and followed by the synthesis of semiconductor nanowires combining laser ablation cluster formation and vapor-liquid-solid growth (Morales and Lieber, 1998).

Nanowires, Powders, and Catalysts

A review of small-particle research, emphasizing physicochemical properties of extremely small colloidal metal and semiconductor particles (Henglein, 1989) was followed by silicon quantum wire array fabrication by electrochemical and chemical dissolution of wafers (Canham, 1990), as well as a classic book on the physics and chemistry of sol-gel processing (Brinker and Scherer, 1990).

A membrane-based synthetic approach to nanomaterials (Martin, 1994) was followed by synthesis of thiol derivatized gold nanoparticles in a two phase liquid-liquid system (Brust et al, 1994). Later, fabrication of a highly ordered metal nanohole array (platinum and gold) by a two-step replication of the honeycomb structure of anodic porous alumina (Masuda and Fukuda, 1995) was followed shortly by a DNA-based method for rationally assembling gold nanoparticles into macroscopic materials (Mirkin et al, 1996). The ability of gold to catalyze certain reactions had been called into question in older literature. Recently it was discovered that gold catalysts can affect the oxidation of carbon monoxide at or below ambient temperature. In a lengthy review paper, the potentials of gold catalysts were discussed for oxidation of hydrocarbons, for methanol synthesis by hydrogenation of carbon monoxide or dioxide, for the reduction of nitric oxide by hydrogen, propene, or carbon monoxide (Bond and Thompson, 1999). The remarkable catalytic behavior shown by gold was dependent on the ability to form very small nanoparticles. For oxidation of carbon monoxide at low temperature, catalysts comprising small (<5nm) gold particles supported preferably on an oxide of the first transition metals were needed.

A study on general synthesis of compound semiconductor nanowires provided a rational and predictable intellectual framework as well as

corresponding methodologies for the synthesis of a broad range of nanowire materials with controlled chemical compositions, physical dimensions, and electronic and optical properties (Duan et al, 2000). Room temperature ultraviolet lasing in semiconductor nanowire arrays was demonstrated (Huang et al, 2001). Self-organized <0001> oriented zinc oxide nanowires were grown on sapphire substrate with a simple vapor transport and condensation process (Huang, et al, 2001). These widebandgap semiconductor nanowires formed a natural laser cavity with diameter from 20 to 150nm and lengths up to 10 microns. Under optical excitation, surface emitting laser action was observed at 385nm, with linewidth <0.3nm. Ultralong belt-like nanostructures called nanobelts were successfully synthesized for semiconducting oxides of zinc, tin, indium, cadmium, and gallium by simply evaporating the desired commercial metal oxide powders at high temperature (Pan et al, 2001).

Two years later, a comprehensive review of state of research was published that concentrated on one-dimensional (1D) nanostructures such as nanowires, nanorods, nanobelts, nanotubess (Xia et al, 2003). Attention was focused only on 1D nanostructures that have been synthesized in large quantity. The paper presented the unique electrical and mechanical properties of different types of 1D nanostructures. In the same year, a novel approach to the fabrication of arrayed nanorods and nanowires of ZnO in thin film and coatings was demonstrated (Vayssieres et al, 2003). Electrically driven lasing from individual nanowires was demonstrated (Duan et al, 2003). Optical and electrical measurements were made on single crystal cadmium sulphide nanowires, and showed that these structures could function as Fabry-Perot optical cavities with mode spacing inversely related to the nanowire length.

A review of gold nanoparticles covered a variety of structures, properties and applications, including biology, catalysis, and nanotechnology (Daniel and Astruc, 2004). At the same time, the fundamental physics of spintronics, or spin electronics, which involves the study of active control and manipulation of spin degrees of freedom in solid-state systems, was described. Experimental work was reviewed with the emphasis on projected applications, in which external electric and magnetic fields and illumination by light could be used to control spin and charge dynamics to create new

functionalities not feasible or ineffective with conventional electronics (Zutic et al, 2004).

Polymers/ Nanocomposites

In a review paper, polymer microstructures were considered as tethered chains or macromolecular chains that reattached themselves by their ends (Halperin et al, 1992). Synthesis of nylon 6-clay hybrid (Usuki et al, 1993) showed that montmorillonite cation exchanged for 12-aminolauric acid was swollen by epsilon-caprolactam to form a new intercalated compound. Design and synthesis of polymer nanocomposites with layered silicates (Gianellis, 1996) provoked much interest, and was followed in a couple of years by triblock copolymer syntheses of mesoporous silica with periodic 50 to 300 angstrom pores (Zhao et al, 1998), and nonionic triblock and star diblock copolymer and oligomeric surfactant syntheses of highly ordered, hydrothermally stable, mesoporous silica structures (Zhao et al, 1998). The possibility of using ionically conducting polymer membranes (polymer electrolytes) for application in lithium batteries was explored (Croce et al, 1998). The nanocomposite polymer electrolyte were the common complexes of lithium salt with a high-molecular weight polymer such as polyethylene oxide. Subsequently, a lengthy review paper was published on the syntheses, properties and (future) applications of polymer-layered silicate nanocomposites (Alexandre and Dubois, 2000). The whole range of polymer matrices were covered, including thermoplastics, thermosets, and elastomers. Two types of structures were discussed, intercalated nanocomposites where the polymer chains were sandwiched between silicate layers, and exfoliated nanocomposites where the silicate layers were dispersed in the polymer matrix.

Two years later, semiconductor nanorods together with polymers were demonstrated to be excellent hybrid solar cells (Huynh et al, 2002). The photovoltaic device consisted of 7nm by 60nm CdSe nanorods and the conjugated polymer poly-3 (hexylthiophene) with quantum efficiency over 54% and monochromatic power efficiency of 6.9% at 0.1 milliwatt per square centimeter. In the same year, the use of functionalized carbon nanotubes in the fabrication of polymeric carbon nanocomposites was demonstrated (Sun et al, 2002).

1.2. Seminal Nanoscience/ Nanotechnology Documents Determined using Nanotechnology Papers with Most Citations

AUTHORS OF MOST CITED NANOSCIENCE/ NANOTECHNOLOGY PAPERS

In the previous section, the most cited first authors were obtained from their presence in the references of the 2005 retrieved records. These referenced papers may or may not have been nanoscience/ nanotechnology-focused. To identify all the authors most associated with the highly cited nanoscience/ nanotechnology-focused papers, the 401 nanoscience/ nanotechnology-related documents cited most highly (as listed in the SCI/ SSCI) from 1991 to 2003 were retrieved, and the author frequency was extracted. The papers were chosen by selecting all the articles between 1991 (the first year that Abstracts were included in SCI records) and 2001 that had 400 citations or more and the 30 most cited articles from 2002 and 2003. This method of author extraction includes all the paper authors, not limited to first author. Table A1-4 shows the results. The central authors in nanoscience/ nanotechnology are clearly evident from this result. The only name in common between Table A1-4 and the list of most cited first authors from the retrieved 2005 articles (Table 10) is Alivasatos, offering further evidence that the central authors in nanoscience/ nanotechnology tend not to be first authors when they have become established.

TABLE A1-4 – AUTHORS OF (401) MOST CITED PAPERS SINCE 1991

AUTHOR	#PAPERS	INSTITUTION	COUNTRY
Smalley, RE	15	RICE UNIV	USA
Lieber, CM	13	HARVARD UNIV	USA
Mirkin, CA	11	NORTHWESTERN UNIV	USA
Alivisatos, AP	10	UNIV CALIF BERKELEY	USA
Dai, HJ	10	STANFORD UNIV	USA
Whitesides, GM	10	HARVARD UNIV	USA
Rinzler, AG	8	UNIV FLORIDA	USA
Colbert, DT	7	NGEN	USA
Dekker, C	7	DELFT UNIV TECHNOL	NETHERLANDS
Thess, A	6	M-PHASYS GMBH	GERMANY
Ebbesen, TW	5	UNIV STRASBOURG 1	FRANCE
Gratzel, M	5	ECOLE POLYTECH FED LAUSANNE	SWITZERLAND
Nikolaev, P	5	ERC INC / JOHNSON SPACE CENTER	USA

Note that Hongjie Dai worked as postdoctoral fellow in Lieber's group at Harvard University and in Smalley's group at Rice University and that Rinzler, Colbert, Thess, and Nikolaev were part of the Smalley group before holding their current positions. Yang is a former member of Lieber's research group as well, so not only is there some overlap in the authors of the most cited papers, but their institution does not necessarily correspond to where they published one of the seminal works of 1991 to 2003. Ten of the institutions of the authors of the seminal nanotechnology papers are in the USA, and the remaining four are in Central Europe.

TABLE A1-5 – TOP 18 JOURNALS OF (401) MOST CITED PAPERS

JOURNAL	#PAPERS	IMPACT FACTOR	THEME
SCIENCE	113	30.93	SCIENCE
NATURE	71	29.27	SCIENCE
PHYSICAL REVIEW LETTERS	23	7.50	PHYS
APPLIED PHYSICS LETTERS	15	4.13	PHYS
CHEMICAL REVIEWS	13	20.87	CHEM
ADVANCED MATERIALS	12	9.11	MATLS
JOURNAL OF THE AMERICAN CHEMICAL SOCIETY	12	7.42	CHEM
ACCOUNTS OF CHEMICAL RESEARCH	9	13.14	CHEM
JOURNAL OF PHYSICAL CHEMISTRY*	8	4.03*	CHEM
ANGEWANDTE CHEMIE-INTERNATIONAL EDITION IN ENGLISH	7	9.60	CHEM
JOURNAL OF APPLIED PHYSICS	7	2.50	PHYS
PHYSICAL REVIEW B	6	3.19	PHYS
REVIEWS OF MODERN PHYSICS	6	30.25	PHYS
CELL	5	29.43	BIO
PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA	5	10.23	SCIENCE
CHEMICAL PHYSICS LETTERS	4	2.44	CHEM
LANGMUIR	4	3.71	CHEM
PHYSICS REPORTS-REVIEW SECTION OF PHYSICS LETTERS	4	10.46	PHYSICS

*Note: The *Journal of Physical Chemistry* refers to both papers published in the *Journal of Physical Chemistry* (which existed from 1896-1996) and the *Journal of Physical Chemistry B* (which along with the *Journal of Physical Chemistry A* existed from 1997 onwards). The Impact Factor cited refers to the Impact Factor for the *Journal of Physical Chemistry B*.

Table A1-5 lists the journals that contain the most highly cited nanoscience/nanotechnology papers. It is not a surprise that the most cited papers of the last fifteen years come from highly cited journals, the eighteen journals having a median Impact Factor of 9.36. While these journals do not have the highest Impact Factors possible, they do rank near the top. *Science*, *Reviews of Modern Physics*, and *Nature* are journals with the sixth, eighth, and eleventh highest Impact Factors, respectively, in the SCI. Furthermore, these three journals have the highest Impact Factors for multi-disciplinary or physical science journals, having only medical or biological sciences journals ahead of them. The pivotal nanotechnology articles appeared primarily in journals of science, physics, chemistry, and materials science. The journals *Science* and *Nature* clearly stand out as the publication venues of choice for the leading nanotechnology papers.

TABLE A1-6 – TOP 18 COUNTRIES OF (401) MOST CITED PAPERS

COUNTRY	#REC
USA	126
GERMANY	31
FRANCE	19
JAPAN	19
NETHERLANDS	17
ENGLAND	15
SWITZERLAND	10
ITALY	7
AUSTRALIA	6
CANADA	5
ISRAEL	5
PEOPLES R CHINA	5
RUSSIA	5
SWEDEN	4
BELGIUM	3
SOUTH KOREA	2
SPAIN	2
TAIWAN	2

As shown in Table A1-6, the US outpaced the rest of the world in terms of authorship of the most cited papers between 1991 and 2003. The US had more than four times as many records as its closest competitor, Germany, and more publications than the next eight countries combined. This table re-emphasizes the mismatch between China's high publication productivity and low impact (citations), and a similar problem exists for Korea as well.

China's and South Korea's most cited papers were published more or less evenly throughout the studied time period (1991-2003). South Korea's most cited papers appeared at each end, one each in 1991 and 2002. China had papers published during the heart of the 1990s, one each in 1994, 1996, and 1997, and two in 1999. This might suggest that more high quality research is coming out of China in recent years.

As far as co-authorship is concerned, there is no clear trend in China's and South Korea's most cited papers. Two of China's five most cited papers feature only Chinese authors, and one of South Korea's two most cited papers is authored exclusively by domestic researchers. The two nations collaborate with authors from countries that are prolific in nanotechnology, but are not necessarily latching on to the top world powers. South Korea's joint article has authors from the US, Japan, and France, while China counts co-authorships with the US, England, and Belgium and Russia.

TABLE A1-7 – TOP 25 INSTITUTIONS OF (401) MOST CITED PAPERS

INSTITUTION	COUNTRY	#PAPERS
HARVARD UNIV	USA	27
UNIV CALIF BERKELEY	USA	23
RICE UNIV	USA	17
UNIV CALIF SANTA BARBARA	USA	16
IBM CORP	USA	12
NORTHWESTERN UNIV	USA	12
DELFT UNIV TECHNOL	NETHERLANDS	11
MIT	USA	10
UNIV ILLINOIS	USA	9
STANFORD UNIV	USA	9
MICHIGAN STATE UNIV	USA	7
GEORGIA INST TECHNOL	USA	6
PURDUE UNIV	USA	6
CALTECH	USA	5
CORNELL UNIV	USA	5
PENN STATE UNIV	USA	5
CNRS	FRANCE	4
UNIV PENN	USA	4
UNIV CAMBRIDGE	UK	4
UNIV WISCONSIN	USA	4
UNIV TOKYO	JAPAN	4
UNIV TEXAS	USA	4
UNIV KENTUCKY	USA	4
SWISS FED INST TECHNOL	SWITZERLAND	4

As shown in Table A1-7, twenty-two of the institutions are universities, and all but four of the top twenty-five research institutions of the authors of the most cited nanotechnology articles from 1991 to 2003 were in the US. This is contrasted with Table 4, where only four of the thirty most prolific institutions are in the US. In other words, publications and citations are not necessarily proportional.

1.3. Relation of seminal nanotechnology document production to total nanotechnology document production.

In the previous section, the absolute value of seminal nanotechnology documents produced by specific people, institutions, and countries was determined. There is also substantial value in understanding the efficiency of seminal nanotechnology document production; i.e., the ratio of seminal nanotechnology documents produced to overall nanotechnology documents produced. The present short section addresses some methods for arriving at this ratio.

In the first part of this section, citations (and publications) for nanotechnology documents published in two specific years are examined. The purpose is to obtain some time trend data as well as better statistics than one year's data could provide. All nanotechnology documents for 1998 and 2002 were retrieved and analyzed. These years were selected to be as close to the present as possible, in order to insure currency of findings, yet sufficiently vintaged to insure accumulation of adequate citations.

In the second part of this section, all the nanotechnology documents produced by USA institutions were retrieved and examined. The USA was selected for this demonstration because of its diversity of effort in nanotechnology research. When doing the analysis of the 256 clusters, it became apparent that the USA research was being conducted in a large number of institutions relative to both the Asian and European countries. The question arose as to whether high impact documents were being produced uniformly as well, or whether the production of seminal nanotechnology documents was concentrated in a core of institutions.

To address this question, all nanotechnology documents produced in the USA (each document had at least one author with a USA address) from 1991-2002 were retrieved and analyzed. The USA institutions were extracted, and their fraction of total seminal documents was compared to their fraction of total published documents.

1.3.1. Normalized Country Production of Seminal Nanotechnology Papers

The main nanotechnology query in this report was used to retrieve documents from the SCI/ SSCI for 1998 and 2002. The distribution of numbers of publications among institutions and countries was generated

using the Analyze function of the SCI search engine. Then, the publications for each year were ordered according to Times Cited. The most highly cited publications were extracted, and the country and institution distributions for those documents were generated. The country and institution publication distributions were then compared to the citation distributions. This allowed identification of countries and institutions whose citation fractions were greater than their publication fractions (and thus were producing highly cited papers more efficiently than their publication statistics would predict), as well as institutions whose citation fractions were less than their publication fractions.

A central issue is how one defines most highly cited. Are these seminal papers the top 10, top 100, top 1%? Because of the discrete choice imposed by the Analyze function at present, results for the top 100, 250, and 500 documents were examined parametrically. While some re-ordering occurred, the countries and institutions producing the seminal documents were plainly evident at the top of the list. Therefore, the results using the 500 most cited documents (about 1% of the total documents retrieved for 2002, and about 1.5% of the total documents retrieved for 1998) are presented.

TABLE A1-8 – COUNTRY DISTRIBUTIONS – OVERALL RECORDS/ 500 MOST CITED RECORDS - 1998

COUNTRY RANK BY TOTAL PUBLICATIONS		COUNTRY RANK BY MOST CITED RECORDS (121 CITES MIN)	
USA	25.99%	USA	58.80%
JAPAN	15.72%	GERMANY	12.20%
GERMANY	13.72%	JAPAN	9.60%
FRANCE	7.73%	FRANCE	8.00%
ENGLAND	6.93%	ENGLAND	7.80%
PEOPLES R			
CHINA	6.10%	SWITZERLAND	4.20%
RUSSIA	4.87%	NETHERLANDS	3.20%
ITALY	3.89%	CANADA	2.40%
SPAIN	3.02%	ISRAEL	2.40%
SOUTH KOREA	2.96%	ITALY	2.20%
CANADA	2.81%	SWEDEN	1.80%
SWITZERLAND	2.44%	SPAIN	1.60%
INDIA	2.31%	AUSTRALIA	1.40%
		PEOPLES R	
SWEDEN	2.13%	CHINA	1.40%
NETHERLANDS	1.88%	AUSTRIA	1.20%
POLAND	1.68%	INDIA	1.00%
TAIWAN	1.63%	RUSSIA	1.00%

AUSTRALIA	1.52%	DENMARK	0.80%
BELGIUM	1.32%	IRELAND	0.80%
ISRAEL	1.27%	BELGIUM	0.60%
BRAZIL	1.20%	BRAZIL	0.40%
DENMARK	0.94%	FINLAND	0.40%
AUSTRIA	0.89%	HONG KONG	0.40%
UKRAINE	0.78%	HUNGARY	0.40%
SCOTLAND	0.76%	SCOTLAND	0.40%
MEXICO	0.71%	SOUTH KOREA	0.40%
CZECH REPUBLIC	0.69%	CROATIA	0.20%
FINLAND	0.67%	CZECH REPUBLIC	0.20%
HONG KONG	0.66%	NORTH IRELAND	0.20%
HUNGARY	0.65%	NORWAY	0.20%
SINGAPORE	0.65%	POLAND	0.20%

Table A1-8 contains the country distributions for 1998. The left column of data is ranked according to a country's total nanotechnology publications in 1998. For example, in 1998, the USA produced 25.99% of the total nanotechnology publications. The right column of data is ranked according to a country's representation on most highly cited papers. For example, the USA was represented on 58.8% of the 500 most highly cited nanotechnology papers published in 1998.

Thus, the USA is both the most prolific nanotechnology publishing country and most represented country on highly cited nanotechnology papers for 1998. Its ratio of percent representation on most highly cited nanotechnology papers to percent of total nanotechnology publications (ratio=58.80/25.99) is 2.26. A ratio greater than one means that a country has higher representation on most cited papers than would be expected from its publications alone, and a ratio less than one means that a country has lower representation. A ratio of 2.26 for the USA means that the USA representation on most highly cited records is 2.26 times what would be expected based on nanotechnology publications alone.

None of the other producers has ratios approaching that of the USA (for 1998 publications), and only some of the smaller hi-tech countries (Switzerland, Netherlands, Israel) have ratios that only remotely approach that of the USA. Countries that have exhibited rapid growth in SCI/ SSCI nanotechnology paper production in recent years (e.g., China, South Korea) have ratios an order of magnitude less than that of the USA (for 1998).

Table A1-9 contains the same type and structure of data as Table A1-8, but for 2002. The USA remains dominant in nanotechnology publications and representation on most highly cited nanotechnology papers, with a ratio of 2.42. A few of the smaller Central/ Northern European countries (Switzerland, Finland, Denmark) have ratios on the order of two, and form the second ratio tier after the USA. Norway, the third member of the small Scandanavian countries, has about 1/3 the publications of Finland/ Denmark, and has no representation on the 500 most cited papers list, in line with its relatively poor citation performance shown in our Finland country assessment study (Kostoff et al, 2005).

A number of countries retain the same ratio as in 1998 (within 10%), including the USA, Germany, Japan, England, Switzerland, Italy, and Spain. China's ratio doubled to about .5, placing it on parity with Japan, Italy, and Spain for this metric. In a recent study by the first author (Kostoff et al, 2006, 2007), it was shown that China's growth of papers in high Impact Factor journals was faster than its rate of overall publication growth, and that conclusion may be reflecting itself in the present numbers. South Korea's ratio jumped even more dramatically from 1998. Russia's, Taiwan's, and Poland's ratios remain low, and India's ratio decreased substantially to join this latter group.

TABLE A1-9 – COUNTRY DISTRIBUTIONS – OVERALL RECORDS/ 500 MOST CITED RECORDS - 2002

COUNTRY RANK BY TOTAL PUBLICATIONS		COUNTRY RANK BY MOST CITED (80 CITES MIN)	
USA	24.02%	USA	58.20%
JAPAN	15.09%	GERMANY	11.40%
PEOPLES R			
CHINA	11.62%	JAPAN	8.40%
GERMANY	11.55%	ENGLAND	6.20%
		PEOPLES R	
FRANCE	7.43%	CHINA	5.80%
ENGLAND	5.86%	FRANCE	5.40%
RUSSIA	4.83%	SOUTH KOREA	3.80%
SOUTH KOREA	4.45%	SWITZERLAND	3.40%
ITALY	3.92%	CANADA	2.80%
SPAIN	3.09%	NETHERLANDS	2.20%
INDIA	2.89%	ITALY	2.00%
CANADA	2.40%	SPAIN	2.00%
TAIWAN	2.18%	SWEDEN	2.00%
SWEDEN	2.05%	FINLAND	1.40%
POLAND	1.92%	BELGIUM	1.20%
BRAZIL	1.91%	BRAZIL	1.20%

SWITZERLAND	1.80%	DENMARK	1.20%
NETHERLANDS	1.77%	RUSSIA	1.20%
AUSTRALIA	1.54%	AUSTRALIA	1.00%
BELGIUM	1.26%	AUSTRIA	1.00%
ISRAEL	1.25%	ISRAEL	1.00%
SINGAPORE	1.22%	SCOTLAND	0.80%
AUSTRIA	1.02%	SINGAPORE	0.80%
UKRAINE	0.99%	TAIWAN	0.60%
MEXICO	0.81%	INDIA	0.40%
SCOTLAND	0.78%	IRELAND	0.40%
CZECH			
REPUBLIC	0.78%	PORTUGAL	0.40%
FINLAND	0.73%	ARGENTINA	0.20%
		CZECH	
DENMARK	0.69%	REPUBLIC	0.20%
PORTUGAL	0.62%	GREECE	0.20%
HUNGARY	0.59%	HUNGARY	0.20%
GREECE	0.56%	LITHUANIA	0.20%
TURKEY	0.51%	MEXICO	0.20%
ARGENTINA	0.46%	POLAND	0.20%
ROMANIA	0.45%	SLOVENIA	0.20%
BULGARIA	0.31%	TURKEY	0.20%

1.3.2. Normalized Institution Production of Seminal Nanotechnology Papers

Table A1-10 contains the institution distribution for 1998. The data structure has been changed slightly from the previous two figures, with publication and citation information being cross-plotted. For example, the most prolific publication-producing institution, the Russian Academy of Science, produced 2.55% of the total nanotechnology publications for 1998, but was represented on only .80% of the 500 most highly cited papers published in 1998. Conversely, the institution with the largest representation on the 500 most highly cited papers published in 1998, Harvard University, was represented on 4.00% of the 500 most highly cited papers, but published only .38% of the total nanotechnology papers in 1998.

TABLE A1-10 – INSTITUTION DISTRIBUTIONS – OVERALL RECORDS/ 500 MOST CITED RECORDS - 1998

INSTITUTION RANK BY TOTAL PUBLICATION			INSTITUTION RANK BY MOST CITED RECORDS		
	CIT%	PUB%		CIT%	PUB%
RUSSIAN ACAD SCI	0.80%	2.55%	HARVARD UNIV	4.00%	0.38%
			UNIV CALIF SANTA		
CHINESE ACAD SCI	0.20%	1.75%	BARBARA	3.80%	0.72%
UNIV TOKYO	0.80%	1.52%	MIT	3.20%	0.58%
CNRS	1.60%	1.32%	UNIV CALIF BERKELEY	2.60%	0.84%
OSAKA UNIV	0.40%	1.14%	PENN STATE UNIV	2.20%	0.52%
TOHOKU UNIV	1.20%	1.06%	RICE UNIV	2.20%	0.19%

UNIV CAMBRIDGE	1.20%	0.89%	IBM CORP	2.00%	0.56%
UNIV ILLINOIS	1.00%	0.86%	UNIV OXFORD	2.00%	0.68%
UNIV CALIF BERKELEY	2.60%	0.84%	CNRS	1.60%	1.32%
KYOTO UNIV	ABSENT	0.84%	UNIV N CAROLINA	1.60%	0.17%
CNR	0.60%	0.83%	CORNELL UNIV	1.40%	0.43%
TOKYO INST TECHNOL	1.40%	0.83%	PRINCETON UNIV	1.40%	0.33%
CSIC	0.40%	0.79%	STANFORD UNIV	1.40%	0.44%
ACAD SINICA	0.40%	0.73%	TOKYO INST TECHNOL	1.40%	0.83%
UNIV CALIF SANTA BARBARA	3.80%	0.72%	UNIV CALIF SAN DIEGO	1.40%	0.28%
UNIV OXFORD		0.68%	UNIV MINNESOTA	1.40%	
POLISH ACAD SCI		0.64%	DELFT UNIV TECHNOL	1.20%	
UNIV TEXAS		0.59%	NORTHWESTERN UNIV	1.20%	
MIT		0.58%	SANDIA NATL LABS	1.20%	
IBM CORP		0.56%	TOHOKU UNIV	1.20%	
HOKKAIDO UNIV		0.54%	UNIV CAMBRIDGE	1.20%	
USN		0.54%	UNIV TEXAS	1.20%	
UNIV PARIS 06		0.52%	WEIZMANN INST SCI	1.20%	
PENN STATE UNIV		0.52%	BROOKHAVEN NATL LAB	1.00%	
			CASE WESTERN		
NAGOYA UNIV		0.50%	RESERVE UNIV	1.00%	
			ECOLE POLYTECH FED		
UNIV WISCONSIN		0.50%	LAUSANNE	1.00%	
NANJING UNIV		0.50%	GEORGIA INST TECHNOL	1.00%	
			MAX PLANCK INST		
OAK RIDGE NATL LAB		0.49%	KOLLOID &		
CHALMERS UNIV			GRENZFLACHENFORSCH	1.00%	
TECHNOL		0.48%			
UNIV WURZBURG		0.48%	RUTGERS STATE UNIV	1.00%	
			SCRIPPS RES INST	1.00%	

With a couple of exceptions (CNRS, Tokyo Institute of Technology), the institutions with high numbers of highly cited papers (right side of Table A1-10) have ratios of three or greater. Most of these institutions are from the USA. On the other hand, institutions with large numbers of publications (left side of Table A1-10) span the gamut from high ratios (UCB, UCSB) to intermediate ratios hovering slightly above unity (CNRS, Tohoku University, University of Illinois) to low ratios (Russian Academy of Science, Chinese Academy of Science, Kyoto University, Osaka University).

Table A1-11 contains the same type and structure of data as Table A1-10, except for 2002. Because institutions are very detailed stratifications of country data, the volatility with time of individual institution data can be substantially greater than that of country data. For example, Georgia Institute of Technology and University of Washington increased their standings in representation on 500 most cited papers substantially, from

1998 to 2002. The Chinese Academy of Science increased its representation on 500 most cited papers by an order of magnitude, and increased its ratio by more than a factor of four. Tsing Hua University had .28% of publications in 1998, and was not represented on 500 most cited papers. In 2002, Tsing Hua University was in the top ten in publications, and had a favorable ratio of 1.4. Seoul National University increased its ratio by 2.6 from 1998 to 2002, and Korea Advanced Institute for Science and Technology was not represented on the 500 most cited in 1998, but had a ratio of 1.7 in 2002. UCSB dropped noticeably in its representation on the 500 most cited papers, while Kyoto University increased noticeably. University of North Carolina dropped noticeably in its representation on the 500 most cited papers, but still had a respectable ratio of about 4. To compensate for the institution volatility displayed here, the data for a number of years need to be tracked.

TABLE A1-11 – INSTITUTION DISTRIBUTIONS – OVERALL RECORDS/ 500 MOST CITED RECORDS – 2002

INSTITUTION RANK BY TOTAL PUBLICATION			INSTITUTION RANK BY MOST CITED RECORDS		
	CIT%	PUB%		CIT%	PUB%
CHINESE ACAD SCI	1.80%	3.30%	UNIV CALIF BERKELEY	5.00%	0.71%
RUSSIAN ACAD SCI	0.60%	2.36%	HARVARD UNIV	3.40%	0.40%
CNRS	1.40%	1.46%	IBM CORP	2.40%	0.34%
UNIV TOKYO	1.80%	1.40%	MIT	2.40%	0.53%
TOHOKU UNIV	0.20%	1.28%	GEORGIA INST TECHNOL	2.20%	0.34%
OSAKA UNIV	0.80%	1.09%	STANFORD UNIV	2.20%	0.39%
TOKYO INST TECHNOL	0.60%	1.02%	UNIV TEXAS	2.20%	0.68%
CSIC	1.00%	0.94%	UNIV WASHINGTON	2.20%	0.33%
NATL INST ADV IND SCI & TECHNOL	0.60%	0.94%	NORTHWESTERN UNIV	2.00%	0.46%
TSING HUA UNIV	1.20%	0.86%	CHINESE ACAD SCI	1.80%	3.30%
CNR	0.20%	0.78%	UNIV TOKYO	1.80%	1.40%
UNIV ILLINOIS	1.40%	0.77%	UNIV CAMBRIDGE	1.60%	0.74%
UNIV CAMBRIDGE	1.60%	0.74%	UNIV HAMBURG	1.60%	0.33%
KYOTO UNIV	0.60%	0.72%	CNRS	1.40%	1.46%
POLISH ACAD SCI	0.20%	0.71%	NASA	1.40%	0.28%
UNIV CALIF BERKELEY	5.00%	0.71%	RICE UNIV	1.40%	0.18%
NATL UNIV SINGAPORE	0.80%	0.69%	SEOUL NATL UNIV	1.40%	0.59%
UNIV TEXAS	2.20%	0.68%	UNIV BASEL	1.40%	0.19%
NATL INST MAT SCI		0.65%	UNIV CALIF SAN DIEGO	1.40%	
NANJING UNIV		0.64%	UNIV ILLINOIS	1.40%	
MOSCOW MV LOMONOSOV STATE UNIV		0.63%	TSING HUA UNIV	1.20%	
HOKKAIDO UNIV		0.59%	UNIV CALIF LOS ANGELES	1.20%	
SEOUL NATL UNIV		0.59%	UNIV MINNESOTA	1.20%	
PEKING UNIV		0.58%	UNIV PENN	1.20%	

UNIV OXFORD	0.58%	USN	1.20%
UNIV SCI & TECHNOL CHINA	0.57%	CSIC	1.00%
MIT	0.53%	LOS ALAMOS NATL LAB	1.00%
ACAD SINICA	0.51%	LUND UNIV	1.00%
PENN STATE UNIV	0.51%	OKLAHOMA STATE UNIV	1.00%
JAPAN SCI & TECHNOL CORP	0.50%	UNIV CALIF SANTA BARBARA	1.00%

1.3.3. Production Efficiency of Seminal Nanotechnology Papers by USA Institutions

The purpose of this section is to identify the citation impact of different segments of the very diverse USA nanotechnology research community, and relate the citation impact to the overall level of publications. All the nanotechnology papers produced by USA institutions from 1991-2002 (nearly 100000 papers) were retrieved, and the institutions and their metrics were evaluated by the SCI search engine Analyze function. Use of this capability constrains the institutions to the first 500. The institutions were first ordered by numbers of publications in that time interval, and then by numbers of citations. The most cited papers were defined as the 500 papers receiving the most citations. This represented about ½ percent of total publications, and is a more stringent requirement than that of the previous sections (where the 500 most cited papers were on the order of 1 to 1.5% of total publications).

There were three groups of papers resulting from the analysis. The first group consists of 66 institutions that were listed as authoring one or more highly cited papers, but were sufficiently small nanotechnology producers to not be listed in the first 500 most publication prolific institutions (it should be noted that not all the 500 institutions identified were USA. Due to extensive co-authorship with USA institutions, some non-USA institutions were listed as well. These foreign institutions were eliminated from the analysis.). Table A1-12 shows the handful of institutions in this group that produced more than one highly cited paper. The column headed #REC contains the number of papers in the 500 most cited on which the institution is represented. For example, Lorentzian, Inc., a small Connecticut company that published a series of high impact papers in the early-mid 90s on density functional theory and ab initio molecular orbital studies, is represented on six of the 500 most cited nanotechnology papers published in the 1991-2002 time frame, but is not among the 500 most prolific producers of nanotechnology papers in this time frame. Most of the other organizations

listed are biomedical organizations, and reflect the reality that biomedicine in general attracts more citations than other disciplines due to the large number of researchers (especially in the USA) in biomedicine.

TABLE A1-12 – LOW NANOTECHNOLOGY PUBLICATION INSTITUTIONS WITH MORE THAN ONE HIGHLY CITED PAPER

INSTITUTION	#REC	%TOT
LORENTZIAN INC	6	1.20%
COLD SPRING HARBOR LAB	4	0.80%
HOWARD HUGHES MED INST	3	0.60%
NYU MED CTR	3	0.60%
REGENERON PHARMACEUT INC	3	0.60%
WESLEYAN UNIV	2	0.40%
WHITEHEAD INST BIOMED RES	2	0.40%
WORCESTER FDN BIOMED RES	2	0.40%

The second group consists of 155 institutions that were listed as producing substantial numbers of papers, but did not produce any highly cited papers. Due to space limitations, tables will not be presented for this group. There are no obvious patterns that distinguish this group of institutions.

The third group consists of 147 institutions that were listed in both the top 500 publication category and the top 500 citation category. Table A1-13 shows selected relatively prolific producers with their fractions of most cited papers. The first column on the left is the institution. The next column (#PUBS) is the number of nanotechnology papers produced by the institution in the 1991-2002 time frame. For example, Harvard produced 1559 nanotechnology publications in this period. The next column (#CIT) is the number of nanotechnology papers produced in this time frame that were represented on the list of 500 most highly cited. For example, Harvard was represented on 48 of the 500 most highly cited papers, almost 10%. The third column (% TOTAL PUBS) is number of nanotechnology publications for the institution expressed as a percent of the total nanotechnology publications, and the final column is number of highly cited papers for the institution expressed as a percent of total highly cited papers

TABLE A1-13 – SUBSTANTIAL NANOTECHNOLOGY PUBLICATION INSTITUTIONS WITH SOME HIGHLY CITED PAPERS

% %TOTAL

INSTITUTION	#PUB	#CIT	TOTAL	
			PUBS	CITES
HARVARD UNIV	1559	48	1.62%	9.60%
UNIV CALIF BERKELEY	2744	35	2.85%	7.00%
RICE UNIV	588	24	0.61%	4.80%
UNIV CALIF SANTA BARBARA	2219	32	2.31%	6.40%
AT&T BELL LABS	2186	27	2.28%	5.40%
IBM CORP	2288	31	2.38%	6.20%
UNIV CALIF SAN FRANCISCO	378	7	0.39%	1.40%
YALE UNIV	612	12	0.64%	2.40%
WASHINGTON UNIV	432	7	0.45%	1.40%
UNIV KENTUCKY	447	7	0.46%	1.40%
SCRIPPS RES INST	261	7	0.27%	1.40%
BROOKHAVEN NATL LAB	941	7	0.98%	1.40%
CALTECH	1318	11	1.37%	2.20%
CORNELL UNIV	1689	14	1.75%	2.80%
MIT	2292	23	2.38%	4.60%
NORTHWESTERN UNIV	1570	11	1.63%	2.20%
PENN STATE UNIV	1739	10	1.81%	2.00%
PRINCETON UNIV	1024	9	1.06%	1.80%
STANFORD UNIV	1625	17	1.69%	3.40%
UNIV WASHINGTON	1013	8	1.05%	1.60%
UNIV ILLINOIS	3172	14	3.30%	2.80%
UNIV TEXAS	2265	11	2.35%	2.20%
UNIV MINNESOTA	1719	8	1.79%	1.60%
UNIV WISCONSIN	1621	6	1.68%	1.20%
UNIV FLORIDA	1262	5	1.31%	1.00%
OAK RIDGE NATL LAB	1558	2	1.62%	0.40%
PACIFIC NW LAB	611	1	0.64%	0.20%
SANDIA NATL LABS	1450	4	1.51%	0.80%
NASA	866	1	0.90%	0.20%
ARIZONA STATE UNIV	1439	2	1.50%	0.40%
UNIV MARYLAND	1142	1	1.18%	0.20%
UNIV ARIZONA	939	1	0.98%	0.20%
UNIV DELAWARE	724	1	0.75%	0.20%
UNIV NEW MEXICO	648	1	0.67%	0.20%
UNIV CALIF IRVINE	611	1	0.63%	0.20%
RENSSELAER POLYTECH INST	605	1	0.63%	0.20%

There are four main sub-groups of institutions shown in Table A1-13. The first sub-group, ranging from Harvard University to Scripps Research Institute, has high ratios (>3) of citation to publication fractions, and numbers of publications ranging from medium to high. The second sub-group, ranging from Brookhaven National Lab to University of Washington, has a positive ratio of citation to publication fractions, with substantial numbers of publications. The third sub-group, ranging from University of

Illinois to University of Florida, has a slightly negative ratio of citation to publication fractions, with very large numbers of publications. The fourth sub-group, ranging from Oak Ridge National Labs to Rensselaer Polytechnical Institute, has relatively small ratios of citation to publication fractions, and medium to large numbers of publications.

The first sub-group contains three institutions from the University of California system and Scripps Research Institute, while the second sub-group contains the excellent California institutions Caltech and Stanford. The fourth sub-group contains the University of California Irvine.

There are also four DOE National Laboratories listed in Table A1-13. While BNL has a reasonable ratio, ORNL/PNNL/SNL have rather low ratios, and LLNL had no highly cited papers. It should be remembered that citations are only one metric of a research effort's full value.

SUMMARY AND CONCLUSIONS

In summary, modern day nanotechnology achievements are based on the confluence of 1) research results and discoveries from diverse disciplines such as Solid State Electronic Structure, Optics/ Spectroscopy, Surfaces/ Films/ Layers, Instrumentation, Materials, and Magnetism, and 2) technology developments including Lasers, Computers, and High Vacuum, dating back to the early twentieth century, and more recently the development of surface probe microscopes such as STMs and AFMs. Citation-Assisted Background, supplemented by high quality human judgment, helps document these discoveries, displays the sequencing among these achievements, and describes the spatial temporal evolution in the development of the disciplines. For nanotechnology, *Science* and *Nature* have become the journals of choice for the most highly cited papers, with *Science* becoming the clear leader in the past decade.

In this Appendix, we described the genealogy of the seminal papers that accelerated nanotechnology research and development. The CAB technique proved to be very comprehensive in identifying what the authors perceived to be the seminal papers in nanotechnology, and allowed a technical narrative to be constructed linking these technical achievements and breakthroughs over time. Since the data obtained were temporal, CAB

allowed interesting time-dependent effects to be observed, such as the changes in fraction of highly-cited papers being published in Nature/ Science.

Limitations of the source databases prevented greater use of the full power of CAB. The SCI/ SSCI version available to the authors provided only first author name, source, year, and volume/ issue for journal paper references downloaded en masse. For those references that were contained in the SCI as full records, the full record could have been downloaded manually. For references not accessed by the SCI, the data would have to be re-constructed manually from other sources to be part of the analytical database.

Once complete historical records had been obtained, Reference Mining, the retrospective analog of Citation Mining [Kostoff et al, 2001], could be performed on the historical database to obtain a wide variety of bibliometric and technical taxonomy results. For example, the full author fields could be clustered to identify key researchers such as Smalley and Lieber who were instrumental in nanotechnology development but may not have been first authors on many papers. Additionally, if sponsor information were obtained (laboriously) for each record, then a Hindsight-type of retrospective analysis [Sherwin and Isenson, 1967] could be performed for nanotechnology using the complete text and numerical data contained within the full record. Such analysis would provide some quantitative and qualitative indicators of the environment associated with these advances.

REFERENCES – APPENDIX 1

Ajayan PM and Iijima, S., Capillarity-induced Filling of Carbon Nanotubes, *Nature*, 361(6410): 333-334, 1993.

Ajayan, PM, Ebbessen, TW, Ichihashi, T, Iijima, S, Tanigaki, K, Hirua, H., Opening Carbon Nanotubes with Oxygen and Implications for Filling, *Nature*, 362 (6420): 522-525, 1993.

Alexandre M, Dubois P. (2000). Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials. *Materials Science & Engineering R-Reports*. 28 (1-2): 1-63.

Alivisatos AP. (1996a). Perspectives on the physical chemistry of semiconductor nanocrystals. *Journal of Physical Chemistry*. 100 (31): 13226-13239.

Alivisatos AP. (1996b). Semiconductor clusters, nanocrystals, and quantum dots. *Science*. 271 (5251): 933-937.

Allen, MP, Tildesley, DJ, *Computer Simulation of Liquids*, Oxford University Press, 1987.

Arakawa Y, Sakaki H. (1982). Multidimensional quantum well laser and temperature-dependence of its threshold current. *Applied Physics Letters*. 40 (11): 939-941.

Ashcroft, NW and Mermin, D., *Solid State Physics*, 1976.

Aviram A, Ratner MA. (1974). Molecular rectifiers. *Chemical Physics Letters*. 29 (2): 277-283.

Avrami, M. (1939). Kinetics of phase change. I: General theory. *J. Chem. Phys.* 7: 1103.

Avrami, M. (1940). Kinetics of phase change. II: Transformation-Time relations for random distribution of nuclei. *J. Chem. Phys.* 8: 212.

Avrami, M. (1941). Kinetics of phase change. III: Granulation, Phase Change and Microstructures. *J. Chem. Phys.* 9: 177.

- Bachilo SM, Strano MS, Kittrell C, Hauge RH, Smalley RE, Weisman RB. (2002). Structure-assigned optical spectra of single-walled carbon nanotubes. *Science*. 298 (5602): 2361-2366.
- Bachtold A, Hadley P, Nakanishi T, Dekker C. (2001). Logic circuits with carbon nanotube transistors. *Science*. 294 (5545): 1317-1320.
- Baibich MN, Broto JM, Fert A, Vandau FN, Petroff F, Eitenne P, Creuzet G, Friederich A, Chazelas J. (1988). Giant Magnetoresistance of (001)Fe/(001) Cr Magnetic Superlattices. *Physical Review Letters*. 61 (21): 2472-2475.
- Bard, AJ, Faulkner, LR, *Electrochemical Methods: Fundamentals and Applications*, Wiley, 1980.
- Barrett EP, Joyner LG, Halenda PP . (1951). The determination of pore volume and area distributions in porous substances .1. Computations from nitrogen isotherms. *Journal of the American Chemical Society* 73 (1): 373-380.
- Baughman RH, Zakhidov AA, de Heer WA. (2002). Carbon nanotubes - the route toward applications. *Science*. 297 (5582): 787-792.
- Baughman, RH, Cui, CX, Zakhidov, AA, Iqbal, Z, Barisci, JN, Spinks, GM, Wallace, GG, Mazzoldi, A, De Rossi, D, Rinzler, AG, Jaschinski, O, Roth, S, Kertesz, M, Carbon Nanotube Actuators, *Science*, 284 (5418): 1340-1344, 1999.
- Beck JS, Vartuli JC, Roth WJ, Leonowicz ME, Kresge CT, Schmitt KD, Chu CTW, Olson DH, Sheppard EW, McCullen SB, Higgins JB, Schlenker JJ. (1992). A new family of mesoporous molecular-sieves prepared with liquid-crystal templates. *Journal of the American Chemical Society*. 114 (27): 10834-10843.
- Becke AD. (1993). Density-Functional thermochemistry .3. the role of exact exchange. *Journal of Chemical Physics*. 98 (7): 5648-5652.

Becke, AD, Density-Functional Exchange-Energy Approximation with Correct Asymptotic Behavior, *Physical Review A*, 38 (6): 3098-3100, 1988.

Beenakker, CWJ, Theory of Coulomb-Blockade Oscillations in the Conductance of a Quantum Dot, *Physical Review B*, 44 (4): 1646-1656, 1991.

Bethune DS, Kiang CH, Devries MS, Gorman G, Savoy R, Vazquez J, Beyers R. (1993). Cobalt-catalyzed growth of carbon nanotubes with single-atomic-layerwalls. *Nature*. 363 (6430): 605-607.

Bhargava, RN, Gallagher, D, Hong, X, Nurmikko, A, Optical Properties of Manganese-Doped Nanocrystals of ZnS, *Physical Review Letters*, 72 (3): 416-419, 1994.

Bhushan, B. (2004). *Springer Handbook of Nanotechnology*. Springer.

Bimberg D, Grundmann M, Ledentsov NN. (1999). *Quantum dot heterostructures*. John Wiley & Sons.

Binnig G, Quate CF, Gerber C. (1986). Atomic Force Microscope. *Physical Review Letters*. 56 (9): 930-933.

Binnig G, Rohrer H, Gerber C, Weibel E. (1982). Surface studies by scanning tunneling microscopy. *Physical Review Letters*. 49 (1): 57-61.

Bockrath M, Cobden DH, Lu J, Rinzler AG, Smalley RE, Balents T, McEuen PL. (1999). Luttinger-liquid behaviour in carbon nanotubes. *Nature*. 397 (6720): 598-601.

Bockrath, M, Cobden, DH, McEuen, PL, Chopra, NG, Zettl, A, Thess, A, Smalley RE, Single-electron transport in ropes of carbon nanotubes, *Science*, 275 (5308): 1922-1925, 1997.

Bohren, CF and Huffman, DR, *Absorption and Scattering of Light by Small Particles*, John Wiley and Sons, Inc. March 1983.

Bond, GC, Thompson, DT, Catalysis by Gold, Catalysis Reviews, 41 (3-4): 319-388, 1999.

Bondi, A, Van der Waals Volumes and Radii, Journal of Physical Chemistry, 68 (3): 441-, 1964.

Bradford, MM, Rapid and Sensitive Method for Quantitation of Microgram Quantities of Protein Utilizing Principle of Protein-Dye Binding, Analytical Biochemistry, 72 (1-2): 248-254, 1976.

Brinker, C.J. and Scherer, G. (1990). Sol-Gel Science : The Physics and Chemistry of Sol-Gel Processing. Academic Press.

Bruchez M, Moronne M, Gin P, Weiss S, Alivisatos AP. (1998). Semiconductor nanocrystals as fluorescent biological labels. Science. 281 (5385): 2013-2016.

Bruggeman, DAG. (1935). Berechnung verschiedener physikalischer Konstanten von heterogenen Systemen, *Ann. Phys.* 5. 636.

Brunauer, S, Deming, LS, Teller, E, On a Theory of the van der Waals Adsorption of Gases, Journal of the American Chemical Society, 62: 1723-1732, Jul-Dec 1940.

Brunnauer, S., P.H. Emmett and E. Teller. (1938). Adsorption of gases in multimolecular layers. J. Amer. Chem. Soc. 60.

Brus LE. (1984). Electron-electron and electron-hole interactions in small semiconductor crystallites - the size dependence of the lowest excited electronic state. Journal of Chemical Physics. 80 (9): 4403-4409.

Brus LE. (1986). Electronic wave-functions in semiconductor clusters - experiment and theory. Journal of Physical Chemistry. 90 (12): 2555-2560.

Brust M, Walker M, Bethell D, Schiffrin DJ, Whyman R. (1994). Synthesis of thiol-derivatized gold nanoparticles in a 2-phase liquid-liquid system. Journal of the Chemical Society-Chemical Communications. (7): 801-802.

Buffat, P, Borel, JP, Size Effect on Melting Temperature of Gold Particles, Physics Review A, 13 (6): 2287-2298, 1976.

Burroughes JH, Bradley DDC, Brown AR, Marks RN, Mackay K, Friend RH, Burns PL, Holmes AB. (1990). Light-Emitting-diodes based on conjugated polymers. Nature. 347 (6293): 539-541.

Canham LT. (1990). Silicon quantum wire array fabrication by electrochemical and chemical dissolution of wafers. Applied Physics Letters. 57 (10): 1046-1048.

Cassie, ABD, Baxter, S, Wettability of Porous Surfaces, Transactions of Faraday Society, 40: 546-550, 1944.

Ceperley DM, Alder BJ. (1980). Ground-State of the electron-gas by a stochastic method. Physical Review Letters. 45 (7): 566-569.

Chan WCW, Nie SM. (1998). Quantum dot bioconjugates for ultrasensitive nonisotopic detection. Science. 281 (5385): 2016-2018.

Che, GL, Lakshmi, BB, Fisher, ER, Martin, CR, Carbon Nanotubule Membranes for Electrochemical Energy Storage and Production, Nature, 393 (6683): 346-349, 1998.

Chen J, Hamon MA, Hu H, Chen YS, Rao AM, Eklund PC, Haddon RC. (1998). Solution properties of single-walled carbon nanotubes. Science. 282 (5386): 95-98.

Chen RJ, Zhan YG, Wang DW, Dai HJ. (2001). Noncovalent sidewall functionalization of single-walled carbon nanotubes for protein immobilization. Journal of the American Chemical Society. 123 (16): 3838-3839.

Choi WB, Chung DS, Kang JH, Kim HY, Jin YW, Han IT, Lee YH, Jung JE, Lee NS, Park GS, Kim JM. (1999). Fully sealed, high-brightness carbon-nanotube field-emission display. Applied Physics Letters. 75 (20): 3129-3131.

Chopra NG, Luyken RJ, Cherrey K, Crespi VH, Cohen ML, Louie SG, Zettl A. (1995). Science. Boron-Nitride Nanotubes. 269 (5226): 966-967.

Coey JMD. (1971). Non-collinear spin arrangement in ultrafine ferrimagnetic crystallites. Physical Review Letters. 27 (17): 1140-1143.

Collins PG, Bradley K, Ishigami M, Zettl A. (2000). Extreme oxygen sensitivity of electronic properties of carbon nanotubes. Science. 287 (5459): 1801-1804.

Collins, PG, Zettl, A, Bando, H, Thess, A, Smalley, RE, Nanotube Nanodevice, Science, 278 (5335): 100-103, 1997.

Colton RJ (2004). Nanoscale measurements and manipulation. Journal of Vacuum Science and Technology B. 22:4. 1609-1635.

Colvin VL, Schlamp MC, Alivisatos AP. (1994). Light-Emitting-diodes made from cadmium selenide nanocrystals and a semiconducting polymer. Nature. 370 (6488): 354-357.

Creighton, JA, Eadon, DG, Ultraviolet visible absorption-spectra of the colloidal metallic elements, Journal of the Chemical Society – Faraday Transactions, 87 (24): 3881-3891, 1991.

Croce, F, Appetecchi, GB, Persi, L, Scrosati, B, Nanocomposite Polymer Electrolytes for Lithium Batteries, Nature, 394 (6692): 456-458, 1998.

Crommie, MF, Lutz, CP, Eigler, DM, Confinement of Electrons to Quantum Corrals on a Metal Surface, Science, 262 (5131): 218-220, 1993.

Cronenwett SM, Oosterkamp TH, Kouwenhoven LP. (1998). A tunable Kondo effect in quantum dots. Science. 281 (5376): 540-544.

Cui Y, Lieber CM. (2001). Functional nanoscale electronic devices assembled using silicon nanowire building blocks. Science. 291 (5505): 851-853.

Cui Y, Wei QQ, Park HK, Lieber CM. (2001). Nanowire nanosensors for highly sensitive and selective detection of biological and chemical species. *Science*. 293 (5533): 1289-1292.

Cullis AG, Canham LT, Calcott PDJ. (1997). The structural and luminescence properties of porous silicon. *Journal of Applied Physics*. 82 (3): 909-965.

Cullity, BD, *Elements of X-Ray Diffraction*, Addison-Wesley Publishing Co. Menlo Park, CA, 1978.

Dai HJ, Hafner JH, Rinzler AG, Colbert DT, Smalley RE. (1996). Nanotubes as nanoprobe in scanning probe microscopy. *Nature*. 384 (6605): 147-150.

Dai, HJ, *Carbon Nanotubes: Synthesis, Integration, and Properties*, *Accounts of Chemical Research*, 35 (12): 1035-1044, 2002.

Daniel MC, Astruc D. (2004). Gold nanoparticles: Assembly, supramolecular chemistry, quantum-size-related properties, and applications toward biology, catalysis, and nanotechnology. *Chemical Reviews* 104 (1): 293-346. 2004.

Darwin, C.G., *Proc. Of Cambridge Philosophical Society*, v. 27, p. 86, 1930.

Datta, S, Das, B, *Electronic Analog of the Electrooptic Modulator*, *Applied Physics Letters*, 56 (7): 665-667, 1990.

Datta, S, *Electronic Transport in Mesoscopic Systems*, Cambridge University Press, 1995.

Decher G. (1997). Fuzzy nanoassemblies: Toward layered polymeric multicomposites. *Science*. 277 (5330): 1232-1237.

- Deheer WA, Chatelain A, Ugarte D. (1995). A carbon nanotube field-emission electron source. *Science*. 270 (5239): 1179-1180.
- Dekker C. (1999). Carbon nanotubes as molecular quantum wires. *Physics Today*. 52 (5): 22-28.
- Derycke, V, Martel, R, Appenzeller, J, Avouris, P, Carbon Nanotube Inter- and Intramolecular Logic Gates, *Nano Letters*, 1 (9): 453-456, 2001.
- Dillon AC, Jones KM, Bekkedahl TA, Kiang CH, Bethune DS, Heben MJ. (1997). Storage of hydrogen in single-walled carbon nanotubes. *Nature*. 386 (6623): 377-379.
- Dillon, AC, Jones, KM, Bekkedahl, TA, Kiang, CH, Bethune, DS, Heben, MJ, Storage of Hydrogen in Single-walled Carbon Nanotubes, *Nature*, 386 (6623): 377-379, 1997.
- Dowling, A. et al. (2004). *Nanoscience and Nanotechnologies: Opportunities and Uncertainties*. The Royal Society and the Royal Academy of Engineering. 29 July.
- Dresselhaus MS, Dresselhaus G, Eklund PC. (1996). *Science of Fullerenes and Carbon Nanotubes*, Academic Press.
- Dresselhaus, G. Spin-Orbit Coupling Effects in Zinc Blende Structures, *Physics Review*, 100 (2): 580-586, 1955.
- Drexler, H, Leonard, D, Hansen, W, Kotthaus, JP, Petroff, PM, Spectroscopy of Quantum Levels in Charge-tunable InGaAs Quantum Dots, *Physical Review Letters*, 73 (16): 2252-2255, 1994.
- Duan XF, Huang Y, Cui Y, Wang JF, Lieber CM. (2001). Indium phosphide nanowires as building blocks for nanoscale electronic and optoelectronic devices. *Nature*. 409 (6816): 66-69.
- Duan XF, Lieber CM. (2000). General synthesis of compound semiconductor nanowires. *Advanced Materials*. 12 (4): 298-302.

Duan, XF, Huang, Y, Agarwal, R, Lieber, CM, Single-Nanowire Electrically Driven Lasers, *Nature*, 421 (6920): 241-245, 2003.

Dubertret B, Skourides P, Norris DJ, Noireaux V, Brivanlou AH, Libchaber A. (2002). In vivo imaging of quantum dots encapsulated in phospholipid micelles. *Science*. 298 (5599): 1759-1762.

Ducker, WA, Senden, TJ, Pashley, RM, Direct Measurement of Colloidal Forces using an Atomic force Microscope, *Nature*, 353 (6341): 239-241, 1991.

Ebbesen TW, Ajayan PM. (1992). Large-scale synthesis of carbon nanotubes. *Nature*. 358 (6383): 220-222.

Ebbesen, TW, Lezec, HJ, Hiura, H, Bennett, JW, Ghaemi, HF, Thio, T, Electrical Conductivity of Individual Carbon Nanotubes, *Nature*, 382 (6586): 54-56, 1996.

Eigler DM, Schweizer EM. (1990). Positioning single atoms with a scanning tunneling microscope. *Nature*. 344 (6266): 524-526.

Einstein, A., *Annals of Physics*, Berlin, v. 25, p. 377, 1905.

Fan SS, Chapline MG, Franklin NR, Tomblor TW, Cassell AM, Dai HJ. (1999). Self-oriented regular arrays of carbon nanotubes and their field emission properties. *Science*. 283 (5401): 512-514.

Fan, SS, Chapline, MG, Franklin, NR, Tomblor, TW, Cassell, AM, Dai, HJ, Self-Oriented Regular Arrays of Carbon Nanotubes and Their Field Emission Properties, *Science*, 283 (5401): 512-514, 1999.

Faraday, M., *Philosophical Transaction of the Royal Society of London*, v. 147, p. 145, 1857.

Flory, PJ, Principle of Polymer Chemistry, Cornell University Press, 1953.

Fowler, R.H., L.W. Nordheim, (1928). Proc. Roy. Soc. London Ser. A 119. 173.

Frank S, Poncharal P, Wang ZL, de Heer WA. (1998). Carbon nanotube quantum resistors. Science. 280 (5370): 1744-1746.

Freitas, R.A. (1999). Nanomedicine, Volume 1: Basic Capabilities. Landes Bioscience.

Freitas, R.A. (2003). Nanomedicine, Volume 2: Biocompatibility. Landes Bioscience.

Frens, G, Controlled Nucleation for Regulation of Particle-Size in Monodisperse Gold Suspensions, Nature – Physical Science, 241 (105): 20-22, 1973.

Frisch, MJ, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, V. G. Zakrzewski, J. A. Montgomery, Jr., R. E. Stratmann, J. C. Burant, S. Dapprich, J. M. Millam, A. D. Daniels, K. N. Kudin, M. C. Strain, O. Farkas, J. Tomasi, V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G. A. Petersson, P. Y. Ayala, Q. Cui, K. Morokuma, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. Cioslowski, J. V. Ortiz, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, C. Gonzalez, M. Challacombe, P. M. W. Gill, B. Johnson, W. Chen, M. W. Wong, J. L. Andres, C. Gonzalez, M. Head-Gordon, E. S. Replogle, and J. A. Pople. (1998). Gaussian 98, Revision A.6, Gaussian, Inc., Pittsburgh PA.

Fujishima A, Honda K. (1972). Electrochemical photolysis of water at a semiconductor electrode. Nature. 238 (5358): 37.

Gatteschi, D, Caneschi, A, Pardi, L, Sessoli, R, Large Clusters of Metal Ions –The Transition from Molecular to Bulk Magnets, Science, 265 (5175): 1054-1058, 1994.

Ghadiri, MR, Granja, JR, Milligan, RA, Mcree, DE, Khazanovich, N., Self-Assembling Organic Nanotubes based on a Cyclic Peptide Architecture, *Nature*, 366 (6453): 324-327, 1993.

Giannelis EP. (1996). Polymer layered silicate nanocomposites. *Advanced Materials*. 8 (1): 29.

Gleiter, H, *Nanocrystalline Materials*, *Progress in Materials Science*, 33 (4): 223-315, 1989.

Goddard WA, Brenner DW, Lyshevski SE, Iafrate GJ. (2002). *Handbook of nanoscience, engineering, and technology*. CRC Press.

Goldberger, J, He, RR, Zhang, YF, Lee, SW, Yan, HQ, Choi, HJ, Yang, PD, Single-Crystal Gallium Nitride Nanotubes, *Nature*, 422 (6932): 599-602, 2003.

Goldhaber-Gordon D, Shtrikman H, Mahalu D, Abusch-Magder D, Meirav U, Kastner MA. (1998). Kondo effect in a single-electron transistor. *Nature*. 391 (6663): 156-159.

Gregg, SJ and Sing, KSW, *Adsorption, Surface Area, and Porosity*, Academic Press, London, 1982.

Grundmann M, Stier O, Bimberg D. (1995). Inas/Gaas Pyramidal Quantum Dots - Strain Distribution, Optical Phonons, and Electronic-Structure. *Physical Review B*. 52 (16): 11969-11981.

Gudiksen MS, Lauhon LJ, Wang J, Smith DC, Lieber CM. (2002). Growth of nanowire superlattice structures for nanoscale photonics and electronics. *Nature*. 415 (6872): 617-620..

Hagfeldt A, Gratzel M. (1995). Light-Induced Redox Reactions In Nanocrystalline Systems. *Chemical Reviews*. 95 (1): 49-68.

Halperin, A, Tirrell, M, Lodge, TP, Tethered Chains in Polymer Microstructures, *Advances in Polymer Science*, 100: pp. 31-71, 1992.

Hamada N, Sawada S, Oshiyama A. (1992). New One-Dimensional Conductors - Graphitic Microtubules. *Physical Review Letters*. 68 (10): 1579-1581.

Han WQ, Fan SS, Li QQ, Hu YD. (1997). Synthesis of gallium nitride nanorods through a carbon nanotube-confined reaction. *Science*. 277 (5330): 1287-1289.

Henglein A. (1989). Small-Particle Research - Physicochemical Properties Of Extremely Small Colloidal Metal And Semiconductor Particles. *Chemical Reviews*. 89 (8): 1861-1873.

Hoffmann, MR, Martin, ST, Choi, WY, Bahnemann, DW, Environmental Applications of Semiconductor Photocatalysis, *Chemical Reviews*, 95 (1): 69-96, 1995.

Hohenberg P, Kohn W. (1964). Inhomogeneous Electron Gas. *Physical Review B*. 136 (3b): B864-871.

Hu JT, Odom TW, Lieber CM. (1999). Chemistry and physics in one dimension: Synthesis and properties of nanowires and nanotubes. *Accounts of Chemical Research*. 32 (5): 435-445.

Huang MH, Mao S, Feick H, Yan HQ, Wu YY, Kind H, Weber E, Russo R, Yang PD. (2001). Room-temperature ultraviolet nanowire nanolasers. *Science*. 292 (5523): 1897-1899.

Huang MH, Wu YY, Feick H, Tran N, Weber E, Yang PD. (2001). Catalytic growth of zinc oxide nanowires by vapor transport. *Advanced Materials*. 13 (2): 113-116.

Huang Y, Duan XF, Cui Y, Lauhon LJ, Kim KH, Lieber CM. (2001). Logic gates and computation from assembled nanowire building blocks. *Science*. 294 (5545): 1313-1317.

Huang, MH, Mao, S, Feick, H, Yan, HQ, Wu, YY, Kind, H, Weber, E, Russo, R, Yang, PD, Room-Temperature Ultraviolet Nanowire Nanolasers, *Science*, 292 (5523): 1897-1899, 2001.

Huang, MH, Mao, S, Feick, H, Yan, HQ, Wu, YY, Kind, H, Weber, E, Russo, R, Yang, PD, Catalytic Growth of Zinc Oxide Nanowires by Vapor Transport, *Advanced Materials*, 13 (2): 113-116, 2001.

Huynh, WU, Dittmer, JJ, Alivisatos, AP, Hybrid Nanorod-polymer Solar Cell, *Science*, 295 (5564): 2425-2427, 2002.

Iijima S, Ichihashi T. (1993). Single-Shell carbon nanotubes of 1-nm diameter. *Nature*. 363 (6430): 603-605.

Iijima S. (1991). Helical microtubules of graphitic carbon. *Nature*. 354 (6348): 56-58.

Iler, Ralph K, *Chemistry of Silica – Solubility, Polymerization, Colloid and Surface Properties, and Biochemistry*. Cornell University Press, Ithaca, New York, 1979.

Israelachvili, J, *Intermolecular and Surface Forces*, Academic Press, 1991.

Javey, A, Guo, J, Wang, Q, Lundstrom, M, Dai, HJ, Ballistic Carbon Nanotube Field-Effect Transistors, *Nature*, 424 (6949): 654-657, 2003.

Joannopoulos, JD, Meade, RD, Winn, JN, *Photonic Crystals: Molding the Flow of Light*, Princeton University Press, Princeton, 1995.

John, S, Strong Localization of Photons in Certain Disordered Dielectric Superlattices, *Physical Review Letters* 58 (23): 2486-2489, 1987.

Johnson PB, Christy RW. (1972). Optical-Constants of noble-metals. *Physical Review B*. 6 (12): 4370-4379.

- Johnson, KL, Kendall, K, Roberts, AD, Surface Energy and Contact of Elastic Solids, Proc. Of the Royal Society of London Series A – Mathematical and Physical Sciences, 324 (1558): 301-, 1971.
- Journet C, Maser WK, Bernier P, Loiseau A, delaChapelle ML, Lefrant S, Deniard P, Lee R, Fischer JE. (1997). Large-scale production of single-walled carbon nanotubes by the electric-arc technique. *Nature*. 388 (6644): 756-758.
- Judd BR. (1962). Optical absorption intensities of rare-earth ions. *Physical Review*. 127 (3): 750-761.
- Kataura H, Kumazawa Y, Maniwa Y, Umezu I, Suzuki S, Ohtsuka Y, Achiba Y. (1999). Optical properties of single-wall carbon nanotubes. *Synthetic Metals*. 103 (1-3): 2555-2558.
- Kelly, KL, Coronado, E, Zhao, LL, Schatz, GC, The Optical Properties of Metal Nanoparticles: The Influence of Size, Shape, and Dielectric Environment, *Journal of Physical Chemistry B*, 107 (3): 668-677, 2003.
- Kissinger HE. (1957). Reaction kinetics in differential thermal analysis. *Analytical Chemistry*. 29 (11): 1702-1706.
- Kleinman L, Bylander DM. (1982). Efficacious form for model pseudopotentials. *Physical Review Letters*. 48 (20): 1425-1428.
- Klug HP. and LE. Alexander (1974). *X-ray Diffraction Procedures*. John Wiley and Sons, Inc. New York.
- Klug, HP. & L. E. Alexander. (1954). *X-ray Diffraction Procedures*. New York. John Wiley & Sons.
- Kohn W, Sham LJ. (1965). Self-Consistent equations including exchange and correlation effects. *Physical Review*. 140 (4a): 1133-1138.

Kojima Y, Usuki A, Kawasumi M, Okada A, Fukushima Y, Kurauchi T, Kamigaito O. (1993). Mechanical-Properties of nylon 6-clay hybrid. *Journal of Materials Research*. 8 (5): 1185-1189.

Kong J, Franklin NR, Zhou CW, Chapline MG, Peng S, Cho KJ, Dai HJ. (2000). Nanotube molecular wires as chemical sensors. *Science*. 287 (5453): 622-625 Jan 28.

Kong, J, Soh, HT, Cassell, AM, Quate, CF, Dai, HJ, Synthesis of Individual Single-walled Carbon Nanotube on Patterned Silicon Wafer, *Nature*, 395 (6705): 878-881, 1998.

Kostoff RN, Del Rio JA, García EO, Ramírez AM, and Humenik JA. (2001). Citation mining: integrating text mining and bibliometrics for research user profiling. *JASIST*. 52:13. 1148-1156. 52:13. November.

Kostoff RN, and Shlesinger MF. (2005). CAB-Citation-assisted background. *Scientometrics*. 62:2. 199-212.

Kostoff RN, Stump JA, Johnson D, Murday JS, Lau CGY, Tolles WM. (2006a). The structure and infrastructure of the global nanotechnology literature. *Journal of Nanoparticle Research*. 8 (3-4): 301-321. 2006.

Kostoff RN, Murday JS, Lau CGY, Tolles WM. (2006b). The seminal literature of global nanotechnology research. *Journal of Nanoparticle Research*. 8 (2): 193-213. 2006.

Kostoff RN., Tshiteya R., Bowles CA., and Tuunanen T. (2006c). The structure and infrastructure of the Finnish research literature. *Technology Analysis and Strategic Management*. 18 (2): 187-220. 2006.

Kostoff RN., Briggs M., Rushenberg R., Bowles C., and Pecht M. (2006d). The structure and infrastructure of Chinese science and technology. DTIC Technical Report Number ADA443315. (<http://www.dtic.mil/>). Defense Technical Information Center. Fort Belvoir, VA. 2006.

Kostoff RN., Koytcheff RG., Lau CGY. (2007). Structure of the global nanoscience and nanotechnology research literature. *Encyclopedia of Nanoscience and Nanotechnology*.

Kreibig U. and Vollmer M. (1995) *Optical Properties of Metal Clusters*. Springer, Berlin.

Kresge CT, Leonowicz ME, Roth WJ, Vartuli JC, Beck JS. (1992). Ordered mesoporous molecular-sieves synthesized by a liquid-crystal template mechanism. *Nature*. 359 (6397): 710-712.

Kresge, CT, Leonowicz, ME, Roth, WJ, Vartuli, JC, Beck, JS, Ordered Mesoporous Molecular-Sieves Synthesized by a Liquid Crystal Template Mechanism, *Nature*, 359 (6397): 710-712, 1992.

Kresge, G, Furthmuller, J, Efficiency of Ab Initio Total-energy Calculations for Metals and Semiconductors using a Plane-wave Basis Set, *Computational Materials Science*, 6 (1): 15-50, 1996.

Kresge, G, Furthmuller, J, Efficient Iterative Scheme for Ab Initio Total-energy Calculations using a Plane-wave Basis Set, *Physical Review B*, 54 (16): 11169-11186, 1996.

Kricka, L.J. and Fortina, P. (2002). Nanotechnology and applications: An all-language literature survey including books and patents. *Clinical Chemistry*. 48:4. 662-665.

Kroto HW, Heath JR, O'Brien SC, Curl RF, Smalley RE. (1985). C-60 – Buckminsterfullerene. *Nature*. 318 (6042): 162-163.

Krupke, R, Henrich, F., van Lohneysen, H, Kappes, MM, Separation of Metallic from Semiconducting Single-walled Carbon Nanotubes, *Science*, 301 (5631): 344-347, 2003.

Laemmli, UK, Cleavage of Structural Proteins during Assembly of Head of Bacteriophage-T4, *Nature*, 227 (5259): 680-, 1970.

Landauer, R. Spatial Variation of Currents and Fields due to Localized Scatterers in Metallic Conduction, IBM Journal of Research and Development, 1 (3): 223-231, 1957.

Larson, DR, Zipfel, WR, Williams, RM, Clark, SW, Bruchez, MP, Wise, FW, Webb, WW, Water-Soluble Quantum Dots for Multiphoton Fluorescence Imaging in Vivo, Science, 300 (5624): 1434-1436, 2003.

Lee, C, Yang, WT, Parr, R.G., Development of the Colle-Salvetti Correlation-Energy Formula into a Functional of the Electron Density, Physical Review B, 37: 785-, 1987.

Leonard, D, Krishnamurthy, M, Reaves, CM, Denbaars, SP, Petroff, PM, Direct Formation of Quantum-Sized Dots from Uniform Coherent Islands of InGaAs on GaAs Surfaces, Applied Physics Letters, 63 (23): 3203-3205, 1993.

Li WZ, Xie SS, Qian LX, Chang BH, Zou BS, Zhou WY, Zhao RA, Wang G. (1996). Large-scale synthesis of aligned carbon nanotubes. Science. 274 (5293): 1701-1703.

Linsebigler, AL, Lu, GQ, Yates, JT, Photocatalysis on TiO₂ Surfaces – Principles, Mechanisms, and Selected Results, Chemical Reviews, 95 (3): 735-758, 1995.

Liu J, Rinzler AG, Dai HJ, Hafner JH, Bradley RK, Boul PJ, Lu A, Iverson T, Shelimov K, Huffman CB, Rodriguez-Macias F, Shon YS, Lee TR, Colbert DT, Smalley RE. (1998). Fullerene pipes. Science. 280 (5367): 1253-1256.

Liu, C, Fan, YY, Liu, M, Cong, HT, Cheng, HM, Dresselhaus, MS, Hydrogen Storage in Single-walled Carbon Nanotubes at Room Temperature, Science, 286 (5442): 1127-1129, 1999.

- Liu, MX . (1993). Progress In Documentation - The Complexities of Citation Practice – A Review of Citation Studies. *Journal of Documentation*. 49 (4): 370-408.
- Loss D, DiVincenzo DP. (1998). Quantum computation with quantum dots. *Physical Review A*. 57 (1): 120-126.
- Love JC, Estroff LA, Kriebel JK. Nuzzo RG, Whitesides GM. Self-assembled monolayers of thiolates on metals as a form of nanotechnology. *Chemical Reviews*. 105 (4): 1103-1169. 2005.
- Lowry, OH, Rosebrough, NJ, Farr, AL, Randall, RJ, Protein Measurement with the Folin Phenol Reagent, *Journal of Biological Chemistry*, 193 (1): 265-275, 1951.
- MacRoberts M, MacRoberts B. (1996). Problems of citation analysis. *Scientometrics*. 36(3): 435-444.
- Macroberts, M.H, Macroberts B.R. (1989). Problems of citation analysis - A critical-review. *Journal of the American Society for Information Science*. 40 (5): 342-349.
- Martel R, Schmidt T, Shea HR, Hertel T, Avouris P. (1998). Single- and multi-wall carbon nanotube field-effect transistors. *Applied Physics Letters*. 73 (17): 2447-2449.
- Martin CR. (1994). Nanomaterials - A membrane-based synthetic approach. *Science*. 266 (5193): 1961-1966.
- Marzin, JY, Gerard, JM, Izrael, A, Barrier, D, Bastard, G, Photoluminescence of Single InAs Quantum Dots Obtained by Self-Organized Growth on GaAs, *Physical Review Letters*, 73 (5): 716-719, 1994.
- Masuda H, Fukuda K. (1995). Ordered metal nanohole arrays made by a 2-step replication of honeycomb structures of anodic alumina. *Science*. 268 (5216): 1466-1468.

- Matthews, JW, Blakeslee, AE, Defects in Epitaxial Multilayers: Misfit Dislocations, *Journal of Crystal Growth*, 27: 118-125, 1974.
- Maxwell-Garnet JC. (1904). Colours in metal glasses and in metallic films *Phil. Trans. R. Soc.* 203 385.
- Metropolis, N, Rosenbluth, AW, Rosenbluth, MN, Teller, AH, Teller, E, Equation of State Calculations by Fast Computing Machines, *Journal of Chemical Physics*, 21 (6): 1087-1092, 1953.
- Michalet X, Pinaud FF, Bentolila LA, Tsay JM, Doose S, Li JJ, Sundaresan G, Wu AM, Gambhir SS, Weiss S. (2005). Quantum dots for live cells, in vivo imaging, and diagnostics. *Science* 307 (5709): 538-544. 2005.
- Mie G. (1908). Beiträge zur optic trüber medien speziell kolloidaler metallösungen. *Ann. Phys.*, 25. 377-445.
- Mintmire JW, Dunlap BI, White CT. (1992). Are fullerene tubules metallic. *Physical Review Letters*. 68 (5): 631-634.
- Mirkin CA, Letsinger RL, Mucic RC, Storhoff JJ. (1996). A DNA-based method for rationally assembling nanoparticles into macroscopic materials. *Nature*. 382 (6592): 607-609.
- Monkhorst, HJ. and Pack JD. (1976). On special points for brillouin zone integrations. *Phys. Rev. B* 13, 5188 (1976).
- Morales AM, Lieber CM. (1998). A laser ablation method for the synthesis of crystalline semiconductor nanowires. *Science*. 279 (5348): 208-211.
- Moskovits M. (1985). Surface-enhanced spectroscopy. *Reviews of Modern Physics*. 57 (3): 783-826.
- Moulder, JF, Stickle, WF, Sobol, PE, Bomben, KD, Handbook of X-Ray Photoelectron Spectroscopy, Physical Electronics Division, Perkin Elmer Corporation, 1991.

Mulvaney, P, Surface Plasmon Spectroscopy of Nanosized Metal Particles, *Langmuir*, 12 (3): 788-800, 1996.

Murray CB, Norris DJ, Bawendi MG. (1993). Synthesis and characterization of nearly monodisperse cde (e = s, se, te) semiconductor nanocrystallites. *Journal of the American Chemical Society*. 115 (19): 8706-8715.

Murray, CB, Kagan, CR, Bawendi, MG, Self-organization of CdSe Nanocrystallites into Three-dimensional Quantum Dot Superlattices, *Science*, 270 (5240): 1335-1338, 1995.

Nazeeruddin MK, Kay A, Rodicio I, Humphrybaker R, Muller E, Liska P, Vlachopoulos N, Gratzel M. (1993). Conversion of light to electricity by cis-x₂bis(2,2'-bipyridyl-4,4'-dicarboxylate)ruthenium(ii) charge-transfer sensitizers (x = cl-, br-, i-, cn-, and scn-) on nanocrystalline tio₂ electrodes. *Journal of the American Chemical Society*. 115 (14): 6382-6390.

Neel, L., (1949). Theorie du trainage magnetique des ferromagnetiques en grains fins avec applications aux terres cuites. *Ann. Geophys.* 99-136.

Nie, SM, Emery, SR, Probing Single Molecules and Single Nanoparticles by Surface-enhanced Raman Scattering, *Science*, 275 (5303): 1102-1106, 1997.

Nikolaev P, Bronikowski MJ, Bradley RK, Rohmund F, Colbert DT, Smith KA, Smalley RE. (1999). Gas-phase catalytic growth of single-walled carbon nanotubes from carbon monoxide. *Chemical Physics Letters*. 313 (1-2): 91-97.

Niyogi, S, Hamon, MA, Hu, H, Zhao, B, Bhowmik, P, Sen, R, Itkis, ME, Haddon, RC, Chemistry of Single-walled Carbon Nanotubes, *Accounts of Chemical Research*, 35 (12): 1105-1113, 2002.

O'Connell, MJ, Bachilo, SM, Huffman, CB, Moore, VC, Strano, MS, Haroz, EH, Rialon, KL, Boul, PJ, Noon, WH, Kittrell, C, Ma, JP, Hauge, RH, Weisman, RB, Smalley, RE, Band Gap Fluorescence from Individual Single-walled Carbon Nanotubes, *Science*, 297 (5581): 593-596, 2002.

Odom TW, Huang JL, Kim P, Lieber CM. (1998). Atomic structure and electronic properties of single-walled carbon nanotubes. *Nature*. 391 (6662): 62-64.

Ofelt GS. (1962). Intensities of crystal spectra of rare-earth ions. *Journal of Chemical Physics*. 37 (3): 511.

Oliver WC, Pharr GM. (1992). An improved technique for determining hardness and elastic-modulus using load and displacement sensing indentation experiments. *Journal of Materials Research*. 7 (6): 1564-1583.

Oregan B, Gratzel M. (1991). A low-cost, high-efficiency solar-cell based on dye-sensitized colloidal TiO_2 films. *Nature*. 353 (6346): 737-740 Oct 24 1991.

Ozin, GA, *Nanochemistry – Synthesis in Diminishing Dimensions*, *Advanced Materials*, 4 (10): 612-649, 1992.

Palik, ED and Addamiano, A, *Handbook of Optical Constants of solids*, Academic Press, New York, 1985.

Pan ZW, Dai ZR, Wang ZL. (2001). Nanobelts of semiconducting oxides. *Science*. 291 (5510): 1947-1949.

Pan, ZW, Dai, ZR, Wang, ZL, *Nanobelts of Semiconducting Oxides*, *Science*, 291 (5510): 1947-1949, 2001.

Parratt LG. (1954). Surface studies of solids by total reflection of x-rays. *Physical Review*. 95 (2): 359-369.

Payne, MC, Teter, MP, Allan, DC, Aras, TA, Joannopoulos, JD, *Iterative Minimization Techniques for Ab Initio Total-energy Calculations – Molecular Dynamics and Conjugate Gradients*, *Reviews of Modern Physics*, 64 (4): 1045-1097, 1992.

Pecht, NJ, The Cleavage Strength of Polycrystals, Journal of the Iron and Steel Institute, 174 (1): 25-28, 1953.

Peng XG, Manna L, Yang WD, Wickham J, Scher E, Kadavanich A, Alivisatos AP. (2000). Shape control of CdSe nanocrystals. Nature. 404 (6773): 59-61.

Perdew JP, Zunger A. (1981). Self-interaction correction to density-functional approximations for many-electron systems. Physical Review B. 23 (10): 5048-5079.

Perdew, JP, Burke, K, Ernzerhof, M, Generalized Gradient Approximation made Simple, Physical Review Letters, 77 (18): 3865-3868, 1996.

Perdew, JP, Chevary, JA, Vosko, SH, Jackson, KA, Pederson, MR, Singh, DJ, Fiolhais, C, Atoms, Molecules, Solids, Surfaces –Applications of the Generalized Gradient Approximation for Exchange and Correlation, Physical Review B, 46 (11): 6671-6687, 1992.

Perdew, JP, Wang, Y, Accurate and Simple Analytic Representation of the Electron-Gas Correlation Energy, Physical Review B, 45 (23): 13244-13249, 1992.

Piner RD, Zhu J, Xu F, Hong SH, Mirkin CA. (1999). "Dip-pen" nanolithography. Science. 283 (5402): 661-663.

Porter, MD, Bright, TB, Allara, DL, Chidsey, CED, Spontaneously Organized Molecular Assemblies: Structural Characterization of Normal-Alkyl Thiol Monolayers on Gold by Optical Ellipsometry, Infrared Spectroscopy, and Electrochemistry, Journal of American Chemical Society, 109 (12): 3559-3568, Jun 1987.

Pratt, WP, Lee, SF, Slaughter, JM, Loloee, R, Schroeder, PA, Bass, J, Perpendicular Giant Magnetoresistance of Ag/Co Multilayers, Physical Review Letters, 66 (23): 3060-3063, 1991.

Prinz, GA, Device Physics – Magnetoelectronics, Science, 282 (5394): 1660-1663, 1998.

Puntes VF, Krishnan KM, Alivisatos AP. (2001). Colloidal nanocrystal shape and size control: The case of cobalt. Science. 291 (5511): 2115-2117.

Raether, H, Surface Plasmons on Smooth and Rough Surfaces and on Gratings, Springer-Verlag, Berlin, 1988.

Rao AM, Richter E, Bandow S, Chase B, Eklund PC, Williams KA, Fang S, Subbaswamy KR, Menon M, Thess A, Smalley RE, Dresselhaus G, Dresselhaus MS. (1997). Diameter-selective Raman scattering from vibrational modes in carbon nanotubes. Science. 275 (5297): 187-191.

Reed MA, Bate RT, Bradshaw K, Duncan WM, Frensley WR, Lee JW, Shih HD. (1986). Spatial quantization in gaas-algaas multiple quantum dots. Journal of Vacuum Science & Technology B. 4 (1): 358-360.

Reimann, SM, Manninen, M, Electronic Structure of Quantum Dots, Reviews of Modern Physics, 74 (4): 1283-1342, 2002.

Ren ZF, Huang ZP, Xu JW, Wang JH, Bush P, Siegal MP, Provencio PN. (1998). Synthesis of large arrays of well-aligned carbon nanotubes on glass. Science. 282 (5391): 1105-1107.

Richter H, Wang ZP, Ley L. (1981). The one phonon Raman-spectrum in microcrystalline silicon. Solid State Communications. 39 (5). 625-629.

Rietveld HM. (1969). A profile refinement method for nuclear and magnetic structures. Journal of Applied Crystallography. 2: 65-71. Part 2.

Rinzler AG, Hafner JH, Nikolaev P, Lou L, Kim SG, Tomanek D, Nordlander P, Colbert DT, Smalley RE. (1995). Unraveling nanotubes - field-emission from an atomic wire. Science. 269 (5230): 1550-1553.

Rinzler AG, Liu J, Dai H, Nikolaev P, Huffman CB, Rodriguez-Macias FJ, Boul PJ, Lu AH, Heymann D, Colbert DT, Lee RS, Fischer JE, Rao AM,

Eklund PC, Smalley RE. (1998). Large-scale purification of single-wall carbon nanotubes: process, product, and characterization. *Applied Physics A-Materials Science & Processing*. 67 (1): 29-37.

Saito R, Fujita M, Dresselhaus G, Dresselhaus MS. (1992). Electronic-structure of chiral graphene tubules. *Applied Physics Letters*. 60 (18): 2204-2206.

Saito, R. MS Dresselhaus, G Dresselhaus. (1998). *Physical Properties of Carbon Nanotubes*. Imperial College Press, London.

Santori C, Pelton M, Solomon G, Dale Y, Yamamoto E. (2001). Triggered single photons from a quantum dot. *Physical Review Letters*. 86 (8): 1502-1505.

Sauerbrey G. (1959). Verwendung Von Schwingquarzen Zur Wagung Dunner Schichten Und Zur Mikrowagung. *Zeitschrift Fur Physik*. 155 (2): 206-222.

Shannon RD. (1976). Revised effective ionic-radii and systematic studies of interatomic distances in halides and chalcogenides. *Acta Crystallographica Section A*. 32 (Sep1): 751-767.

Sheldrick, GM, Phase Annealing in SHELX-90 – Direct Methods for Larger Structures, *Acta Crystallographica Section A*, 46: 467-473, 1990.

Sherwin CW, Isenson RS. (1967). Project Hindsight. A Defense Department study of the utility of research. *Science*. 23:156 (3782). 1571-7.

Shirley, D.A. High Resolution X-Ray Photoemission Spectrum of Valence Bands of Gold, *Physics Review B*, 5 (12): 4709-, 1972.

Simon, J. (2005). Micro- and nanotechnologies: dullish electrons and smart molecules. *Comptes Rendus Chimie*. 8 (5). 893-902. May.

Sing KSW, Everett DH, Haul RAW, Moscou L, Pierotti RA, Rouquerol J, Siemieniewska T. (1985). Reporting physisorption data for gas solid

systems with special reference to the determination of surface-area and porosity (recommendations 1984). *Pure and Applied Chemistry*. 57 (4): 603-619.

Smith BW, Monthieux M, Luzzi DE. (1998). Encapsulated C-60 in carbon nanotubes. *Nature*. 396 (6709): 323-324.

Spindt CA, Brodie I, Humphrey L, Westerberg ER. (1976). Physical-properties of thin-film field-emission cathodes with molybdenum cones. *Journal of Applied Physics*. 47 (12): 5248-5263.

Stober, W., Fink, A., Bohn, E. (1968). Controlled growth of monodisperse silica spheres in the micron size range. *J. Coll. Interf. Sci.*, 26, 62-69.

Stoner EC, Wohlfarth EP. (1948). A mechanism of magnetic hysteresis in heterogenous alloys. *Philosophical Transactions of the Royal Society of London*. A240, 599-642, 1948.

Stoney G. (1909). The tension of thin metallic films deposited by electrolysis *Proc. R. Soc. A* 82. 172-3.

Sun SH, Murray CB, Weller D, Folks L, Moser A. (2000). Monodisperse FePt nanoparticles and ferromagnetic FePt nanocrystal superlattices. *Science*. 287 (5460): 1989-1992.

Sun, YP, Fu, KF, Lin, Y, Huang, WJ, Functionalized Carbon Nanotubes: Properties and Applications, *Accounts of Chemical Research*, 35 (12): 1096-1104, 2002.

Sze, SM. (1981). *Physics of semiconductor devices, 2nd edition*. John Wiley & Sons.

Tang CW, Vanslyke SA. (1987). Organic electroluminescent diodes. *Applied Physics Letters*. 51 (12): 913-915.

Tans SJ, Devoret MH, Dai HJ, Thess A, Smalley RE, Geerligs LJ, Dekker C. (1997). Individual single-wall carbon nanotubes as quantum wires. *Nature*. 386 (6624): 474-477.

Tans SJ, Verschueren ARM, Dekker C. (1998). Room-temperature transistor based on a single carbon nanotube. *Nature*. 393 (6680): 49-52.

Tarucha S, Austing DG, Honda T, vanderHage RJ, Kouwenhoven LP. (1996). Shell filling and spin effects in a few electron quantum dot. *Physical Review Letters*. 77 (17): 3613-3616.

Templeton AC, Wuelfing MP, Murray RW. (2000). Monolayer protected cluster molecules. *Accounts of Chemical Research*. 33 (1): 27-36.

Tenne R, Margulis L, Genut M, Hodes G. (1992). Polyhedral and cylindrical structures of tungsten disulfide. *Nature*. 360 (6403): 444-446.

Tersoff, J, Teichert, C, Lagally, MG, Self-organization in Growth of Quantum Dot Superlattices, *Physical Review Letters*, 76 (10): 1675-1678, 1996.

Thess A, Lee R, Nikolaev P, Dai HJ, Petit P, Robert J, Xu CH, Lee YH, Kim SG, Rinzler AG, Colbert DT, Scuseria GE, Tomanek D, Fischer JE, Smalley RE. (1996). Crystalline ropes of metallic carbon nanotubes. *Science*. 273 (5274): 483-487.

Thomas, L, Lioni, F, Ballou, R, Gatteschi, D, Sessoli, R, Barbara, B, Macroscopic Quantum Tunneling of Magnetization in a single Crystal of Nanomagnets, *Nature*, 383 (6596): 145-147, 1996.

Treacy MMJ, Ebbesen TW, Gibson JM. (1996). Exceptionally high Young's modulus observed for individual carbon nanotubes. *Nature*. 381 (6584): 678-680.

Treacy MMJ, Ebbesen, TW, Gibson, JM, Exceptionally High Young's Modulus Observed for Individual Carbon Nanotubes, *Nature*, 381 (6584): 678-680, 1996.

Troullier, N, Martins, JL, Efficient Pseudopotentials for Plane-Wave Calculations, *Physical Review B*, 43 (3): 1993-2006, 1991.

Tsang, SC, Chen, YK, Harris, PJF, Green, MLH, A Simple Chemical Method of Opening and Filling Carbon Nanotubes, *Nature*, 372(6502): 159-162, 1994.

Tuinstra F, Koenig JI. (1970). Raman spectrum of graphite. *Journal of Chemical Physics*. 53 (3): 1126.

Turkevich J, Stevenson PC, Hillier JA. (1951). Study of the nucleation and growth processes in the synthesis of colloidal gold. *Discussions of the Faraday Society*. (11): 55-75. 1951.

Ugarte, D., Curling and Closure of Graphitic Networks Under Electron Beam Irradiation, *Nature*, 359 (6397): 707-709, 1992.

Ulman A. (1996). Formation and structure of self-assembled monolayers. *Chemical Reviews*. 96 (4): 1533-1554.

Ulman, A. (1991). *Ultrathin Organic Films*, First Ed.; Academic Press, Inc.: San Diego.

Usuki A, Kojima Y, Kawasumi M, Okada A, Fukushima Y, Kurauchi T, Kamigaito O. (1993). Synthesis of nylon 6-clay hybrid. *Journal of Materials Research*. 8 (5): 1179-1184.

Valiev, RZ, Korznikov, AV, Mulyukov, RR, Structure and Properties of Ultrafine-Grained Materials Produced by Severe Plastic Deformation, *Materials Science and Engineering*, 168 (2): 141-148, 1993.

Van der Wiel, WG, De Franceschi, S, Elzerman, JM, Fujisawa, T, Tarucha, S, Kouwenhoven, LP, Electron Transport Through Double Quantum Dots, *Reviews of Modern Physics*, 75 (1): 1-22, 2003.

Vanderbilt D. (1990). Soft self-consistent pseudopotentials in a generalized eigenvalue formalism. *Physical Review B*. 41 (11): 7892-7895.

Vanderbilt, D, Soft Self-consistent Pseudopotentials in a Generalized Eigenvalue Formalism, *Physical Review B*, 41 (11): 7892-7895, 1990.

Vanheusden, K, Warren, WL, Seager, CH, Tallant, DR, Voigt, JA, Gnade, BE, Mechanisms Behind Green Photoluminescence in ZnO Phosphor Powders, *Journal of Applied Physics*, 79 (10): 7983-7990, 1996.

Vayssieres, L, Growth of Arrayed Nanorods and Nanowires of ZnO from Aqueous Solutions, *Advanced Materials*, 15 (5): 464-466, 2003.

Wagner RS, Ellis WC. (1964). Vapor-liquid-solid mechanism of single crystal growth (new method growth catalysis from impurity whisker epitaxial + large crystals Si E). *Applied Physics Letters*. 4 (5): 89-90.

Wagner, CD, Riggs, WM, Davis, LE, Moulder, JF, and Mullenberg, GE, *Handbook of X-Ray Photoelectron Spectroscopy*, Perkin-Elmer Corp. 1979.

Wang, Y, Herron, N, Nanometer-Sized Semiconductor Clusters – Material Synthesis, Quantum Size Effects, and Photophysical Properties, *Journal of Physical Chemistry*, 95 (2): 525-532, 1991.

Whitesides, GM, Mathias, JP, Seto, CT, Molecular Self-assembly and Nanochemistry – A Chemical Strategy for the Synthesis of Nanostructures, *Science*, 254 (5036): 1312-1319, 1991.

Whitney, TM, Jiang, JS, Searson, PC, Chien, CL, Fabrication and Magnetic Properties of Arrays of Metallic Nanowires, *Science*, 261 (5126): 1316-1319, 1993.

Wildoer JWG, Venema LC, Rinzler AG, Smalley RE, Dekker C. (1998). Electronic structure of atomically resolved carbon nanotubes. *Nature*. 391 (6662): 59-62.

Williamson GK, Hall WH. (1953). X-ray line broadening from filed aluminium and wolfram. *Acta Metall.* Vol 1, 22-31.

Wolkin, MV, Jorne, J, Fauchet, PM, Allan, G, Delerue, C, Electronic States and Luminescence in Porous Silicon Quantum Dots: the Role of Oxygen, Physical Review Letters, 82 (1): 197-200, 1999.

Wong EW, Sheehan PE, Lieber CM. (1997). Nanobeam mechanics: Elasticity, strength, and toughness of nanorods and nanotubes. Science. 277 (5334): 1971-1975.

Wong, EW, Sheehan, PE, Lieber, CM, Nanobeam Mechanics: Elasticity, Strength, and Toughness of Nanorods and Nanotubes, Science, 277 (5334): 1971-1975, 1997.

Wong, SS, Joselevich, E, Woolley, AT, Cheung, CL, Lieber, CM, Covalently Functionalized Nanotubes as Nanometer-sized Probes in Chemistry and Biology, Nature, 394 (6688): 52-55, 1998.

Wooten, F. (1972). Optical properties of solids, Academic Press, New York.

Wu XY, Liu HJ, Liu JQ, Haley KN, Treadway JA, Larson JP, Ge NF, Peale F, Bruchez MP. (2003). Immunofluorescent labeling of cancer marker Her2 and other cellular targets with semiconductor quantum dots. Nature. Biotechnology. 21 (1): 41-46.

Xia YN, Yang PD, Sun YG, Wu YY, Mayers B, Gates B, Yin YD, Kim F, Yan YQ. (2003). One-dimensional nanostructures: Synthesis, characterization, and applications. Advanced Materials. 15 (5): 353-389.

Xia, YN, Yang, PD, Sun, YG, Wu, YY, Mayers, B, Gates, B, Yin, YD, Kim, F, Yan, YQ, One-Dimensional Nanostructures: Synthesis, Characterization, and Applications, Advanced Materials, 15 (5): 353-389, 2003.

Xie QH, Madhukar A, Chen P, Kobayashi NP. (1995). Vertically self-organized inas quantum box islands on GaAs(100). Physical Review Letters. 75 (13): 2542-2545.

Yablonovitch E. (1987). Inhibited spontaneous emission in solid-state physics and electronics. *Physical Review Letters*. 58 (20): 2059-2062.

Yakobson, BI, Brabec, CJ, Bernholc, J, Nanomechanics of Carbon Tubes: Instabilities Beyond Linear Response, *Physical Review Letters*, 76 (14): 2511-2514, 1996.

Yao Z, Postma HWC, Balents L, Dekker C. (1999). Carbon nanotube intramolecular junctions. *Nature*. 402 (6759): 273-276.

Yoshizawa Y, Oguma S, Yamauchi K. New fe-based soft magnetic-alloys composed of ultrafine grain-structure. *Journal of Applied Physics*. 64 (10): 6044-6046 Part 2.

Young, T. , *Philosophical Transaction of the Royal Society of London*, v. 95, p. 65, 1805.

Yu, G, Gao, J, Hummelen, JC, Wudl, F, Heeger, AJ, Polymer Photovoltaic Cells –Enhanced Efficiency via a Network of Internal Donor-Acceptor Heterojunctions, *Science*, 270 (5243): 1789-1791, 1995.

Zhao DY, Feng JL, Huo QS, Melosh N, Fredrickson GH, Chmelka BF, Stucky GD. (1998). Triblock copolymer syntheses of mesoporous silica with periodic 50 to 300 angstrom pores. *Science*. 279 (5350): 548-552.

Zhao DY, Huo QS, Feng JL, Chmelka BF, Stucky GD. (1998). Nonionic triblock and star diblock copolymer and oligomeric surfactant syntheses of highly ordered, hydrothermally stable, mesoporous silica structures. *Journal of the American Chemical Society*. 120 (24): 6024-6036.

Ziegler, JF, Biersack, JP, Littmark, U, *The Stopping and Range of Ions in Solids*, Pergamon Press, New York, 1985.

Zutic I, Fabian J, Das Sarma S. (2004). Spintronics: Fundamentals and applications. *Reviews of Modern Physics* 76 (2): 323-410. 2004.

APPENDIX 1A - REFERENCE BOOKS

Akay M. (2005). Neuro-Nanotechnology. John Wiley and Sons.

Balandin AA, Wang KL. (2005). Handbook of Semiconductor Nanostructures and Nanodevices. American Scientific Publishers. Valencia, CA.

Bartos PJM, Zhu W, Hughes JJ, Trtik P. (2004). Nanotechnology in Construction. The Royal Society of Chemistry.

Bhushan B. (1999). Handbook of Micro/ Nano Tribology: Second Edition. CRC Press.

Bhushan, B. (2004). Springer Handbook of Nanotechnology. Springer

Bonsenko VE, Ossicini S. (2004). What is What in the Nanoworld. A Handbook on Nanoscience and Nanotechnology. Jossey-Bass.

DiVentra M, Evoy S, Heflin JR. (2004). Introduction to Nanoscale Science and Technology (Nanostructure Science and Technology). Springer.

Ferrari M, Lee AP, Lee J. (2005). BioMEMS and Biomedical Nanotechnology : Vol-1 Biological and Biomedical Nanotechnology. Springer.

Ferrari M, Ozkan M, Heller M. (2005). BioMEMS and Biomedical Nanotechnology : Vol.-2 Micro-and-Nano-Technologies for Genomics and Proteomics. Springer.

Ferrari M, Desai T, Bhatia S. (2005). BioMEMS and Biomedical Nanotechnology : Vol-3 Therapeutic Micro/Nanotechnology. Springer.

Ferrari M, Bashir R, Wereley S. (2005). BioMEMS and Biomedical Nanotechnology : Vol-4. Biomolecular Sensing, Processing and Analysis. Springer.

Freitas, R.A. (1999). Nanomedicine, Volume 1: Basic Capabilities. Landes Bioscience.

- Freitas, R.A. (2003). Nanomedicine, Volume 2: Biocompatibility. Landes Bioscience.
- Gad-el-Hak M. (2002). The MEMS Handbook. CRC Press.
- Geckeler KE, Rosenberg E. (2005). Functional Nanomaterials. American Scientific Publishers.
- Goodsell DS. (2004). Bionanotechnology: Lessons from Nature. Wiley-Liss.
- Huck WT. (2005). Nanoscale Assembly: Chemical Techniques. Plenum Publishing Corporation.
- Iwamoto M, Kaneto K, Mashiko S. (2003). Nanotechnology and Nano-Interface Controlled Electronic Devices. Elsevier Science and Technology Books.
- Joyce BA, Kelires P, Naumovets AG, Vyedensky DD. (2005). Quantum Dots: Fundamentals, Applications, and Frontiers : Proceedings of the NATO ARW on Quantum Dots: Fundamentals, Applications and Frontiers, Series II: Mathematics, Physics and Chemistry). Springer.
- Karn B, Colvin V, Alivasatos P. (2004). Nanotechnology and the Environment. American Chemical Society.
- Kohler M, Fritzsche W. (2004). Nanotechnology: An Introduction to Nanostructuring Techniques. John Wiley and Sons, Inc.
- Kotov NA. (2005). Nanoparticle Assemblies And Superstructures. CRC Press.
- Kumar C. (2005). Nanotechnologies for the Lifesciences. Wiley-VCH.
- Lakhtakia A. (2004). Handbook of Nanotechnology: Nanometer Structure Theory, Modeling, and Simulation. SPIE Press.
- Leondes CT. Mems/Nems Handbook : Techniques and Applications (1) Design Methods in MEMS/NEMS(2) Fabrication Techniques (3)

Manufacturing Methods(4) Sensors & Actuators(5) Medical Applications and MOEMS. Springer.

Lyshevski SE. (2000). Nano- and Micro-Electromechanical Systems: Fundamentals of Nano- and Microengineering. CRC Press.

Mahalik NP. (2005). Micromanufacturing and Nanotechnology : Fundamentals, Techniques and Platforms. Springer.

Mansoon GA. Principles of Nanotechnology: Molecular-Based Study of Condensed Matter in Small Systems. World Scientific Publishing Company.

Nalwa HS. (2000). Handbook of Nanostructured Materials and Nanotechnology. Academic Press. San Diego.

Nalwa HS. (2004). Encyclopedia of Nanoscience and Nanotechnology. American Scientific Publishers.

Nan Y, Wang ZL. (2005). Handbook of Microscopy for Nanotechnology. Springer.

Ozin G, Arsenault A. (2005). Nanochemistry : A Chemistry Approach to Nanomaterials. Royal Society of Chemistry.

Poole CP, Owens FJ. (2003). Introduction to Nanotechnology. Wiley-Interscience.

Ratner D, Ratner MA. (2003). Nanotechnology and Homeland Security: New Weapons for New Wars. Prentice Hall PTR.

Reitman E, Reitman E. (2000). Molecular Engineering of Nanosystems. AIP Press.

Represas-Cardenas JM, Kundahl G, Serrato R, Miller JC. (2005). The Handbook of Nanotechnology. John Wiley & Sons, Inc.

Rieth M, Schommers W. (2005). Handbook of Theoretical and Computational Nanotechnology. American Scientific Publishers.

Rotello V. (2003). Nanoparticles: Building Blocks for Nanotechnology (Nanostructure Science and Technology). Plenum US.

Schluter D. Functional Molecular Nanostructures (Topics in Current Chemistry). Springer.

Schmid G. (2004). Nanotechnology: From Theory to Application. John Wiley and Sons.

Schulte J. (2005). Nanotechnology: Global Strategies, Industry Trends and Applications. John Wiley and Sons.

Schwarz JA, Contescu CI, Putvera K. (2005). Dekker Encyclopedia of Nanoscience and Nanotechnology. Marcel Dekker, Inc.

Shimomura M, Ishihara T. (2003). Asianano 2002: Proceedings of the Asian Symposium on Nanotechnology and Nanoscience 2002. World Scientific Publishing Company.

Theodore L, Kunz R. (2005). Nanotechnology: Environmental Implications and Solutions. Wiley-Interscience.

Timp GL. (1998). Nanotechnology. American Institute of Physics.

Wilson M, Kannangara K, Smith G, Simmons M. (2002). Nanotechnology: Basic Science and Emerging Technologies. Chapman and Hall.

Ueyama N, Harada N. (2005). Macromolecular Nanostructured Materials (Springer Series in Materials Science). Springer.

US Government. (2005). 21st Century Complete Guide to Nanotechnology, Nanoscale Science, and Nanomaterials: Federal Research and the National Nanotechnology Initiative (CD-ROM). Progressive Management.

Vo-Dinh T. (2005). Protein Nanotechnology: Protocols, Instrumentation, and Applications (Methods in Molecular Biology). Humana Press.

Wang C, Bai C. (2005). Single Molecule Chemistry and Physics : An Introduction (NanoScience and Technology). Springer.

Wolf EL. (2004). Nanophysics and Nanotechnology: An Introduction to Modern Concepts in Nanoscience.

Yao N, Wang ZL. (2005). Handbook of Microscopy for Nanotechnology. Springer.

Ying J. (2001). Nanostructured Materials. Academic Press.

Zhou B, Samorjai GA, Hermans S, Lockwood DJ. (2004). Nanotechnology in Catalysis: Volume 1. Kluwer Academic Publishers.

APPENDIX 2 – NANOTECHNOLOGY QUERY

The following sets of keywords are used in queries to retrieve the data in the literature (* denotes the wild-card character used in most search engines), and the union of these sets constitutes the operational definition of nanotechnology/ nanoscience used by the authors.

SET 1 - TOPIC

NANOPARTICLE* OR NANOTUB* OR NANOSTRUCTURE* OR
NANOCOMPOSITE* OR NANO-COMPOSITE* OR NANOWIRE* OR
NANOCRYSTAL* OR NANOFIBER* OR NANOFIBRE* OR
NANOSPHERE* OR NANOROD* OR NANOTECHNOLOG* OR
NANOCLUSTER* OR NANOCAPSULE* OR NANOMATERIAL* OR
NANOFABRICAT* OR NANOPOR* OR NANOPARTICULATE* OR
NANOPHASE OR NANOPOWDER* OR NANOLITHOGRAPHY OR
NANO-PARTICLE* OR NANODEVICE* OR NANODOT* OR
NANOINDENT* OR NANO-INDENT* OR NANOLAYER* OR
NANOSCIENCE OR NANOSIZE* OR NANO-SIZE* OR NANOSCALE*
OR NANO-SCALE* OR NANOROBOT*

SET 2 - TOPIC

((NM OR NANOMETER* OR NANOMETRE*) SAME (SURFACE* OR
FILM* OR GRAIN* OR POWDER* OR SILICON OR DEPOSITION OR
LAYER* OR DEVICE* OR CLUSTER* OR CRYSTAL* OR
MATERIAL* OR SUBSTRATE* OR STRUCTURE* OR ROUGHNESS
OR MONOLAYER* OR RESOLUTION OR PARTICLE* OR ATOMIC
FORCE MICROSCOP* OR TRANSMISSION ELECTRON
MICROSCOP* OR SCANNING TUNNELING MICROSCOP*))

SET 3 - TOPIC

(AFM OR ATOMIC FORCE MICROSCOP* OR SCANNING
ELECTRON MICROSCOP* OR SEM OR SCANNING TUNNELING
MICROSCOP* OR STM OR SELF-ASSEMBL* OR SELF-ORGANIZ*
OR TRANSMISSION ELECTRON MICROSCOP* OR TEM) SAME
(SURFACE* OR FILM* OR LAYER* OR SUBSTRATE* OR
ROUGHNESS OR MONOLAYER* OR MOLECUL* OR STRUCTURE*
OR RESOLUTION OR ETCH* OR GROW* OR SILICON OR SI OR

DEPOSIT* OR PARTICLE* OR FORMATION OR TIP OR ATOM* OR GOLD OR AU OR POLYMER* OR COPOLYMER* OR GAAS OR INAS OR SUPERLATTICE* OR ADSORPTION OR ADSORB* OR ISLAND* OR SIZE OR POWDER* OR RESOLUTION OR QUANTUM OR MULTILAYER* OR ARRAY* OR NANO*)

SET 4 - TOPIC

(NSOM OR CHEMICAL VAPOR DEPOSITION OR CVD OR CHEMICAL VAPOUR DEPOSITION OR X-RAY PHOTOELECTRON SPECTROSCOPY OR DIFFERENTIAL SCANNING CALORIMETRY OR X-RAY DIFFRACTION OR XRD OR SURFACE PLASMON RESONANCE OR "NEAR" FIELD SCANNING OPTICAL MICROSCOP*) SAME (SURFACE* OR FILM* OR LAYER* OR SUBSTRATE* OR ROUGHNESS OR MONOLAYER* OR MOLECUL* OR STRUCTURE* OR RESOLUTION OR ETCH* OR GROW* OR SILICON OR SI OR DEPOSIT* OR PARTICLE* OR FORMATION OR TIP OR ATOM* OR GOLD OR AU OR POLYMER* OR COPOLYMER* OR GAAS OR INAS OR SUPERLATTICE* OR ADSORPTION OR ADSORB* OR ISLAND* OR SIZE OR POWDER OR RESOLUTION OR QUANTUM OR MULTILAYER* OR ARRAY* OR NANO*)

SET 5 - TOPIC

NANOMECHANICAL OR NANO ELECTRONIC* OR NANOHARDNESS OR NANORIBBON* OR NANOBELT* OR NANOGRAIN* OR NANOCABLE* OR NANOCHANNEL* OR NANOSHEET* OR NANODIAMOND* OR NANOMAGNET* OR NANODISK* OR NANOSHELL* OR NANOCONTACT* OR NANOREACTOR* OR NANOIMPRINT* OR NANO HOLE* OR NANOWHISKER* OR NANO CHEMISTRY OR NANOGRAPHITE OR NANO ELECTRODE* OR NANO GRANULAR OR NANOFOAM* OR NANOMETER-SIZE* OR NANO COLLOID* OR NANORING* OR NANOPHOTONIC* OR NANOSENSOR* OR NANO ELECTROSPRAY* OR NANO BRIDGE* OR NANOMETER-SCALE* OR NANO BIO* OR BIONANO* OR HIPCO

SET 6 - TOPIC

MOLECUL* MOTOR* OR MOLECUL* RULER* OR MOLECUL*
DEVICE* OR MOLECULAR ENGINEERING OR MOLECULAR
ELECTRONIC* OR COULOMB STAIRCASE* OR QUANTUM DOT*
OR QUANTUM WELL* OR QUANTUM WIRE* OR COULOMB
BLOCKADE* OR MOLECULAR WIRE*

SET 7 - JOURNALS

(BULK "AND" GRADED NANOMETALS OR CURRENT
NANOSCIENCE OR FROM NANOPOWDERS TO FUNCTIONAL
MATERIALS OR FULLERENES NANOTUBES "AND" CARBON
NANOSTRUCTURES OR FULLERENES NANOTUBES "AND"
CARBON NANOSTRUCTURES OR FUNCTIONAL MOLECULAR
NANOSTRUCTURES OR IEEE TRANSACTIONS ON
NANOBIOSCIENCE OR IEEE TRANSACTIONS ON
NANOTECHNOLOGY OR INORGANIC POLYMERIC
NANOCOMPOSITES "AND" MEMBRANES OR JOURNAL OF
COMPUTATIONAL "AND" THEORETICAL NANOSCIENCE OR
JOURNAL OF NANOPARTICLE RESEARCH OR JOURNAL OF
NANOSCIENCE "AND" NANOTECHNOLOGY OR MICROSYSTEM
TECHNOLOGIES MICRO "AND" NANOSYSTEMS INFORMATION
STORAGE "AND" PROCESSING SYSTEMS OR NANO LETTERS OR
NANOPOROUS MATERIALS IV OR NANOTECHNOLOGY OR ON
THE CONVERGENCE OF BIO INFORMATION ENVIRONMENTAL
ENERGY SPACE "AND" NANO TECHNOLOGIES PTS 1 "AND" 2 OR
PHYSICA E LOW DIMENSIONAL SYSTEMS NANOSTRUCTURES OR
PRECISION ENGINEERING JOURNAL OF THE INTERNATIONAL
SOCIETIES FOR PRECISION ENGINEERING "AND"
NANOTECHNOLOGY OR SYNTHESIS "AND" REACTIVITY IN
INORGANIC METAL ORGANIC "AND" NANO METAL CHEMISTRY)

SET 8 – ADDRESS

NANO* NOT NANOPHOTON*

The first six sets of the query are generated using an iterative relevance feedback technique [Kostoff et al, 1997] applied to the phrases in the Abstract fields of the SCI/ SSCI records. The seventh set is applied to the journal Titles field, and represents journals that contain ‘nano*’ in the title. The eighth set is applied to the author address field, and represents

organizations that contain nano* in their address but not nanophoton*. The retrievals from each query set have been validated for relevance and precision. The full query (the union of all eight sets) is used to retrieve relevant documents from selected source databases.

APPENDIX 3. DOCUMENT CLUSTERING ALGORITHM DESCRIPTION

Specifically, CLUTO implements various algorithms for clustering low- and high-dimensional datasets and for analyzing the characteristics of the various clusters. CLUTO implements three different classes of clustering algorithms that can operate either directly in the object's feature space or in the object's similarity space. The clustering algorithms provided by CLUTO are based on the partitional, agglomerative, and graph-partitioning paradigms. CLUTO's partitional and agglomerative algorithms are able to find clusters that are primarily globular, whereas its graph-partitioning and some of its agglomerative algorithms are capable of finding transitive clusters.

In this study, documents were clustered using the partitional clustering algorithms provided by CLUTO. Partitional clustering algorithms find the clusters by partitioning the entire document collection into a predetermined number of disjoint sets, each corresponding to a single cluster. This partitioning is achieved by treating the clustering process as an optimization procedure that tries to create high quality clusters according to a particular function that reflects the underlying definition of the “goodness” of the clusters. This function is referred to as the *clustering criterion function*. CLUTO implements seven such criterion functions that measure various aspects of intra-cluster similarity, inter-cluster dissimilarity, and their combinations, and have been shown to produce high-quality clusters in low- and high-dimensional datasets.

CLUTO uses two different methods for computing the partitioning clustering solution. The first method computes a k -way clustering solution via a sequence of repeated bisections, whereas the second method computes the solution directly (in a fashion similar to traditional K -means-based algorithms). These methods are often referred to as *repeated bisecting* and *direct k -way clustering*, respectively. CLUTO computes a direct k -way clustering as follows. Initially, a set of k objects is selected from the datasets to act as the *seeds* of the k clusters. Then, the similarity of each object to these k seeds is computed, and the object is assigned to the cluster corresponding to its most similar seed. This forms the initial k -way clustering. This clustering is then repeatedly refined so that it optimizes a desired clustering criterion function. This optimization is performed using a randomized incremental optimization algorithm that is greedy in nature, has low computational requirements, and produces high-quality solutions (Zhao

and Karypis, 2004). A k -way partitioning via repeated bisections is obtained by recursively applying the above algorithm to compute 2-way clustering (*i.e.*, bisections). Initially, the objects are partitioned into two clusters, then one of these clusters is selected and is further bisected, and so on. This process continues $k - 1$ times, leading to k clusters. Each of these bisections is performed so that the resulting two-way clustering solution optimizes a particular criterion function.

The actual documents were represented using the widely-used vector-space model in which the various terms present in the documents were used to define a high-dimensional space and each document was considered to be a vector in that space. However, unlike the traditional vector-space representation, which relies entirely on single terms, all consecutive two- and three-word combinations were taken into account, resulting in a representation that is capable of capturing the phrases commonly occurring in the documents. In addition, Porter's stemming algorithm was used to pre-process the various terms of each document prior to obtaining their vector-space representation. The weight of each dimension was computed using the TF-IDF model in which terms that occur many times within a document are given higher weight (TF) and terms that occur across many documents were given lower weight (IDF). The similarity between two documents was measured using the cosine of their corresponding document vectors.

APPENDIX 4. MULTIPLE AUTHORS WITH THE SAME NAME

AUTHOR-INSTITUTION CO-OCCURRENCE MATRIX

Essentially, an author-institution co-occurrence matrix is generated for the most prolific authors and institutions. If it is assumed that each institution contains one author with a given full name in a specific technology, then the leading authors may be identified uniquely. Unfortunately, the software is not configured to allow mapping by authors deconvolved using this approach.

An author-institution co-occurrence matrix of the top 327 authors and the top 348 institutions was generated to assign the authors to a particular institution. This assumes that 1) at a given institution there is only one person with a given name publishing in the field of nanotechnology/nanoscience and 2) that the author's institution appears on all of his/her records. Because the records correspond to one year, author mobility is not an issue, so the first assumption should be valid on that account. For the authors with less common names, the number of papers published at the given institution matches the total number of papers published by that author. Thus the second assumption should hold.

The author-institution pairings occurring with the highest frequency were extracted from the co-occurrence matrix, and a list of the 29 most prolific authors was generated (Table A4-1).

TABLE A4-1 – MOST PROLIFIC NANOTECHNOLOGY RESEARCH AUTHORS LISTED WITH THEIR INSTITUTION (2005)

AUTHOR	#PAPERS	INSTITUTION	COUNTRY
Qian, YT	86	UNIV SCI & TECHNOL CHINA	PEOPLES R CHINA
Li, Y	54	CHINESE ACAD SCI	PEOPLES R CHINA
Jiang, L	53	CHINESE ACAD SCI	PEOPLES R CHINA
Chu, PK	52	CITY UNIV HONG KONG	PEOPLES R CHINA
Cingolani, R	52	UNIV LECCE	ITALY
Zhang, LD	52	CHINESE ACAD SCI	PEOPLES R CHINA
Wang, ZG	51	CHINESE ACAD SCI	PEOPLES R CHINA
Zhang, Y	45	CHINESE ACAD SCI	PEOPLES R CHINA
Du, YW	44	NANJING UNIV	PEOPLES R CHINA
Hopkinson, M	44	UNIV SHEFFIELD	ENGLAND
Shi, JL	44	CHINESE ACAD SCI	PEOPLES R CHINA
Gao, L	43	CHINESE ACAD SCI	PEOPLES R CHINA
Liu, Y	43	CHINESE ACAD SCI	PEOPLES R CHINA
Knoll, W	42	MAX PLANCK INST POLYMER RES	GERMANY
Zhu, DB	42	CHINESE ACAD SCI	PEOPLES R CHINA
Chang, SJ	41	NATL CHENG KUNG UNIV	TAIWAN
Mullen, K	41	MAX PLANCK INST POLYMER RES	GERMANY
Bando, Y	40	NATL INST MAT SCI	JAPAN
Bhushan, B	40	OHIO STATE UNIV	USA
Lee, ST	40	CITY UNIV HONG KONG	PEOPLES R CHINA
Reinhoudt, DN	40	UNIV TWENTE	NETHERLANDS
Schubert, US	40	EINDHOVEN UNIV TECHNOL	NETHERLANDS
Yu, DP	40	PEKING UNIV	PEOPLES R CHINA
Arakawa, Y	39	UNIV TOKYO	JAPAN
Kim, TW	39	HANYANG UNIV	SOUTH KOREA
Li, YD	39	TSING HUA UNIV	PEOPLES R CHINA
Zhang, J	39	CHINESE ACAD SCI	PEOPLES R CHINA
Liu, WM	38	CHINESE ACAD SCI	PEOPLES R CHINA
Pearton, SJ	38	UNIV FLORIDA	USA

Only four names from the top 30 remained in the list of the 29 most prolific authors, and the author with the most papers, YT Qian, was not included in the original list of 30.

The top four authors, eight of the top nine, and seventeen total were from China. Two of the top authors were each from Germany, Japan, the Netherlands, and the US; and one each was from England, Italy, Taiwan, and South Korea. The majority of the most prolific authors were from universities (52%), and the rest of the top authors were from research institutions. This suggests a relatively balanced split between basic and applied science, and may be indicative of a balanced nanoscience/

nanotechnology split as well. Work is continuing on a more comprehensive name disambiguation approach.

APPENDIX 5. NANOTECHNOLOGY INSTRUMENTATION

In the updated nanotechnology study, all of the technical structural analyses of the total nanotechnology database, including the phrase correlation mapping, the factor analysis, and the document clustering taxonomy, show instrumentation playing a central role in nanoscience and nanotechnology research. The objectives of this Appendix are to examine the nanotechnology instrumentation literature in depth, and show how suites of instruments are used in concert, especially in relation to measurements on common materials, properties, phenomena, and nanostructures.

There are four main sections in this Appendix. The first lists the key nanotechnology instruments, and emphasizes those used most frequently. The second presents key findings of co-occurrence matrices, showing the relation of the major nanotechnology instruments to materials, properties, phenomena, and nanostructures. The third presents correlation mapping of the nanotechnology instruments to each other, especially how they relate to common materials, properties, phenomena, and nanostructures. Included in this section is a factor matrix analysis, which presents a more quantitative description of the relationships shown on the maps. The fourth presents a hierarchical taxonomy (generated by document clustering) of all the retrieved nanotechnology records related to instrumentation, with metrics provided at every taxonomy node.

APPROACH

The following approach describes how the main nanotechnology instruments were identified, along with the main categories of items that they measure. The ~65000 total nanotechnology records retrieved for 2005 were subject to a phrase frequency analysis, and hundreds of thousands of phrases were generated. All single word, adjacent double word, and adjacent triple word phrases were extracted and corrected to eliminate phrases containing trivial words at the beginning or end, and their occurrence frequencies were recorded. Approximately 60000 phrases were then inspected visually, starting from the highest frequency. Every instrument-related phrase was extracted. Then, the root phrase for each instrument (e.g., microscop*, spectroscop*) was inserted into the phrase search engine, and all variants of the instrument terminology were retrieved, including the lowest frequency variants. Approximately 240 phrases resulted. Additionally, phrases related to materials, properties, phenomena, and nanostructures were extracted during the visual inspection process.

The 401 most cited nanotechnology papers published since 1991 were also retrieved. A short analysis was done of this retrieved database as well.

RESULTS

Nanotechnology Instrument Types

Overview

Historically, various scientific instruments were used for measurement and characterization of chemicals and materials. Nanotechnology uses many of the same instruments that are in the chemistry and material science laboratories. X-ray diffraction (XRD) is a technique in crystallography to study the nature of the crystal lattice by studying the pattern produced by the diffraction of X-rays through the crystal lattice. The technique is widely used in chemistry and biochemistry to determine the structures of a variety of molecules including inorganic compounds, DNA, and proteins. In the case of nanotechnology research, XRD is more suitable for the study of nanocrystals of various types. Transmission Electron Microscopy (TEM) is an imaging technique where an electron beam is focused on a specimen. Details of the sample are detected using a photographic film or fluorescent screen or other imaging sensors. Modern research TEMs with aberration

corrections can have resolution as small as 0.08nm – 0.1nm. TEMs are heavily used in material science and metallurgy laboratories, as well as in biological science to study cells and microorganisms. However, for effective use of TEM the specimen must be very thin (in the microns) and be able to withstand the required high vacuum. Scanning Electron Microscope (SEM) is capable of producing high resolution images at spot size of 1nm to 5nm. Because the images have a characteristic three-dimension appearance, SEMs are useful for the study of material surfaces and structures.

Electron microscopes are used for various purposes in the study of materials. Topography, surface features, and textures are important to understanding the materials properties such as hardness and reflectivity. Morphology is used to study the shape and size of the particles making up the object or material, and the relationship between these structures and material properties such as ductility, strength, and reactivity. Electron microscopes are also used to determine the composition of the elements and compounds in terms of the relative amounts and the relationship between the composition and the material properties such as melting points, hardness, and reactivity. Crystallographic information is important to understanding how the atoms are arranged in the material and the relationship between these arrangements and the material properties such as conductivity, electrical properties, and optical properties.

More recent development in instruments for nanotechnology research includes the Scanning Tunneling Microscope (STM) based on the tunneling current between the probe tip and the surface atom. STMs are mostly used to study surfaces, and can obtain images of conductive surfaces at an atomic scale down to 0.2nm. Variants of STM can also be used to manipulate individual atoms, trigger chemical reactions, or produce ions by removing electrons from atoms. Atomic Force Microscope (AFM) is a high resolution scanning probe microscope based on forces between the probe tip and the surface atom. A laser beam is deflected as it is pointed at the cantilever tip, which scans the sample surface. AFMs have demonstrated resolution of fractions of an Angstrom, or <0.1nm. AFM is one of the foremost instruments for imaging, measuring, and manipulating matters at the molecular and atomic scale. Because of the closeness to the surface, both STM and AFM require sample surfaces that are extremely smooth and flat, usually in ultra-high vacuum.

Specific Types

In this study, variant terminologies of each instrument (e.g., Scanning Electron Microscope or SEM) were combined. The resultant list of instrumentation types is shown in Table A5-1. The first column in Table A5-1, #REC TOTAL, is the number of records in the total 2005 nanotechnology database that contain the instrument (or one of its proxy variants). The second column, #REC TOT%, is the ratio of the entry in the first column to the sum of the entries in the first column. The third column, #REC CITED, is the number of records in the 401 most cited nanotechnology records database that contains the instrument (or one of its proxy variants). The fourth column, #REC CIT%, is the ratio of the entry in the third column to the sum of the entries in the third column.

The purpose of incorporating results from both databases is to identify the instruments that have strong relative representation in highly cited papers. While many instrument types are listed, the top seven dominate the first tier. They are a combination of x-ray diffraction, variants of electron microscopy, atomic force microscopy, and spectroscopy variants.

In Table A5-1, scanning tunneling microscopy was ranked number 16 in terms of # Records, whereas in the most cited papers STM moved up significantly. Conventional microscopes and spectrometers have been around for decades in the study of chemistry and materials, and it is no surprise that these instruments would be used in the study of nanomaterials and nanotechnology. As discussed previously, the invention of the STM was a significant advance enabling the study of surfaces at the molecular scale and thus was important to nanotechnology research. The fact that more highly cited papers mentioned the use of STM confirms the importance of this scientific instrument.

Instruments that have much higher representation in the most cited documents database than their representation in the total nanotechnology database include: optical microscopy, scanning tunneling microscopy, UV/visible spectroscopy, mass spectrometry, electron energy loss spectroscopy, photoluminescence spectroscopy, optical spectroscopy, probe microscopy, crystallography. These results could be interpreted two different ways: the instruments listed could be the most promising for yielding important results, or these instruments generated important results in the past, but have become superseded by improved techniques.

If the contents of Table A5-1 are used as the category headings of an instrumentation taxonomy, and the full 240 instrumentation phrases as the contents of an instrumentation taxonomy, then a flat taxonomy (one level only) can be constructed (Table A5-2). The contents of these two tables serve as starting points for many of the analyses in this paper.

TABLE A5-1. LIST OF INSTRUMENTATION
(after combining instrument variants)

#REC	#REC	#REC	#REC	
TOTAL	TOT%	CITED	CIT%	Instrumentation (Cleaned)
9134	23.29	22	14.01	X-ray diffraction
5881	15.00	18	11.46	transmission electron microscopy
4059	10.35	10	6.37	scanning electron microscopy
3286	8.38	15	9.55	atomic force microscopy
2712	6.92	15	9.55	electron microscopy
2428	6.19	7	4.46	X-ray photoelectron spectroscopy
2077	5.30	6	3.82	infrared spectroscopy
979	2.50	2	1.27	Raman spectroscopy
791	2.02	1	0.64	differential scanning calorimetry
727	1.85		0.00	NMR spectroscopy
615	1.57	1	0.64	cyclic voltammetry
612	1.56		0.00	microscopy
590	1.50	2	1.27	energy-dispersive x-ray spectroscopy
552	1.41		0.00	calorimetry
513	1.31	6	3.82	optical microscopy
491	1.25	10	6.37	scanning tunneling microscopy
384	0.98	3	1.91	electron diffraction
323	0.82		0.00	Spectroscopy
276	0.70	5	3.18	UV-visible spectroscopy
273	0.70	7	4.46	mass spectrometry
246	0.63		0.00	impedance spectroscopy
243	0.62	1	0.64	Auger electron spectroscopy
240	0.61		0.00	ellipsometry
216	0.55	3	1.91	small-angle X-ray scattering
211	0.54		0.00	dynamic light scattering
131	0.33		0.00	Mossbauer spectroscopy
104	0.27	3	1.91	electron energy loss spectroscopy
103	0.26		0.00	quartz crystal microbalance
101	0.26	1	0.64	fluorescence microscopy
92	0.23	2	1.27	photoluminescence spectroscopy
78	0.20		0.00	vibrating sample magnetometer
77	0.20		0.00	fluorescence spectroscopy
76	0.19		0.00	confocal microscopy
68	0.17		0.00	spectrometry
53	0.14	4	2.55	probe microscopy
47	0.12		0.00	X-ray absorption spectroscopy

46	0.12	1	0.64	chronoamperometry
44	0.11	4	2.55	optical spectroscopy
42	0.11		0.00	X-ray reflectivity
41	0.10	2	1.27	Force Microscopy
40	0.10		0.00	Electron Spectroscopy
40	0.10		0.00	Rutherford backscattering spectrometry
38	0.10		0.00	flow cytometry
36	0.09	6	3.82	crystallography
36	0.09		0.00	Spectrophotometry
33	0.08		0.00	absorption spectroscopy
31	0.08		0.00	optical absorption spectroscopy

TABLE A5-2. ONE LEVEL TAXONOMY OF INSTRUMENTS

- X-Ray Diffraction (Powder, Single-Crystal, Wide-Angle, High-Resolution, Surface, Small-Angle, Low-Angle, High-Temperature, Time-Resolved, Grazing-Incidence, Energy-Dispersive, In-Plane, High-Energy, Temperature-Dependent, Glancing-Angle, Thin-Film)
- Transmission Electron Microscopy (High-Resolution, Scanning, Cross-Sectional, Cryo, Environmental)
- Scanning Electron Microscopy (Field Emission, Emission, High-Resolution, Cryo)
- Atomic Force Microscopy (Conducting, Frequency Modulation, Tapping Mode, Non-Contact, Probe, Conductive Probe, Scanning Electrochemical)
- Photoelectron Spectroscopy/Spectrometry (X-Ray, Ultraviolet, Angle-Resolved X-Ray, High-Resolution X-Ray)
- Infrared Spectroscopy (Fourier Transform, Reflection-Absorption, Diffuse-Reflectance Infrared Fourier Transform Spectroscopy, Attenuated Total Reflectance Fourier Transform)
- Raman Spectroscopy/Spectrometry (Micro, Laser, Resonance, Fourier Transform)
- Calorimetry (Differential Scanning, Titration, Micro, Cone, Isothermal Titration, Nano, Modulated Differential Scanning)
- Nuclear Magnetic Resonance Spectroscopy (H-1, Magic Angle Spinning, C-13, Solid-State, P-31, Multinuclear, Si-29, Al-27)
- Voltammetry (Cyclic, Square Wave)
- Energy-Dispersive X-Ray Spectroscopy/Spectrometry
- Optical Microscopy (Near-Field, Polarized, Scanning, Near-Field Scanning, Light, Scattering-Type Scanning Near-Field)
- Scanning Tunneling Microscopy (Low-Temperature, Cross-Sectional, Spin-Polarized)
- Electron Diffraction (Selected-Area, Reflection High-Energy, Convergent Beam, Low-Energy, Transmission, Photo)
- UV-Visible Spectroscopy/Spectrometry
- Mass Spectrometry (Secondary Ion, Time-of-Flight Secondary Ion, Time-of-Flight, Ionization, Plasma, Matrix-Assisted Laser Desorption/Ionization, Quadrupole, Electrospray, Electrospray Ionization, Nanoelectrospray Tandem, Temperature Programmed Desorption)

- Impedance Spectroscopy (Electrochemical, AC, Complex)
- Auger Electron Spectroscopy
- Ellipsometry (Spectroscopic, Angle Spectroscopic, Infrared Spectroscopic, Variable Incident Angle Spectroscopic, Imaging)
- X-Ray Scattering (Small-Angle, Wide-Angle, Synchotron, Synchotron Small-Angle, Grazing-Incidence Small-Angle)
- Dynamic Light Scattering
- Mossbauer Spectroscopy/Spectrometry (Fe-57, Electron)
- Electron Energy-Loss Spectroscopy (High-Resolution)
- Quartz Crystal Microbalance
- Fluorescence Microscopy (Confocal, Epi)
- Photoluminescence Spectroscopy
- Vibrating Sample Magnetometer
- Fluorescence Spectroscopy (X-Ray, Surface Plasmon Enhanced)
- Confocal Microscopy (Scanning)
- Probe Microscopy (Scanning, Kelvin)
- Absorption Spectroscopy (X-Ray, Optical, Infrared, Reflection, Atomic, UV-Visible, Transient, Near-Edge X-Ray Absorption Fine Structure Spectroscopy, Extended X-Ray Absorption Fine Structure Spectroscopy)
- Chronoamperometry
- Optical Spectroscopy
- X-Ray Reflectivity
- Rutherford Backscattering Spectroscopy/Spectrometry
- Flow Cytometry
- Spectrophotometry (UV-Visible)
- Deep Level Transient Spectroscopy
- Inductively-Coupled Plasma-Atomic Emission Spectrometry

Instrument-Measured Quantity Co-occurrence Matrices

A central nanotechnology research question revolves around the selection of instrumentation to measure desired quantities. This section identifies instruments commonly associated with different materials, properties, phenomena, and nanostructures. Following sections expand to groups of instruments commonly used to measure these quantities.

The TechOasis (Search, 2006) software was used to construct co-occurrence matrices of the most used nanotechnology instruments with quantities they measure. The co-occurrence frequencies (matrix elements) represent the number of records in which a specific instrument co-occurs with a specific term.

Eight of the most widely used nanotechnology instruments (according to Table A5-1) were matrixed with: a) the materials-related terms strongly

associated with each instrument; b) the materials properties-related terms strongly associated with each instrument; c) the nanoscale phenomena-related terms strongly associated with each instrument; d) the nanostructure-related terms strongly associated with each instrument. These results are now presented.

Instrument-Materials Co-Occurrence Matrix

Table A5-3a contains eight of the most widely used nanotechnology instruments (according to Table A5-1) and the materials-related terms strongly associated with each instrument. While many terms are listed for each instrument, a few are dominant, and are highlighted in the table. *TiO₂, Ti, Si, SiO₂, and polymers tend to stand out as the most pervasive material types* related to the most heavily used instruments. With the exception of polymers, many of the material systems are used in electronic applications.

TABLE A5-3a. INSTRUMENTS-MATERIALS CO-OCCURRENCE MATRIX

- **X-ray Diffraction** (powders, 194; TiO₂, 179; Fe, 137; Ni, 136; composites, 131; Si, 129; Cu, 121; Ti, 106; clay 97; ZnO, 96; SiO₂, 87; alloys, 86; polymer, 84; silicon, 84; glass, 84)
- **Transmission Electron Microscopy** (composites, 117; Si, 110; powders, 101; TiO₂, 100; polymer, 81; Ni, 79; composite, 73; clay, 72; SiO₂, 70; alloy, 68; Fe, 67; Cu, 66; silicon, 60; Pt, 51; Ag, 47)
- **Scanning Electron Microscopy** (composites, 116; powders, 91; polymer, 80; TiO₂, 67; Si, 65; composite, 61; Ni, 54; alloy, 52; SiO₂, 47; Fe, 47; silicon, 47; glass, 47; alloys, 46; Ti, 45; polymers, 44)
- **Atomic Force Microscopy** (polymers, 71; silicon, 58; glass, 56; polymer, 55; protein, 50; proteins, 47; Si, 46; TiO₂, 34; gold, 33; SiO₂, 30; composites, 25; graphite, 24; Ti, 23; copper, 23; GaAs, 23)
- **X-ray Photoelectron Spectroscopy** (TiO₂, 79; Si, 71; SiO₂, 50; Ti, 48; copper, 47; silicon, 45; gold, 42; polymer, 39; Cu, 39; Ni, 39; Pt, 38; polymers, 32; Ag, 32; Al₂O₃, 32; nickel, 29)
- **Infrared Spectroscopy** (polymer, 85; composites, 62; polymers, 59; TiO₂, 43; SiO₂, 37; Si, 33; powders, 29; silicon, 28; copolymers, 27; composite, 22; aniline, 22; copper, 19; titanium, 19; chitosan, 19; MCM-41, 19)
- **Raman Spectroscopy** (Si, 24; diamond, 24; silicon, 23; graphite, 20; amorphous carbon, 17; composites, 16; TiO₂, 14; gold, 14; anatase,

- 14; polymer, 13; glass, 12; Ni, 11; silver, 11; Ag, 10; SiO₂, 9; metal, 9)
- **Differential Scanning Calorimetry** (polymers, 57; polymer, 45; copolymers, 32; composites, 26; copolymer, 19; block copolymers, 17; PEO, 14; powders, 11; clay, 11; Ni, 10; alloys, 10; PP, 10; alloy, 9; MMT, 9)

Instruments-Properties Co-Occurrence Matrix

Table A5-3b contains eight of the most used nanotechnology instruments and the material properties-related terms strongly associated with each instrument. While a number of terms are listed for each instrument, a few are dominant, and are highlighted in the table. *Morphology/ surface morphology, thickness/diameter/particle size, surface roughness/surface area, mechanical properties/optical properties/thermal properties, crystal structure/crystallinity tend to stand out as the most pervasive material properties* related to the most heavily used instruments. Morphology at the surfaces is an important property of material systems and is of great interest to chemists and material scientists.

TABLE A5-3b. INSTRUMENTS-PROPERTIES CO-OCCURRENCE MATRIX

- **X-ray Diffraction** (morphology, 582; crystal structure, 522; crystallinity, 278; thickness, 272; particle size, 252; diameter, 250; magnetic properties, 228; crystal structures, 199; mechanical properties, 198; grain size, 176; optical properties, 174; surface morphology, 157; surface area, 130; hardness, 121; lattice parameters, 112)
- **Transmission Electron Microscopy** (morphology, 590; diameter, 335; particle size, 242; thickness, 210; mechanical properties, 159; morphologies, 118; crystallinity, 106; magnetic properties, 105; optical properties, 98; grain size, 93; size distribution, 82; crystal structure, 80; hardness, 79; chemical composition, 67; surface area, 65)
- **Scanning Electron Microscopy** (morphology, 536; thickness, 195; mechanical properties, 180; diameter, 172; surface morphology, 160; morphologies, 112; particle size, 99; crystallinity, 98; hardness, 85; chemical composition, 83; grain size, 82; porosity, 67; surface area, 63; crystal structure, 59; tensile strength, 57)

- **Atomic Force Microscopy** (morphology, 327; surface morphology, 215; thickness, 188; surface roughness, 185; roughness, 111; mechanical properties, 105; diameter, 88; optical properties, 82; hardness, 70; surface topography, 60; topography, 59; film thickness, 54; surface properties, 51; grain size, 48; crystallinity, 47; substrate temperature, 47)
- **X-ray Photoelectron Spectroscopy** (morphology, 142; thickness, 114; chemical composition, 99; surface morphology, 74; surface properties, 66; surface roughness, 50; diameter, 48; optical properties, 47; particle size, 40; surface composition, 40; hardness, 38; electronic structure, 38; mechanical properties, 36; film thickness, 36; corrosion resistance, 33)
- **Infrared Spectroscopy** (morphology, 163; crystallinity, 70; particle size, 55; mechanical properties, 52; thickness, 50; diameter, 48; surface area, 45; optical properties, 37; conductivity, 33; crystal structure, 33; FTIR spectra, 33; surface morphology, 31; chemical composition, 27; surface properties, 27; tensile strength, 27)
- **Raman Spectroscopy** (Raman spectra, 70; morphology, 52; thickness, 35; optical properties, 32; diameter, 31; surface morphology, 27; surface roughness, 23; crystallinity, 21; mechanical properties, 20; hardness, 20; structural properties, 19; grain size, 16; Raman spectrum, 15)
- **Differential Scanning Calorimetry** (crystallinity, 66; morphology, 65; thermal properties, 57; mechanical properties, 38; molecular weight, 23; glass transition temperature, 20; thermal behavior, 20; particle size, 19; activation energy, 18; glass transition temperature T_g, 18; enthalpy, 17; crystal structure, 16; crystallization behavior, 16; crystallization rate, 15)

Instruments-Phenomena Co-occurrence Matrix

Table A5-3c contains eight of the most used nanotechnology instruments and the nanoscale phenomena strongly associated with each instrument. While a number of terms are listed for each instrument, a few are dominant, and are highlighted in the table. *Deposition, oxidation, crystallization, catalytic activity, nucleation, adsorption, polymerization, adhesion, decomposition/ degradation tend to stand out as the most pervasive nanoscale phenomena* related to the most heavily used instruments. These phenomena are an indication of the chemical processes going on and are closely reflected in the material properties.

TABLE A5-3c. INSTRUMENTS-PHENOMENA CO-OCCURRENCE MATRIX

- **X-ray Diffraction** (crystallization, 209; catalytic activity, 174; oxidation, 155; deposition, 136; decomposition, 127; adsorption, 99; nucleation, 87; field emission, 80; intercalation, 75; photocatalytic activity, 74; photoluminescence, 73; thermal decomposition, 72; degradation, 71; hydrolysis, 70; precipitation, 64)
- **Transmission Electron Microscopy** (oxidation, 102; deposition, 93; crystallization, 86; nucleation, 86; decomposition, 78; catalytic activity, 73; aggregation, 70; field emission, 69; precipitation, 60; hydrolysis, 56; polymerization, 54; degradation, 53; thermal decomposition, 49; diffusion, 46; adsorption, 44; intercalation, 44)
- **Scanning Electron Microscopy** (deposition, 85; field emission, 82; oxidation, 71; adhesion, 63; crystallization, 59; degradation, 50; adsorption, 50; field-emission, 44; decomposition, 43; nucleation, 42; diffusion, 38; corrosion, 37; polymerization, 35; catalytic activity, 34; precipitation, 32; surface modification, 32)
- **Atomic Force Microscopy** (deposition, 120; adhesion, 94; adsorption, 83; nucleation, 51; crystallization, 46; irradiation, 37; aggregation, 36; surface modification, 32; degradation, 30; self-assembly, 29; field emission, 27; oxidation, 27; immobilization, 26; epitaxial growth, 24)
- **X-ray Photoelectron Spectroscopy** (deposition, 108; adsorption, 98; oxidation, 87; surface modification, 59; catalytic activity, 51; adhesion, 50; decomposition, 46; grafting, 32; photocatalytic activity, 31; degradation, 30; diffusion, 27; desorption, 23; thermal decomposition, 23; irradiation, 22; field emission, 21; immobilization, 21)
- **Infrared Spectroscopy** (adsorption, 67; polymerization, 47; catalytic activity, 46; oxidation, 41; decomposition, 38; grafting, 37; deposition, 36; crystallization, 35; hydrolysis, 31; degradation, 28; aggregation, 27; thermal decomposition, 24; precipitation, 24; photocatalytic activity, 23; field emission, 21; condensation, 21)
- **Raman Spectroscopy** (deposition, 45; photoluminescence, 25; oxidation, 19; crystallization, 17; field emission, 16; adhesion, 12; nucleation, 12; field-emission, 12; adsorption, 11; decomposition, 10; fluorescence, 8; graphitization, 8; precipitation, 7; diffusion, 7; irradiation, 7; photoluminescence PL, 7)

- **Differential Scanning Calorimetry** (crystallization, 58; polymerization, 23; phase separation, 15; degradation, 13; phase transitions, 13; decomposition, 12; precipitation, 10; intercalation, 10; hydrogen bonding, 10; phase transition, 10; thermal decomposition, 9; grafting, 9; crystallization process, 9; crosslinking, 9; aggregation, 8)

Instruments-Nanostructures Co-Occurrence Matrix

Table A5-3d contains eight of the most used nanotechnology instruments and the material properties-related terms strongly associated with each instrument. While a number of terms are listed for each instrument, a few are dominant, and are highlighted in the table. *Thin films, nanocomposites, nanowires, nanotubes, monolayers/self-assembled monolayers tend to stand out as the most pervasive nanostructures* related to the most heavily used instruments.

TABLE A5-3d. INSTRUMENTS-NANOSTRUCTURES CO-OCCURRENCE MATRIX

- **X-ray Diffraction** (thin films, 213; nanocomposites, 167; nanowires, 85; nanocrystals, 62; nanorods, 57; nanotubes, 52; thin film, 48; nanocomposite, 44; nanostructures, 36; carbon nanotubes, 35; nanostructure, 28; nanofibers, 21; monolayer, 20; CNTs, 19; nanocrystallites, 19)
- **Transmission Electron Microscopy** (nanocomposites, 195; nanowires, 131; nanotubes, 102; thin films, 84; nanorods, 84; carbon nanotubes, 75; nanocrystals, 70; CNTs, 61; nanocomposite, 60; nanostructure, 54; MWNTs, 47; silver nanoparticles, 37; nanostructure, 34; SWNTs, 34; carbon nanotubes CNTs, 32)
- **Scanning Electron Microscopy** (thin films, 73; nanowires, 68; nanocomposites, 55; nanotubes, 51; nanorods, 41; CNTs, 32; nanostructures, 31; carbon nanotubes, 27; thin film, 25; MWNTs, 19; nanocomposite, 17; carbon nanotubes CNTs, 16; nanostructure, 15; nanocrystals, 14; SWNTs, 14; nanofibers, 14)
- **Atomic Force Microscopy** (thin films, 141; monolayer, 47; nanostructures, 39; monolayers, 37; thin film, 28; nanotubes, 21; nanostructure, 20; self-assembled monolayers SAMs, 19; SAMS, 17; QDs, 17; nanowires, 16; nanocomposites, 16; quantum dots, 16; carbon nanotubes, 15; SWNTs, 14)

- **X-ray Photoelectron Spectroscopy** (thin films, 78; monolayer, 29; self-assembled monolayers SAMs, 29; SAMS, 24; monolayers, 22; thin film, 15; CNTs, 15; carbon nanotubes, 13; SAM, 13; nanostructures, 12; nanotubes, 11; nanowires, 10; Au nanoparticles, 10; nanostructure, 9; nanocrystals, 9; Pt nanoparticles, 9)
- **Infrared Spectroscopy** (nanocomposites, 57; thin films, 50; monolayer, 25; nanotubes, 17; MWNTs, 15; nanocomposite, 13; monolayers, 11; carbon nanotubes, 11; nanocrystals, 11; SWNTs, 11; tiO₂ nanoparticles, 11; thin film, 10; Au nanoparticles, 9; self-assembled monolayers SAMs, 8; nanofibers, 8; magnetic nanoparticles, 8)
- **Raman Spectroscopy** (nanotubes, 40; SWNTs, 32; thin films, 30; carbon nanotubes, 28; CNTs, 26; nanostructures, 16; carbon nanotubes CNTs, 14; single-walled carbon nanotubes SWNTs, 13; nanocrystals, 12; MWNTs, 9; nanowires, 9; nanorods, 9; SWCNTs, 9; SWNT, 9; single-walled carbon nanotubes, 7)
- **Differential Scanning Calorimetry** (nanocomposites, 45; nanocomposite, 14; thin films, 5; nanocrystals, 4; nanostructures, 3; nanofibers, 3; nanocomposite films, 3; silica nanoparticles, 3; self-assembled structures, 3; nanotubes, 2; thin film, 2; nanoclusters, 2; Au nanoparticles, 2; fe₃O₄ nanoparticles, 2; nano-particles, 2; nanospheres, 2; nanodevices, 2)

Correlation Maps


Many nanotechnology studies involve the use of multiple instruments. In order to understand the relationships among the instruments, two approaches are used. The first, presented in this section, is correlation mapping. Here, instruments are grouped by their direct correlation with each other (essentially co-occurrence within the same Abstract) or by correlation with a third quantity (e.g., similar materials examined). Factor analysis, and the associated factor matrix, are used to further quantify the relationships shown on the map. In the interests of space, only one factor matrix is presented. The second, presented in the next section, is hierarchical taxonomy through document clustering.

Figure A5-1 is an auto-correlation map of the linkages among the most widely used instruments. The map identifies linkages through common occurrence of the instruments in the same Abstracts. The map was constructed iteratively. The most frequently appearing forty instruments

were plotted initially. All instruments not included in a network were eliminated, and the map re-plotted. A few of the very weakly connected instruments went under the threshold and were decoupled from the network in the subsequent map, but are included in Figure A5-1.

The figure contains one large network, and two disconnected groups. At the core of the main network is XRD, and the two main sub-networks focus on electron microscopy and spectroscopy. X-ray diffraction is mostly used to study lattices in crystalline materials. A well equipped chemistry or material science research laboratory usually has an array of instruments for making different measurements. The clustering in this autocorrelation map probably reflects the diversity of instruments in the laboratory of the authors. The group on the lower right involves electrical measurements, and mostly likely is from solid state materials research laboratories with an interest in the electrical properties of the materials. The spectroscopy group at the top reflects research activities with an interest in the electronic properties of the materials.

FIGURE A5-1 – INSTRUMENT AUTO-CORRELATION MAP



To obtain a more quantitative estimate of the relationships shown on the iterated auto-correlation map, a factor analysis of the instrument phrases was performed. Table A5-4 is a six factor matrix of the instrument phrases. Each factor represents a group of instruments sufficiently correlated to form an instrument ‘theme’ or focus. The shaded sectors represent the key (high factor loading) phrases that determine each factor’s ‘theme’, or instrument suite in the present case.

Factor 1 corresponds to the TEM-centric sub-network located in the left center region of Figure 1. Factor 2 corresponds to the XPS-centric network located in the upper center. Factor 3 corresponds to the infrared spectroscopy-centric sub-network located in the center right. Factor 4 corresponds to the cyclic voltammetry-centric network located at the lower right. The elements of Factors 5 and 6 do not appear on Figure A5-1. They were on the pre-iterated original map, but were not connected sufficiently strongly to survive the iterative process.

What determines connectivity of the instrument groups? To answer that question, instruments were mapped that were related to each other by their common relation to a third item. Following Figure A5-1a (an autocorrelation map of instruments in the 401 most cited nanotechnology papers), cross-correlation maps of instruments to materials, material properties, phenomena, and nanostructures are shown, to help identify why instrument suites provide complementary data.

TABLE A5-4 – FACTOR MATRIX OF NANOTECHNOLOGY INSTRUMENTS

FACTOR	1	2	3	4	5	6
transmission electron microscopy	-	0.642	0.034	0.078	0.02	0.187
X-ray diffraction	-	0.471	0.009	0.383	-0.07	0.066
electron diffraction	-	0.463	0.032	0.174	0.047	0.18
energy-dispersive x-ray spectroscopy	-	0.458	-0.01	0.012	0.054	0.208
scanning electronic microscopy	-	0.364	0.022	0.292	0.097	-0.3
electron energy loss spectroscopy	-	0.294	0.003	0.194	0.031	0.102
atomic force microscopy	-	0.03	0.486	0.009	0.214	0.124
X-ray photoelectron spectroscopy	-	0.125	0.477	0.122	0.282	0.161
ellipsometry	-	0.092	0.415	0.026	-0.19	0.034
Auger electron spectroscopy	-	0.064	0.314	0.029	0.098	0.218
infrared spectroscopy	-	0.109	0.125	0.59	0.055	0.022
differential scanning calorimetry	-	0.063	0.128	0.527	0.049	0.026
NMR spectroscopy	-	0.126	0.063	0.52	0.033	0.189
cyclic voltammetry	-	0.025	0.288	0.015	0.704	0.027
impedance spectroscopy	-	0.001	0.213	0.021	0.503	0.071
chronoamperometry	-	0.033	0.278	0.018	0.484	0.003
dynamic light scattering	-	0.028	0.014	0.088	0.022	0.491
fluorescence spectroscopy	-	0.037	0.067	0.079	0.062	0.479
UV-visible spectroscopy	-	0.091	0.122	0.057	0.266	0.351
confocal microscopy	-	0.035	0.034	0.088	0.003	0.04
flow cytometry	-	0.014	0.009	0.072	0.006	0.014
optical microscopy	-	0.001	0.083	0.155	0.011	0.111
fluorescence microscopy	-	0.061	0.167	0.011	0.034	0.09
small-angle X-ray scattering	-	0.017	0.039	0.115	0.042	0.22
Rutherford backscattering spectrometry	-	0.013	0.099	0.01	0.036	0.139
probe microscopy	-	0.027	0.09	0.022	0.022	0.035
X-ray reflectivity	-	0.008	0.1	0.005	0.004	0.02
quartz crystal microbalance	-	0.069	0.135	0.049	0.199	0.086
vibrating sample magnetometer	-	0.119	0.091	0.027	0.051	0.013
optical spectroscopy	-	0.024	0.009	0.007	0.003	0.052
scanning tunneling microscopy	-	0.035	0.07	0.097	0.072	0.048
optical absorption spectroscopy	-	0.035	0.07	0.018	0.003	0.015
Raman spectroscopy	-	-	0.237	-	0	-0.08

	0.184		0.014	0.038		
mass spectrometry	0.043	0.167	0.118	-0.05	-	-
Mossbauer spectroscopy	-	-	-	-	-	-
photoluminescence spectroscopy	0.163	0.082	0.014	0.05	0.056	0.084
	-	-	-	-	-	-
X-ray absorption spectroscopy	0.084	0.063	0.032	0.013	0.231	0.087
	-	-	-	-	-	-
	0.009	0.042	0.029	0.004	0.032	0.091

Figure A5-1a is an auto-correlation map of the instruments listed in the 401 most cited papers. In contrast to the auto-correlation map of instruments in the total nanotechnology database, the main poles of the network in Figure 1A are small-angle x-ray scattering, photoluminescence spectroscopy, UV/visible spectroscopy, infrared spectroscopy, x-ray photoelectron spectroscopy, in addition to transmission electron microscopy.

FIGURE A5-1a – AUTO-CORR MAP – INSTR-MOST CITED




Figure A5-2 is a cross-correlation map of the linkages among the most widely used instruments by their common use of materials. The map was constructed iteratively. The most frequently appearing forty instruments were plotted initially. All instruments not included in a network were eliminated, and the map re-plotted. A few of the very weakly connected instruments went under the threshold, but are included in the map.

The figure contains one large network with a multiplicity of instrument types (upper left), and one small disconnected group based on calorimetry-NMR (center). While XRD is a key element of the network, more central are the electron microscopy variants. It came as no surprise that electron microscopes are the more versatile scientific instrument, especially since many of the material systems under study are for electronic applications, such as Si, SiO₂, Ti, and others. Many solid state materials laboratories have these instruments for measuring and characterizing the morphology, composition, and electronic properties of the materials.

The TechOasis software shows that the main calorimetry-NMR group materials connectors are Polymers and Copolymers (in other words, these are the key materials that members of the calorimetry-NMR network share). In the larger networked group: electron microscopy-infrared spectroscopy are connected by Polymers and Composites; XRD-SEM are connected by Composites, Powders, TiO₂; XRD-EDX are connected by Iron and Nickel; XPS-SEM are connected by TiO₂ and Silicon; and XPS-XRD are connected by TiO₂. These results display not only the complementary nature of instrument suites, but the unique roles instruments play as well.

FIGURE A5-2 – INSTRUMENT-MATERIALS CROSS-CORRELATION MAP




Figure A5-3 is a cross-correlation map (constructed iteratively) of the linkages among the most widely used instruments by the common properties they measure.

The figure contains one large network. The core is strongly centered about electron microscopy, with some spectroscopy at the periphery. In this network: EDX-SEM are connected by Morphology, Diameter, and Mechanical properties. In fact, most of the links are connected by Morphology and Diameter, as well as Thickness and/ or Mechanical Properties.

FIGURE A5-3 – INSTRUMENT-PROPERTIES CROSS-CORRELATION MAP




Figure A5-4 is a cross-correlation map (constructed iteratively) of the linkages among the most widely used instruments by the common phenomena they measure.

The figure contains one large network, centered strongly about scanning electron microscopy, with variants of spectroscopy at the periphery. SEM links to XPS through Deposition and Oxidation; SEM links to IS through Oxidation; SEM links to EDX through Deposition, Oxidation, and Crystallization; SEM links to EM through Field Emission, Deposition and Oxidation; TEM links to XRD through Crystallization, Oxidation, Decomposition, and Deposition; and IS links to XRD through Catalysis, Decomposition, and Oxidation.

FIGURE A5-4 – INSTRUMENT-PHENOMENA CROSS-CORRELATION MAP





Figure A5-5 is a cross-correlation map (constructed iteratively) of the linkages among the most widely used instruments by the common nanostructures they measure.

The figure contains one large network (upper center), one intermediate network (left center), and one small network (lower center). The large network contains a dual core, one pole of which is electron microscopy and the other pole is XRD. Both sub-networks have spectroscopy on the periphery.

In the small network, cyclic voltammetry is linked to IS through Carbon Nanotubes, Thin Films, SAMs, and Monolayers. In the intermediate network, ellipsometry is linked to XPS through Thin Films, SAMs, and Monolayers; in fact, Thin Films and Monolayers with or without SAMs are the pervasive connectors in this network. In the large network: XRD is linked to IS through Nanocomposites and Thin Films; XRD is linked to SEM through Thin Films, Nanocomposites, Nanowires, and Nanorods; XRD is linked to EM through Thin Films, Nanowires, Nanocomposites; and EDX is linked to EM through Nanowires, Thin Films, and Nanotubes.

FIGURE A5-5 – INSTRUMENT-NANOSTRUCTURES CROSS-CORRELATION MAP



Hierarchical Instrumentation Taxonomy

Taxonomy Construction Approach

This section portrays the relationships among the instruments, and among the instruments and associated quantities, through use of a hierarchical taxonomy. The taxonomy was generated through the use of document clustering with a software package named CLUTO (described in the main body of the report, and in more detail in Appendix 3). In the variant of CLUTO used for the present analysis, metrics can be obtained for each node of the taxonomy (e.g., prolific authors, key journals, prolific institutions, prolific countries). The node metrics are an extremely important capability, since metrics at a sub-technology level can be very different from those at the overall aggregate technology level.

The taxonomy was constructed as follows. Most of the 240 instrument-related terms (obtained through the visual inspection process described initially) were entered into CLUTO, and provided the basis for the taxonomy structure. A few stand-alone single generic terms (such as microscopy, spectroscopy, etc.) were dropped, as their generic nature distorted the clustering process. However, multi-word phrases containing those generic terms were retained. Only those records from the total ~65000 nanotechnology record retrieval that contained any of the 240 terms were included in the clustering. Approximately 27000+ records were clustered into 64 elemental cluster categories (the most detailed), and then the hierarchical levels were constructed. These records should be viewed as the instrumentation-related records.

Even though only about 240 instrument phrases were used for the clustering, all the phrases in the database (minus the trivial word phrases) were included in the output. ***This feature of splitting the input from the output phrases was recently added to the CLUTO algorithm, and allows targeted structuring of the clusters while retaining all phrase relationships.***

Taxonomy Analysis Approach

Table A5-5 contains the first four levels of the hierarchical taxonomy. The shaded blocks are those in which China had higher paper production than the USA, even though in the overall nanotechnology study (~65000 records), the USA out-produced China in terms of published research papers by about

25%. If 100% represents parity between China and the USA in terms of paper production, the lightest shaded regions represent 100-125% production of China relative to the USA, the intermediate shaded regions represent 125-150% relative paper production, and the darkest shaded regions represent >150% relative paper production.

In the following analysis, the overall ‘zeroth’ level (all 27000+ records treated as one category) will be summarized, then the first level (first column on Table A5-5, two categories) will be described briefly, and then the fourth level (fourth column on Table A5-5, sixteen categories) will be described in detail. The contents of the second and third levels are readily understood from the first and fourth level contents.

TABLE A5-5. NANOTECHNOLOGY INSTRUMENTATION TAXONOMY

AFM, NMR, Calorimetry (8423)	NMR, RS, Calorimetry (4684)	NMR, Complexes, Compounds (1546)	NMR Spectroscopy (306)
			NMR, Complexes, Compounds (1240)
		RS, Calorimetry (3138)	DSC (1138)
			Raman Scattering, RS, AFM (2000)
	AFM (3739)	AFM, Films, Tip, Imaging (2003)	AFM, Film, Tip, Imaging (1055)
			AFM, Film, Substrate, Deposit (948)
		AFM, Films, Deposition, Growth, Substrate (1736)	AFM, Film, Deposit, Substrate, Growth (1511)
			AFM, Magnetic (226)
EM, XRD (19090)	EM (4492)	TEM (2545)	HRTEM (296)
			TEM (2249)
		SEM, Films, Composites, Particles, Cells (1947)	SEM, Film, Particle, Cell (1652)
			SEM, IS (295)
	XRD, Films (14598)	SEM, XRD, Films, Coatings, Composites (3634)	SEM, XRD (1451)
			SEM, Film, Coating, Deposit, XRD (2183)
		XRD, TEM, Thin Films (10964)	TEM, Film, Particle, Nanoparticle, STM (5986)
			Film, XRD, XPS (4978)

Abbreviations:

AFM-Atomic Force Microscopy

NMR-Nuclear Magnetic Resonance

EM-Electron Microscopy

XRD-X-Ray Diffraction

RS-Raman Spectroscopy

TEM-Transmission Electron Microscopy

HRTEM-High Resolution Transmission Electron Microscopy

SEM-Scanning Electron Microscopy

DSC-Differential Scanning Calorimetry

IS-Infrared Spectroscopy

STM-Scanning Tunneling Microscopy

XPS-X-Ray Photoelectron Spectroscopy

For each of the sixteen fourth level categories, the following format will be used in the detailed analysis. The category number (following the order shown in Table A5-5, starting from the top) will be followed by the number of records (in parenthesis), and then followed by the category theme, summary of category metrics, and nominally two titles (and summary themes) from each of the 64 elemental clusters that fall within the category.

Taxonomy Results

The ‘zeroth’ level (not shown in Table A5-5) contains 27513 records, the full nanotechnology instrumentation database. All these records contain Abstracts, and the associated metrics apply to these Abstract-containing records only. As expected, the main theme of the total instrumentation database is the use of electron microscopy (and to a smaller extent spectroscopy and X-ray diffraction) to determine the structure of films on surfaces. More detailed themes will be presented in the level four analysis.

The weighted phrases generated by CLUTO and used to determine the ‘zeroth’ level category theme follow.

By examining the names of the authors of the papers at this zeroth level, it is found that all the prolific authors have Asian names. However, due to the high frequencies of the same monosyllable names, there is likelihood that the same name may belong to more than one author. Disambiguation of Asian names is under study, and will be reported in a later paper. At this overall level, the names will not be discussed further.

The following five physics and physical chemistry journals stand out as containing the most nanotechnology instrumentation papers: Journal of Physical Chemistry B 720; Applied Physics Letters 673; Langmuir 595; Journal of Applied Physics 519; Thin Solid Films 510. This is consistent with previous findings that these journals contain the most nanotechnology papers in general, but is a bit surprising because many of the instruments described here are the mainstay of well equipped chemistry and material science laboratories.

The most prolific countries in nanotechnology instrumentation are the following: Peoples R China 6473; USA 5194; Japan 2993; Germany 2250;

France 1654; South Korea 1560. For the total nanotechnology database of ~65000 records, the USA produced about 25% more documents than China, but in the present instrumentation-only database, ***China is out-producing the USA by about 25%!*** The other leading instrumentation countries are the same as in the total database. Since instruments are generally used to measure and characterize materials and structures, the use of instruments tends to lead to application oriented research. Thus, the fact that China produces more papers in the use of nanotechnology instrumentation seems to reflect the applied nature of their research.

As expected from the country results, the most prolific institutions are heavily Chinese: Chinese Acad Sci 1491; Tsing Hua Univ 365; Zhejiang Univ 326; Russian Acad Sci 322; CNRS 321; Univ Sci & Technol China 293. Of the four Chinese institutions, the most dominant by far is the Chinese Academy of Sciences (CAS), with three universities far behind. The other two prolific institutions are European research institutes. Only two USA institutions are listed among the most prolific thirty (UCB and University of Illinois), and each has about 160 publications listed.

The 27513 records are split into two categories by the algorithm, to form the first hierarchical level. One category constitutes about 30% of the total instrumentation database (8423 records), and focuses on atomic force microscopy and associated measurements on films and other surface properties. There are three leading journals associated with this category: Langmuir 296, Applied Physics Letters 241, Journal of Physical Chemistry B 239. Of the most prolific institutions (Chinese Acad Sci 374, Russian Acad Sci 147, CNRS 106), the CAS is the most dominant by far. The leading country producers of this category are as follows: USA 1954, Peoples R China 1346, Japan 928, Germany 825, France 576, South Korea 443. In this category, the USA outproduces China by about 45%.

The other first level category constitutes 70% of the total instrumentation database (19090 records), and focuses on electron microscopy variants (and to a smaller extent x-ray diffraction) to characterize mainly films and surfaces, and to a lesser degree particles and nanoparticles. Three journals stand out in this category: Journal of Physical Chemistry B 481, Applied Physics Letters 432, Thin Solid Films 347. The most prolific institutions (Chinese Acad Sci 1117, Tsing Hua Univ 299, Univ Sci & Technol China 262, Zhejiang Univ 258, CNRS 215) are dominated by Chinese institutions, especially the CAS. The leading country producers in this category are:

Peoples R China 5127; USA 3240; Japan 2065; Germany 1425; South Korea 1117; France 1078. In this large category, *China outproduces the USA by almost 60%!*

Now the sixteen level four categories will be assessed. These categories correspond to the right-most column on Table A5-5, starting from the top.

Category 1 (NMR Spectroscopy, 306 records) focuses on use of NMR spectroscopy for structural measurements in complexes and compounds, with emphasis on ligands and reactions. The key performers (Pillinger, M 8; Goncalves, IS 8; Kollipara, MR 6; Braga, SS 6; Antipin, MY 6; Stoddart, JF 5; Govindaswamy, P 5) appear to have unique non-Oriental names. Two journals stand out for this thematic area (Journal of Organometallic Chemistry 17; European Journal of Inorganic Chemistry 16), both in chemistry. The USA leads among prolific countries (USA 57; Germany 45; Peoples R China 34), and the two dominant institutional leaders (Russian Acad Sci 18; Univ Aveiro 10) are Russian and Spanish, respectively.

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- Conformational change of H⁺-ATPase beta monomer revealed on segmental isotope labeling NMR spectroscopy
- The identification of some new antimony(III) compounds containing fluoroxyl ligands by F-19 solution-state NMR spectroscopy: crystal and molecular structure of Ar' Ar'' Sb-2 (Ar' = 2,6-(CF₃)₂C₆H₃; Ar'' = 2,4-(CF₃)₂C₆H₃)
- Tethered or adsorbed supported lipid bilayers in nanotubes characterized by deuterium magic angle spinning NMR spectroscopy
- High-temperature, high-pressure hydrothermal synthesis, crystal structure, and solid-state NMR spectroscopy of Cs-2(UO₂)(Si₂O₆) and variable-temperature powder X-ray diffraction study of the hydrate phase Cs-2(UO₂)(Si₂O₆)(.)0.5H₂O

Category 2 (NMR, Complexes, Compounds, 1240 records) focuses on NMR for structural analysis of complexes and compounds, especially crystals and ligands. The key performers (Zhang, Y 9, Richmond, MG 9, Liu, Y 9, Callaghan, PT 9, Zhang, L 8, Yin, HD 8, Song, HB 7, Li, Y 7, Chen, T 7) include a stronger representation of Asian names, and they are sufficiently common that we cannot state they are unique. The key journals (Journal of

the American Chemical Society 43, Polymer 35, Macromolecules 35, Journal of Physical Chemistry B 32, Journal of Polymer Science Part A-Polymer Chemistry 31, Synthesis and Reactivity in Inorganic Metal-Organic and Nano-Metal Chemistry 30) are chemistry-dominated, and except for JACS, form a continuum in terms of frequency. Five countries stand out (Peoples R China 289, USA 224, Japan 107, Germany 105, France 104), with China and USA dominant. Chinese institutions are dominant (Chinese Acad Sci 68, Russian Acad Sci 22, CNRS 17, Univ Paris 06 16, Zhejiang Univ 15, Nankai Univ 15, Jilin Univ 14, Fudan Univ 13, CSIC 13), with CAS by far the dominant institution.

This category contains two elemental clusters, and their themes/representative titles are shown.

(NMR and XRD for structural analysis of compounds and complexes, especially films)

- A study of ordered structure in acid-modified tapioca starch by C-13 CP/MAS solid-state NMR
- Self-organization of amphiphilic copolymers into nanoparticles: Study by H-1 NMR longitudinal relaxation time

(NMR spectra, especially for structural analysis of films and crystals)

- A Te-125 and Na-23 NMR investigation of the structure and crystallisation of sodium tellurite glasses
- Quadrupole effects in Cu-63 NMR spectroscopy of copper nanocrystals

Category 3 (DSC, 1138 records) focuses on DSC, especially for thermal properties of crystals, polymers, and copolymers. The key performers (Privalko, VP 8, Privalko, EG 8, Kim, JH 8, Wilkie, CA 7, Navrotsky, A 7, Kulik, T 7, Hsiao, BS 6) appear to have unique names. Three key journals dominate (Polymer 68, Journal of Applied Polymer Science 56, Macromolecules 42), and they have a strong polymer emphasis. China, USA are the dominant prolific countries (Peoples R China 229, USA 177, Japan 109, Germany 72, India 65, France 64, South Korea 60). Prolific institutions tend to be Chinese and Former Soviet Union (Chinese Acad Sci 50, Russian Acad Sci 20, Zhejiang Univ 19, Natl Acad Sci Ukraine 14, Natl Univ Singapore 13, Tokyo Inst Technol 12, Shanghai Jiao Tong Univ 12, Moscow MV Lomonosov State Univ 12).

This category contains three elemental clusters, and themes/ representative titles of each will be presented.

(DSC, especially for crystals, melts, polymers)

- Cure kinetic study of carbon nanofibers/epoxy composites by isothermal DSC
- Melting and thermal history of poly(hydroxybutyrate-co-hydroxyvalerate) using step-scan DSC

(DSC, especially for films, copolymers)

- Polyester and polyamide 6 fibres thermally and hydrothermally treated - Characterization through DSC
- Side-chain crystallization behavior of graft copolymers consisting of amorphous main chain and crystalline side chains: Poly(methyl methacrylate)-graft-poly (ethylene glycol) and poly(methyl acrylate)-graft-poly (ethylene glycol)

(Calorimetry, mainly DSC, emphasizing polymers and copolymers)

- Effect of the composition ratio of copolymerized poly(carbonate) glycol on the microphase-separated structures and mechanical properties of polyurethane elastomers
- Study of crystallization processes in ethylene-styrene copolymers by conventional DSC and temperature-modulated calorimetry: Linear polyethylene and low styrene content copolymers

Category 4 (Raman Scattering, RS, AFM, 2000 records) focuses on Raman scattering/ RS, supported by AFM, for film and substrate analysis. Key authors are a mix of Eastern and Western (Zhang, Y 12, Lefrant, S 9, Van Duyne, RP 8, Liu, YC 8, Dresselhaus, MS 8, Yamamoto, K 7, Xu, J 7, Wang, L 7, Tian, ZQ 7, Lee, H 7, Kim, K 7, Fang, Y 7), but some of the Asian names are sufficiently common to represent multiple authors. Five journals dominate (Journal of Physical Chemistry B 97, Applied Physics Letters 96, Journal of Applied Physics 82, Physical Review B 75 Langmuir 71), representing a combination of physics and chemistry. Five countries dominate the production (USA 527, Japan 272, Peoples R China 245, Germany 225, France 152), with the USA being most dominant. The most prolific performers are the large institutions (Chinese Acad Sci 71, Russian Acad Sci 39, CNRS 27, Tokyo Inst Technol 24, CNR 24, Natl Inst Adv Ind Sci & Technol 22), with CAS being the most dominant.

This category contains nine elemental clusters, and themes/ titles of each will be presented.

(Raman scattering, especially surface-enhanced)

- Surface- and resonance-enhanced micro-Raman spectroscopy of xanthene dyes: From the ensemble to single molecules
- Surface enhanced Raman scattering arising from multipolar plasmon excitation

(Surface-enhanced Raman scattering, especially for silver and gold films)

- Unique gold nanoparticle aggregates as a highly active surface-enhanced Raman scattering substrate
- The study of deposited silver particulate films by simple method for efficient SERS
- Surface-enhanced Raman scattering of π -conjugated "push-pull" molecules - Part I. p-Nitroaniline adsorbed on silver nanoparticles

(RS, especially for films and carbon nanotubes)

- Surface enhanced Raman spectroscopy for adsorption studies on semiconductor nanostructured films
- Strain determination in electrochemically doped single-walled carbon nanotubes via Raman spectroscopy

(Absorption spectroscopy, especially x-ray absorption, focused on gold nanoparticles and films)

- Detection of differences in oligonucleotide-influenced aggregation of colloidal gold nanoparticles using absorption spectroscopy
- Pure surface plasmon resonance enhancement of the first hyperpolarizability of gold core-silver shell nanoparticles

(Ellipsometry, especially spectroscopic ellipsometry, focused on thin film optical measurements)

- Optical study of cobalt nanocrystals implanted into silica matrix by spectroscopic ellipsometry
- In situ optical analysis of low temperature MOCVD GaN nucleation layer formation via multiple wavelength ellipsometry

(Crystallography, especially x-ray crystallography, for structural analyses of complexes, crystals, and ligands)

- Synthesis and structural characterisation of Ag-I complexes with N,N'-bis(2-pyridyl)oxalamide and the anion of N-(2-pyridyl)oxalamic acid
- Crystallography, morphology, and magnetic properties of Fe nanostructures on faceted α -Al₂O₃ m plane

(Fluorescence microscopy, especially for films, emphasizing DNA, protein, and cellular analyses)

- Simultaneous imaging of different focal planes in fluorescence microscopy for the study of cellular dynamics in three dimensions
- Near-infrared fluorescence microscopy of single-walled carbon nanotubes in phagocytic cells

(Optical microscopy, especially scanning near-field optical microscopy, emphasizing crystals and polymers)

- New dimension in nano-imaging: breaking through the diffraction limit with scanning near-field optical microscopy
- Optical microscopy studies of dynamics within individual polymer-dispersed liquid crystal droplets

(AFM, emphasizing tip dynamics and mechanics)

- Influence of the atomic force microscope tip on the multifractal analysis of rough surfaces
- Imaging using lateral bending modes of atomic force microscope cantilevers

Category 5 (AFM, Film, Tip, Imaging, 1055 records) focuses on AFM, emphasizing surfaces and films, especially probe tip effects and imaging. Prolific performers (Bhushan, B 9, Roberts, CJ 7, Sort, J 6, Wang, L 5, Wang, J 5, Lee, JH 5, Dong, S 5, Dieny, B 5) include a combination of Eastern and Western. Of the leading journals (Langmuir 55, Applied Surface Science 36, Journal of Physical Chemistry B 27, Nanotechnology 24, Physical Review B 23, Journal of Colloid and Interface Science 23), two stand out: Langmuir and Applied Surface Science. Of the prolific countries (USA 271, Peoples R China 162, Japan 139, Germany 100), the USA is dominant. The prolific institutions (Chinese Acad Sci 39, CNRS 17, Univ Illinois 14, Osaka Univ 12) include the University of Illinois, although CAS is still very dominant.

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- Investigation on influencing factors of AFM micro probe nanomachining
- Induced nanoscale deformations in polymers using atomic force microscopy

- Dynamic behavior of dagger-shaped cantilevers for atomic force microscopy
- Using wavelets to analyze AFM images of thin films: Surface micelles and supported lipid bilayers

Category 6 (AFM, Film, Substrate, Deposit, 948 records) focuses on AFM, especially for thin films, emphasizing deposition, layers, and substrates. All the prolific authornames are Asian, and may not be unique. Four journals (Langmuir 42, Applied Surface Science 38, Thin Solid Films 36, Journal of Crystal Growth 32) dominate. Of the prolific countries (USA 192, Peoples R China 184, Japan 110, Germany 79, South Korea 71), USA and China are dominant. The prolific institutions (Chinese Acad Sci 68, Natl Univ Singapore 15, Sungkyunkwan Univ 13, Kyoto Univ 13) are all East Asian, and are clearly dominated by CAS.

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- AFM study of the oxide film formed on dual phase Fe₃Al-Fe₃AlC intermetallics
- Growth and surface characterization of V₂O₅ thin films made by pulsed-laser deposition
- Polymyxin B-lipid interactions in Langmuir-Blodgett monolayers of Escherichia coli lipids: A thermodynamic and atomic force microscopy study
- Molecular dynamic study for nanopatterning using atomic force microscopy

Category 7 (AFM, Film, Deposit, Substrate, Growth, 1511 records) focuses on AFM, emphasizing deposition and growth of thin films on substrates and in layers. Prolific authornames are essentially all Asian; may not be unique. Four journals dominate (Applied Physics Letters 84, Langmuir 77, Journal of Applied Physics 72, Thin Solid Films 61). Four countries dominate (USA 441, Peoples R China 176, Germany 143, Japan 137), with USA being most dominant. While CAS dominates most prolific institutions (Chinese Acad Sci 63, Russian Acad Sci 35, Univ Cambridge 23, Univ Calif Berkeley 17, Tsing Hua Univ 16, Univ Illinois 15, Univ Calif Santa Barbara 15, CNRS 15), there is substantial USA institutional representation in this category.

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- Vesicle adsorption and lipid bilayer formation on glass studied by atomic force microscopy
- Nonuniformity in ultrathin SiO₂ on Si(111) characterized by conductive atomic force microscopy
- Extended, relaxed, and condensed conformations of hyaluronan observed by atomic force microscopy
- In situ atomic force microscopy study of dimensional changes during Li⁺ ion intercalation/de-intercalation in highly oriented pyrolytic graphite

Category 8 (AFM, Magnetic, 226 records) focuses on AFM, especially magnetism. Prolific authors have mixture of Eastern and Western names; probably unique. Leading journals (Applied Physics Letters 24, Journal of Applied Physics 16, Physical Review B 11, IEEE Transactions on Magnetics 11) physics-focused. Prolific countries (USA 65, Germany 56, Japan 31, Peoples R China 27, France 20) dominated by USA, Germany. Prolific institutions (Chinese Acad Sci 9, Univ Calif Berkeley 8, CNRS 8, Univ Elect Sci & Technol China 7, Univ Strasbourg 15, Univ Basel 5, Tufts Univ 5, Oak Ridge Natl Lab 5, N Carolina State Univ 5, Hahn Meitner Inst Berlin GmbH 5, CNR 5) include substantial USA representation.

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- Metal-coated carbon nanotube tips for magnetic force microscopy
- Micromagnetic studies of cobalt microbars fabricated by nanoimprint lithography and electrodeposition
- Novel detection system for biomolecules using nano-sized bacterial magnetic particles and magnetic force microscopy
- Magnetic force microscopy studies of domain walls in nickel and cobalt films

Category 9 (HRTEM, 296 records) focuses on HRTEM supported by small-angle x-ray scattering. Prolific authors (Yamamoto, T 8, Ikuhara, Y 7, Matsunaga, K 5, Sasaki, T 4, Mizoguchi, T 4, Kaneko, K 4) appear to be all Japanese. Leading journals (Journal of Physical Chemistry B 13, Journal of

Crystal Growth 11, Chemistry of Materials 11, Langmuir 10) are chemistry dominated. Prolific countries (Peoples R China 71, USA 67, Japan 47, Germany 20, France 20) dominated by China, USA. Prolific institutions (Chinese Acad Sci 22, Univ Tokyo 14, Nanjing Univ 6) centered around CAS, University of Tokyo.

This category contains two elemental clusters, and their themes/representative titles follow:

(Small-angle x-ray scattering)

- Small-angle X-ray scattering of carbon-supported Pt nanoparticles for fuel cell
- SAXS of self-assembled nanocomposite films with oriented two-dimensional cylinder arrays: an advanced method of evaluation

(HRTEM)

- High-resolution transmission electron microscopy study of $\text{Ca}_3\text{CO}_4\text{O}_9$
- The first observation of carbon nanotubes by spherical aberration corrected high-resolution transmission electron microscopy

Category 10 (TEM, 2249) focuses on TEM. Prolific author names are mainly Asian, and may not reflect unique authors. Of the leading five journals (Applied Physics Letters 178, Journal of Applied Physics 123, Journal of Physical Chemistry B 56, Journal of Materials Research 54, Langmuir 51), two are overwhelmingly dominant. Of the prolific countries (USA 569, Peoples R China 470, Japan 250, France 176, Germany 173, South Korea 135, Taiwan 106), two are overwhelmingly dominant: China and the USA. The CAS dominates the prolific institutions (Chinese Acad Sci 129, CNRS 50, Russian Acad Sci 44, Univ Sci & Technol China 37, Natl Inst Mat Sci 34).

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- Model of superconducting vortices in layered materials for the interpretation of transmission electron microscopy images
- Microstructure of sol-gel synthesized $\text{Al}_2\text{O}_3\text{-ZrO}_2(\text{Y}_2\text{O}_3)$ nanocomposites studied by transmission electron microscopy

- Analytical transmission electron microscopy and surface spectroscopy of ceramics: The microstructural evolution in titanium-doped chromia polycrystals as a function of sintering conditions
- Crystalline properties and morphological changes in plastically deformed isotactic polypropylene evaluated by X-ray diffraction and transmission electron microscopy
- A new FIB fabrication method for micropillar specimens for three-dimensional observation using scanning transmission electron microscopy

Category 11 (SEM, Film, Particle, Cell, 1652 records) focuses on SEM, emphasizing films, particles, cells, composites. Prolific authors (Locatelli, A 8, Heun, S 8, Zhang, Y 7, Oku, T 7, Liu, Z 7, Liu, WM 7, Nishiwaki, A 6) are a combination of Asian and non-Asian names. Leading journals (Applied Physics Letters 56, Journal of Applied Polymer Science 41, Thin Solid Films 30, Langmuir 27, Journal of Applied Physics 26) are dominated by Applied Physics Letters and Journal of Applied Polymer Science. Prolific countries (USA 357, Peoples R China 258, Germany 171, Japan 169, England 108, France 107) dominated especially by the USA and also by China. CAS dominates the prolific institutions (Chinese Acad Sci 65, Russian Acad Sci 25, CNRS 23, Univ Cambridge 19, CSIC 19, CNR 19).

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- MSWI fly ash particle analysis by scanning electron microscopy-energy dispersive X-ray spectroscopy
- Visualization of the cytostome in *Trypanosoma cruzi* by high resolution field emission scanning electron microscopy using secondary and backscattered electron imaging
- Growth of vacuum evaporated ultraporous silicon studied with spectroscopic ellipsometry and scanning electron microscopy
- Scanning electron microscopy investigation of Cu-TCNQ micro/nanostructures synthesized via vapor-induced reaction method

Category 12 (SEM, IS, 295 records) focuses on SEM, with secondary emphasis on Infrared Spectroscopy. Prolific authors Include Ren, F 4, Pearton, SJ 4, Kravchenko, I 4, Khanna, R 4. Three journals (Journal of the Electrochemical Society 17, Thin Solid Films 13, Journal of Applied

Polymer Science 13) are dominant. Prolific countries (USA 59, Peoples R China 59, India 24, Italy 17) dominated by USA and China. Prolific institutions (Chinese Acad Sci 11, Zhejiang Univ 7, Univ Sci & Technol China 7, Univ Florida 6, Univ Connecticut 5, CNR 5) dominated by CAS, but some USA institutional presence.

Since this category is also an elemental cluster, a few additional titles will be presented to illustrate the theme:

- Interaction of water with different cellulose ethers: a Raman spectroscopy and environmental scanning electron microscopy study
- Scanning electrochemical microscopy. 55. Fabrication and characterization of micropipet probes
- Polarized micro-Raman spectroscopy of oriented $A(B^{1/3}O_{2/3})O$ -3 powders and microwave ceramics
- Characterization of the rapid expansion of supercritical solutions by Fourier transform infrared spectroscopy in situ

Category 13 (SEM, XRD, 1451 records) focuses on SEM, with some emphasis on XRD, for films, coatings, and composites. Prolific author names all Asian; may reflect multiple authors. Leading journals (Surface & Coatings Technology 37, Materials Letters 36, Thin Solid Films 30, Applied Surface Science 29, Materials Chemistry and Physics 24) appear coatings/ materials oriented. Of prolific countries (Peoples R China 441, USA 196, Japan 99, Germany 96, South Korea 87), China is by far the most dominant. Not surprisingly, the Chinese institutes predominate (Chinese Acad Sci 87, Tsing Hua Univ 26, Univ Sci & Technol China 23, Zhejiang Univ 21, Shanghai Jiao Tong Univ 17, Shandong Normal Univ 17), with CAS being the most dominant.

This category contains two elemental clusters, and sample record titles and elemental cluster themes are as follows:

(Electron microscopy, emphasizing particles, powders, and nanotubes)

- Analysis of environmental particles by atomic force microscopy, scanning and transmission electron microscopy
- Microstructure degradation of an anode/electrolyte interface in SOFC studied by transmission electron microscopy

(SEM, especially for films, coatings, composites)

- Scanning electrochemical microscopy in combination with piezoelectric quartz crystal impedance analysis for studying the growth and electrochemistry as well as microetching of poly(o-phenylenediamine) thin films
- Scanning electron microscopy cathodoluminescence studies of piezoelectric fields in an InGaN/GaN quantum-well light-emitting diode
- Visualisation of natural aquatic colloids and particles - a comparison of conventional high vacuum and environmental scanning electron microscopy
- Evaluation of the effect of lichens on ceramic roofing tiles by scanning electron microscopy and energy-dispersive Spectroscopy analyses

Category 14 (SEM, Film, Coating, Deposit, XRD, 2183 records) focuses on SEM and to some extent XRD, with emphasis on films, coatings, composites, particles, alloys, ceramics. Prolific authornames all Chinese; may reflect multiple authors. Leading journals (Rare Metal Materials and Engineering 77, Materials Letters 41, High-Performance Ceramics III, Pts 1 And 2 40, PRICM 5: The Fifth Pacific Rim International Conference on Advanced Materials and Processing, Pts 1-5 35, Journal of Inorganic Materials 31, Chinese Journal of Inorganic Chemistry 29) very applied, some domestic Chinese. China overwhelmingly dominant among prolific countries (Peoples R China 780, Japan 213, USA 207, South Korea 133, India 129, Germany 104). Prolific institutions (Chinese Acad Sci 137, Tsing Hua Univ 64, Zhejiang Univ 46, Tianjin Univ 33, Harbin Inst Technol 27, Univ Sci & Technol China 25, Univ Sci & Technol Beijing 25, Sichuan Univ 23) all Chinese, dominated by CAS.

This category contains six elemental clusters, and cluster themes/representative titles follow:

(SEM images)

- Application of Monte Carlo simulation method to the nano-scale characterization by scanning electron microscopy
- Monte Carlo simulation of secondary electron and backscattered electron images for a nanoparticle-matrix system
- Feasibility study of multiple-beam scanning electron microscopy for defect inspection

(SEM, especially with energy dispersive spectroscopy)

- Ciro Ferri's frescoes: a study of painting materials and technique by SEM-EDS microscopy, X-ray diffraction, micro FT-IR and photoluminescence spectroscopy
- SEM observation on the nucleation and grain growth of Bi-2223 phase in Ag-sheathed BSCCO tapes

(SEM, TEM, especially for carbon nanotubes)

- Single-walled carbon nanotube-based coaxial nanowires: Synthesis, characterization, and electrical properties
- Carbon nanotubes synthesized in zeolites UTD-1, UTD-18 and UTD-12

(SEM, with secondary emphasis on XRD)

- Charge contrast imaging of gibbsite using the variable pressure SEM
- The use of SIMS, SEM, EPMA, LRS and X-ray diffraction measurements for the examination of corrosive layers and protective coatings on steels and alloys in advanced power stations
- Comparative endoscopic and SEM analyses and imaging for biofilm, growth on porous quartz sand

(SEM, XRD)

- Electrochemical synthesis of lepidocrocite thin films on gold substrate - EQCM, IRRAS, SEM and XRD study
- Chemical bath deposition of Hg doped CdSe thin films and their characterization

(Energy dispersive x-ray, SEM)

- Lignin-hydroxyapatite/tricalcium phosphate biocomposites: SEM/EDX and FTIR characterization
- Characterization of individual silicon-poor particles in atmospheric aerosols by SEM-EDX and application to Kosa particle identification

Category 15 (TEM, Film, Particle, Nanoparticle, STM, 5986 records)

focuses on TEM, especially films, particles, nanoparticles, with less emphasis on STM. Prolific authornames all Chinese; may reflect multiple authors. Journal of Physical Chemistry B (179) dominant, followed by Physical Review B 137, Materials Letters 132, Applied Physics Letters 122, Surface Science 113, Langmuir 109. China dominant (1786), followed by USA 1046, Japan 782, Germany 487, South Korea 355, France 316. Prolific institutions (Chinese Acad Sci 394, Tohoku Univ 99, Tsing Hua Univ 98, Univ Sci & Technol China 91, Zhejiang Univ 85, Nanjing Univ 75, Osaka

Univ 72, Univ Tokyo 67, Natl Inst Mat Sci 66) Chinese and Japanese, with CAS dominant.

This category contains fourteen elemental clusters, and cluster themes/representative titles follow:

(Electron microscopy, emphasizing SEM)

- Towards automation of palynology 1: analysis of pollen shape and ornamentation using simple geometric measures, derived from scanning electron microscope images
- Nanomanipulator-assisted fabrication and characterization of carbon nanotubes inside scanning electron microscope

(Electron microscopy, emphasizing SEM, film deposition)

- Characterization of electrical properties and photosensitivity of SnS thin films prepared by the electrochemical deposition method
- The lanthanide doping effects on the electrical properties of Bi₄Ti₃O₁₂ thin films fabricated on silicon substrates

(TEM, electron microscope)

- Separation of linear and non-linear imaging components in high-resolution transmission electron microscope images
- Multiscale modeling of surface sputtering in a scanning transmission electron microscope

(STM)

- STM images of molecules on a metallic surface: a fast calculation based on a self-consistent semiempirical molecular orbital method
- An STM study on the growth process of vapor-deposited hydroquinone adlayers on Rh(111) and Pt(111)

(Cyclic voltammetry)

- Aggregation properties of amphiphilic poly(ethylene oxide)-poly(propylene oxide)-poly(ethylene oxide) block copolymer studied by cyclic voltammetry
- Characterization of novel all-plastic electrochromic devices: electro-optic and voltammetric response

(Impedance spectroscopy)

- The preparation of polyaniline waterborne latex nanoparticles and their films with anti-corrosivity and semi-conductivity
- The vacuum-annealed undoped polycrystalline CVD diamond electrodes: the impedance-spectroscopy and photoelectrochemical studies

(Quartz crystal microbalance)

- Simultaneous surface plasmon resonance and quartz crystal microbalance with dissipation monitoring measurements of biomolecular adsorption events involving structural transformations and variations in coupled water
- Quartz crystal microbalance detection of glutathione-protected nanoclusters using antibody recognition

(Confocal microscopy)

- Nanoparticles, molecular biosensors, and multispectral confocal microscopy
- Beam divergence measurements of InGaN/GaN micro-array light-emitting diodes using confocal microscopy

(Probe microscopy)

- Application of scanning probe microscopy to the characterization and fabrication of hybrid nanomaterials
- Quantitative analysis of electronic properties of carbon nanotubes by scanning probe microscopy: From atomic to mesoscopic length scales

(Fluorescence spectroscopy)

- Fluorescence intensity in surface-plasmon field-enhanced fluorescence spectroscopy
- Effect of humic acid on the sorption of Cm(III) onto gamma-Al₂O₃ studied by the time-resolved laser fluorescence spectroscopy

(Optical spectroscopy)

- Effect of fast thermal annealing on the optical spectroscopy in MBE- and CBE-grown GaInNAs/GaAs QWs: blue shift versus red shift
- Investigations of 1.55- μ m GaInNAs/GaAs heterostructures by optical spectroscopy

(Scanning transmission electron microscopy)

- Symmetries in BF and HAADF STEM image calculations
- Formation of silver clusters by borohydride reduction of AgNO₃ in polyacrylate aqueous solutions

(Electron diffraction)

- Stretching of carbon-carbon bonds in a 0.7 nm diameter carbon nanotube studied by electron diffraction
- Coherent nano-area electron diffraction

(TEM, emphasizing nanoparticles)

- Preparation of a Langmuir monolayer of CoFe₂O₄ nanoparticles at the air/water interface

- Hydrogenation of cis,cis-1,3-cyclooctadiene over MCM-41 embedded with Pd, Ag, and Pd-50/Ag-50 alloy nanoparticles

Category 16 (Film, XRD, XPS, 4978 records) focuses on films, oxidation, catalysis, using XRD and XPS. The top thirty author names, with one exception, are all Chinese, and may reflect multiple authors. Three journals stand out: Journal of Physical Chemistry B 178, Applied Surface Science 133, Thin Solid Films 123. China dominates the prolific countries (Peoples R China 1262, USA 739, Japan 491, Germany 359, South Korea 321, India 315, France 283). The CAS dominates the prolific institutions (Chinese Acad Sci 272, Tsing Hua Univ 77, Univ Sci & Technol China 63, Zhejiang Univ 62, CSIC 60).

This category contains fourteen elemental clusters, and cluster themes/representative titles follow:

(XPS, catalysts)

- Discoloration and mineralization of Orange II by using Fe³⁺-doped TiO₂ and bentonite clay-based Fe nanocatalysts
- Catalytic activity of the M/(3ZnO center dot ZrO₂) system (M = Cu, Ag, Au) in the hydrogenation of CO₂ to methanol

(XPS, Films)

- STM and XPS studies of the oxidation of aniline at Cu(110) surfaces
- Suppression of photo-induced dilation in cyanide treated hydrogenated amorphous silicon films

(XRD, films, catalysts)

- The yield strength calculated by finite element method for sputtered Cu film
- Development of nanograined hexagonal barium ferrite thin films by sol-gel technique

(XRD patterns)

- Influence of the outer surface layers of crystals on the X-ray diffraction intensity of basal reflections
- Characterization of nanocrystalline anatase titania: an in situ HTXRD study

(XRD, films, alloys, composites)

- Preparation and electrode properties of new ternary alloys: REMgNi₄ (RE = La, Ce, Pr, Nd)

- Real-time XRD analysis of polystyrene/clay nanocomposites by in-situ polymerization

(XRD, FTIR)

- X-ray diffraction study of stress relaxation in cubic boron nitride films grown with simultaneous medium-energy ion bombardment
- Microhardness, FTIR and transmission spectral studies of Mg^{2+} and Zn^{2+} doped nonlinear optical BTCC single crystals

(FTIR, films)

- Studies on the crystallization behavior of nylon-6 in the presence of layered silicates using variable temperature WAXS and FTIR
- Structure and phase transition in self-assembled films of an anti-ferroelectric liquid crystal studied by two-dimensional correlation FTIR spectroscopy

(Infrared Spectroscopy, films)

- Reflection-absorption infrared spectroscopy investigation of the crystallization kinetics of poly(ethylene terephthalate) ultrathin films
- Fourier transform infrared spectroscopy studies on thermal decomposition of tetrakis-dimethyl-amido zirconium for chemical vapor deposition of ZrN

(Secondary Ion Mass Spectrometry)

- Photodegradation of poly(ether sulphone) Part 1. A time-of-flight secondary ion mass spectrometry study
- Ultra-low energy SIMS depth profile analysis of MOVPE grown InAlGaAs/AlGaAs/GaAs nanostructures

(Dynamic Light Scattering)

- Characterization of polybutadiene-poly(ethyleneoxide) aggregates in aqueous solution: A light-scattering and small-angle neutron-scattering study
- Fractal character of dynamic light scattering of particles

(Optical Microscope)

- Numerical modeling of the subwavelength phase-change recording using an apertureless scanning near-field optical microscope
- Vibration sensitivity of the scanning near-field optical microscope with a tapered optical fiber probe

(Photoluminescence Spectroscopy)

- Abnormal photoluminescence behavior of self-assembled InAs quantum dots with bimodal size distribution
- Time-resolved photoluminescence studies of indium-rich InGaN alloys

(Mossbauer Spectroscopy)

- A Mossbauer spectroscopic study of the iron redox transition in eastern Mediterranean sediments
- The Mossbauer study of magnetic-permeability-enhancement effect in the $\text{Fe}_{86}\text{-xNbxB}_{14}$ ($x=5, 6$) amorphous alloys

(Electron Spectroscopy, Auger)

- Auger and XPS characterization of a multi layered Ti-Co-Si system for self aligned silicides purposes: a stoichiometry and chemical investigation
- Electron spectroscopy of the interface carbon layer formation on the cleavage surfaces of the layered semiconductor In_4Se_3 crystals

SUMMARY AND CONCLUSIONS

A wide variety of instruments are used in nanoscience and nanotechnology research. Key among these instruments are XRD, electron microscope variants, atomic force microscopy, scanning tunneling microscopy, and spectroscopy variants.

Key materials, properties, phenomena, and nanostructures measured by the leading instruments are as follows:

- Materials: TiO_2 , Ti, Si, SiO_2 , and polymers
- Properties: Morphology/ surface morphology, thickness/diameter/particle size, surface roughness/surface area, mechanical properties/optical properties/thermal properties, crystal structure/crystallinity
- Phenomena: Deposition, oxidation, crystallization, catalytic activity, nucleation, adsorption, polymerization, adhesion, decomposition/ degradation
- Thin films, nanocomposites, nanowires, nanotubes, monolayers/self-assembled monolayers

Key findings from the correlation maps are as follows:

- Instrumentation auto-correlation map showed that the main network is in x-ray diffraction and electron microscopy. This is an indication that a well-equipped chemistry and/or material science laboratory usually contains a variety of instruments for characterizing various

- material properties. The instrument factor matrix showed similar grouping of a diversity of instruments in the same laboratory.
- Instrumentation-materials cross-correlation map showed that the main group consisted of electron microscopes and variants. Many of the instruments are used to characterize materials of interest to semiconductor and microelectronics research.
 - Similarly the instrumentation-properties cross-correlation map is focused mostly on the electronic properties of materials of interest to microelectronics research such as electron microscopy and atomic force microscopy.
 - Same instruments are used to investigate the growth and fabrication phenomena in the instrumentation-phenomena cross-correlation map.
 - Because of the dominance of nanoelectronics research, many nanostructures are focused on electronic applications and thus the Instrumentation-nanostructures cross-correlation map also showed the emphasis on instruments for characterizing the electronic structures.

The hierarchical taxonomy offered the following insights:

- In this nanotechnology instrumentation study, **China produced about 25% more papers than the USA**. By contrast, in the full nanotechnology study, the USA produced about 25% more papers than China.
- Much of China's over-production occurred in the XRD-related categories, but there was some over-production in the transmission electron microscopy and NMR-calorimetry related categories as well.
- USA dominance appears to be in atomic force microscopy areas
- Because of the large Chinese and South Korean contributions to the nanotechnology instrumentation literature, author name analysis at aggregate levels is not effective; these Asian names are usually monosyllable, many times with no middle names. Due to the relatively high frequency of paper publications, there is good possibility that the same last name represents multiple authors. Potential name disambiguation is under study.
- Even though the USA has a large presence overall, relatively few USA institutions are listed among the most prolific in the nanotechnology instrumentation papers. The Asian and European efforts appear concentrated in relatively few but large institutions.

APPENDIX 6. MEDICAL AND NON-MEDICAL APPLICATIONS

In the updated nanotechnology study, all of the technical structural analyses of the total nanotechnology database show Applications being a key driver in nanoscience and nanotechnology research. The objectives of this Appendix are to examine the nanotechnology Applications literature in depth, and especially show Applications relationships to each other and to use of common materials, properties, phenomena, and nanostructures.

APPROACH

The first part of the following approach describes how the main nanotechnology non-medical Applications were identified, as well as their direct and indirect relationships. The second part of the approach addresses identification of the medical Applications.

1. Non-Medical Applications

A phrase frequency analysis was performed of the ~65000 records downloaded from the 2005 nanotechnology database, and hundreds of thousands of phrases were generated. All single word, adjacent double word, and adjacent triple word phrases were extracted and corrected to eliminate phrases containing trivial words at the beginning or end, and their occurrence frequencies were recorded. Approximately 60000 phrases were examined visually, starting from the highest frequency. Every non-medical Applications-related phrase was extracted. Then, the root phrase for each Application (e.g., cataly*, tribolog*, etc) was inserted into the phrase search engine, and all variants of the non-medical Applications terminology were retrieved, including the lowest frequency variants. Approximately 860 phrases resulted. Additionally, phrases related to materials, properties, phenomena, and nanostructures were extracted during the visual inspection process. The non-medical Applications phrases were related to each other and to common materials, properties, phenomena, and nanostructures with the use of correlation maps and co-occurrence matrices.

2. Medical Applications

A different procedure was used for the medical Applications. A document fuzzy clustering analysis (Karypis, 2006), where documents are divided into groups based on their text similarities and where documents can be assigned

to more than one group, was performed on the ~65000 total nanotechnology records retrieved for the overall nanotechnology study. The resulting hierarchical taxonomy was inspected visually, and the largest sub-network that included all medical Applications (hereafter called the Health sub-network) was identified. A meta-level taxonomy of the Health sub-network (the highest two hierarchical levels) was generated, then a taxonomy of the elemental (lowest level) clusters was generated. These clusters were analyzed for infrastructure and technical content.

For analytical purposes, non-medical applications were segregated from medical applications by design, although there was of necessity some small inclusion of medical applications in the non-medical component. In the remainder of this Appendix, the non-medical applications will be referred to as Applications, and the medical applications will be referred to as Health.

The 401 most cited nanotechnology papers published since 1991 were also retrieved. A short Applications-related analysis was done of this retrieved database as well.

There are five main sections to this Appendix, for the Applications and Health. The first four are for the Applications, and include:

- lists of the key nanotechnology applications, and emphasize those referenced most frequently.
- key findings of co-occurrence matrices, showing the relation of the major nanotechnology applications to materials, properties, phenomena, and nanostructures.
- correlation mapping of the nanotechnology applications to each other, especially how they relate to common materials, properties, phenomena, and nanostructures.
- a factor matrix analysis, which presents a more quantitative description of the relationships shown on the maps.

The fifth section applies to Health. It uses fuzzy clustering to generate a medical Applications taxonomy, and then generates the infrastructure and technical thrusts of each medical cluster.

RESULTS

Nanotechnology Applications

Nanotechnology Applications Types

Variant terminologies of each Application were combined, and the resultant list of Application types is shown in Table A6-1. There are two major types of terms. One type describes specific Applications, such as devices, solar cells, fuel cells, lithography, etc, and tends not to be ambiguous. The other type is multi-use terminology, and can refer to specific products/Applications as well as experimental components and systems (e.g., electrodes, electrolytes, copolymers, lasers, solid state, etc). The correlation process, as reflected in the correlation maps and the factor matrix, tends to group the specific Applications with the product components of the multi-terminology categories. In the latter part of this section, when metrics are presented for each of the major Applications thrusts, only the specific Applications will be included. Thus, the metrics will serve as the lower bound on total Applications.

While many Application types are listed, the top six dominate the first tier, focusing on catalysts, lasers, devices, sensors, electrodes, and copolymers. In general, many of the applications are typical of the most advanced and exotic chemicals and materials. It is not surprising that the applications are exploiting the unique properties of chemicals and materials at the nanoscale, in areas such as catalysis and sensing information electronics, anti-corrosive coatings, tribology, and lubricants. If the contents of Table A6-1 are used as the category headings of an Applications taxonomy, and the full 860 Applications phrases are used as the contents of an Applications taxonomy, then a flat Applications taxonomy (one level only) can be constructed (Table A6-2). The contents of these two tables serve as starting points for many of the analyses in this section.

Additionally in order to assess the importance of application relative to impact, the 401 most cited nanotechnology papers were examined for Applications phrases, down to a phrase record frequency of two. Few were found; highly cited papers tend to be at a very fundamental level, and focus heavily on the science relative to the Applications. In other words, science oriented papers tend to be cited more than application oriented papers. Applications mentioned in these highly cited papers include: Catalysis/

Photocatalysis; Device(s); Transistors (Field-Effect); Optoelectronics; Light-Emitting Diodes. Many of these are in the electronics and photonics application areas.

TABLE A6-1. LIST OF APPLICATIONS (after combining similar terms)

#REC	APPLICATIONS	#REC	APPLICATIONS	#REC	APPLICATIONS
2036	catalysts	58	piezoelectricity	18	nanoelectromech sys
1513	lasers	57	actuators	18	photosensitizers
1491	devices	57	molecular dev	17	electroluminescent dev
1040	sensors	56	gate dielectrics	17	field-emission gun
936	electrodes	55	reactive ion etching	17	scratch resistance
722	copolymers	55	resonators	17	SQUID
540	applications	53	biotechnology	15	lithium cells
519	electrolytes	51	chemical etching	15	ultrafiltration
472	lithography	49	fabricated devices	14	electrochromic dev
428	electronics	48	new technology	14	flat panel displays
387	wiring	47	recording media	14	QWIPs
329	diodes	42	oxidation resistance	13	control systems
315	corrosion	42	qubits	13	microchips
315	storage	42	wet etching	13	nanomachining
269	solid-state	38	nanofluidics	13	new devices
237	tribology	37	biological appl	12	dechlorination
235	solar cells	37	cementation	12	generators
217	transistors	37	imprinting	12	inductors
213	detectors	37	molecular sieves	11	explosives
201	optoelectronics	37	photonic appl	11	memory cells
179	waveguides	37	screen-printing	11	micromachining
172	switching	34	memory dev	10	antireflection coating
166	optical appl	33	spintronics	10	MOS devices
151	batteries	31	injection molding	10	supercond thin films
141	capacitors	31	tapes	9	gel filtration
140	friction coeff	31	transducers	9	microlenses
140	wear resistance	27	electrooxidation	8	biomedical devices
120	motors	27	sensitizers	8	device simulation
120	oligomers	26	dry etching	7	CMOS devices
112	scaffolds	25	high-temperature appl	7	hardware
104	chips	25	semiconductor dev	7	micromirror
97	disks	24	ceramic coatings	7	nanotube dev
94	carrier	24	macroinitiators	7	quantum computer
93	fuel cells	23	microsystems	7	remote sensing
92	latexes	23	photoinitiators	6	coating systems
90	circuits	22	activators	6	robot
89	microelectronics	21	bearings	6	water system
86	MEMS	21	microreactors	5	assay system
84	biomedical appl	20	biochips	5	CNT emitters
83	combustion	20	light-emitting dev	5	defluorination
81	lubrication	20	nanoreactors	5	integrated optical dev
80	adhesives	20	plastics	5	magnetic devices
78	photovoltaics	20	printing	5	metal-semicond junct
77	microfluidics	19	computer	5	micromanipulator
76	electrochemical appl	19	field emitters	5	wear coefficient

70	conducting polymers
67	semiconduct nanotubes

19	gate insulators
19	resistors

TABLE A6-2 - ONE LEVEL TAXONOMY OF APPLICATIONS

- Catalysts (Photo, Electro, Platinum, Bimetallic, Oxide)
- Lasers (Deposition, Ablation, Sapphire, Excimer, Semiconductor, Laser Tweezers, Desorption Ionization, Quantum Dot, Vertical-Cavity Surface-Emitting, Pump, Distributed Feedback, Solid-State, Quantum Cascade, Quantum Well, Edge-Emitting, Waveguide, Matrix Assisted)
- Sensors (Glucose/ Amperometric/ SPR/ DNA Biosensors, Immunosensors, Gas, Chemical, Optical, Pressure, Electrochemical, Temperature, pH, Humidity, Oxygen, Force)
- Electrodes (Gold, Glassy Carbon, Gate, Composite, Graphite, Platinum, ITO, TiO₂, Enzyme, Ferromagnetic, Carbon Paste, Diamond, Calomel, Photo, CNT, SnO₂, BDD, Silver, Copper)
- Copolymers (Block, Graft, Amphiphilic)
- Electrolytes (Poly, Polymer, Composite, Gel, YSZ)
- Lithography (Electron Beam, Photo, Nanoimprint, Soft, Optical, Nanosphere, Dip-Pen Nano, Deep Ultraviolet, Interference, Scanning Probe, X-Ray, EUV, AFM, Immersion, Projection, Stereo, Interferometric)
- Diodes (Light-Emitting, Laser, Photo, Schottky, Barrier, Tunneling, Junction, P-I-N, Wave)
- Corrosion (Resistance/Protection/Inhibition)
- Storage (Hydrogen, Charge, Data, Energy, Information, Oxygen, Ion)
- Tribology (Wear Resistance/ Rate/ Mechanisms, Friction Coefficient, Lubrication, Lubricant Films, Solid Lubricants, Scratch Resistance)
- Solar Cells (Dye-Sensitized, Photovoltaics, Organic, Silicon, Thin Film, Polymer, Photoelectrochemical, Hybrid, Heterojunction)
- Transistors (Field-Effect, MOSFETs, Single-Electron, Thin Film, Heterojunction Bipolar, Electron Mobility)
- Detectors (Photo, Infrared, QWIPs, UV)
- Etching (Chemical, Reactive Ion, Electrochemical, Dry, Plasma, Wet, Isotropic/Anisotropic, Sputter, ICP, Photo, Silicon, HF, Anodic, Oxide)
- Optoelectronics
- Waveguides (Optical, Ridge, Planar, Photonic Crystal)
- Switching
- Batteries (Lithium-Ion)
- Capacitors (Super, MOS, Electrochemical, MIM, Ferroelectric, Platinum, Film, PZT, Silicon, Double Layer, Embedded)
- Motors (Molecular, Brownian)
- Gate (Dielectrics, Insulators, Stacks)
- Scaffolds (Tissue Engineering, Composite, PLGA)
- Chips (Sensor, Bio, Microfluidic)
- Hard Disk (Drives)
- Fuel Cells (Oxide, Methanol, Polymer Electrolyte)
- Circuits (Integrated)
- Electromechanical Systems (Micro, Nano)
- Adhesives (Self-Etch, Resins, Conductive, Polyurethane)

- Piezoelectric (Ceramics, Quartz Crystal)
- Actuators (Piezoelectric)
- Resonators (Nanomechanical, Dielectric, Ring, Quartz)
- Recording (Magnetic Media, Optical, Data, Holographic)
- Oxidation Resistance
- Cements (Resin, Bone)
- Imprinting
- Molecular Sieves (Mesoporous, Carbon)
- Screen Printing
- Memory (Random Access, Nonvolatile Devices, Ferroelectric, Optical, Flash)
- Spintronics
- Injection Molding
- Transducers (Signal, Ultrasonic)
- Photosensitizers
- Bearings
- Reactors (Nano, Micro)
- Plastics
- Computers
- Field Emitters (Arrays, CNT, Field Emission Gun)
- Resistors
- Superconducting Quantum Interference Device (SQUID)
- Filtration (Gel, Ultra)
- Displays (Flat Panel, Liquid Crystal)
- Dechlorination
- Generators
- Inductors
- Explosives
- Coatings (Antireflection)
- Superconducting (Thin Films, Wires)
- Microlenses (Arrays)
- Micromirror
- Quantum Computer
- Remote Sensing
- Robotics
- Defluorination
- Micromanipulator

Applications-Measured Quantity Co-occurrence Matrices

An interesting nanotechnology research question revolves around which Applications are associated with specific input quantities (e.g., materials, properties, phenomena, nanostructures, etc). This section shows those Applications commonly associated with different materials, properties, phenomena, and nanostructures. Following sections expand to groups of Applications commonly associated with these quantities.

The TechOasis (Search, 2006) software was used to construct co-occurrence matrices of the most frequent nanotechnology Applications with associated quantities. The co-occurrence frequencies represent the number of records in which a specific Application co-occurs with a specific term.

Six of the most widely referenced nanotechnology Applications (according to Table A6-1) were matrixed with: a) the materials-related terms strongly associated with each Application; b) the materials properties-related terms strongly associated with each Application; c) the nanoscale phenomena-related terms strongly associated with each Application; d) the nanostructure-related terms strongly associated with each Application. These results follow.

Application-Materials Co-Occurrence Matrix

Table A6-3 contains six of the most widely referenced nanotechnology Applications (according to Table A6-1) and the materials-related terms strongly associated with each Application. While many terms are listed for each application, a few are pervasive, and are highlighted in the table. *TiO₂, Pt, Si, gold, and polymers tend to stand out as the most pervasive material types* related to the most frequently mentioned Applications.

TABLE A6-3. APPLICATIONS-MATERIALS CO-OCCURRENCE MATRIX

- **Catalysts** (TiO₂, 151; Pt, 80; Ni, 53; anatase, 49; Pd, 42; Fe, 41; alumina, 39; gold, 38; SiO₂, 37; titania, 37; metal, 36; Cu, 34; nickel, 32; platinum, 31; cobalt, 30; rutile, 30)
- **Lasers** (Nd, 66; silicon, 36; Si, 29; Ti, 28; ZnO, 23; glass, 21; sapphire, 16; Ni, 15; MgO, 14; TiO₂, 13; SiO₂, 13; diamond, 12; GaAs, 12; Fe, 11)
- **Sensors** (proteins, 44; protein, 28; gold, 27; polymer, 25; ZnO, 12; Pt, 12; polymers, 12; SnO₂, 12; metal, 10; composites, 10; Cu₂, 10; silicon, 9; TiO₂, 9; Pd, 9; chitosan, 9)
- **Electrodes** (Pt, 25; gold, 20; protein, 12; Ni, 12; composite, 11; copper, 10; alloy, 10; TiO₂, 9; SiO₂, 9; Ag, 9; platinum, 9; proteins, 8; Cu, 8; Au, 8; alloys, 8; lithium, 8)
- **Electrolytes** (polymer, 15; TiO₂, 13; copper, 9; PEO, 8; Ag, 8; lithium, 8; graphite, 8; Al₂O₃, 8; Li, 7; titanium, 7; polymers, 6; Cu, 6; silicon, 6; nickel, 6; SiO₂, 6)
- **Lithography** (silicon, 16; polymer, 13; polymers, 12; SiO₂, 11; metal, 8; gold, 7; silicon wafer, 7; Al₂O₃, 6; Pt, 6; PMMA, 6; Au, 6; silicon wafers, 6; glass, 5; silicon dioxide, 5)

Applications-Properties Co-occurrence Matrix

Table A6-4 contains six of the most referenced nanotechnology Applications, and the material properties-related terms strongly associated with each Application. While a number of terms are listed for each Application, a few are pervasive, and are highlighted in the table.

Morphology, thickness /diameter/particle size, optical properties, catalytic performance, and electrochemical properties tend to stand out as the most pervasive material properties related to the most frequently referenced Applications.

TABLE A6-4. APPLICATIONS-PROPERTIES CO-OCCURRENCE MATRIX

- **Catalysts** (morphology, 95; diameter, 95; catalytic performance, 76; particle size, 70; surface area, 64; crystallinity, 39; catalytic properties, 35; thickness, 28; crystal structure, 27; pore volume, 23; physical properties, 22; morphologies, 21; surface properties, 19; crystallite size, 19; surface morphology, 18)
- **Lasers** (thickness, 68; morphology, 47; substrate temperature, 47; optical properties, 45; diameter, 40; surface morphology, 36; surface roughness, 31; crystallinity, 30; particle size, 24; magnetic properties, 19; film thickness, 19; dielectric constant, 19; refractive index, 19; mechanical properties, 18; grain size, 18)
- **Sensors** (thickness, 37; morphology, 31; diameter, 25; optical properties, 20; surface morphology, 13; refractive index, 13; grain size, 11; bioactivity, 11; conductance, 10; mechanical properties, 9; capacitance, 9; surface properties, 8; conductivity, 8; porosity, 8; electrical resistance, 8; surface area, 8; fluorescence intensity, 8)
- **Electrodes** (electrochemical properties, 37; thickness, 31; morphology, 27; electrochemical behavior, 27; diameter, 20; surface morphology, 15; current density, 15; conductance, 13; capacitance, 13; conductivity, 10; surface roughness, 10; specific capacitance, 10; electrical conductivity, 9; roughness, 9; bioactivity, 9; impedance, 9)
- **Electrolytes** (morphology, 38; thickness, 37; ionic conductivity, 22; conductivity, 21; diameter, 19; ionic strength, 12; electrochemical behavior, 11; current density, 11; surface roughness, 11; electrochemical properties, 9; porosity, 8; molecular weight, 8; surface morphology, 7; capacitance, 7; activation energy, 7; particle size, 7; mechanical properties, 7; salt concentration, 7)
- **Lithography** (thickness, 23; diameter, 17; film thickness, 7; magnetic properties, 7; surface roughness, 6; optical properties, 5; current density, 4; thicknesses, 4; coercivity, 4; spatial distribution, 4; shape anisotropy, 4; morphology)

Applications-Phenomena Co-occurrence Matrix

Table A6-5 contains six of the most referenced nanotechnology Applications and the nanoscale phenomena strongly associated with each Application. While a number of terms are listed for each application, a few are pervasive, and are highlighted in the table. *Deposition, absorption, oxidation, immobilization, catalysis, degradation, and self-assembly tend to stand out as the most pervasive nanoscale phenomena* related to the most widely referenced Applications.

TABLE A6-5. APPLICATIONS-PHENOMENA CO-OCCURRENCE MATRIX

- **Catalysts** (photocatalytic activity, 183; catalytic activity, 171; catalysis, 171; oxidation, 101; degradation, 72; photocatalytic degradation, 57; decomposition, 56; adsorption, 54; deposition, 53; impregnation, 53; photocatalytic activities, 50; hydrolysis, 41; hydrogenation, 36; catalytic activities, 32; photocatalytic oxidation, 32)
- **Lasers** (deposition, 62; irradiation, 45; emission, 28; ablation, 26; absorption, 24; photoluminescence, 19; PL, 18; crystallization, 17; oxidation, 15; radiation, 15; diffusion, 13; nucleation, 12; photoluminescence PL, 12; transmittance, 12)
- **Sensors** (immobilization, 39; absorption, 27; deposition, 26; surface plasmon resonance, 18; oxidation, 17; fluorescence, 16; hybridization, 14; catalysis, 13; self-assembly, 12; electron transfer, 11; diffusion, 10; encapsulation, 9; storage, 8; catalytic activity, 8; regeneration, 7; conformational change, 7)
- **Electrodes** (oxidation, 53; electron transfer, 40; deposition, 33; immobilization, 29; adsorption, 28; electrocatalytic activity, 15; self-assembly, 14; electrochemical response, 13; electrochemical reduction, 11; electron transport, 11; catalytic activity, 10; charge transport, 10; diffusion, 9; nucleation, 8)
- **Electrolytes** (adsorption, 30; deposition, 18; diffusion, 10; oxidation, 9; self-assembly, 9; surface modification, 8; illumination, 8; corrosion, 6; condensation, 6; anodization, 6; complexation, 6; immobilization, 5; decomposition, 5; transport, 5; polymerization, 5)
- **Lithography** (deposition, 18; adhesion, 10; oxidation, 7; self-assembly, 7; magnetization, 7; adsorption, 6; evaporation, 5; replication, 5; photoluminescence, 4; irradiation, 4; illumination, 3; anodization, 3; UV irradiation, 3; cell adhesion, 3; emission, 3; communication, 3; migration, 3; scattering, 3; metallization, 3; plastic deformation, 3; magnetization reversal, 3)

Applications-Nanostructures Co-Occurrence Matrix

Table A6-6 contains six of the most referenced nanotechnology Applications and the nanostructures-related terms strongly associated with each Application. While a number of terms are listed for each Application, a few are pervasive, and are highlighted in the table. *Thin films, nanowires, nanotubes (especially carbon), and self-assembled monolayers tend to stand out as the most pervasive nanostructures* related to the most widely referenced Applications.

TABLE A6-6. APPLICATIONS-NANOSTRUCTURES CO-OCCURRENCE MATRIX

- **Catalysts** (carbon nanotubes, 57; CNTs, 56; nanowires, 50; nanotubes, 44; thin films, 28; carbon nanotubes CNTs, 27; nanostructures, 22; tiO₂ nanoparticles, 19; Pt nanoparticles, 17; SWNTs, 16; nanorods, 14; metal nanoparticles, 14; nanocomposites, 13; nanostructure, 12)
- **Lasers** (thin films, 89; QDs, 13; thin film, 12; metal nanoparticles, 11; nanowires, 9; quantum dots, 9; CNTs, 8; nanostructures, 8; nanocrystals, 8; quantum wells, 7; carbon nanotubes, 6; nanotubes, 6; SWNTs, 6; silver nanoparticles, 6)
- **Sensors** (thin films, 24; carbon nanotubes, 23; nanotubes, 23; nanowires, 21; nanostructures, 16; CNTs, 11; monolayer, 11; nanorods, 10; SWNTs, 9; MWCNTs, 8; thin film, 7; MWNTs, 7; ZnO nanorods, 7; single-walled carbon nanotubes, 7; monolayers, 7; nanocomposites, 7; self-assembled monolayer SAM, 7)
- **Electrodes** (carbon nanotubes, 26; monolayer, 25; thin films, 20; MWNTs, 20; nanotubes, 19; thin film, 16; SAM, 16; SWNTs, 15; self-assembled monolayer, 14; CNTs, 13; self-assembled monolayers SAMs, 11; self-assembled monolayer, 10; nanowires, 9; SAMs, 9; self-assembled monolayers, 8; multi-walled carbon nanotubes, 8)
- **Electrolytes** (carbon nanotubes, 9; nanotubes, 8; nanostructures, 7; nanopores, 7; monolayer, 5; thin film, 4; CNTs, 4; nanowires, 4; tiO₂ nanoparticles, 4; thin films, 3; MWNTs, 3; carbon nanotubes CNTs, 3; nanocomposites, 3; nanocrystals, 3; nanofibers, 3)
- **Lithography** (nanostructures, 14; thin films, 11; nanowires, 9; monolayer, 6; self-assembled monolayers, 6; self-assembled monolayers SAMs, 6; SWNTs, 5; quantum dots, 5; nanopores, 3; SAM, 3; self-assembled monolayer, 3; monolayers, 3; nanowire, 3; nanodots, 3)

Correlation Maps

Many nanotechnology Applications have commonalities. In order to understand the relationships among the Applications, two approaches are used. The first, presented in this section, is correlation mapping. Here, Applications are grouped by their direct correlation with each other (essentially co-occurrence within the same Abstract) or by correlation with a third quantity (e.g., similar materials used). The second approach, presented in the next section, is factor analysis and the associated factor matrix. Factor analysis is used to further quantify the relationships shown on the map, and to relate the Applications more directly to the infrastructure and the associated science. In the interests of space, only one factor matrix is presented.

Figure A6-1 is an auto-correlation map of the linkages among the most widely referenced Applications. The map identifies linkages through common occurrence of the Applications in the same Abstracts. The map was constructed iteratively. The most frequently appearing forty Applications were plotted initially. All Applications not included in a network were eliminated, and the map re-plotted. A few of the very weakly connected Applications went under the threshold and were decoupled from the network in the subsequent map, but are included in Figure A6-1.

Five weakly connected sub-networks can be discerned from Figure A6-1:

- Electronic Devices and Components (upper left corner)
- Optical Switching (center left)
- Tribology and Corrosion (lower left)
- Optoelectronic Sensors (center)
- Electrochemical Conversion and Catalysis (center right)

FIGURE A6-1 – APPLICATIONS AUTO-CORRELATION MAP




Figure A6-2 is a cross-correlation map (constructed iteratively) of the linkages among the most widely referenced Applications by their common use of materials. Two main Applications groups are discernible: a small strongly-connected tribology-based group at center left, and a large complex electronic devices and systems-based group at upper right. The TechOasis software shows that the main tribology materials connectors are Composites, Ti, and Steel (in other words, these are the key materials that members of the tribology network share). In the larger group: photoelectronics (catalysts [especially photocatalysts], solar cells) and electrochemistry are connected by TiO₂; sensors (electrodes, sensors) are connected by Proteins and Gold; the lithography section of electronic devices is connected through Si and Polymers; the optical/ waveguide Applications are connected by Si and Glass; and the nanowires/ optoelectronics link is based on ZnO and Si.

Cross-Correlation Map

Applications (Cleaned):APPL_I..
Materials

VP top links shown





	> 0.75	4 (0)
	0.50 - 0.75	19 (59)
	0.25 - 0.50	0 (173)
	< 0.25	0 (70)



Figure A6-3 is a cross-correlation map (constructed iteratively) of the linkages among the most widely used Applications by their common properties. Three connected groups are evident: a small tribology group at lower left, a small optical circuitry group at lower right, and a large electronic devices-based group in the center.

The tribology group connectors are Friction, Wear Resistance, and Hardness; the optical circuitry group connectors are Thickness, Optical Properties, and Refraction; the wiring segment of the main group is connected through Conductance, Diameter, and Morphology; and the strongly-connected electrochemistry core of the main group is connected through Electrochemistry, Morphology, Diameter, and Thickness. These applications are all exploiting the unique properties of materials at the nanoscale.

FIGURE A6-3 – APPLICATIONS-PROPERTIES CROSS-CORRELATION MAP




Figure A6-4 is a cross-correlation map (constructed iteratively) of the linkages among the most widely referenced Applications by their common phenomena. It consists of two networked groups: a smaller tribology-based group (lower left), and a large devices-centered group (upper center). The tribology group (strongly linked to MEMS) is connected through Adhesion, Lubrication and Deposition. The common link through much of the devices group (lithography, lasers, solar cells) is Deposition; the connectors of devices to transistors are Transport and Degradation; and the connectors in the electrochemistry wing (electrodes, electrolytes, sensors) are Oxidation, Deposition, and Adsorption.

FIGURE A6-4 – APPLICATIONS - PHENOMENA CROSS-CORRELATION MAP





Figure A6-5 is a cross-correlation map (constructed iteratively) of the linkages among the most widely used Applications by their common nanostructures. Two small networks are evident (tribology-based at lower left, corrosion-based at lower right), and a large network based on electronics/ electrochemistry (center). All networks have strong internal links. The tribology network is linked through Nanocomposites and Carbon Nanotubes. The corrosion network is linked through Thin Films, with additional QD links on the laser-solid state arm and Nanocomposite links on the corrosion-copolymer arm.

The electrochemistry segment of the larger network is linked mainly through Nanotubes (especially Carbon Nanotubes), and the electrochemistry/ electronics link adds a Nanowire similarity component as well. The sensors segment adds Thin Films as a linking mechanism.

FIGURE A6-5 – APPLICATIONS - NANOSTRUCTURES CROSS-CORRELATION MAP



Specific Applications Thrusts/ Metrics

To help quantify further the relations shown on the auto-correlation map (Figure A6-1), a factor analysis of the Applications database was performed. The 860 phrases extracted initially as Applications types were inspected further, and only those phrases that could be related unambiguously to Applications were retained for factor analysis and subsequent metrics. These phrases and their associated metrics thus provide a lower bound to the amount of nanotechnology non-medical Applications. Similar phrases were then aggregated, resulting in about 150 aggregated phrases.

A factor analysis was performed on the 150 aggregated phrases in order to identify the pervasive groups in the nanotechnology specific Applications database. Based on the groupings identified in the auto-correlation map, six factors were eventually selected for the analysis, after the number of factors was varied parametrically. The resulting six factor matrix is shown in Table A6-7.

The first column contains the aggregated phrases that were judged to determine the theme of the factors. The key phrases that were used to determine the theme of each factor are listed sequentially, in descending absolute value of their factor loading (the factor loading, which is the matrix entry, represents the contribution of the phrase to the factor theme). Thus, the phrases that determine the theme of Factor 1 range from Optoelectronics to Electronics. Obviously, the theme of this factor is Optoelectronics. The shaded regions in the factor matrix identify the most critical phrases in determining a factor's theme.

The six factors (themes) are summarized as follows:

- Factor 1: Optoelectronics
- Factor 2: Tribology
- Factor 3: Lithography
- Factor 4: Control Systems
- Factor 5: Devices
- Factor 6: Microsystems

As can be seen from the table, the aggregated phrase “devices” is influential in determining the themes of both Factors 1 and 5. However, as shown in the auto-correlation map, “devices” plays a central role in the device

components network (transistors, diodes, circuits), and hence becomes the theme of Factor 5.

To understand the infrastructure associated with each of these group themes, as well as the relevant science associated with each Application, Table A6-8 was constructed. In addition to the six group themes, three additional themes are listed that did not display on the auto-correlation map.

“Catalysts” was selected due to its high frequency. “Sensors” was the combination of the phrases “sensors” and “detectors”, which are both high frequency and very similar. “Electrochemistry” showed up as a separate network branch on the auto-correlation map, and the combination of “batteries”/“capacitors”/ “fuel cells” was selected to represent “electrochemistry”.

There are ten rows (after the title row) in Table A6-8. Nine of the rows contain one of the nine themes described above, and the tenth row is for the aggregation of all the specific Applications, defined by the ~150 phrases discussed initially. The first column contains the theme name (*italics*), followed by the number of records associated with the specific Application (theme), then followed by a list of the most prolific countries and their output record numbers for the theme.

Thus, for the first theme listed (the themes are listed by numbers of records, in descending order), Catalysis, there are 2036 records, and 595 of these records contain at least one author with a Chinese address. Probably the most under-represented of the themes (in terms of numbers of records) is Electrochemistry, since it did not include the high frequency but ambiguous terms such as electrode(s), electrolyte(s), etc. Those themes for which China is the most prolific producer are shaded; the darker the shading, the larger is China’s lead. The USA leads in Total Applications and in six out of nine themes in the high-tech research areas such as devices, sensors, and lithography. China leads in three themes in the traditional areas such as catalysis, tribology, and electrochemistry.

The second column lists most prolific institutions. The institution listings are not uniform, and the institution names are aggregated differently by different software packages. Institutions not aggregated previously were aggregated for this table by visual inspection. In particular, in the USA, campuses of a state university system were aggregated into one institution. Thus, separate California campuses became University of California. This

unit becomes more comparable with the multi-institution Chinese Academy of Science, Russian Academy of Science, or Max Planck Institute.

The pervasive institutions are summarized in the Total Applications row. While two of the top three institutions are Chinese, the USA is well represented by the large University of California and University of Illinois state university systems. The third column lists the journals containing the most articles for each theme. Applied Physics Letters appears in the top layer in seven of the nine themes and is by far the leader in overall publications. Journal of Physical Chemistry B appears in four of the nine themes, as does Journal of Applied Physics.

The fourth column lists the phrases of all types that tend to occur most frequently in the Abstracts of the theme-associated records, in descending frequency order. The entries in this column indicate the science areas associated with the specific Applications. Thus, for Catalysis, the important instrumentation is shown (XRD, TEM, XPS, SEM, FTIR, etc), the key materials (TiO₂, platinum, silica, nickel, iron, etc), the key phenomena (oxidation, growth, nitrogen adsorption, degradation, etc), the key properties (diameter, particle sizes, surface area, etc), the key nanostructures (films, particles, nanoparticles, crystals, etc), and key reactants and by-products (hydrogen, CO, methane, CO₂, methanol, etc). Some frequently occurring technologies or very generic phrases were removed from the display (e.g., materials, nanotechnology, devices, room temperature, etc).

TABLE A6-7. APPLICATIONS FACTOR MATRIX

FACTOR	1	2	3	4	5	6
optoelectronics	0.436	0.025	0.037	0.009	0.063	0.073
solar cells	0.374	0.054	0.004	0.063	0.083	0.085
devices	0.348	0.025	0.008	0.154	0.37	0.086
light-emitting devices	0.293	0.012	0.002	0.034	0.055	0.015
photovoltaics	0.278	0.041	0.005	0.026	0.025	0.061
applications	0.268	0.082	0.01	0.02	0.046	0.192
diodes	0.262	0.052	0.023	0.019	0.157	0.056
photonic applications	-0.24	0.018	0.018	0.009	0.035	0.063
electronics	0.226	0.002	0.023	0.036	0.137	0.073
tribology	-0.04	0.678	0.004	0.045	0.034	0.284
friction coefficients	0.031	0.578	0.005	0.04	0.03	0.281
wear resistance	0.026	0.505	-0.02	0.012	0.022	0.195
composite coatings	-0.03	0.266	0.035	0.048	0.005	0.076
lubrication	0.007	0.262	0.079	0.159	0.03	0.183
wear coefficient	0.018	0.184	0.014	0.002	0.012	-0.09
reactive ion etching	0.041	0.016	0.562	0.251	0.032	0.001
lithography	0.001	0.011	0.494	0.267	0.077	0.039
wet etching	0.007	-0.01	0.435	0.127	0.03	0.009
dry etching	0.008	0.016	0.407	0.116	0.015	0.023
actuators	-0.02	-0.09	0.228	0.464	0.03	0.096
disks	0.02	0.035	0.191	0.394	0.017	0.186
control systems	0.038	0.093	0.205	0.385	0.041	0.134
MEMS	0.065	0.091	0.144	0.332	0.088	0.116
transistors	0.035	-0.02	0.02	0.088	0.557	0.02
gate dielectrics	0.069	0.007	0.009	0.087	0.461	0.048
gate insulators	0.036	0.009	0.034	0.071	0.346	0.002
circuits	0.056	0.022	0.046	0.002	0.309	0.006
microsystems	0.106	0.19	0.061	0.103	0	0.464
microfluidics	0.089	0.177	0.014	0.122	0.014	0.408
microelectronics	0.055	0.159	0.057	0.021	0.025	0.369
chips	0.012	0.101	0.032	0.079	0.069	0.282

TABLE A6-8. CENTRAL APPLICATIONS THEMES AND INFRASTRUCTURE

THEME/ #RECORDS/ COUNTRIES	INSTITUTIONS	JOURNALS	RELATED SCIENCE
CATALYSIS (2036) Peoples R China 595 USA 314 Japan 191 South Korea 141 France 111 Germany 109	Chinese Acad Sci 141 Tsing Hua Univ 45 CSIC 41 Zhejiang Univ 35 Univ Calif 32 Max Planck Inst 25	Applied Catalysis A-General 97 Journal Of Physical Chemistry B 94 Journal Of Catalysis 86 Catalysis Today 84	Catalysis, XRD, TEM, XPS, SEM, TiO ₂ , hydrogen, infrared spectroscopy, FTIR, CO, water, carbon nanotubes, electron microscopy, oxidation, growth, platinum, diameter, sol-gel, films, nitrogen adsorption, silica, particles, methane, particle sizes, nickel, Raman spectroscopy, degradation, calcinations, CO ₂ , nanoparticles, iron, surface area, methanol, ammonia, crystals
DEVICES (1783) USA 597 Japan 199 Peoples R China 167 South Korea 146 Germany 144 England 112	Univ Calif 88 Chinese Acad Sci 51 Natl Chiao Tung Univ 37 Univ Illinois 32 CNRS 28 Univ Cambridge 25	Applied Physics Letters 197 Physical Review B 65 Journal Of Applied Physics 64 Japanese Journal Of Applied Physics 36 Ieee Transactions On Electron Devices 35	Fabrication, films, electrons, XRD, AFM, thickness, transistors, structures, silicon, growth, substrate, electrodes, TEM, channels, nanotubes, conductivity, silicon substrates, PL, quantum dots, electron microscopy, annealing, thin films, electrical properties, nanowires, SEM, silica, deposits, optical properties, XPS, transport, nanostructures, nanotechnology, nanoparticles, SAMS, dielectric, hydrogen
OPTOELECTRONICS (1746) USA 503 Peoples R China 288 Japan 184 Germany 160 South Korea 102 England 97	Chinese Acad Sci 95 Univ Calif 74 Max Planck Inst 30 Tsing Hua Univ 25 Russian Acad Sci 24	Applied Physics Letters 114 Journal Of Applied Physics 57 Physical Review B 52 Thin Solid Films 52 Journal Of Physical Chemistry B 52	Films, electron transport, XRD, TEM, fabrication, growth, solar cells, electrons, Thickness, PL, AFM, optical properties, SEM, carbon nanotubes, molecular electronics, quantum dots, electron microscopy, nanotubes, silicon, conductivity, structures, nanoparticles, thin films, diameter, deposits, substrate, hydrogen, TiO ₂ , electrodes, nanostructures, nanotechnology, annealing, XPS, polymer, particles, electrical properties, luminescence, nanowires, semiconductors, wavelength, silica, silicon substrates
SENSORS (1232) USA 410 Peoples R 190	Univ Calif 46 Chinese Acad Sci 32 Hunan Univ 22	Sensors And Actuators B-Chemical 110 Biosensors & Bioelectronics 47 Applied Physics Letters 42	Biosensors, detection limit, films, materials, fabrication, proteins, electrodes, XRD, AFM, SEM, hydrogen peroxide, enzymes, carbon nanotubes, thickness, nanoparticles,

China		Nanjing Univ	21	Analytical Chemistry	36	immobilization, binding, cyclic voltammetry CV,
Japan	94	Univ Illinois	19	Langmuir	30	TEM, glucose, thin films, Ph, substrate,
Germany	74	CNR	18	Talanta	30	Ethanol, XPS, gold nanoparticles, antibody,
South Korea	65					electron microscopy, water, gold, CO,
England	54					Nanotubes, deposits, adsorption, response time,
						diameter, SAMS, electrode surface, hydrogen,
						polymer, wavelength, optical properties,
						nanowires
LITHOGRAPHY (552)		Univ Calif	23	Journal Of Vacuum Science & Technology B	43	Fabrication, photolithography, electron beam lithography, substrate, AFM, films, silicon
USA	187	CNRS	20	Applied Physics Letters	42	substrates, silicon, thickness, deposits, structures,
Japan	79	Northwestern Univ	15	Microelectronic Engineering	30	etching, SEM, diameter, arrays, SAMS,
South Korea	58	Natl Univ Singapore	14	Nanotechnology	27	nanostructures, electron microscopy,
Germany	46	Chinese Acad Sci	13	Journal Of Applied Physics	24	Growth, polymer, TEM, XPS, quantum dots,
France	38	Univ Illinois	12			Silica, nanowires, metals, annealing, silicon
Peoples R						wafers, nanoparticles, thin films, gold,
China	36					wavelength, glass substrates, electrodes, lasers,
						adhesion, waveguides, water, optical properties,
						particles, resistivity, self-assembly, monolayers,
						microstructures,
						nanoscale
TRIBOLOGY (508)		Chinese Acad Sci	46	Wear	51	wear resistance, tribological properties, friction
Peoples R		Ohio State Univ	17	Surface & Coatings Technology	50	coefficient, coatings. Friction, hardness, SEM,
China	162	Shanghai Jiao Tong Univ	11	Thin Solid Films	30	XRD, films, microstructures, electron microscopy,
USA	99	Sungkyunkwan Univ	8	Tribology Letters	18	mechanical properties, TEM, XPS, AFM, wear
Japan	60	Tsing Hua Univ	8	Rare Metal Materials And Engineering	11	rate, thickness, worn surfaces, adhesion,
South Korea	29			Materials Science And Engineering A	11	microhardness, substrate, Raman spectroscopy,
Germany	28					titanium, elastic modulus, nanoindentation,
England	25					surface roughness, silicon, nanoparticles, steel,
						alloys, deposits, particles, nitrogen, additives,
						corrosion resistance, composite, water,
						nanocomposites, silicon substrates, SAMS, carbon
						nanotubes, phase composition, high hardness,
						resistivity, roughness, hydrogen, argon
ELECTROCHEMISTRY (443)		Chinese Acad Sci	17	Journal Of Power Sources	36	XRD, electrodes, SEM, cyclic voltammetry CV,
Peoples R		Tsing Hua Univ	11	Journal Of The Electrochemical Society	24	TEM, electrochemical properties, XPS, films,
China	99	Seoul Natl Univ	11	Electrochimica Acta	22	carbon nanotubes, electrolytes, hydrogen, electron
USA	92	Natl Tsing Hua Univ	8	Electrochemical And Solid State Letters	16	microscopy, platinum, capacitance, thickness,
South Korea	47					membranes, water, CO, fabrication, silicon,
						nanoparticles, deposits, diameter, crystals,
						electrical properties, lithium, microstructures,

Japan	46		Applied Physics Letters	12	AFM, nanocomposites, particle sizes, current density, anodization, nanotubes, cathode, particles, growth, carbons, conductivity, electrochemical, porosity, annealing, electrons, pores, discharge capacity	
France	36		Journal Of Physical Chemistry B	11		
Taiwan	32					
<i>MICROSYSTEMS</i> (279)		Univ Calif	13	Analytical Chemistry	17	Fabrication, substrate, films, silicon, nanotechnology, deposits, channels, proteins, SEM, AFM, particles, structures, microchannels, thickness, microstructures, DNA, XRD, TEM, nanoparticles, diameter, polymer, metals, copper, arrays, gold, binding, electron microscopy, annealing, thin films, antibody, electrodes, XPS, carbon nanotubes, hydrogen, diffusion, surfactants, Biosensors, adhesion, lasers. Nanotubes, carbons, porosity, coatings, nanoscale, physical properties, surface roughness
USA	86	Tech Univ Denmark	11	Lab On A Chip	10	
Germany	28	CNRS	8	Applied Physics Letters	9	
Peoples R		Univ Tokyo	6	Nanotechnology	8	
China	26	Univ Illinois	5	Journal Of Applied Physics	6	
Japan	24	Max Planck Inst	5	Langmuir	6	
France	22	Purdue Univ	5			
<i>CONTROL SYSTEMS</i> (241)		Chinese Acad Sci	12	Microsystem Technologies-	39	SEM, thickness, XRD, fabrication, films, AFM, microstructures, mechanical properties, structures, TEM, hardness, friction, silicon substrates, substrate, silicon, coatings, water, deposits, diameter, carbon nanotubes, adhesion, surface roughness, particles, electron microscopy, thin films, silicon wafers, growth, nanostructures, residual stresses, crystals, nanotechnology, metals, electrodes, XPS, nanoscale, nanowires, SAMS, self-assembly, elastic modulus, Young's modulus, simulations, gold, nanotubes, deformation, electric fields
USA	70	Yonsei Univ	7	Journal Of Microelectromechanical	8	
Peoples R		Nagoya Univ	6	Systems		
China	38	Univ Calif	5	Journal Of Micromechanics And	7	
Japan	35	Univ Illinois	5	Microengineering		
South Korea	29	Univ Illinois	5	Applied Physics Letters	6	
		Ohio State Univ	5	Journal Of Applied Physics	6	
		Tsing Hua Univ	5	Journal Of Physical Chemistry B	6	
		Shanghai Jiao Tong Univ	5			
		Northwestern Univ	5			
<i>TOT APPLICATIONS</i> (10236)		Chinese Acad Sci	450	Applied Physics Letters	479	XRD, TEM, films, SEM, XPS, electron microscopy, AFM, fabrication, thickness, growth, hydrogen, water, substrate, carbon nanotubes, microstructures, nanoparticles, particles, diameter, TiO2, deposits, coatings, Structures, electrodes, silicon, CO, infrared spectroscopy FTIR, electrons, biosensors, catalytic activity, oxidation, silica, thin films, nanotubes, silicon substrates, PL, photocatalytic activity, crystals, Raman spectroscopy, mechanical properties, particle sizes, proteins, catalysis, sol-gel, gold, storage, metals, optical properties, annealing, adsorption, platinum, polymer, corrosion, quantum dots,
USA	2601	Univ Calif	294	Journal Of Physical Chemistry B	230	
Peoples R		Tsing Hua Univ	149	Journal Of Applied Physics	218	
China	1852	CNRS	133	Thin Solid Films	185	
Japan	1109	Max Planck Inst	120	Physical Review B	181	
Germany	747	CNR	100	Nanotechnology	146	
South Korea	737	Univ Illinois	97	Langmuir	141	
France	563	CSIC	96	Sensors And Actuators B-Chemical	133	
England	461	Natl Inst Adv Ind		Surface & Coatings Technology	112	
Taiwan	405	Sci & Technol	92	Nano Letters	108	
		Natl Univ	91			

Italy	382	Singapore		Journal Of Vacuum Science & Technology B	108	nanostructures, hardness, nanowires, corrosion resistance, copper, degradation, nickel, conductivity, nitrogen, pH, cyclic voltammetry CV, wear resistance, tribological properties, nanotechnology, friction, resistivity, electron transport, SAMS, iron, electrical properties, wavelength, waveguides, detection limit, friction coefficient, ammonia, methane, adhesion, pores, SWNTs, TGA, titanium, alumina, silver, carbons, oxides, channels, scaffolds
Spain	284	Russian Acad Sci	90	Applied Surface Science	99	
India	276	Seoul Natl Univ	90			
Canada	222	Univ Tokyo	83			
Russia	207	Zhejiang Univ	82			
		Natl Chiao Tung Univ	82			
		Tohoku Univ	81			
		Northwestern Univ	81			

Abbreviations:

AFM-Atomic Force Microscopy

NMR-Nuclear Magnetic Resonance

EM-Electron Microscopy

XRD-X-Ray Diffraction

RS-Raman Spectroscopy

TEM-Transmission Electron Microscopy

HRTEM-High Resolution Transmission Electron Microscopy

SEM-Scanning Electron Microscopy

DSC-Differential Scanning Calorimetry

IS-Infrared Spectroscopy

STM-Scanning Tunneling Microscopy

XPS-X-Ray Photoelectron Spectroscopy

Nanotechnology Health

Nanotechnology Health Types

The document clustering approach used to identify the Health types was a recent algorithmic upgrade of our CLUTO software package (Karypis, 2006) called fuzzy clustering, where a record could be assigned to multiple clusters. Fuzzy clustering, compared to non-fuzzy clustering, is important for articles that have multiple thrusts, such as Health applications articles in a research database.

There were 256 elemental clusters specified for the algorithm. This produced a hierarchical taxonomy of about 500 nodes, ranging from the root node at the highest level (Containing all ~65000 records) to the 256 elemental nodes at the lowest level. All the elemental nodes were examined, and the sub-network that included all Health-related elemental clusters was identified. Twenty-two elemental clusters total were in the Health sub-network. Of these 22 elemental clusters, 19 related directly to Health. The resultant 19 clusters are of different types. Some address specific Health problems (e.g., Tumor Treatment, Sentinal Lymph Node Cancer), some address Health Treatment mechanisms (e.g., Drug Release, Drug Delivery), some address biomaterial types (e.g., Cells, DNA, Biofilms, Virus Proteins, Amyloid Fibrils), but most are Health-related phenomena and processes (e.g., Peptide Sequences, Binding and Affinity, Detection, Sensing). The higher level taxonomy categories will now be discussed, followed by a discussion of the elemental clusters.

Higher Level Taxonomy Categories

Table A6-9 contains a summary of the infrastructure, pervasive thrusts, and related science for the 19 elemental clusters. Characteristics of the highest level category (node) in the Health sub-network are summarized in the last row on Table A6-9. Because about fifteen percent of the elemental clusters in the 22 cluster Health sub-network were not strictly Health-related, the results on this row should be considered a good approximation. In addition, the numbers of records listed for the highest level node (and all nodes on Table A6-9) include counts of records from different elemental clusters (due to the fuzzy nature of the clustering), and therefore have intrinsic multiple counts.

TABLE A6-9. CENTRAL HEALTH THEMES AND INFRASTRUCTURE

THEME/ #RECORDS/ COUNTRIES	INSTITUTIONS	JOURNALS	RELATED SCIENCE
DRUG RELEASE (235 Records) usa 58 peoples r china 55 india 37 south korea 31 japan 24 germany 23	natl univ singapore 11 zhejiang univ 9 korea res inst chem technol 8 chonbuk natl univ 6	journal of controlled release 30 international journal of pharmaceutics 28 drug development and industrial pharmacy 9 journal of microencapsulation 8 european journal of pharmaceutics and biopharmaceutics 8	polymer, hydrogel, nanoparticles, chitosan, microsphere, molecular.weight, particle.size, water.soluble, light.scattering, ethylene glycol, cross linking, differential scanning calorimetry, scanning electron microscopy, poly lactic acid, atomic force microscopy, transmission electron microscopy, dynamic light scattering, fourier transform infrared, bovine serum albumin, poly ethylene glycol, poly lactide glycolide
DRUG DELIVERY (197 Records) usa 79 peoples r china 36 india 31 germany 26 japan 23 italy 21 france 19 south korea 18 england 18	natl univ singapore 10 univ michigan 8 zhejiang univ 7 postgrad inst med educ & res 7	journal of controlled release 36 international journal of pharmaceutics 23 journal of drug delivery science and technology 11 biomaterials 10	nanoparticles, cancer, cancer cells, cellular uptake, size distribution, tumor cells, scanning electron microscopy, poly lactide glycolide, solid lipid nanoparticles, poly ethylene glycol, blood brain barrier, transmission electron microscopy, bovine serum albumin, confocal laser scanning microscopy
TUMOR TREATMENT (208 Records) usa 107 japan 24 germany 22	univ texas 7 univ michigan 7 chinese acad sci 7 washington univ 6 ohio state univ 5	journal of controlled release 11 journal of magnetism and magnetic materials 10 pharmaceutical research 8 magnetic resonance in medicine 6	liposomes, mice, cells, nanoparticles, tumor cells, tumor growth, contrast agents, endothelial cells, flow cytometry, cell lines, magnetic resonance imaging, scanning electron microscopy, transmission electron microscopy, blood brain barrier, superparamagnetic iron oxide nanoparticles, surface plasmon resonance, , tumor bearing mice, central nervous system, tumor necrosis factor, atomic force microscopy

peoples r china 19 france 19 south korea 18		biomaterials 6	
SENTINEL LYMPH NODE CANCER (112 Records) usa 50 england 12 netherlands 9 italy 8 germany 6 japan 5 france 5	massachusetts gen hosp 5 harvard univ 4 univ barcelona 3 mit 3 hosp clin barcelona 3 brigham & womens hosp 3 beth israel deaconess med ctr 3 amer biosci inc 3	european journal of nuclear medicine and molecular imaging 7 urology 4 journal of clinical oncology 4	lymphoscintigraphy, metastases, lymph node, risk factors, breast cancer, sentinel node, magnetic resonance imaging, squamous cell carcinoma, scanning electron microscopy, von willebrand factor, lymph node biopsy, low density lipoprotein, high density lipoprotein, intercellular adhesion molecule
TISSUE CELLS (269 Records) usa 92 peoples r china 36 japan 36 singapore 30 germany 26 south korea 23 england 23	natl univ singapore 24 tsing hua univ 7 mit 7 johns hopkins univ 7	biomaterials 45 tissue engineering 22 journal of biomedical materials research part a 19 asbm6: advanced biomaterials vi 9	cells, tissues, collagen, scaffold, bone, osteoblast, extracellular matrix, cell adhesion, cell culture, endothelial cells, cell proliferation, cell attachment, cell morphology, calcium phosphate, osteoblast cells, bone tissue, self assembly, tissue culture, phosphatase activity, cell growth, scanning electron microscopy, atomic force microscopy, transmission electron microscopy, x-ray photoelectron spectroscopy, alkaline phosphatase activity, polymerase chain reaction, mesenchymal stem cells, poly lactic glycolic acid, bone marrow stromal cells
CELLS, EMPHASIZING	univ calif 28	biomaterials 25	Cells, adhesion, apoptosis, endothelial cells, cell lines, cell surface, cell adhesion, cancer cells, epithelial cells, cell

ADHESION (605 Records)		harvard univ	20	journal of biomedical materials research		proliferation, cell growth, cell death, extracellular matrix, stem cells, tumor cells, flow cytometry, atomic force microscopy, transmission electron microscopy, scanning electron microscopy, surface plasmon resonance, smooth muscle cells, green fluorescent protein, human umbilical vein, magnetic resonance imaging, superparamagnetic iron oxide nanoparticles
		johns hopkins		part a	16	
	usa	univ	16	langmuir	14	
	germany	univ tokyo	11			
		natl univ		biophysical journal	12	
	japan	singapore	11			
	peoples r	cnrs	11			
	china	chinese acad sci	11			
	south korea					
	canada					
	england					
	france					
BIOFILMS (83 Records)		montana state		water science and technology	4	biofilm, muscles, bacteria, biofilm formation, infection, colon, pathogen, tissue, strain, epithelial cells, pseudomonas aeruginosa, staphylococcus epidermidis, escherichia coli, scanning electron microscopy, transmission electron microscopy, atomic force microscopy, extracellular polymeric substances, confocal laser scanning, polymerase chain reaction
		univ	4	on the convergence of bio-information-,		
	usa	chinese acad sci	3	et al	4	
	japan	univ calif	3			
	germany					
	england					
	south korea					
	peoples r					
	china					
	canada					
VIRUS PROTEINS (205 Records)		univ calif	30	langmuir	29	protein, virus, capsid, gene, sequence, escherichia coli, wild type, virus particles, capsid assembly, capsid protein, self assembly, atomic force microscopy, transmission electron microscopy, surface plasmon resonance, amino acid sequence, green fluorescent protein, tobacco mosaic virus, open reading frame, density gradient centrifugation, amino acid
		osaka univ	12			
	usa	univ texas	11	journal of biological chemistry	27	
	germany	univ illinois	8	biochemical and biophysical research	14	
		linkoping univ	8	communications		
	japan	chinese acad sci	8	journal of virology	13	
	peoples r					
	china			journal of molecular biology	12	

italy 34		biochemistry 12	
france 32			
england 32			
PROTEIN INTERACTIONS (641 Records)	univ calif 26 chinese acad sci 19 univ illinois 12 univ texas 10 max planck inst 9 univ washington 8 tokyo inst technol 8 osaka univ 8 linkoping univ 8	langmuir 37 analytical chemistry 17 proc NAS-USA 16 biomacromolecules 16	protein, binding, surface, membranes, unfolding, fluorescence, protein adsorption, mass spectrometry, protein surface, x-ray diffraction, atomic force microscopy, surface plasmon resonance, bovine serum albumin, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, human serum albumin, green fluorescent protein, polyacrylamide gel electrophoresis, protein protein interactions, quartz crystal microbalance, fourier transform infrared, self assembled monolayer, poly ethylene glycol, tandem mass spectrometry
usa 247			
germany 85			
japan 65			
peoples r 55			
china 50			
italy 44			
england 35			
france			
AMYLOID FIBRILS (114 Records)	univ cambridge 8 osaka univ 6 niddkd 5 japan sci & technol 5 agcy 4 fukui univ 4 univ calif 4	biochemistry 16 biophysical journal 8 journal of molecular biology 7 journal of biological chemistry 7	amyloid.fibrils, protein, peptide, alzheimers disease, collagen, protofibril, prion, beta sheet structure, fibril formation, self assembly, amyloid beta, neurodegenerative diseases, collagen fibrils, amyloid deposits, thioflavin fluorescence, atomic force microscopy, transmission electron microscopy, paired helical filaments
usa 50			
england 15			
japan 14			
italy 9			
germany 8			
sweden 7			
PEPTIDE SEQUENCES (187 Records)	mit 8 univ calif 5	langmuir 13 analytical chemistry 10 journal of the american chemical society 9	peptide, binding, sequences, amino acids, peptide nanotubes, neuropeptides, structure, protein, circular dichroism, antimicrobial peptides, peptide sequence, alpha helix, molecular dynamics, model peptide, surface plasmon resonance, atomic force microscopy, amino acid residues, transmission electron microscopy, amino acid sequence, matrix laser desorption,
usa 86			
japan 28			

israel 14		journal of biological chemistry 9	quartz crystal microbalance, tandem mass spectrometry, differential scanning calorimetry, self assembled monolayers, solid phase peptide
germany 14		biochemistry 7	
australia 14		biophysical journal 6	
canada 12			
BINDING AND AFFINITY (415 Records)	chinese acad sci 13 cnrs 12 lund univ 11 univ calif 10 univ penn 9 univ oxford 9 nci 9 scripps res inst 8	journal of biological chemistry 44 biochemistry 35 biochemical and biophysical research communications 19 journal of the american chemical society 16	binding, receptors, affinity, protein, interaction, surface plasmon resonance, ligand, high affinity, binding affinity, binding sites, amino acid, active site, ligand binding, binding protein, cell surface, dissociation rate, atomic force microscopy, site directed mutagenesis, amino acid residues, human immunodeficiency virus, high affinity binding, isothermal titration calorimetry, low density lipoprotein, equilibrium dissociation constants, immobilized sensor chip, expressed escherichia coli, human serum albumin, transmission electron microscopy, quartz crystal microbalance, molecular dynamics simulations, epidermal growth factor, fluorescence resonance energy
usa 211			
japan 51			
germany 47			
england 45			
france 34			
IMMUNOSENSORS (248 Records)	hunan univ 10 univ turku 7 kyushu univ 7 sw china normal univ 6 sogang univ 6	analytical chemistry 22 biosensors & bioelectronics 17 analytica chimica acta 13 sensors and actuators b-chemical 12 langmuir 12	antibodies, antigens, assays, detection, igg, immobilization, immunoassays, binding, protein, immunosensor, gold, monoclonal antibody, immunosorbent assay, antigen antibody, assay elisa, antigen binding, gold surface, gold nanoparticles, escherichia coli, antibody binding, surface plasmon resonance, enzyme linked immunosorbent assay, atomic force microscopy, quartz crystal microbalance, self assembled monolayer, bovine serum albumin, electrochemical impedance spectroscopy, transmission electron microscopy
usa 74			
peoples r china 54			
japan 30			
germany 16			
england 16			
south korea 15			
DETECTION, EMPHASIZING SURFACE PLASMON RESONANCE (162 Records)	tsing hua univ 11 arizona state univ 10 kyushu univ 9 chinese acad sci 9 univ calif 8 max planck inst 7 polymer res 7	sensors and actuators b-chemical 31 analytical chemistry 28 biosensors & bioelectronics 18 analytical biochemistry 10	detection, sensor, chip, biosensor, mass spectrometry, liquid chromatography, real time, sensor chip, refractive index, sensor surface, gold surface, self assembled, gold nanoparticles, metal ions, surface plasmon resonance, bovine serum albumin, laser desorption ionization
usa 93			

japan 47 peoples r china 44 germany 40 south korea 34	cnr 7 acad sci czech republ 7	analytica chimica acta 9	
BIOSENSORS (92 Records) usa 38 peoples r china 28 south korea 9 japan 9 germany 9	univ calif 6 chinese acad sci 5 univ twente 4 pacific nw natl lab 4 louisiana tech univ 4 csic 4	biosensors & bioelectronics 14 analytical biochemistry 6 langmuir 5 electroanalysis 5 chemical communications 5 analytical chemistry 5	enzymes, immobilization, glucose oxidase, enzyme activity, enzyme loading, glucose biosensor, immobilized enzyme, electrode surface, catalytic activity, free enzyme, glassy carbon electrode, steady state current, glucose oxidase, scanning electron microscopy, direct electron transfer, multi wall carbon nanotubes, surface plasmon resonance
DNA DETECTION (282 Records) usa 166 peoples r china 81 japan 67 germany 54 france 27 england 27	chinese acad sci 18 univ calif 17 purdue univ 8	analytical chemistry 21 nucleic acids research 20 langmuir 20 nano letters 16 journal of nanoscience and nanotechnology 16 biosensors & bioelectronics 14	dna, oligonucleotid, target dna, dna hybridization, gold nanoparticles, nucleic acids, single stranded dna, surface plasmon resonance, double stranded dna, polymerase chain reaction, atomic force microscopy, x-ray photoelectron spectroscopy, peptide nucleic acid, self assembled monolayers, quartz crystal microbalance
DNA MOLECULES (411 Records) usa 149 japan 66 peoples r china 64	chinese acad sci 19 russian acad sci 12 univ calif 10 univ tokyo 9 osaka univ 9	nano letters 20 langmuir 18 nucleic acids research 16 proc NAS-USA 12	dna molecules, dna binding, dna fragments, self assembly, bound dna, dna protein, dna sequence, dna complexes, dna hybridization, target dna, atomic force microscopy, double stranded dna, surface plasmon resonance, single stranded dna, transmission electron microscopy, calf thymus dna, x-ray photoelectron spectroscopy, scanning electron microscopy

germany 42	delft univ 8		
france 26			
england 26			
DNA, EMPHASIZING GENE DELIVERY AND TRANSFECTION (110 Records)	chinese acad sci 7 univ calif 5 kyoto univ 5 delft univ 5 technol 5	journal of controlled release 11 langmuir 9 bioconjugate chemistry 9 nucleic acids research 7	dna, gene, transfection, chitosan, plasmid dna, gene delivery, transfection efficiency, dna complexes, dna nanoparticles, gene transfer, gene therapy, gene expression, surface charge, particle size, atomic force microscopy, transmission electron microscopy, poly ethylene glycol, gene delivery systems, polymerase chain reaction, nonviral gene delivery, green fluorescent protein, plasmid dna encodingdynamic light scattering
usa 66 peoples r 37 china 23 japan 15 south korea 15 germany 13 england 10 france 10			
CELLS, EMPHASIZING MEMBRANES AND BACTERIA (348 Records)	univ calif 37 harvard univ 27 univ tokyo 15 johns hopkins univ 14 univ penn 13 natl univ 13 singapore 13 chinese acad sci 13	biomaterials 39 langmuir 25 biophysical journal 18 journal of membrane science 17 journal of biomedical materials research part a 17	cells, membranes, bacteria, vesicles, cytoplasm, cell wall, transmission electron microscopy, scanning electron microscopy, atomic force microscopy, green fluorescent protein, human immunodeficiency virus, confocal laser scanning microscopy, whole cell patch clamp, gram negative bacteria, surface plasmon resonancell wall, quantum dots, fourier transform infrared, single particle tracking, bacterial cell surface, plasma membrane, escherichia coli, bacterial cells, epithelial cells,
TOT HEALTH+ (6512)	univ calif 205	langmuir 213 analytical chemistry 127	cells, protein, dna, membranE, bindING, drugS, fluorescence, peptides, surface, nanoparticles, detection, interaction, surface plasmon resonance, atomic force

usa	2106	chinese acad sci	15	biomaterials	126	microscopy, scanning electron microscopy, transmission
peoples r		natl univ singapore	3	journal of physical chemistry b	120	electron microscopy, differential scanning calorimetry, x-
china	735	osaka univ	94	biophysical journal	104	ray photoelectron spectroscopy, bovine serum albumin,
japan	696	univ texas	78	journal of biological chemistry	102	poly ethylene glycol, single stranded dna, double
germany	625	harvard univ	68	journal of the american chemical		stranded dna, green fluorescent protein, fourier transform
england	364	univ illinois	68	society	97	infrared, quartz crystal microbalance, polymerase chain
france	337	natl inst adv ind sci &	62	journal of controlled release	96	reaction, self assembled monolayer, drug delivery
south korea	325	technol	57	biochemistry	88	systems, magnetic resonance imaging, confocal laser
italy	262	russian acad sci	56	Proc NAS-USA	82	scanning, dynamic light scattering, , enzyme linked
canada	217	tsing hua univ	55			immunosorbent assay, resonance energy transfer, cell
india	170	univ tokyo	54			surface, x-ray diffraction, escherichia coli, amino acid,
		cnrs	54			particle size, drug release, cell line, cell adhesion, dna
						molecules, mass spectrometry, endothelial cells

In this highest level category in the Health sub-network, the USA appears to have a commanding lead ($\sim 3/1$) over its nearest competitor (China). However, these results must be considered in context. First, in total SCI articles, the USA had about four times as many records as China when these data were obtained. Second, for overall nanotechnology, the USA had about 25% more records than China for 2005. Third, for nanotechnology instrumentation, China actually had 25% more records than the USA. Fourth, relative to China, the USA had a commanding lead in overall biomedical articles, as our recent text mining study on China showed (Kostoff et al, 2006). When all these facts are integrated, it appears that China is placing substantial emphasis on its nanotechnology medical research relative to its overall medical research.

The USA has substantial institutional representation in the top ten (California, Texas, Harvard, Illinois). These university publication numbers include all the state campuses. Thus, University of California system includes UCB, UCSB, UCSF, etc.

While the leading journals have a strong chemistry component, a number of them cross disciplines among physics, chemistry, biology, and materials.

The science associated with the total Health-type applications in the highest level category can be divided into four major categories: instrumentation, materials, structures, phenomena. The key elements of each of these categories are as follows:

Instrumentation: surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, fourier transform infrared spectroscopy, quartz crystal microbalance, magnetic resonance imaging, confocal laser scanning, enzyme linked immunosorbent assay, laser scanning microscopy, x-ray diffraction, mass spectrometry.

Materials: protein, DNA, peptides, drugs, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, lipids, human serum albumin, Escherichia Coli, antibodies, tissues, enzymes, genes, oligonucleotides, gold, nucleic acid.

Structures: cells, membranes, surfaces, nanoparticles, self-assembled monolayers, cell surfaces, endothelial cells, receptors.

Phenomena: fluorescence, interaction, polymerase chain reaction, dynamic light scattering, resonance energy transfer, particle size, drug release, cell adhesion, binding, affinity, gene expression, transfection efficiency.

The highest level category is divided by the fuzzy clustering algorithm into two categories, with one category being about seven times the size (number of records) as the other category. The larger category is centered around cells, proteins, and membranes, while the smaller category is strongly focused on DNA. The larger category's main journals (langmuir 185, biomaterials 120, journal of physical chemistry b 112, analytical chemistry 108, journal of biological chemistry 97, biophysical journal 95) focus on chemistry, physics, biology, and materials, while the smaller category's main journals (langmuir 30, nano letters 29, nucleic acids research 27, analytical chemistry 27, journal of the american chemical society 21, journal of nanoscience and nanotechnology 21) focus on chemistry and nanotechnology. The only journal in common at the top is Langmuir.

The larger category's main country performers (usa 1867, peoples r china 620, japan 608, germany 561, england 323, france 301, south korea 299) are remarkably similar to the smaller category's main country performers (usa 273, peoples r china 123, japan 106, germany 78, england 46, france 43, south korea 33).

Lower Level Taxonomy Categories

Characteristics of the lower level taxonomy categories (elemental clusters) are summarized in the rows of Table A6-9. There are five main groupings: Cancer Treatment (Drug Release, Drug Delivery, Tumor Treatment, Sentinel Lymph Node Cancer), Cells (Tissue Cells, Cells (emphasizing Adhesion), Cells (emphasizing Membranes and Bacteria), Biofilms), Proteins (Protein Interactions, Amyloid Fibrils, Peptide Sequences, Binding and Affinity), Sensing and Detection (Immunosensors, Detection (emphasizing Surface Plasmon Resonance), Biosensors), and DNA (DNA Detection, DNA (emphasizing Gene Delivery and Transfection)). Only one group deals with a specific disease (Cancer Treatment), one is functional (Sensing and Detection), and the other three are based on fundamental biological materials at different aggregation levels (Cells, Proteins, DNA).

Because of the large number of elemental clusters, only the highlights or unusual features of each will be discussed, starting from the top row. Following each discussion are representative article titles from the cluster in bold italics, to illustrate the theme more concretely.

1. Drug Release: USA, China dominant. India ranks much higher in this cluster relative to its overall Health types ranking. Even though Singapore is not listed as a leading country, the University of Singapore stands out as the institutional leader. No USA presence in leading institutions. The journals appear rather applied and focused. Materials and structures appear to be the science emphasis.

Physical characterization of controlled release of paclitaxel from the TAXUS(TM) Express(2TM) drug-eluting stent.

Potential of guar gum microspheres for target specific drug release to colon.

2. Drug Delivery: USA dominant. Again, India ranks high, and University of Singapore leads. Journals are again pharmaceutical oriented, and very applied. Again, no USA presence in leading institutions. Strong cancer focus in the science.

Highly specific HER2-mediated cellular uptake of antibody-modified nanoparticles in tumour cells.

Developement and characterization of biodegradable nanospheres as delivery systems of anti-ischemic adenosine derivatives.

3. Tumor Treatment: USA has commanding lead. American institutions dominate. Some physics journals along with pharmaceuticals. Laboratory research at cellular level, with magnetic physics emphasis, seems to dominate science.

Enhanced tumour uptake of Doxorubicin loaded poly(butyl cyanoacrylate) nanoparticles in mice bearing Dalton's lymphoma tumour.

MRI after magnetic drug targeting in patients with advanced solid malignant tumors.

4. Sentinel Lymph Node Cancer: Again, USA and USA institutions dominant. Many hospitals represented. Journals applied, and clinically oriented. Cancer detection focus in science.

SPECT-CT for topographic mapping of sentinel lymph nodes prior to gamma probe-guided biopsy in head and neck squamous cell carcinoma.

Diagnostic performance of nanoparticle-enhanced magnetic resonance Imaging in the diagnosis of lymph node metastases in patients with endometrial and cervical cancer.

5. Tissue Cells: USA has commanding lead. Singapore surprisingly high. National University of Singapore again leader, by a wide margin. Journals strongly biomaterials oriented. Science strongly focused on structure: cells, tissues, and bones.

Nano-fibrous scaffolds for tissue engineering.

Self-organization of rat cardiac cells into contractile 3-D cardiac tissue.

6. Cells, emphasizing Adhesion: USA with commanding lead. Strong USA university participation; also from National University of Singapore. Journals have strong biomaterials/ biophysics orientation. Science strongly focused on cell growth, interactions, and death.

Development of a rare cell fractionation device: Application for cancer detection.

Nanostructured designs of biomedical materials: Applications of cell sheet engineering to functional regenerative tissues and organs.

7. Biofilms: USA dominant. Montana State University not seen before. Very applied journals. Science strongly focused on films and infection.

Tooth development in a scincid lizard, *Chalcides viridanus* (Squamata), with particular attention to enamel formation.

Adherence and biofilm formation of *Staphylococcus epidermidis* and *Mycobacterium tuberculosis* on various spinal implants.

8. Virus proteins: USA with commanding lead. Strong USA university representation, with University of California system dominant. Strong biochemistry journal emphasis. Strong virus research.

Identification of a region in the herpes simplex virus scaffolding protein required for interaction with the portal.

Mass spectroscopic characterization of the coronavirus infectious bronchitis virus nucleoprotein and elucidation of the role of phosphorylation in RNA binding by using surface plasmon resonance. Expression of human papillomavirus type 16 L1 protein in transgenic tobacco plants.

9. Protein Interactions: USA with commanding lead. USA institutions strong. Science focused on protein binding, other surface phenomena.

Analysis of protein interactions on protein arrays by a wavelength interrogation-based surface plasmon resonance biosensor.
Biosensors: basic features and application for fatty acid-binding protein, an early plasma marker of myocardial injury.
A central role for protein aggregation in neurodegenerative disease;
Mechanistic and structural studies of human stefins.

10. Amyloid Fibrils: USA with commanding lead. Except for University of California system, USA universities not among most prolific. Biochemical/biophysical journals. Science linked to Alzheimer's Disease and other neurodegenerative diseases.

Structure and function of amyloid in Alzheimer's disease.
Surface plasmon resonance for the analysis of beta-amyloid interactions and fibril formation in 1Alzheimer's disease research.
Structure and morphology of the Alzheimer's amyloid fibril.

11. Peptide Sequences: USA with commanding lead. Israel, Australia surprisingly high. MIT major institutional player, followed by University of California system. Science focused on binding, sequencing.

Novel electrochemical biosensing platform using self-assembled peptide nanotubes.
Plasma levels of AGE peptides in type 1 diabetic patients are associated with serum creatinine and not with albumin excretion rate: Possible role of AGE peptide-associated endothelial dysfunction.
Interactions of primary amphipathic cell penetrating peptides with model membranes: Consequences on the mechanisms of intracellular delivery of therapeutics.

12. Binding and Affinity: USA with overwhelming lead, solid institutional representation. Biochemistry focus. Science focused on binding, reception, and affinity.

Biomacromolecule surface recognition using nanoparticles.
Two-step mechanism of binding of apolipoprotein E to heparin.
Formation of viscoelastic protein layers on polymeric surfaces relevant to platelet adhesion.

13. Immunosensors: No infrastructure element dominant, as in previous cases. No USA institutional representation in upper tier. Strong use of immune system components in science.

Enhancement of the sensitivity of surface plasmon resonance (SPR) immunosensor for the detection of anti-GAD antibody by changing the pH for streptavidin immobilization.

Development of functionalized terbium fluorescent nanoparticles for antibody labeling and time-resolved fluoroimmunoassay application.

14. Detection, emphasizing Surface Plasmon Resonance: USA with strong lead. Strong chemistry focus; some electronics. Science focused on sensors, use of gold.

The fabrication of protein chip based on surface plasmon resonance for detection of pathogens.

Intracellular monitoring of superoxide dismutase expression in an Escherichia coli fed-batch cultivation using on-line disruption with at-line surface plasmon resonance detection.

Surface plasmon resonance detection of endocrine disruptors using immunoprobes based on self-assembled monolayers.

15. Biosensors: USA lead; China strong second. Research focus on enzyme-based biosensors that involve enzyme immobilization.

A novel glucose biosensor based on the nanoscaled cobalt phthalocyanine-glucose oxidase biocomposite.

Multiwall carbon nanotube (MWCNT) based electrochemical biosensors for mediatorless detection of putrescine.

Biosensors in drug discovery and drug analysis.

16. DNA Detection: USA with commanding lead. Strong USA institutional representation. Science focus is on DNA at surfaces for use in DNA biosensors.

A biosensor monitoring DNA hybridization based on polyaniline intercalated graphite oxide nanocomposite

Detection of DNA and protein molecules using an FET-type biosensor with gold as a gate metal

17. DNA Molecules: USA with commanding lead. Chinese Academy of Science institutional leader. Russian Academy of Science strong institutional presence, even though Russia not major player. Science focuses on DNA binding and DNA networks.

Atomic force microscopy study of the structural effects induced by echinomycin binding to DNA.

Impedance sensing of DNA binding drugs using gold substrates modified with gold nanoparticles.

18. DNA, emphasizing Gene Delivery and Transfection: USA has strong lead. University of California system only USA presence in institutional leaders. Science focus on gene delivery and transfection efficiency.

Optical tracking of organically modified silica nanoparticles as DNA carriers: A nonviral, nanomedicine approach for gene delivery

Nanoparticle based systemic gene therapy for lung cancer: Molecular mechanisms and strategies to suppress nanoparticle-mediated inflammatory response

Calcium phosphate nanoparticles as a novel nonviral vector for efficient transfection of DNA in cancer gene therapy

19. Cells, emphasizing Membranes and Bacteria: Commanding USA lead. Commanding USA organizational representation, with University of California system at forefront. Biomaterials literature emphasis. Science focuses on cell membranes and bacterial adhesion.

Microtubule-dependent matrix metalloproteinase-2/matrix

metalloproteinase-9 exocytosis: Prerequisite in human melanoma cell invasion

Long-term effects of HIV-1 protease inhibitors on insulin secretion and insulin signaling in INS-1 beta cells

Early stages of HIV replication: How to hijack cellular functions for a successful infection

Membrane-based on-line optical analysis system for rapid detection of bacteria and spores

The USA is the leader in all 19 clusters. China took second place in seven clusters, Japan in six, Germany in four, and England in two. In terms of main institutions, University of California system led in five clusters, Chinese Academy of Science led in four, and University of Singapore led in three. University of Singapore has strong presence in pharmaceuticals and biomaterials, Chinese Academy of Science has strong presence in DNA and binding, and University of California system has strong presence in cells and protein interactions.

These results require further context. The four major institutions discussed are of different size, have different funding levels, and have different manpower and other resources. For example, in 2005, there were 3399

Articles and Reviews in the SCI/SSCI that contained at least one author with a National University of Singapore address, and there were a total of 6622 authors listed on these records. The corresponding numbers for the other major institutions are: Chinese Academy of Science, 14347 records, 19089 authors; Russian Academy of Science, 11216 papers, 30137 authors; University of California system, 27954 records, 84667 authors.

Thus, for the National University of Singapore to be the publication leader in three thrust areas requires a considerable concentration of its relative modest resources relative to the other major institutions.

For the technology transfer community, these results contain some important messages. First, while there are some pervasive infrastructure results throughout the elemental clusters (e.g., USA is always most productive, China, Japan, Germany, England typically rank high), there are many individual differences. To understand the specific research infrastructure related to specific Health applications, disaggregated evaluations are necessary. While the present analysis had a reasonable level of disaggregation, users interested in very specific medical applications will want to conduct much more disaggregated analyses. There are substantial differences between the overall nanotechnology Health results and very specific Health applications results.

Additionally, while there are some instruments that pervade the different elemental clusters, there are substantial instrumentation, material, nanostructure, and phenomenological differences among the clusters. Again, the individual cluster research can differ substantially from the overall nanotechnology Health applications average. Users who are interested in tracking the nanotechnology Health-related research for technology transfer purposes are well-advised to conduct specific analyses of the above type for each application. For investors, identifying which research areas pervade multiple applications would be extremely valuable, and the same recommendations are made as for technology transfer application.

While the instrumentation and nanostructures are similar in the Applications and Health phrases, the phrases uniquely contained in the Health themes include proteins, drugs, antibody, bacteria, DNA, Ph, peptides, tissues, drug release, drug delivery, genes, cytotoxicity, lever, brain, bone, etc. Thus, while there are fundamental research issues that span both types of applications, mainly in the techniques, there are many unique issues when specific materials and phenomena are encountered.

SUMMARY AND CONCLUSIONS

The study has identified the main nanotechnology Applications, both medical and non-medical, as well as the related science and infrastructure. These relationships will allow the potential user communities to become involved with the Applications-related science and performers at the earliest stages, to help guide the science conversion towards specific user needs most efficiently.

The pervasive materials, materials properties, phenomena, and nanostructures related to the most frequently mentioned non-medical nanotechnology Applications were identified, as follows:

- *TiO₂, Pt, Si, gold, and polymers tend to stand out as the most pervasive material types*
- *Morphology, thickness /diameter/particle size, optical properties, catalytic performance, and electrochemical properties tend to stand out as the most pervasive material properties*
- *Deposition, absorption, oxidation, immobilization, catalysis, degradation, and self-assembly tend to stand out as the most pervasive nanoscale phenomena*
- *Thin films, nanowires, nanotubes (especially carbon), and self-assembled monolayers tend to stand out as the most pervasive nanostructures*

The pervasive instrumentation, materials, structures, and phenomena related to the most frequently mentioned nanotechnology Health applications were identified, as follows:

- **Instrumentation:** *surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, fourier transform infrared spectroscopy, quartz crystal microbalance, magnetic resonance imaging, confocal laser scanning, enzyme linked immunosorbent assay, laser scanning microscopy, x-ray diffraction, mass spectrometry.*
- **Materials:** *protein, DNA, peptides, drugs, bovine serum albumin, poly ethylene glycol, single stranded DNA, double stranded DNA, green fluorescent protein, lipids, human serum albumin, Escherichia Coli, antibodies, tissues, enzymes, genes, oligonucleotides, gold, nucleic acid.*
- **Structures:** *cells, membranes, surfaces, nanoparticles, self-assembled monolayers, cell surfaces, endothelial cells, receptors*
- **Phenomena:** *fluorescence, interaction, polymerase chain reaction, dynamic light scattering, resonance energy transfer, particle size, drug release, cell adhesion, binding, affinity, gene expression, transfection efficiency*

Maps were constructed to show groupings of related Applications into broader thematic areas. An autocorrelation map of the most widely referenced non-medical Applications showed five weakly-connected sub-networks:

- Electronic Devices and Components
- Optical Switching
- Tribology and Corrosion
- Optoelectronic Sensors
- Electrochemical Conversion and Catalysis

A medical Applications categorization constructed from visual inspection of the fuzzy clustering categories showed five thematic categories:

- Cancer Treatment
- Sensing and Detection
- Cells

- Proteins
- DNA

Factor analyses were performed to show non-medical thematic areas from a slightly different perspective. A six factor analysis showed the following themes:

- Factor 1: Optoelectronics
- Factor 2: Tribology
- Factor 3: Lithography
- Factor 4: Control Systems
- Factor 5: Devices
- Factor 6: Microsystems

The main non-medical Applications thrusts identified above were augmented by important, but non-networked thrusts, and the nine resulting themes were related to science and infrastructure by co-occurrence matrices. Also, the total non-medical Applications were combined into one unit, and related to science and infrastructure by co-occurrence matrices. For non-medical Applications:

- The USA leads in total Applications publications and in six out of nine themes in the high-tech research areas such as devices, sensors, and lithography. China leads in publications in three traditional area themes such as catalysis, tribology, and electrochemistry.
- In total Applications, two of the top three institutions are Chinese. However, the USA is well represented by the large University of California and University of Illinois state university systems.
- Applied Physics Letters appears in the top layer in seven of the nine themes and is by far the leader in total Applications publications. Journal of Physical Chemistry B appears in four of the nine themes, as does Journal of Applied Physics.
- For total Applications, the key underlying science areas include XRD, TEM, films, SEM, XPS, electron microscopy, AFM, fabrication, thickness, growth, hydrogen, substrate, carbon nanotubes, microstructures, nanoparticles, particles, diameter, TiO₂, deposits, coatings, electrodes, silicon, CO, infrared spectroscopy FTIR, electrons, biosensors, catalytic activity, oxidation, silica, thin films, nanotubes, silicon substrates, PL, photocatalytic activity, crystals,

Raman spectroscopy, mechanical properties, particle sizes, proteins, catalysis, sol-gel, gold, storage, metals, optical properties, annealing, adsorption, platinum, polymer, corrosion, quantum dots.

- Instrumentation and the associated growth of nanostructures dominate the science efforts at present.

For medical Applications, analysis of nineteen thematic categories obtained from fuzzy clustering of the total 2005 nanotechnology database revealed the following:

- The USA is the publication leader in total Health types, and in all the thematic areas as well, most by a wide margin. China was the second most prolific in seven thematic areas, Japan in six, Germany in four, and England in two.
- The University of California system led in five clusters, the Chinese Academy of Science led in four, and the National University of Singapore led in three. The University of California and the Chinese Academy of Science were the most prolific in the non-medical Applications as well, but their orders were reversed. The National University of Singapore is a prolific contributor, especially in pharmaceuticals and biomaterials.
- The journal Langmuir contains the most articles in total Health, and is in the top layer of ten of nineteen themes. The only journals in common in the top layers of Applications and Health are Langmuir and Journal of Physical Chemistry B.
- For total Health, the key underlying science areas include cells, proteins, DNA, membranes, binding, drugs, fluorescence, peptides, nanoparticles, detection, lipids, antibodies, immobilization, tissues, receptors, enzymes, genes, drug delivery, self assembly, cell surface, detection limit, escherichia coli, amino acid, molecular weight, particle size, real time, serum albumin, drug release, cell line, cell adhesion, dna molecules, endothelial cells, surface plasmon resonance, atomic force microscopy, scanning electron microscopy, transmission electron microscopy, differential scanning calorimetry, x-ray photoelectron spectroscopy, bovine serum albumin, poly ethylene glycol, single stranded dna, double stranded dna, green fluorescent protein, fourier transform infrared spectroscopy, quartz crystal microbalance, polymerase chain reaction, self assembled monolayer, magnetic resonance imaging, confocal laser scanning,

dynamic light scattering, enzyme linked immunosorbent assay, resonance energy transfer, extracellular matrix, laser scanning microscopy, human serum albumin, and poly lactic acid.

Thus, the instrumentation and nanostructure growth science areas still play a key role, but unique health-related issues/ phraseology such as proteins, drugs, antibodies, bacteria, DNA, peptides, tissues, collagen, genes, etc, are strong science interests that focus on the unique aspects of Health nanotechnology research.

APPENDIX 7 – TAXONOMY CLUSTER DETAILS

CATEGORY 1 - 508A1a (6 leaf clusters)

Quantum Dots (2028 REC)

THRUST

()

- Investigation of electronic transport properties of quantum dots, focusing on Kondo and Fano effects (192 Records) Cluster 83
- Spin in quantum dots, especially electron spin, spin-orbit interactions, spin dynamics, and spin relaxation; properties of quantum dots in magnetic fields (274 Records) Cluster 78
- Optical properties of quantum dots, namely exciton states and dynamics, fabrication and use of quantum dot lasers (401 Records) Cluster 116
- Self-assembly, growth, and properties of quantum dots, especially CdSe and Ge/Si quantum dots (577 Records) Cluster 120
- Quantum dots, particularly CdSe, GaAs, and InAs quantum dots, and their photoluminescence and emission properties (239 Records) Cluster 48
- Engineering and properties of quantum dots, especially InAs, GaAs, and InAs/GaAs, many of which are grown on GaAs layers/ matrices (345 Records) Cluster 39

• CLUSTER 83

Investigation of electronic transport properties of quantum dots,
focusing on Kondo and Fano effects (192 Records)

(USA leader, with Germany and China following. German institutions
leading. USA institutions include MIT.)

Cluster Syntax Features

Descriptive Terms

dot 17.0%, kondo 16.9%, quantum 8.1%, quantum.dot 6.5%, coupl 3.1%, conduct 1.8%,
transport 1.7%, fano 1.5%, regim 1.4%, coulomb 1.3%, quantum.dots 1.2%,
double.quantum 1.2%, tunnel 1.1%, lead 1.1%, double.quantum.dot 0.9%

Discriminating Terms

kondo 11.7%, dot 8.6%, quantum.dot 3.9%, quantum 3.0%, film 1.9%, coupl 1.4%, fano
1.0%, surfac 1.0%, coulomb 0.8%, double.quantum 0.8%, regim 0.7%, transport 0.7%,
nanoparticl 0.7%, double.quantum.dot 0.6%, layer 0.6%

Single Word Terms

dot 191, quantum 186, conduct 109, coupl 108, electron 101, transport 90, two 84, kondo
82, lead 74, system 72, regim 71, state 65, current 64, tunnel 61, temperatur 59

Double Word Terms

quantum.dot 138, quantum.dots 76, double.quantum 38, transport.properties 28,
differential.conductance 27, coulomb.blockade 25, transport.quantum 24, kondo.regime
21, dot.coupled 21, magnetic.field 20, aharonov.bohm 17, double.dot 16, kondo.quantum
16, energy.levels 15, electronic.transport 14

Triple Word Terms

double.quantum.dot 32, quantum.dot.coupled 19, transport.quantum.dot 19,
double.quantum.dots 11, boson.mean.field 10, slave.boson.mean 10, dot.coupled.two 9,
quantum.dot.kondo 9, kondo.quantum.dots 9, phys.rev.lett 8,
negative.differential.conductance 8, quantum.dots.coupled 8, kondo.quantum.dot 7,
coupled.ferromagnetic.leads 7, quantum.dot.system 7

Term Cliques

55.80% dot quantum coupl transport quantum.dots double.quantum tunnel
56.84% dot quantum coupl conduct transport coulomb quantum.dots tunnel
55.38% dot quantum coupl conduct transport regim coulomb quantum.dots lead

53.70% dot quantum coupl conduct transport fano regim quantum.dots lead
 56.10% dot quantum quantum.dot coupl double.quantum tunnel double.quantum.dot
 58.85% dot quantum quantum.dot coupl fano double.quantum.dot
 60.42% dot quantum quantum.dot coupl transport double.quantum tunnel
 60.87% dot quantum quantum.dot coupl conduct transport coulomb tunnel
 58.97% dot quantum quantum.dot coupl conduct transport regim coulomb lead
 57.29% dot quantum quantum.dot coupl conduct transport fano regim lead
 52.20% dot kondo quantum conduct transport fano regim quantum.dots lead
 55.79% dot kondo quantum quantum.dot conduct transport fano regim lead

Sample Cluster Record Titles

[Theory of transport through quantum-dot spin valves in the weak-coupling regime](#)

[Observation of Fano resonances in single-wall carbon nanotubes](#)

[Coulomb blockade and non-Fermi-liquid behavior in quantum dots](#)

[Electronic transport through a quantum dot network](#)

[Low-temperature transport through a quantum dot between two superconductor leads](#)

[Theory of Fano-Kondo effect of transport properties through quantum dots](#)

[Controlling Fano and Dicke effects via a magnetic flux in a two-site Anderson model](#)

[Kondo effect in carbon nanotubes at half filling](#)

[Interference effects in the conductance of multilevel quantum dots](#)

Cluster Metrics

Authors

konig, j 6

schon, g 5

lopez, r 5

simon, p 4

martinek, j 4

lei, xl 4

flensberg, k 4

dong, b 4

choi, ms 4

barnas, j 4

baranger, hu 4

zhang, zy 3
weymann, i 3
vorobjtov, s 3
von delft, j 3

Sources

physical review b 76
physical review letters 30
physica e-low-dimensional systems & nanostructures 8
journal of the physical society of japan 8
journal of physics-condensed matter 5
applied physics letters 5
physica b-condensed matter 4
journal of applied physics 4
solid state communications 3
physical review e 3
international journal of modern physics b 3
europhysics letters 3
communications in theoretical physics 3
physics letters a 2
physica status solidi b-basic solid state physics 2

Keywords

physics, condensed matter 100
physics, multidisciplinary 55
transport 50
single-electron transistor 30
anderson model 19
physics, applied 18
equilibrium 18
states 14
quantum dots 14
kondo effect 14
systems 13
coulomb-blockade 12
quantum dot 11
impurity 11
conductance 11

Publication Year

2005 171
2004 21

Country

usa 48
germany 35

peoples r china 30
japan 26
switzerland 12
south korea 11
israel 11
england 11
france 10
denmark 10
canada 10
poland 9
sweden 7
brazil 7
taiwan 6

Institution

univ karlsruhe 10
ruhr univ bochum 8
shanghai jiao tong univ 7
polish acad sci 7
cnrs 7
weizmann inst sci 6
univ geneva 6
univ cambridge 6
tohoku univ 6
nanjing univ 6
mit 6
ben gurion univ negev 6
univ tokyo 5
univ regensburg 5
korea univ 5

DataBase

science citation index 192

• CLUSTER 78

Spin in quantum dots, especially electron spin, spin-orbit interactions, spin dynamics, and spin relaxation; properties of quantum dots in magnetic fields (274 Records)

(USA more dominant, with Germany and China following. Strong USA institutional leadership. UC Santa Barbara tied for lead with Ohio University. Other leading USA institutions include Harvard, US Navy [NRL], Suny-Buffalo.).

Cluster Syntax Features

Descriptive Terms

spin 23.2%, dot 13.4%, quantum 11.3%, quantum.dot 4.1%, magnet 3.6%, magnetic.field 3.5%, quantum.dots 3.2%, field 2.5%, state 1.7%, qubit 1.5%, electron 1.4%, coupl 0.9%, interact 0.9%, orbit 0.8%, entangl 0.8%

Discriminating Terms

spin 14.0%, dot 6.7%, quantum 5.0%, quantum.dot 2.5%, magnetic.field 2.1%, film 2.1%, quantum.dots 1.7%, qubit 1.1%, surfac 1.0%, nanoparticl 0.7%, magnet 0.7%, layer 0.6%, carbon 0.6%, structur 0.6%, particl 0.6%

Single Word Terms

dot 271, quantum 268, spin 208, electron 199, field 168, magnet 166, state 153, interact 130, two 126, coupl 107, system 94, function 82, energi 80, singl 78, polar 73

Double Word Terms

quantum.dot 177, quantum.dots 165, magnetic.field 129, ground.state 43, electron.spin 37, spin.orbit 36, magnetic.fields 34, semiconductor.quantum 33, spin.relaxation 30, two.electron 28, two dimensional 28, external.magnetic 27, coupled.quantum 26, exchange.interaction 25, spin.polarization 25

Triple Word Terms

external.magnetic.field 23, semiconductor.quantum.dots 21, double.quantum.dot 20, coupled.quantum.dots 18, quantum.dots.spin 18, spin.orbit.coupling 18, quantum.dot.spin 15, electron.quantum.dot 15, quantum.dots.magnetic 15, spin.orbit.interaction 14,

semiconductor.quantum.dot 13, perpendicular.magnetic.field 11, function.magnetic.field 11, zero.magnetic.field 10, strong.magnetic.field 10

Term Cliques

58.09% dot quantum state qubit electron entangl

60.09% dot quantum magnet magnetic.field quantum.dots field state electron coupl
interact orbit

64.39% dot quantum quantum.dot state qubit electron interact

60.48% dot quantum quantum.dot magnet magnetic.field field state electron coupl
interact orbit

63.78% spin dot quantum quantum.dots state electron coupl entangl

61.41% spin dot quantum magnet magnetic.field quantum.dots state electron coupl
interact orbit

61.81% spin dot quantum quantum.dot magnet magnetic.field state electron coupl
interact orbit

Sample Cluster Record Titles

[Effect of an impurity on 3-electron quantum dots in magnetic fields](#)

[Dissipative dynamics of spins in quantum dots](#)

[Currents in a many-particle parabolic quantum dot under a strong magnetic field](#)

[Hyperfine interaction in a quantum dot: Non-Markovian electron spin dynamics](#)

[Landau Fermi-liquid picture of spin density functional theory: Strutinsky approach to quantum dots](#)

[Spin-orbit and electronic interactions in narrow-gap quantum dots](#)

[Diluted magnetic semiconductor quantum dots: An extreme sensitivity of the hole Zeeman splitting on the aspect ratio of the confining potential](#)

[Ground state of two-dimensional quantum-dot helium in zero magnetic field: Perturbation, diagonalization, and variational theory](#)

[Evolution of localized electron spin in a nuclear spin environment](#)

Cluster Metrics

Authors

peeters, fm 10
loss, d 10
ulloa, se 7
marcus, cm 7
gossard, ac 6
swirkowicz, r 5
rudzinski, w 5
kouwenhoven, lp 5
hu, xd 5
harju, a 5
hanson, mp 5
barnas, j 5
yacoby, a 4
wilczynski, m 4
vink, it 4

Sources

physical review b 110
physical review letters 31
physica e-low-dimensional systems & nanostructures 20
applied physics letters 8
journal of physics-condensed matter 7
physical review a 6
new journal of physics 5
materials science-poland 5
journal of superconductivity 4
journal of applied physics 4
europhysics letters 4
science 3
physics letters a 3
physica status solidi b-basic solid state physics 3
journal of the physical society of japan 3

Keywords

physics, condensed matter 152
physics, multidisciplinary 60
quantum dots 32
physics, applied 24
states 24
computation 21
transport 19
dots 16
systems 15
spectroscopy 14
dynamics 14
relaxation 13

wells 12
physics, condensed matter 12
magnetic-field 10

Publication Year

2005 235
2004 38
2006 1

Country

usa 86
germany 37
peoples r china 32
japan 27
russia 20
poland 19
italy 16
netherlands 15
switzerland 14
france 14
canada 13
england 11
finland 10
belgium 10
israel 9

Institution

univ calif santa barbara 12
ohio univ 12
chinese acad sci 11
univ basel 10
russian acad sci 10
polish acad sci 10
univ antwerp 9
delft univ technol 9
harvard univ 8
usn 7
univ regensburg 7
suny buffalo 7
natl res council canada 7
adam mickiewicz univ poznan 7
helsinki univ technol 6

DataBase

science citation index 274

• CLUSTER 116

Optical properties of quantum dots, namely exciton states and dynamics, fabrication and use of quantum dot lasers (401 Records)
(USA dominant, followed by Germany/ England/ China. Top single institutions are University of Cambridge, University of Sheffield, University of Michigan. USA leaders also include UCSB, University of Texas. Concentrated British effort.)

Cluster Syntax Features

Descriptive Terms

dot 26.2%, quantum.dot 24.2%, quantum 19.4%, exciton 1.5%, photon 1.4%, quantum.dots 0.9%, state 0.7%, singl 0.7%, laser 0.6%, energi 0.4%, quantum.dot.lasers 0.4%, dot.lasers 0.4%, excit 0.4%, semiconductor 0.3%, coupl 0.3%

Discriminating Terms

quantum.dot 17.1%, dot 15.4%, quantum 10.2%, film 2.0%, surfac 0.9%, exciton 0.8%, nanoparticl 0.7%, carbon 0.7%, photon 0.6%, particl 0.6%, nanotub 0.6%, magnet 0.5%, oxid 0.5%, deposit 0.5%, crystal 0.5%

Single Word Terms

quantum 400, dot 400, state 147, electron 143, singl 136, energi 121, structur 112, two 110, optic 98, function 89, layer 89, coupl 89, system 86, temperatur 83, emiss 82

Double Word Terms

quantum.dot 393, quantum.dots 152, single.quantum 44, dot.lasers 38, gaas.quantum 34, ground.state 34, semiconductor.quantum 32, self.assembled 29, single.photon 28, room.temperature 27, electron.hole 23, two dimensional 22, wetting.layer 21,

three-dimensional 20, dot.laser 17

Triple Word Terms

quantum.dot.lasers 38, single.quantum.dot 38, gaas.quantum.dot 29, semiconductor.quantum.dot 26, quantum.dot.laser 17, self.assembled.quantum 15, spherical.quantum.dot 14, molecular.beam.epitaxy 14, quantum.dot.cellular 14, quantum.dot.semiconductor 13, quantum.dot.infrared 13, quantum.dot.structures 13, dot.cellular.automata 13, inas.gaas.quantum 12, inas.quantum.dot 11

Term Cliques

43.81% dot quantum.dot quantum laser quantum.dot.lasers dot.lasers excit semiconductor coupl
45.69% dot quantum.dot quantum state laser quantum.dot.lasers dot.lasers excit coupl
49.52% dot quantum.dot quantum exciton quantum.dots energi excit semiconductor coupl
51.40% dot quantum.dot quantum exciton quantum.dots state energi excit coupl
46.68% dot quantum.dot quantum exciton photon quantum.dots singl excit semiconductor coupl
48.38% dot quantum.dot quantum exciton photon quantum.dots state singl excit coupl

Sample Cluster Record Titles

[Characteristics of MOCVD-grown thin p-clad InGaAs quantum-dot lasers](#)

[The dynamics of coherently driven exciton in a single quantum dot](#)

[Effect of thermal annealing and strain engineering on the fine structure of quantum dot excitons](#)

[Binding of electrons, holes, and excitons in symmetric strained InP/In_{0.49}Ga_{0.51}P triple quantum-dot molecules](#)

[Photoconductivity studies of treated CdSe quantum dot films exhibiting increased exciton ionization efficiency](#)

[Spin-photon dynamics of quantum dots in two-mode cavities](#)

[The role of Auger recombination in the temperature-dependent output characteristics \(T₀ = infinity\) of p-doped 1.3 \$\mu\$ m quantum dot lasers](#)

[Ground state of excitons in quantum-dot quantum-well nanoparticles: stochastic variational method](#)

Cluster Metrics

Authors

bhattacharya, p 11
bimberg, d 10
hopkinson, m 9
shields, aj 8
ritchie, da 8
forchel, a 7
atkinson, p 7
petroff, pm 6
mowbray, dj 6
liu, hy 6
wasilewski, z 5
wang, kl 5
ulloa, se 5
see, p 5
mi, z 5

Sources

physical review b 60
applied physics letters 41
physica e-low-dimensional systems & nanostructures 39
electronics letters 15
physical review letters 12
journal of applied physics 12
ieee photonics technology letters 10
ieee journal of quantum electronics 8
journal of the korean physical society 7
journal of physics-condensed matter 7
superlattices and microstructures 6
physical review a 6
microelectronics journal 6
journal of physics d-applied physics 6
physics letters a 5

Keywords

physics, condensed matter 132
physics, applied 73
engineering, electrical & electronic 58
physics, multidisciplinary 45
physics, applied 36

quantum dots 30
states 28
optics 27
gaas 22
transport 20
growth 19
quantum dot 18
optics 18
quantum dots 18
spectroscopy 17

Publication Year

2005 360
2004 39
2006 1
2003 1

Country

usa 103
germany 56
england 46
peoples r china 44
japan 30
france 28
russia 22
south korea 19
canada 17
taiwan 14
italy 12
switzerland 10
spain 10
scotland 9
poland 9

Institution

univ cambridge 14
russian acad sci 14
univ sheffield 13
univ michigan 13
chinese acad sci 11
univ calif santa barbara 10
tech univ berlin 10
univ tokyo 9
natl res council canada 9
cnrs 9
univ wurzburg 8

toshiba res europe ltd 8
univ texas 7
univ dortmund 7
univ toronto 6

DataBase
science citation index 401

- **CLUSTER 120**

Self-assembly, growth, and properties of quantum dots, especially CdSe and Ge/Si quantum dots (577 Records)
(USA dominant, followed by Germany, Japan, China. Main institutions are almost exclusively non-universities: Russian Academy of Science (RAS), Chinese Academy of Science (CAS), University of Tokyo, Tokyo Institute of Technology, CNRS, CEA. USA leaders include UCLA, UCB.)

Cluster Syntax Features

Descriptive Terms

dot 38.4%, quantum.dots 20.5%, quantum 18.9%, cdse 0.8%, exciton 0.7%, quantum.dot 0.7%, state 0.4%, optic 0.4%, energi 0.4%, electron 0.4%, semiconductor 0.3%, semiconductor.quantum.dots 0.3%, ge 0.3%, phonon 0.2%, semiconductor.quantum 0.2%

Discriminating Terms

dot 24.9%, quantum.dots 14.5%, quantum 10.3%, film 1.9%, surfac 0.8%, carbon 0.7%, nanoparticl 0.6%, particl 0.6%, nanotub 0.5%, structur 0.5%, cdse 0.5%, oxid 0.5%,

crystal 0.4%, deposit 0.4%, layer 0.4%

Single Word Terms

dot 576, quantum 524, electron 236, energi 175, optic 162, state 158, structur 157, size 137, two 134, semiconductor 123, properti 121, singl 119, temperatur 113, self 112, field 108

Double Word Terms

quantum.dots 504, quantum.dot 170, self.assembled 69, semiconductor.quantum 62, optical.properties 36, cdse.quantum 33, assembled.quantum 33, two dimensional 32, room.temperature 28, gaas.quantum 27, band.gap 27, dots.quantum 26, electron.microscopy 25, dot.size 24, electron.hole 24

Triple Word Terms

semiconductor.quantum.dots 62, self.assembled.quantum 33, assembled.quantum.dots 31, cdse.quantum.dots 29, quantum.dots.quantum 26, gaas.quantum.dots 22, molecular.beam.epitaxy 21, coupled.quantum.dots 20, quantum.dots.embedded 20, transmission.electron.microscopy 19, gan.quantum.dots 16, ge.quantum.dots 16, atomic.force.microscopy 16, quantum.dots.grown 16, quantum.dots.high 15

Term Cliques

46.66% dot quantum.dots quantum quantum.dot optic energi electron ge phonon
38.13% dot quantum.dots quantum exciton quantum.dot state optic energi semiconductor semiconductor.quantum.dots phonon semiconductor.quantum
45.56% dot quantum.dots quantum exciton quantum.dot state optic energi electron phonon
39.50% dot quantum.dots quantum cdse exciton quantum.dot optic energi semiconductor semiconductor.quantum.dots semiconductor.quantum
48.06% dot quantum.dots quantum cdse exciton quantum.dot optic energi electron

Sample Cluster Record Titles

[In situ growth of CdSe quantum dots on MWCNTs with thioglycolic acid as the stabilizer](#)

[Electron correlations, spontaneous magnetization and momentum density in quantum dots](#)

[Raman scattering studies of Ge/Si islands under hydrostatic pressure](#)

[Metallic nano dots realized by a subtractive self organization process](#)

[Formation and properties of selectively grown Ge/Si quantum dots](#)

[Molecular epitaxy and the electronic properties of Ge/Si heterosystems with quantum dots](#)

[On the excitation wavelength dependence of the luminescence yield of colloidal CdSe quantum dots](#)

[Exciton related resonant Raman scattering from CdSe quantum dots in an amorphous GeS₂ thin film matrix](#)

Cluster Metrics

Authors

mariette, h 8
nikiforov, ai 7
ohtsu, m 6
yakimov, ai 5
xue, qk 5
wang, qq 5
mohanta, d 5
kawazoe, t 5
choudhury, a 5
arakawa, y 5
zunger, a 4
tsai, mj 4
tartakovskii, ai 4
tamargo, mc 4
smith, lm 4

Sources

physical review b 93
applied physics letters 61
physica e-low-dimensional systems & nanostructures 25
physical review letters 19
journal of applied physics 17
nano letters 11
journal of physics-condensed matter 11
journal of crystal growth 11
chemical communications 11
nanotechnology 10
journal of physical chemistry b 10
acta physica polonica a 9
microelectronics journal 7
journal of the american chemical society 7
acta physica sinica 6

Keywords

physics, condensed matter 162
physics, applied 112
physics, multidisciplinary 66
nanocrystals 53
growth 49
chemistry, multidisciplinary 48
quantum dots 46
quantum dots 38
photoluminescence 35
materials science, multidisciplinary 34
gaas 34
states 30
nanoparticles 30
nanocrystals 29
chemistry, physical 28

Publication Year

2005 508
2004 69

Country

usa 177
germany 73
japan 61
peoples r china 57
france 40
russia 37
england 30
taiwan 21
south korea 21
poland 21
italy 17
spain 16
canada 16
sweden 14
austria 14

Institution

russian acad sci 23
chinese acad sci 21
univ tokyo 16
tokyo inst technol 13
cnrs 13
cea 10

univ toronto 9
tohoku univ 9
natl taiwan univ 9
univ grenoble 1 8
japan sci & technol agcy 8
univ sheffield 7
univ oxford 7
univ calif los angeles 7
univ calif berkeley 7

DataBase

science citation index 577

• CLUSTER 48

Quantum dots, particularly CdSe, GaAs, and InAs quantum dots, and their photoluminescence and emission properties (239 Records)

(USA moderately dominant, with Japan, Korea, and China close behind. Chinese, Korean and Russian institutes lead. USA leaders include Notre Dame University, Virginia Commonwealth University.)

Cluster Syntax Features

Descriptive Terms

qd 48.9%, dot 7.6%, quantum.dots 6.9%, quantum 5.4%, dots.qds 3.4%, quantum.dots.qds 3.4%, cdse 1.8%, gaa 0.7%, ina 0.7%, photoluminesc 0.5%, emiss

0.3%, layer 0.3%, energi 0.3%, self 0.3%, exciton 0.3%

Discriminating Terms

qd 33.6%, quantum.dots 4.0%, dot 3.2%, dots.qds 2.3%, quantum.dots.qds 2.3%, film 1.8%, quantum 1.7%, cdse 1.0%, surfac 0.7%, nanoparticl 0.7%, particl 0.7%, carbon 0.6%, nanotub 0.5%, crystal 0.5%, structur 0.5%

Single Word Terms

dot 239, quantum 239, qd 236, photoluminesc 92, energi 91, optic 90, layer 86, temperatur 81, self 78, electron 78, size 76, structur 75, assembl 70, properti 69, gaa 68

Double Word Terms

quantum.dots 228, dots.qds 200, quantum.dot 62, self.assembled 61, qds.grown 33, assembled.quantum 32, beam.epitaxy 32, molecular.beam 32, optical.properties 29, room.temperature 29, atomic.force 24, inas.quantum 24, force.microscopy 22, electron.microscopy 20, cdse.quantum 20

Triple Word Terms

quantum.dots.qds 200, molecular.beam.epitaxy 32, self.assembled.quantum 32, assembled.quantum.dots 27, inas.quantum.dots 24, atomic.force.microscopy 22, dots.qds.grown 20, cdse.quantum.dots 20, transmission.electron.microscopy 17, semiconductor.quantum.dots 15, dots.qds.embedded 14, gaas.quantum.dots 14, force.microscopy.afm 13, ingaas.quantum.dots 13, quantum.dots.grown 11

Term Cliques

64.63% qd dot quantum.dots quantum quantum.dots.qds dots.qds photoluminesc emiss energi self exciton

66.79% qd dot quantum.dots quantum quantum.dots.qds dots.qds photoluminesc emiss layer energi self

63.11% qd dot quantum.dots quantum quantum.dots.qds dots.qds gaa ina photoluminesc layer energi self

65.65% qd dot quantum.dots quantum quantum.dots.qds dots.qds cdse photoluminesc emiss layer energi

Sample Cluster Record Titles

[Quantum dot-antibody and aptamer conjugates shift fluorescence upon binding bacteria](#)

[Direct determination of strain and composition in InGaAs nano-islands using anomalous grazing incidence x-ray diffraction](#)

[Electronic coupling effect on carrier dynamics in InAs/GaAs vertically stacked QD layers](#)

[Long wavelength vertically stacked InAs/GaAs\(001\) quantum dots with a bimodal size](#)

[distribution: Optical properties and electronic coupling](#)

[Self-assembled quantum dots for single-dot optical investigations](#)

[Abnormal photoluminescence behavior of self-assembled InAs quantum dots with bimodal size distribution](#)

[Spatially-resolved optical studies on intermixing of InGaAs quantum-dot laser structures by using an AlAs native oxide and thermal annealing](#)

[The luminescence properties of the colloidal GaAs and CMS semiconductor quantum dots](#)

[A Si-based quantum-dot light-emitting diode](#)

Cluster Metrics

Authors

lee, ji 9

lee, s 7

furdyna, jk 7

wang, zg 6

dobrowolska, m 6

song, jd 5

park, yj 5

kim, tw 5

han, ik 5

zhang, jy 4

xu, b 4

noh, sk 4

nakayama, m 4

maaref, h 4

hopkinson, m 4

Sources

applied physics letters 25

physica e-low-dimensional systems & nanostructures 20

physical review b 15

journal of applied physics 14

journal of crystal growth 10

journal of the korean physical society 9

journal of physical chemistry b 7

applied surface science 7

superlattices and microstructures 6

journal of vacuum science & technology b 6

solid state communications 5

semiconductors 5
nano letters 5
japanese journal of applied physics part 1-regular papers short notes & review papers 5
japanese journal of applied physics part 2-letters & express letters 4

Keywords

physics, condensed matter 54
physics, applied 54
photoluminescence 28
growth 27
gaas 25
chemistry, physical 24
quantum dots 23
nanocrystals 21
quantum dots 20
photoluminescence 19
engineering, electrical & electronic 18
physics, multidisciplinary 17
spectroscopy 17
molecular-beam epitaxy 15
physics, applied 15

Publication Year

2005 213
2004 26

Country

usa 61
japan 47
south korea 37
peoples r china 34
germany 18
france 15
taiwan 14
russia 13
england 9
italy 6
canada 6
singapore 5
netherlands 5
brazil 5
tunisia 4

Institution

chinese acad sci 11
korea inst sci & technol 10

russian acad sci 9
univ tokyo 8
univ notre dame 8
korea univ 7
hanyang univ 7
univ tsukuba 6
natl chiao tung univ 6
yonsei univ 5
wuhan univ 5
virginia commonwealth univ 5
univ sheffield 5
sungkyunkwan univ 5
natl taiwan univ 5

DataBase

science citation index 239

- **CLUSTER 39**

Engineering and properties of quantum dots, especially InAs, GaAs, and InAs/GaAs, many of which are grown on GaAs layers/ matrices (345 Records)
(USA/ Japan/ Germany essentially tied for lead. University Tokyo/ CAS essentially tied for institutional lead. USA leaders include University of New Mexico.)

Cluster Syntax Features

Descriptive Terms

ina 26.9%, dot 11.8%, gaa 7.4%, quantum 6.7%, quantum.dots 6.2%, qd 3.5%, inas.gaas 3.5%, inas.quantum 3.1%, inas.quantum.dots 1.9%, inas.gaas.quantum 1.7%, gaas.quantum 1.6%, gaas.quantum.dots 1.1%, quantum.dot 1.0%, photoluminesc 0.6%, inp 0.6%

Discriminating Terms

ina 17.9%, dot 5.6%, gaa 4.2%, quantum.dots 3.5%, quantum 2.4%, inas.gaas 2.4%, qd 2.1%, inas.quantum 2.1%, film 2.0%, inas.quantum.dots 1.3%, inas.gaas.quantum 1.2%, gaas.quantum 1.0%, surfac 0.8%, gaas.quantum.dots 0.7%, nanoparticl 0.7%

Single Word Terms

quantum 334, ina 333, dot 326, gaa 247, layer 150, photoluminesc 149, qd 146, self 142, temperatur 141, electron 125, structur 120, assembl 115, energi 113, grown 111, optic 108

Double Word Terms

quantum.dots 275, inas.quantum 167, inas.gaas 143, quantum.dot 140, gaas.quantum 129, self.assembled 111, dots.qds 93, assembled.inas 69, molecular.beam 67, beam.epitaxy 67, inas.qds 60, room.temperature 56, ground.state 51, atomic.force 40, assembled.quantum 39

Triple Word Terms

inas.quantum.dots 133, inas.gaas.quantum 114, quantum.dots.qds 93, gaas.quantum.dots 93, self.assembled.inas 69, molecular.beam.epitaxy 65, gaas.quantum.dot 45, inas.quantum.dot 42, self.assembled.quantum 39, assembled.inas.quantum 37, quantum.dots.grown 35, assembled.quantum.dots 35, atomic.force.microscopy 33, transmission.electron.microscopy 28, assembled.inas.gaas 24

Term Cliques

59.78% ina dot quantum qd inas.quantum quantum.dot photoluminesc inp
64.67% ina dot quantum quantum.dots qd inas.quantum photoluminesc inp
67.50% ina dot quantum quantum.dots qd inas.quantum inas.quantum.dots photoluminesc
61.67% ina dot gaa quantum inas.gaas inas.gaas.quantum gaas.quantum quantum.dot photoluminesc
61.77% ina dot gaa quantum qd inas.gaas.quantum gaas.quantum quantum.dot photoluminesc
62.12% ina dot gaa quantum quantum.dots inas.gaas inas.gaas.quantum gaas.quantum gaas.quantum.dots photoluminesc
62.20% ina dot gaa quantum quantum.dots qd inas.gaas.quantum gaas.quantum gaas.quantum.dots photoluminesc
70.40% ina dot gaa quantum quantum.dots qd inas.quantum.dots photoluminesc

Sample Cluster Record Titles

[Temperature dependence of the zero-phonon linewidth in InAs/GaAs quantum dots](#)

[Lateral coupling of In_xGa_{1-x}As/GaAs quantum dots investigated using differential transmission spectroscopy](#)

[Cleaved-edge overgrowth of aligned quantum dots on strained layers of InGaAs](#)

[Theoretical study of quantum confined Stark shift in InAs/GaAs quantum dots](#)

[Thermally stimulated current in self-organized InAs quantum dots](#)

[Universal shapes of self-organized semiconductor quantum dots: Striking similarities between InAs/GaAs\(001\) and Ge/Si\(001\)](#)

[Quantitative investigations of optical absorption in InAs/InP \(311\)B quantum dots emitting at 1.55 \$\mu\$ m wavelength](#)

[Capping process of InAs/GaAs quantum dots studied by cross-sectional scanning tunneling microscopy](#)

[Near room temperature droplet epitaxy for fabrication of InAs quantum dots](#)

Cluster Metrics

Authors

arakawa, y 15
wolter, jh 13
notzel, r 12
kim, js 11
liu, hy 10
hopkinson, m 10
chi, jy 10
wang, zg 9
lee, ji 9
ustinov, vm 8
noh, sk 8
kim, tw 8
bimberg, d 8
yoon, e 7
skolnick, ms 7

Sources

applied physics letters 68

journal of crystal growth 34
physica e-low-dimensional systems & nanostructures 32
physical review b 28
journal of applied physics 23
semiconductors 12
journal of vacuum science & technology b 12
journal of the korean physical society 11
microelectronics journal 9
japanese journal of applied physics part 2-letters & express letters 8
japanese journal of applied physics part 1-regular papers brief communications & review papers 7
ieee photonics technology letters 7
semiconductor science and technology 5
physical review letters 5
nanotechnology 5

Keywords

physics, applied 114
physics, condensed matter 79
gaas 73
growth 49
photoluminescence 43
engineering, electrical & electronic 39
lasers 38
crystallography 34
physics, multidisciplinary 33
molecular beam epitaxy 33
molecular-beam epitaxy 32
quantum dots 31
islands 31
quantum dots 30
optical-properties 28

Publication Year

2005 316
2004 28
2006 1

Country

usa 45
japan 43
germany 43
south korea 38
england 35
france 33
taiwan 30

peoples r china 26
russia 22
netherlands 17
sweden 12
italy 12
spain 9
canada 9
brazil 9

Institution

univ tokyo 19
chinese acad sci 18
hanyang univ 15
russian acad sci 14
natl chiao tung univ 14
eindhoven univ technol 14
cnrs 11
univ sheffield 10
ind technol res inst 10
univ new mexico 9
univ cambridge 8
tech univ berlin 8
seoul natl univ 8
natl taiwan univ 8
korea adv inst sci & technol 8

DataBase

science citation index 345

CATEGORY 2 - 508A1b (4 leaf clusters)

Quantum Wells, Wires, and States (1298 REC)

THRUST

()

- Quantum wells containing combinations of gallium, indium, arsenic, nitrogen, and aluminum, especially those grown by molecular beam epitaxy (265 Records) Cluster 146
- Quantum wells, especially intersubband absorption and transitions (326 Records) Cluster 133
- Quantum wires, including those with impurities (133 Records) Cluster 72
- Quantum states and systems (329 Records) Cluster 223

- **CLUSTER 146**

Quantum wells containing combinations of gallium, indium, arsenic, nitrogen, and aluminum, especially those grown by molecular beam epitaxy (265 Records)

(USA/ Japan tied for country lead. RAS/ CAS are institutional leaders. USA leaders include University of Arkansas. Applied physics journals predominate, as was the case for the previous Quantum Dot clusters.)

Cluster Syntax Features

Descriptive Terms

gaa 33.3%, quantum 4.4%, molecular.beam 1.9%, epitaxi 1.9%, gainna 1.9%, molecular.beam.epitaxy 1.9%, beam.epitaxy 1.8%, grown 1.8%, well 1.7%, ingaa 1.5%,

quantum.wells 1.5%, gaas.quantum 1.4%, photoluminesc 1.3%, algaa 1.1%, beam 1.1%

Discriminating Terms

gaa 22.9%, film 2.0%, quantum 1.4%, gainna 1.4%, molecular.beam 1.3%, molecular.beam.epitaxy 1.2%, beam.epitaxy 1.2%, ingaa 1.0%, well 1.0%, gaas.quantum 1.0%, epitaxi 0.9%, quantum.wells 0.9%, algaa 0.7%, nanoparticl 0.7%, qw 0.7%

Single Word Terms

gaa 236, quantum 192, grown 148, structur 146, epitaxi 134, temperatur 123, beam 116, photoluminesc 114, molecular 110, well 100, layer 95, electron 94, high 89, energi 86, substrat 86

Double Word Terms

molecular.beam 110, beam.epitaxy 108, quantum.wells 96, gaas.quantum 79, grown.molecular 48, room.temperature 46, quantum.structures 34, grown.gaas 34, low.temperature 34, gaas.substrates 31, wells.qws 28, two dimensional 27, gainnas.gaas 27, optical.properties 27, ingaas.gaas 26

Triple Word Terms

molecular.beam.epitaxy 108, grown.molecular.beam 48, gaas.quantum.wells 40, quantum.wells.qws 28, source.molecular.beam 22, quantum.wells.grown 21, gainnas.gaas.quantum 20, beam.epitaxy.mbe 19, solid.source.molecular 18, gaas.quantum.structures 14, two dimensional.electron 14, gaas.single.quantum 13, room.temperature.photoluminescence 13, wells.qws.grown 12, quantum.structures.grown 12

Term Cliques

49.15% gaa quantum ingaa algaa

43.65% gaa quantum epitaxi gainna well ingaa quantum.wells gaas.quantum photoluminesc

45.83% gaa quantum molecular.beam epitaxi gainna molecular.beam.epitaxy beam.epitaxy grown well quantum.wells gaas.quantum photoluminesc beam

Sample Cluster Record Titles

[Excitation and pressure effects on low temperature photoluminescence from GaAs/GaInP heterostructures](#)

[Parallel magnetotransport in multiple quantum well structures](#)

[Photoreflexion studies of band offsets at the heterojunction in strained short-period GaAs/GaAsP superlattices](#)

[The behaviour of optical and structural properties of GaInNAs/GaAs quantum wells upon annealing](#)

[Effect of hydrogen on modulation-doped AlGaAs/InGaAs/GaAs heterostructures: a photoluminescence study](#)

[Epitaxy and characterisation of dilute III-As-1-N-y\(y\) on GaAs and InP](#)

[Growth of GaN_xAs_{1-x} atomic monolayers and their insertion in the vicinity of GaInAs quantum wells](#)

[Elucidation of the emission red-shift with increasing growth temperature of MBE-grown GaInNAs/GaAs quantum wells](#)

[Effect of nitrogen ions on the properties of InGaAsN quantum wells grown by plasma-assisted molecular beam epitaxy](#)

Cluster Metrics

Authors

yoon, sf 11
pessa, m 10
niu, zc 8
fan, wj 8
zvonkov, bn 7
misiewicz, j 7
maaref, h 7
kudrawiec, r 7
wu, rh 6
wang, sm 6
ulloa, jm 6
sfaxi, l 6
salamo, gj 6
sadeghi, m 6
pavelescu, em 6

Sources

applied physics letters 42
journal of crystal growth 29
journal of applied physics 21
iee proceedings-optoelectronics 20
physical review b 17
semiconductors 13
physica e-low-dimensional systems & nanostructures 10
journal of vacuum science & technology b 10
semiconductor science and technology 8
japanese journal of applied physics part 2-letters & express letters 6
physica status solidi a-applications and materials science 5

compound semiconductors 2004, proceedings 5
thin solid films 4
jetp letters 4
crystal research and technology 4

Keywords

physics, applied 77
physics, condensed matter 56
engineering, electrical & electronic 50
gaas 45
molecular-beam epitaxy 37
photoluminescence 35
crystallography 34
growth 27
molecular beam epitaxy 25
optics 24
alloys 24
physics, applied 23
telecommunications 22
quantum-wells 21
lasers 20

Publication Year

2005 220
2004 44
2006 1

Country

usa 38
japan 37
russia 32
france 28
germany 27
peoples r china 23
england 18
poland 13
finland 13
spain 12
singapore 12
taiwan 11
south korea 9
italy 9
tunisia 8

Institution

russian acad sci 19

chinese acad sci 19
cnrs 13
nanyang technol univ 12
tampere univ technol 11
fac sci monastir 8
univ sheffield 6
univ arkansas 6
hokkaido univ 6
chalmers univ technol 6
af ioffe phys tech inst 6
univ strathclyde 5
univ politecn madrid 5
natl chiao tung univ 5
wroclaw univ technol 4

DataBase

science citation index 265

• CLUSTER 133

Quantum wells, especially intersubband absorption and transitions
(326 Records)

(USA dominant, with many countries vying for second place [Germany/ England/ Japan/ Russia/ China/ France]. RAS institutional leader. USA leaders include UCSB, University of Iowa, University of Arizona, Stanford University.).

Cluster Syntax Features

Descriptive Terms

well 24.6%, quantum.wells 20.1%, quantum 15.8%, intersubband 1.5%, optic 1.1%, gaa 1.0%, qw 0.9%, multiple.quantum 0.9%, band 0.8%, carrier 0.7%, transit 0.6%, multipl 0.6%, strain 0.5%, hole 0.4%, absorpt 0.4%

Discriminating Terms

well 17.6%, quantum.wells 14.3%, quantum 7.8%, film 2.0%, intersubband 1.0%, surfac 0.9%, nanoparticl 0.7%, particl 0.7%, carbon 0.7%, qw 0.6%, multiple.quantum 0.6%, nanotub 0.6%, oxid 0.5%, crystal 0.5%, deposit 0.5%

Single Word Terms

quantum 325, well 301, optic 143, electron 132, structur 128, energi 116, gaa 98, temperatur 98, transit 94, band 90, field 83, experiment 77, two 77, high 75, multipl 73

Double Word Terms

quantum.wells 296, multiple.quantum 62, wells.qws 40, electric.field 37, optical.properties 35, two dimensional 33, quantum.structures 28, room.temperature 27, gaas.quantum 26, semiconductor.quantum 24, single.quantum 24, gaas.algaas 23, wells.grown 21, intersubband.transitions 19, electron.hole 19

Triple Word Terms

quantum.wells.qws 40, multiple.quantum.wells 38, semiconductor.quantum.wells 23, gaas.quantum.wells 23, quantum.wells.grown 20, single.quantum.wells 19, two dimensional.electron 15, molecular.beam.epitaxy 14, gan.quantum.wells 13, transmission.electron.microscopy 12, gaas.algaas.quantum 11, algaas.quantum.wells 11, quantum.wells.optical 11, double.quantum.wells 11, dimensional.electron.gas 11

Term Cliques

42.82% well quantum.wells quantum multiple.quantum band carrier multipl strain hole absorpt
47.93% well quantum.wells quantum qw band carrier strain hole
52.02% well quantum.wells quantum gaa qw strain hole
55.57% well quantum.wells quantum optic qw band strain
55.92% well quantum.wells quantum optic gaa qw strain
40.85% well quantum.wells quantum intersubband multiple.quantum band transit multipl strain hole absorpt
45.60% well quantum.wells quantum intersubband gaa transit strain hole absorpt
43.34% well quantum.wells quantum intersubband optic multiple.quantum band transit multipl strain absorpt
48.64% well quantum.wells quantum intersubband optic gaa transit strain absorpt

Sample Cluster Record Titles

[Simultaneous determination of the index and absorption gratings in multiple quantum well photorefractive devices designed for laser ultrasonic sensor](#)

[Intersubband absorption from 2 to 7 \$\mu\$ m in strain-compensated double-barrier \$\text{In}_x\text{Ga}_{1-x}\text{As}\$ multi-quantum wells](#)

[Multisubband effect in spin dephasing in semiconductor quantum wells](#)

[Carrier diffusion in low-dimensional semiconductors: A comparison of quantum wells, disordered quantum wells, and quantum dots](#)

[Interplay of Coulomb and nonparabolicity effects in the intersubband absorption of electrons and holes in quantum wells](#)

[Magnetotransport probing of the quality of the heterointerfaces and degree of symmetry of the potential profile of quantum wells in the valence band of the \$\text{Ge}_{1-x}\text{Si}_x/\text{Ge}/\text{Ge}_{1-x}\text{Si}_x\$ heterosystem](#)

[Intersubband absorption of light in selectively doped asymmetric double tunnel-coupled quantum wells](#)

[Intersubband transitions in quantum wells under intense laser field](#)

[Near-infrared intersubband transitions in delta-doped \$\text{InAs}/\text{AlSb}\$ multi-quantum wells](#)

[Enhanced photoluminescence from \$\text{GaAsSb}\$ quantum wells](#)

Cluster Metrics

Authors

coldren, la 7

skogen, ej 6

hopkinson, m 6

harrison, p 6

sokmen, i 5

raring, jw 5

navaretti, p 5

liu, hy 5

herrera, m 5

gutierrez, m 5

gonzalez, d 5

garcia, r 5
gaggero-sager, lm 5
aleshkin, vy 5
zhang, yh 4

Sources

physical review b 45
applied physics letters 41
journal of applied physics 26
journal of crystal growth 14
semiconductors 10
microelectronics journal 10
ieee photonics technology letters 10
superlattices and microstructures 8
physica e-low-dimensional systems & nanostructures 8
semiconductor science and technology 7
ieee journal of quantum electronics 7
acta physica polonica a 7
japanese journal of applied physics part 1-regular papers brief communications & review papers 6
international journal of modern physics b 5
chinese physics letters 5

Keywords

physics, condensed matter 96
physics, applied 90
engineering, electrical & electronic 54
gaas 34
physics, applied 30
physics, multidisciplinary 29
optics 24
molecular-beam epitaxy 23
semiconductors 23
heterostructures 23
physics, condensed matter 22
photoluminescence 18
absorption 17
mu-m 15
materials science, multidisciplinary 14

Publication Year

2005 284
2004 41
2006 1

Country

usa 86
germany 35
england 31
japan 30
russia 29
peoples r china 29
france 28
south korea 18
italy 14
mexico 13
brazil 10
turkey 9
taiwan 9
poland 9
spain 8

Institution

russian acad sci 26
univ sheffield 17
univ calif santa barbara 11
chinese acad sci 11
cnrs 7
univ leeds 6
univ iowa 6
univ arizona 6
stanford univ 6
univ tokyo 5
univ marburg 5
univ cadiz 5
japan sci & technol agcy 5
hanyang univ 5
dokuz eylul univ 5

DataBase

science citation index 326

• CLUSTER 72

Quantum wires, including those with impurities (133 Records)

(USA leader, followed by China, Germany, Japan. Many institutions making first appearance in results. Trakya University and Yerevan State University are leading new institutions, and USA leaders include University of Illinois, Stevens Institute of Technology, Arizona State University, and Argonne National Labs.).

Cluster Syntax Features

Descriptive Terms

wire 35.6%, quantum 12.4%, quantum.wire 11.7%, quantum.wires 8.5%, impur 1.8%, conduct 1.2%, phonon 1.1%, qwr 1.0%, gaa 0.6%, energi 0.5%, electron 0.5%, field 0.5%, state 0.5%, dimension 0.4%, confin 0.4%

Discriminating Terms

wire 22.8%, quantum.wire 8.0%, quantum.wires 5.8%, quantum 5.3%, film 1.9%, impur 1.0%, surfac 0.8%, nanoparticl 0.7%, qwr 0.6%, carbon 0.6%, particl 0.6%, layer 0.6%, nanotub 0.5%, crystal 0.5%, phonon 0.5%

Single Word Terms

quantum 132, wire 127, electron 76, energi 51, state 47, on 45, dimension 41, conduct 41, two 39, field 37, gaa 37, structur 36, interact 36, model 33, function 32

Double Word Terms

quantum.wire 77, quantum.wires 75, one.dimension 24, electric.field 14, binding.energy 13, gaas.quantum 12, semiconductor.quantum 11, density.states 11, two.dimension 11, magnetic.field 11, dimensional.quantum 10, cross.section 10, ground.state 10, electron.phonon 9, phonon.interaction 9

Triple Word Terms

electron.phonon.interaction 8, dimensional.quantum.wires 8, quasi.one.dimension 8, quantum.wires.qwrs 7, semiconductor.quantum.wire 7, one.dimension.quantum 6, gaas.quantum.wires 6, quantum.wires.electric 5, quantum.wires.electron 5, external.electric.field 4, binding.energy.shallow 4, semiconductor.quantum.wires 4, double.quantum.wire 4, cylindrical.quantum.wire 4, gaas.quantum.wire 4

Term Cliques

41.25% quantum impur gaa energi electron field confin
46.51% quantum quantum.wires impur gaa energi electron field
44.27% quantum quantum.wire impur energi electron field state confin
52.63% wire quantum gaa energi electron dimension confin
52.20% wire quantum gaa energi electron field confin

59.77% wire quantum qwr state
 52.26% wire quantum phonon gaa electron confin
 57.89% wire quantum quantum.wires gaa energi electron dimension
 57.47% wire quantum quantum.wires gaa energi electron field
 58.40% wire quantum quantum.wires phonon gaa electron
 50.38% wire quantum quantum.wires phonon qwr gaa
 54.23% wire quantum quantum.wire energi electron state dimension confin
 53.85% wire quantum quantum.wire energi electron field state confin
 57.27% wire quantum quantum.wire phonon electron confin
 58.11% wire quantum quantum.wire conduct electron state dimension

Sample Cluster Record Titles

[Hydrostatic pressure effects on the donor impurity-related photoionization cross-section in cylindrical-shaped GaAs/GaAlAs quantum well wires](#)

[Carrier relaxation in GaAs v-groove quantum wires and the effects of localization](#)

[Crossover of conductance and local density of states in a single-channel disordered quantum wire](#)

[Binding energy of relativistic hydrogenic impurities in cylindrical quantum well wires under an applied electric field](#)

[Magnetic field and intense laser radiation effects on the interband transitions in quantum well wires](#)

[Shallow hydrogen-induced donor in monocrystalline silicon and quantum wires](#)

[Electron transport through quantum wires and point contacts](#)

[Effect of spin-orbit interaction on the plasma excitations in a quantum wire](#)

[Conductivity in quantum wires in a homogeneous magnetic field](#)

Cluster Metrics

Authors

zhang, l 3

zeng, yp 3

ye, xl 3

xu, b 3

wang, zg 3

vartanian, al 3
sokmen, i 3
schonhammer, k 3
sari, h 3
meden, v 3
lei, w 3
kasapoglu, e 3
hasegawa, h 3
chen, yh 3
barnabe-theriault, x 3

Sources

physical review b 33
physica e-low-dimensional systems & nanostructures 11
physica b-condensed matter 5
applied physics letters 5
microelectronics journal 4
journal of physics-condensed matter 4
journal of applied physics 4
physical review letters 3
journal of crystal growth 3
european physical journal b 3
compound semiconductors 2004, proceedings 3
surface review and letters 2
physica status solidi b-basic solid state physics 2
physica status solidi b-basic research 2
physica status solidi b-basic solid state physics 2

Keywords

physics, condensed matter 64
physics, multidisciplinary 18
physics, applied 18
dots 18
transport 11
scattering 11
wells 10
systems 10
engineering, electrical & electronic 9
states 9
dimensional electron-gas 8
physics, condensed matter 8
gaas 8
conductance 8
materials science, multidisciplinary 7

Publication Year

2005 115
2004 17
2006 1

Country

usa 27
peoples r china 19
germany 15
japan 13
turkey 7
england 6
spain 5
russia 5
poland 5
taiwan 4
south korea 4
brazil 4
switzerland 3
italy 3
iran 3

Institution

trakya univ 4
chinese acad sci 4
yerevan state univ 3
univ tokyo 3
univ illinois 3
univ gottingen 3
stevens inst technol 3
panyu polytech 3
hokkaido univ 3
dokuz eylul univ 3
cumhuriyet univ 3
arizona state univ 3
argonne natl lab 3
univ valle 2
univ oxford 2

DataBase

science citation index 133

• CLUSTER 223

Quantum states and systems (329 Records)

(USA dominant; China, Germany follow. Main institutions are RAS, Tsing Hua University, CAS. Leading USA institutions include Princeton University, UCSB, University of Arkansas.).

Cluster Syntax Features

Descriptive Terms

quantum 48.8%, state 2.5%, system 1.1%, electron 0.8%, coher 0.7%, energi 0.7%, equat 0.7%, classic 0.7%, model 0.6%, reson 0.6%, confin 0.6%, coupl 0.6%, dimension 0.6%, quantum.hall 0.5%, subband 0.5%

Discriminating Terms

quantum 34.0%, film 2.1%, surfac 1.0%, state 0.8%, nanoparticl 0.7%, carbon 0.7%, deposit 0.6%, oxid 0.6%, crystal 0.5%, particl 0.5%, classic 0.5%, polym 0.4%, coher 0.4%, quantum.hall 0.4%, nanotub 0.4%

Single Word Terms

quantum 329, electron 140, state 122, system 110, structur 97, two 97, energi 90, model 84, function 72, field 69, on 66, optic 64, densiti 62, depend 62, dimension 61

Double Word Terms

two dimensional 37, quantum.wells 29, quantum.confinement 24, quantum.hall 22, quantum.mechanical 21, schrodinger.equation 18, magnetic.field 18, quantum.structures 17, electric.field 17, quantum.states 17, ground.state 17, double.quantum 15, quantum.systems 15, one dimensional 14, quantum.structure 13

Triple Word Terms

two dimensional.electron 11, quantum.information.processing 7, quantum.point.contact 7, two.level.system 6, density.functional.theory 6, quantum.hall.regime 6, dimensional.electron.gas 6, quantum.monte.carlo 6, fractional.quantum.hall 6, metal.insulator.transition 5, integer.quantum.hall 5, cavity.quantum.electrodynamics 4, angle.resolved.photoemission 4, quantum.electric.field 4, double.quantum.structure 4

Term Cliques

36.78% quantum equat confin dimension
38.53% quantum equat model confin
41.26% quantum system equat dimension
37.20% quantum system equat model reson
36.47% quantum system equat classic model
38.60% quantum state electron energi coupl subband
35.52% quantum state electron energi confin dimension subband
41.59% quantum state electron energi model coupl
41.34% quantum state electron energi model confin
35.13% quantum state system electron dimension quantum.hall subband
39.61% quantum state system electron coupl subband
35.07% quantum state system electron coher model reson coupl

Sample Cluster Record Titles

[Bandgap mapping for III-V quantum well by electron spectroscopy imaging](#)

[Modeling of open quantum devices within the closed-system paradigm](#)

[Generation of squeezed states of nanomechanical resonators by reservoir engineering](#)

[Superconducting phase qubit coupled to a nanomechanical resonator: Beyond the rotating-wave approximation](#)

[Formation of a self-consistent double quantum well in a wide p-type quantum well](#)

[Quantum features in atomic nanofabrication using exactly resonant standing waves](#)

[Quantum mechanical hysteresis and the electron transfer problem](#)

[Subband decomposition approach for the simulation of quantum electron transport in nanostructures](#)

[Capture and release of photonic images in a quantum well](#)

Cluster Metrics

Authors

long, gl 7

ruda, he 5

wang, c 4

spicka, v 4
qiao, b 4
deng, fg 4
zubairy, ms 3
zoller, p 3
zhang, yf 3
zhang, l 3
yakunin, mv 3
scully, mo 3
schuh, d 3
sariyanni, ze 3
rostovtsev, y 3

Sources

physical review b 49
physica e-low-dimensional systems & nanostructures 35
physical review letters 25
applied physics letters 11
physical review a 10
journal of applied physics 9
chinese physics letters 9
international journal of modern physics b 7
acta physica sinica 7
semiconductors 5
physics letters a 5
physica a-statistical mechanics and its applications 5
solid state communications 4
journal of physical chemistry b 4
ieee transactions on nanotechnology 4

Keywords

physics, condensed matter 105
physics, multidisciplinary 81
physics, applied 35
states 26
dots 20
physics, atomic, molecular & chemical 19
systems 19
optics 18
engineering, electrical & electronic 17
transport 16
physics, mathematical 14
dynamics 14
chemistry, physical 13
physics, condensed matter 12
materials science, multidisciplinary 11

Publication Year

2005 295

2004 32

2006 1

2003 1

Country

usa 96

peoples r china 58

germany 42

russia 26

france 24

japan 21

italy 21

netherlands 18

england 15

canada 15

india 12

spain 9

austria 9

taiwan 8

czech republic 8

Institution

russian acad sci 16

tsing hua univ 14

chinese acad sci 14

princeton univ 9

univ calif santa barbara 7

acad sci czech republ 6

univ toronto 5

univ tokyo 5

univ cambridge 5

texas a&m univ 5

delft univ technol 5

zhejiang univ 4

univ london imperial coll sci technol & med 4

univ karlsruhe 4

univ arkansas 4

DataBase

science citation index 329

CATEGORY 3 - 508A2a (67 leaf clusters)

Optics and Electronics (16432 REC)

THRUST

()

- Fabrication and characterization of vertical-cavity surface-emitting lasers and detection using them (72 Records) Cluster 2
- Devices related to quantum wells, especially quantum cascade lasers and quantum well infrared photodetectors (115 Records) Cluster 119
- Lasers, focusing on diode lasers, waveguide lasers, and optically pumped lasers (275 Records) Cluster 152
- Applications of lasers, especially YAG laser irradiation and laser ablation to prepare materials (325 Records) Cluster 196
- Studies of femtosecond pulse lasers, especially enhancement of laser pulses, creation of 3d nanostructures, and ablation processes (243 Records) Cluster 144
- Photonic, especially two-photon, effects: photon absorption and fluorescence, as well as detection (153 Records) Cluster 145
- Fabrication and structural/ optical properties of photonic crystals, especially photonic band gap features (238 Records) Cluster 76
- Optical waveguides, especially propagation of light through waveguides (139 Records) Cluster 79
- Design, fabrication, and characterization of gratings, such as Bragg gratings, or structures containing gratings, primarily for optical applications (103 Records) Cluster 40
- Optical properties of nanostructures/ nanomaterials, optical materials and devices, and optical microscopy studies (359 Records) Cluster 236
- Optical nonlinearities in nanostructures and investigation of second harmonic generation (105 Records) Cluster 128
- Plasmons: surface-plasmon resonance technology, surface dynamics, surface-plasmons in metallic structures, Raman scattering experiments, and studies of plasmons by finite difference time domain method (336 Records) Cluster 169

- Measurement and detection using optical instruments, with focus on the instrument parameters and features, especially mirrors and lenses (314 Records) Cluster 247
- Imaging using various forms of electron microscopy, including SEM, STEM, and TEM, as well as atomic force microscopy (178 Records) Cluster 189
- Machining, cutting, grinding, polishing of materials, especially surfaces, and characterization of the materials after these processes (86 Records) Cluster 109
- Modeling, design, and simulation of processes and systems at the nanoscale; measurement and minimization, control, and correction of errors (325 Records) Cluster 252
- Nanomechanical systems, including actuators, resonators, hard disk drives, sensors, and motors (211 Records) Cluster 213
- Applications of atomic force microscopy and similar methods of nanomanipulation, with focus on tips and cantilevers, namely their uses and responses to different influences (241 Records) Cluster 154
- Atomic force microscopy to measure, fabricate, and manipulate, with focus on rough surfaces (237 Records) Cluster 214
- Probing polymer/ molecular chain properties and surface interactions, especially by means of atomic force microscopy (AFM) (274 Records) Cluster 245
- Molecular dynamics simulations and models of physical and biological systems (241 Records) Cluster 234
- Models and simulations, especially Monte Carlo and molecular dynamics simulations, of systems and comparison to experiments or other models (578 Records) Cluster 254
- Phonon scattering, transport, and states; phonon-electron interactions; Raman scattering; related topics concerning vibrational modes and acoustics (176 Records) Cluster 167
- Electronic properties, structures, and states; energy transfer, levels, and loss; band gap properties; and spectroscopic studies (325 Records) Cluster 246
- Density functional theory, with focus on its use for condensed matter, atomic, molecular, and chemical physics calculations, especially to study nanoclusters (266 Records) Cluster 215
- Nanosized clusters, including their structures and properties, density functional theory calculations, molecular dynamics simulations, and

their interactions with compounds and each other (251 Records)
Cluster 197

- Scanning tunneling microscopy studies (268 Records) Cluster 161
- Studies of individual molecules, especially on surfaces and in organic materials, with the aid of scanning tunneling microscopy (332 Records) Cluster 227
- Fluorescence/ luminescence properties, of dyes for instance, and their applications, especially to sensors (112 Records) Cluster 192
- Improvement of solar cells by dye-sensitized films (especially TiO₂ films) or nanostructures (92 Records) Cluster 18
- Ring compounds, especially porphyrins, fullerenes, and their derivatives, with emphasis on reactions, synthesis, and structure of these compounds (332 Records) Cluster 250
- Chemical studies of bonding (especially hydrogen bonding), host-guest interactions, and other molecular interactions involved in structure and assembly, with focus on supramolecular structures and macrocycles (246 Records) Cluster 230
- Self-assembly, formation of supramolecular structures, aggregation, and block copolymers (694 Records) Cluster 210
- Self-assembled monolayers (SAMs), especially gold and alkanethiol SAMs, (294 Records) Cluster 50
- Self-assembled monolayers (SAMs), especially gold and alkanethiol SAMs, as well as Langmuir and Langmuir-Blodgett monolayers/ films (335 Records) Cluster 168
- Studies of surfaces (especially copper, gold, and silver-containing surfaces), focusing on the effects of cluster formation and deposition on surfaces and the use of scanning tunneling microscopy to characterize surfaces (STM) (220 Records) Cluster 244
- Layers, emphasizing properties of thickness and deposition, as well as interactions at the interfaces/ barriers (325 Records) Cluster 253
- Growth of layers/ films, especially InN and GaAs, by means of molecular beam epitaxy, chemical vapor deposition, and similar deposition techniques (264 Records) Cluster 205
- Growth of crystals and islands, emphasizing growth parameters and properties of the products (269 Records) Cluster 229
- Silicon carbide (SiC), emphasizing growth of desired structures by epitaxy or chemical vapor deposition (CVD) and issues concerning defects on the products (174 Records) Cluster 58

- Silicon-containing substances, emphasizing processes on and interactions with silicon surfaces and scanning tunneling microscopy to characterize the substances (228 Records) Cluster 131
- Silicon, silica, and silicide-containing substrates/ layers/ films: their properties and processes that occur on them (461 Records) Cluster 190
- Growth and characterization of silicon-germanium (SiGe) structures and their application to circuits, with focus on strained/ strain-relaxed SiGe layers (113 Records) Cluster 36
- Germanium-based substances, including germanium nanocrystals, islands, and substrates, as well as heterostructures containing silicon (176 Records) Cluster 42
- Ion implantation to modify or create materials, including nanocrystals, sometimes accompanied by or followed by annealing, thermal or laser (354 Records) Cluster 117
- Applications of ion/ electron beam/ irradiation techniques, including focused ion beam (FIB) technology, ion and electron-beam-induced deposition, and ion-beam milling (200 Records) Cluster 178
- Lithography and etching, including nanoimprint lithography and electron-beam lithography and focusing on nanopatterning (166 Records) Cluster 149
- Etching, especially plasma etching and reactive ion etching (282 Records) Cluster 113
- Hafnium dioxide (HfO₂), hafnium-containing, and oxide films, compounds, and layers, with emphasis on dielectric properties, fabrication by atomic layer deposition (ALD), and use as gate dielectrics (195 Records) Cluster 111
- Gate dielectrics and metal-oxide semiconductor field-effect transistors (MOSFETs), emphasizing those made from silica (SiO₂), hafnium dioxide (HfO₂), silicon, and silicides (152 Records) Cluster 139
- Field transistors, single-electron transistors, electron mobility transistors, and similar electronic devices, with emphasis on design and properties of gates (243 Records) Cluster 122
- Metal-oxide semiconductor field-effect transistors (MOSFETs) and silicon-on-insulator (SOI) devices (128 Records) Cluster 60
- Electronic devices, circuits, and complementary metal-oxide semiconductor (CMOS) systems, emphasizing performance as measured by frequency, power, current, and voltage (331 Records) Cluster 224

- Modeling and design of electronic devices, including properties of those based on junctions (molecular junctions, metal junctions, Josephson junctions, and Schottky barriers), electron transport properties, current/ voltage characteristics, negative differential resistance (NDR) (407 Records) Cluster 243
- Properties and fabrication of magnetic tunnel junctions (MTJs) and investigation of magnetoresistance (121 Records) Cluster 53
- Field-emission properties of materials, especially carbon nanotubes (CNTs) and nanowires (180 Records) Cluster 95
- Upconversion emission/ luminescence properties and spectroscopic studies of rare earth ions (Er^{3+} , Yb^{3+} , and Tm^{3+}), especially in doped crystals and glass ceramics (82 Records) Cluster 27
- Phosphorescence and luminescence of materials containing rare earth ions (especially Eu^{3+}), with focus on synthesis by combustion method and from precursors (107 Records) Cluster 98
- Studies on optical activity (emission, luminescence, photoluminescence, and fluorescence), especially in nanocrystals and thin films, and factors that affect activity (326 Records) Cluster 219
- Light-emitting diodes (LEDs), including organic LEDs and emphasizing construction and optimization of LEDs (263 Records) Cluster 89
- Multiple quantum wells (MQWs), especially GaN, InGaN, and GaN/InGaN, and focusing on structural and photoluminescence properties (151 Records) Cluster 61
- Gallium nitride (GaN) films, layers, and structures, primarily grown by vapor-phase/ molecular-beam epitaxy and chemical vapor deposition, as well as gallium heterostructures, especially those containing sapphire (270 Records) Cluster 74
- Nitride (AlGaN, GaN, AlGaN/GaN, and AlN) structures grown and/or used for applications using ohmic contact, high-electron-mobility transistors (HEMTs), and heterojunction field-effect transistors (HFETs) (100 Records) Cluster 41
- Zinc oxide (ZnO) thin films, emphasizing fabrication by magnetron sputtering, deposition, and annealing; doped ZnO films; and optical properties of ZnO films (254 Records) Cluster 62
- Zinc oxide (ZnO) thin films, emphasizing growth by deposition, doped ZnO films, and emission/ magnetic/ optical/ electronic properties of ZnO films (70 Records) Cluster 7

- Zinc oxide (ZnO) nanowires and other nanostructures, focusing on growth, emission and photoluminescence properties, doped zinc nanostructures, and nanowire arrays (304 Records) Cluster 67
- Nanowires: growth by vapor deposition, nanowire arrays, silicon nanowires, single crystal nanowires (645 Records) Cluster 100

• CLUSTER 2

Fabrication and characterization of vertical-cavity surface-emitting lasers and detection using them (72 Records)

(USA leading; Taiwan, Germany follow. Two new institutions leading: Tampere University of Technology; National Chiao Tung University. American leaders include University of Illinois, Stanford University, University of Arizona.).

Cluster Syntax Features

Descriptive Terms

vcsl 11.7%, surface.emitting 8.0%, cavity.surface.emitting 7.4%, cavity.surface 7.3%, vertical.cavity 7.1%, caviti 6.8%, vertical.cavity.surface 6.4%, emit 4.8%, emitting.lasers 3.9%, vertic 3.7%, surface.emitting.lasers 3.4%, laser 3.3%, emitting.laser 1.4%, surface.emitting.laser 1.3%, output 0.9%

Discriminating Terms

vcsl 7.0%, surface.emitting 4.8%, cavity.surface.emitting 4.4%, cavity.surface 4.4%, vertical.cavity 4.2%, vertical.cavity.surface 3.8%, caviti 3.7%, emit 2.5%, emitting.lasers 2.3%, surface.emitting.lasers 2.0%, vertic 1.9%, film 1.7%, laser 0.9%, emitting.laser 0.8%, surface.emitting.laser 0.8%

Single Word Terms

laser 71, caviti 70, emit 69, surfac 68, vertic 67, vcsl 44, temperatur 37, high 34, oper 33, mode 33, optic 32, wavelength 32, power 30, devic 29, output 28

Double Word Terms

surface.emitting 68, cavity.surface 66, vertical.cavity 63, emitting.lasers 49, emitting.laser 28, lasers.vcsels 23, output.power 21, room.temperature 21, threshold.current 15, distributed.bragg 14, laser.vcsl 13, continuous.wave 13, single.mode 13, oxide.confined 13, transverse.mode 10

Triple Word Terms

cavity.surface.emitting 66, vertical.cavity.surface 61, surface.emitting.lasers 49, surface.emitting.laser 27, emitting.lasers.vcsels 22, emitting.laser.vcsl 13, distributed.bragg.reflectors 10, 850.vertical.cavity 9, distributed.bragg.reflector 5, external.cavity.surface 5, vertical.external.cavity 5, quantum.vertical.cavity 5, molecular.beam.epitaxy 5, continuous.wave.operation 5, single.transverse.mode 5

Term Cliques

77.78% vcsel surface.emitting cavity.surface.emitting cavity.surface vertical.cavity caviti
vertical.cavity.surface emit vertic laser emitting.laser surface.emitting.laser output
86.00% vcsel surface.emitting cavity.surface.emitting cavity.surface vertical.cavity caviti
vertical.cavity.surface emit emitting.lasers vertic surface.emitting.lasers laser

Sample Cluster Record Titles

[High-power single-mode vertical-cavity surface-emitting lasers with triangular holey structure](#)

[Fabrication and characteristics of high-speed oxide-confined VCSELs using InGaAsP-InGaP strain-compensated MQWs](#)

[VCSEL based detection of water vapor near 940 nm](#)

[1.55- \$\mu\$ m InGaAs/InGaAlAs MQW vertical-cavity surface-emitting lasers with InGaAlAs/InP distributed Bragg reflectors](#)

[1.3- \$\mu\$ m GaInNAs surface-normal devices](#)

[1.5 \$\mu\$ m VCSEL structure optimization for high-power and high-temperature operation](#)

[Continuous optical pumping laser activity of a VCSEL at room temperature in an external cavity at 1.55 \$\mu\$ m](#)

[Vertical-cavity surface-emitting lasers with monolithically integrated horizontal waveguides](#)

[High-frequency analog modulation of oxide confined 670-nm vertical-cavity surface-emitting lasers](#)

Cluster Metrics

Authors

wang, sc 6

kuo, hc 6

lai, fi 5

chang, yh 5

chang, ya 5

ostermann, jm 4

michalzik, r 4
yan, cl 3
pessa, m 3
liu, y 3
kapon, e 3
hosea, tjc 3
debernardi, p 3
choquette, kd 3
zorn, m 2

Sources

ieee photonics technology letters 12
applied physics letters 10
journal of crystal growth 6
ieee journal of quantum electronics 6
physica status solidi a-applications and materials science 4
japanese journal of applied physics part 2-letters & express letters 3
iee proceedings-optoelectronics 3
journal of lightwave technology 2
applied optics 2
tm-technisches messen 1
spectrochimica acta part a-molecular and biomolecular spectroscopy 1
sensors and actuators b-chemical 1
semiconductors 1
physical review a 1
physica status solidi b-basic solid state physics 1

Keywords

engineering, electrical & electronic 30
physics, applied 21
optics 21
physics, applied 14
vcsels 14
surface-emitting lasers 8
mu-m 7
physics, condensed matter 6
optics 6
crystallography 6
surface-emitting lasers 6
semiconducting 6
laser diodes 6
semiconductor 5
gain 5

Publication Year

2005 63

2004 9

Country

usa 15
taiwan 11
germany 11
france 7
switzerland 6
finland 6
peoples r china 5
sweden 4
spain 3
italy 3
england 3
south korea 2
russia 2
poland 2
japan 2

Institution

tampere univ technol 6
natl chiao tung univ 6
univ ulm 4
ecole polytech fed lausanne 4
univ marburg 3
univ illinois 3
stanford univ 3
royal inst technol 3
politecn turin 3
cnrs 3
chinese acad sci 3
univ surrey 2
univ montpellier 2 2
univ bayreuth 2
univ arizona 2

DataBase

science citation index 72

• CLUSTER 119

Devices related to quantum wells, especially quantum cascade lasers and quantum well infrared photodetectors (115 Records)

(USA leader, followed by Germany. Main institutions are CAS, RAS.
Leading USA institutions: University of Wisconsin, Lehigh University.).

Cluster Syntax Features

Descriptive Terms

quantum 9.8%, laser 8.0%, quantum.cascade 5.4%, cascaded 4.2%, threshold.current 2.7%, threshold 2.5%, gaa 2.3%, qwp 2.2%, inp 2.0%, quantum.cascade.lasers 1.9%, cascade.lasers 1.9%, wavelength 1.8%, current 1.7%, photodetector 1.4%, threshold.current.density 1.3%

Discriminating Terms

quantum 3.9%, quantum.cascade 3.8%, laser 3.6%, cascaded 2.8%, film 2.0%, threshold.current 1.9%, qwp 1.5%, threshold 1.4%, quantum.cascade.lasers 1.4%, cascade.lasers 1.4%, inp 1.2%, gaa 1.0%, threshold.current.density 0.9%, photodetector 0.9%, quantum.infrared 0.9%

Single Word Terms

quantum 111, laser 75, temperature 63, current 60, high 52, gaa 51, threshold 48, structure 47, wavelength 47, operation 41, density 41, grown 41, optic 36, emission 33, epitaxy 31

Double Word Terms

threshold.current 41, room.temperature 31, quantum.cascade 31, current.density 29, molecular.beam 21, cascade.lasers 21, beam.epitaxy 20, quantum.wells 20, quantum.infrared 19, quantum.lasers 18, low.threshold 15, infrared.photodetectors 14, emission.wavelength 13, active.region 12, continuous.wave 11

Triple Word Terms

threshold.current.density 27, quantum.cascade.lasers 21, molecular.beam.epitaxy 20, quantum.infrared.photodetectors 13, quantum.cascade.laser 10, grown.molecular.beam 10, low.threshold.current 10, vapor.phase.epitaxy 8, InGaAs 8, transmission.electron.microscopy 8, chemical.vapor.deposition 8, threshold.current.densities 8, continuous.wave.operation 7, metalorganic.chemical.vapor

5, vch.verlag.gmbh 5

Term Cliques

38.09% quantum qwp inp wavelength photodetector
50.26% quantum gaa wavelength current photodetector
41.74% quantum gaa qwp wavelength photodetector
35.51% quantum quantum.cascade cascading inp quantum.cascade.lasers cascade.lasers
50.00% quantum laser threshold.current threshold gaa wavelength current
threshold.current.density
43.96% quantum laser threshold.current threshold gaa quantum.cascade.lasers
cascade.lasers current threshold.current.density
40.52% quantum laser quantum.cascade cascading threshold.current threshold
quantum.cascade.lasers cascade.lasers current threshold.current.density

Sample Cluster Record Titles

[Temperature and pressure dependence of recombination processes in 1.5 \$\mu\text{m}\$ InGaAlAs/InP-based quantum well lasers](#)

[Carrier leakage suppression utilising short-period superlattices in 980 nm InGaAs/GaAs quantum well lasers](#)

[Peak response wavelengths of p- and n-type In_xGa_{1-x}As-InP quantum well infrared photodetectors](#)

[High-performance distributed feedback quantum cascade lasers grown by metalorganic vapor phase epitaxy](#)

[Stabilization, injection and control of quantum cascade lasers, and their application to chemical sensing in the infrared](#)

[Theoretical comparison of the band alignment of conventionally strained and strain-compensated phosphorus- aluminum- and nitrogen-based 1.3 \$\mu\text{m}\$ QW lasers](#)

[Metalorganic vapor-phase epitaxy of room-temperature, low-threshold InGaAs/AlInAs quantum cascade lasers](#)

[Interdiffusion in highly strained InGaAs-QWs for high power laser diode applications](#)

[MOCVD growth of highly strained InGaAs : Sb-GaAs-GaAsP quantum well vertical cavity surface-emitting lasers with 1.27 \$\mu\text{m}\$ emission](#)

Cluster Metrics

Authors

strasser, g 7
schrenk, w 6
pflugl, c 5
yeh, jy 4
tansu, n 4
roberts, js 4
reithmaier, jp 4
mawst, lj 4
liu, hc 4
golka, s 4
forchel, a 4
austerer, m 4
scarpa, g 3
marcadet, x 3
lu, w 3

Sources

applied physics letters 24
journal of crystal growth 16
infrared physics & technology 9
electronics letters 7
ieee photonics technology letters 6
journal of vacuum science & technology b 4
physical review b 3
physica status solidi a-applications and materials science 3
journal of applied physics 3
japanese journal of applied physics part 1-regular papers brief communications & review papers 3
ieee journal of quantum electronics 3
superlattices and microstructures 2
semiconductors 2
quantum electronics 2
physica status solidi b-basic research 2

Keywords

physics, applied 43
engineering, electrical & electronic 25
optics 19
physics, applied 18
crystallography 16
mu-m 16
physics, condensed matter 15
gaas 11
mu-m 9
instruments & instrumentation 9
operation 8

gainnas 8
laser diodes 7
wavelength 6
performance 6

Publication Year

2005 99
2004 15
2006 1

Country

usa 22
germany 18
japan 13
russia 12
england 11
france 10
canada 10
south korea 9
peoples r china 9
austria 8
sweden 5
singapore 5
turkey 4
taiwan 4
spain 3

Institution

chinese acad sci 8
russian acad sci 7
vienna tech univ 5
univ wisconsin 5
univ sheffield 5
thales res & technol 5
natl res council canada 5
lehigh univ 5
japan sci & technol agcy 5
univ wurzburg 4
nanyang technol univ 4
chalmers univ technol 4
tech univ munich 3
natl chiao tung univ 3
middle e tech univ 3

DataBase

science citation index 115

• CLUSTER 152

Lasers, focusing on diode lasers, waveguide lasers, and optically pumped lasers (275 Records)

(Countries: USA, Germany. Institutions: CAS, RAS. USA leaders: USAF, University of Central Florida, UCSB, Stanford.).

Cluster Syntax Features

Descriptive Terms

laser 29.8%, diod 4.6%, power 4.0%, mode 3.2%, pump 3.1%, output 2.1%, caviti 2.0%, wavelength 1.6%, oper 1.5%, optic 1.4%, threshold 1.2%, laser.diodes 1.1%, lock 1.1%, lase 1.0%, feedback 1.0%

Discriminating Terms

laser 17.6%, diod 2.9%, power 2.1%, film 2.0%, pump 2.0%, mode 1.5%, output 1.4%, caviti 1.2%, surfac 0.9%, laser.diodes 0.8%, wavelength 0.7%, lock 0.7%, oper 0.7%, lase 0.7%, feedback 0.7%

Single Word Terms

laser 263, optic 135, power 123, mode 120, diod 115, high 109, output 98, quantum 97, wavelength 91, oper 90, pump 83, caviti 82, threshold 77, structur 77, devic 76

Double Word Terms

output.power 55, laser.diodes 42, high.power 39, laser.diode 38, continuous.wave 35, threshold.current 34, single.mode 33, room.temperature 32, distributed.feedback 27, diode.laser 24, mode.locked 21, repetition.rate 21, semiconductor.lasers 18, current.density 17, average.output 17

Triple Word Terms

average.output.power 14, nd.yag.laser 14, threshold.current.density 13, continuous.wave.operation 10, passively.mode.locked 10, width.half.maximum 9, chemical.vapor.deposition 9, passive.mode.locking 9, solid.state.lasers 9, full.width.half 8, metal.organic.chemical 8, frequency.doubled.nd 8, continuous.wave.mode 7, temperature.continuous.wave 7, single.mode.laser 7

Term Cliques

44.73% laser pump wavelength optic lase
44.07% laser pump caviti optic lase
43.20% laser mode wavelength threshold lase
47.42% laser mode wavelength optic lase
37.56% laser mode wavelength oper threshold laser.diodes feedback
42.33% laser mode caviti threshold feedback
42.55% laser mode caviti threshold lase
46.55% laser mode caviti optic feedback
46.76% laser mode caviti optic lase
43.48% laser mode output wavelength oper optic feedback
43.64% laser power pump caviti optic lock
44.61% laser power pump output optic lock
48.06% laser power pump output wavelength optic
44.18% laser power mode wavelength oper laser.diodes
45.88% laser power mode caviti optic lock
46.85% laser power mode output optic lock
47.79% laser power mode output wavelength oper optic
42.69% laser diod oper threshold laser.diodes
46.04% laser diod power oper laser.diodes
49.94% laser diod power output oper optic
49.52% laser diod power pump output optic

Sample Cluster Record Titles

[Carrier recombination processes in 1.3 \$\mu\text{m}\$ and 1.5 \$\mu\text{m}\$ InGaAs\(P\)-based lasers at cryogenic temperatures and high pressures](#)

[Continuous-wave operation of GaInNAsSb distributed feedback lasers at 1.5 \$\mu\text{m}\$](#)

[High-power 1.3- \$\mu\text{m}\$ InGaAsN strain-compensated lasers fabricated with pulsed anodic oxidation](#)

[Free-standing, optically pumped, GaN/InGaN microdisk lasers fabricated by photoelectrochemical etching](#)

[Nonequilibrium gain in optically pumped GaInNAs laser structures](#)

[Room-temperature "W" diode lasers emitting at \$\lambda\$ approximate to 4.0 \$\mu\text{m}\$](#)

[DFB laser diodes in the wavelength range from 760 nm to 2.5 \$\mu\text{m}\$](#)

[Tunable optically pumped lead-chalcogenide mid-infrared emitters on Si-substrates](#)

[Wavelength selection for the far-infrared p-Ge laser using etched silicon lamellar gratings](#)

Cluster Metrics

Authors

keller, u 9

forchel, a 7

paschotta, r 6

li, y 6

weyers, m 5

wang, yg 5

wang, j 5

ma, xy 5

kamp, m 5

yanagitani, t 4

yagi, h 4

wenzel, h 4

vurgaftman, i 4

ueda, k 4

takaichi, k 4

Sources

applied physics letters 34

ieee photonics technology letters 22

ieee journal of quantum electronics 22

optics letters 20

iee proceedings-optoelectronics 10

journal of crystal growth 9

applied physics b-lasers and optics 9

journal of applied physics 8

electronics letters 8

optics express 7

optics communications 6

ieee journal of selected topics in quantum electronics 6

chinese physics letters 6

applied optics 6

semiconductor science and technology 5

Keywords

engineering, electrical & electronic 93
physics, applied 63
optics 60
physics, applied 56
optics 52
quantum-well lasers 24
operation 22
mu-m 17
physics, multidisciplinary 14
emission 13
diodes 12
materials science, multidisciplinary 11
telecommunications 11
power 11
semiconductor-lasers 10

Publication Year

2005 240
2004 32
2006 3

Country

usa 57
germany 49
japan 31
peoples r china 30
russia 19
france 19
england 18
switzerland 14
taiwan 11
south korea 10
italy 9
sweden 7
canada 7
spain 6
denmark 6

Institution

chinese acad sci 18
russian acad sci 13
univ wurzburg 8
tech univ denmark 6
royal inst technol 6
usn 5

nanyang technol univ 5
eth honggerberg 5
eth 5
usaf 4
univ marburg 4
univ electrocommun 4
univ cent florida 4
univ calif santa barbara 4
stanford univ 4

DataBase
science citation index 275

• CLUSTER 196

Applications of lasers, especially YAG laser irradiation and laser ablation to prepare materials (325 Records)

(Country: USA dominant, Japan. Institution: CAS, RAS, Osaka University. Substantial representation of American institutions: University of Texas, LLNL, UCI, Washington State University, USN (NRL), Colorado State University.).

Cluster Syntax Features

Descriptive Terms

laser 52.5%, ablat 1.8%, irradi 1.8%, laser.induced 1.6%, puls 1.6%, beam 1.1%, induc 0.9%, radiat 0.8%, laser.beam 0.7%, optic 0.7%, yag 0.7%, wavelength 0.6%, nd 0.6%, light 0.5%, yag.laser 0.5%

Discriminating Terms

laser 37.4%, film 2.0%, ablat 1.3%, laser.induced 1.2%, irradi 0.9%, puls 0.7%, magnet 0.7%, layer 0.6%, structur 0.6%, carbon 0.6%, laser.beam 0.6%, nanotub 0.5%, deposit 0.5%, yag 0.5%, oxid 0.5%

Single Word Terms

laser 321, puls 118, optic 114, induc 107, surfac 100, high 98, irradi 92, materi 84, measur 83, beam 83, wavelength 83, two 78, electron 72, light 72, time 67

Double Word Terms

laser.induced 73, laser.beam 47, laser.irradiation 44, nd.yag 43, yag.laser 39,

laser.ablation 33, pulsed.laser 31, laser.radiation 30, laser.pulse 26, laser.light 23, electron.microscopy 23, scanning.electron 19, laser.wavelength 19, high.resolution 19, laser.power 18

Triple Word Terms

nd.yag.laser 35, scanning.electron.microscopy 14, laser.induced.breakdown 11, laser.induced.fluorescence 9, yag.laser.irradiation 7, yttrium.aluminum.garnet 7, induced.breakdown.spectroscopy 7, charge.coupled.device 7, atomic.force.microscope 7, pulsed.dye.laser 7, laser.induced.damage 6, laser.power.laser 6, krf.excimer.laser 6, electron.microscopy.sem 6, switched.nd.yag 6

Term Cliques

53.13% laser optic wavelength
30.41% laser beam laser.beam yag nd yag.laser
39.20% laser beam laser.beam optic light
32.72% laser irradi beam yag nd yag.laser
38.71% laser irradi beam radiat light
39.54% laser irradi puls induc radiat light
40.10% laser irradi puls induc radiat wavelength
32.00% laser irradi laser.induced puls induc yag wavelength nd yag.laser
34.15% laser ablat beam laser.beam nd
36.92% laser ablat irradi beam nd
34.54% laser ablat irradi laser.induced puls induc wavelength nd

Sample Cluster Record Titles

[Ejection of clusters from liquid beam surface by IR laser irradiation](#)

[Laser-induced fluorescence detection in ultratrace analysis](#)

[Laser-assisted nanopatterning of aluminium using particle-induced near-field optical enhancement and nanoimprinting](#)

[GeO₂-PbO-Bi₂O₃ glasses doped with Yb³⁺ for laser applications](#)

[Spatially selected crystallization in glass by YAG laser irradiation](#)

[Experimental studies and thermal modelling of 1064-and 532-nm Nd : YVO₄ micro-laser ablation of polyimide](#)

[gamma-Fe₂O₃ nanoparticles prepared by laser ablation of a tiny wire](#)

[Calibration measurements in laser-induced breakdown spectroscopy using nanosecond and picosecond lasers](#)

Cluster Metrics

Authors

nelson, js 5
langford, sc 4
dickinson, jt 4
choi, b 4
zhang, hj 3
yeshchenko, oa 3
wen, lh 3
vaschenko, g 3
valdivia, ce 3
sones, cl 3
sato, r 3
rocca, jj 3
pikkula, bm 3
nwe, kh 3
niu, dm 3

Sources

applied physics letters 25
journal of applied physics 16
lasers in surgery and medicine 13
optics letters 9
applied surface science 9
applied physics a-materials science & processing 7
spectrochimica acta part b-atomic spectroscopy 6
review of scientific instruments 6
journal of physics d-applied physics 6
photomedicine and laser surgery 5
optics express 5
journal of physical chemistry a 5
technical physics letters 4
quantum electronics 4
physics of plasmas 4

Keywords

physics, applied 75
optics 33
chemistry, physical 28
spectroscopy 28
physics, applied 24

engineering, electrical & electronic 23
surgery 21
ablation 21
spectroscopy 19
pulses 17
optics 17
materials science, multidisciplinary 16
instruments & instrumentation 16
films 15
irradiation 13

Publication Year

2005 290
2004 31
2006 4

Country

usa 86
japan 46
peoples r china 30
germany 24
france 21
russia 20
south korea 17
england 14
canada 13
taiwan 9
italy 9
byelarus 8
brazil 8
ukraine 7
spain 7

Institution

chinese acad sci 11
russian acad sci 9
osaka univ 9
univ tokyo 7
univ texas 7
lawrence livermore natl lab 7
univ calif irvine 6
washington state univ 4
usn 4
univ bonn 4
natl inst adv ind sci & technol 4
nagaoka univ technol 4

colorado state univ 4
cea 4
yonsei univ 3

DataBase
science citation index 325

• CLUSTER 144

Studies of femtosecond pulse lasers, especially enhancement of laser pulses, creation of 3d nanostructures, and ablation processes (243 Records)

(Countries: USA, Germany. Institutions: RAS, CAS. American: University of Michigan.).

Cluster Syntax Features

Descriptive Terms

puls 24.2%, laser 17.5%, femtosecond 10.0%, femtosecond.laser 5.5%, laser.pulses 3.6%, ablat 1.5%, pump 1.4%, optic 1.1%, laser.pulse 0.7%, wavelength 0.7%, irradi 0.6%, fluenc 0.6%, intens 0.6%, time 0.5%, excit 0.5%

Discriminating Terms

puls 16.3%, laser 10.0%, femtosecond 7.3%, femtosecond.laser 4.1%, laser.pulses 2.7%, film 1.8%, ablat 1.0%, pump 0.9%, carbon 0.7%, magnet 0.6%, nanotub 0.6%, surfac 0.5%, structur 0.5%, laser.pulse 0.5%, layer 0.5%

Single Word Terms

puls 218, laser 211, femtosecond 128, optic 113, time 82, energi 74, wavelength 73, high 65, intens 65, pump 64, electron 64, gener 64, induc 63, surfac 60, crystal 58

Double Word Terms

laser.pulses 94, femtosecond.laser 88, laser.pulse 48, ti.sapphire 26, time.resolved 25, pump.probe 24, repetition.rate 23, pulse.energy 23, laser.induced 22, laser.ablation 19, laser.irradiation 18, sapphire.laser 18, atomic.force 15, harmonic.generation 15, femtosecond.pulses 15

Triple Word Terms

femtosecond.laser.pulses 30, ti.sapphire.laser 17, femtosecond.laser.pulse 13, atomic.force.microscopy 11, femtosecond.laser.ablation 9, femtosecond.laser.irradiation 9, second.harmonic.generation 8, ultrashort.laser.pulses 7, induced.femtosecond.laser 7, two.photon.absorption 7, short.laser.pulses 7, pump.probe.experiments 7, high.repetition.rate 6, nd.yag.laser 6, repetition.rate.khz 5

Term Cliques

36.42% laser femtosecond femtosecond.laser laser.pulses ablat optic laser.pulse irradi fluenc time
36.05% laser femtosecond femtosecond.laser laser.pulses ablat optic laser.pulse wavelength irradi fluenc
34.16% puls irradi fluenc intens time excit
39.42% puls pump intens time excit
43.37% puls pump optic time excit
42.63% puls pump optic wavelength excit
39.62% puls femtosecond optic irradi fluenc time excit
39.09% puls femtosecond optic wavelength irradi fluenc excit
41.20% puls laser laser.pulses laser.pulse irradi fluenc intens time
41.77% puls laser femtosecond laser.pulses ablat optic laser.pulse irradi fluenc time
41.40% puls laser femtosecond laser.pulses ablat optic laser.pulse wavelength irradi fluenc

Sample Cluster Record Titles

[Laser-induced heating and melting of gold nanoparticles studied by time-resolved x-ray scattering](#)

[Nanohole-array size dependence of soft x-ray generation enhancement from femtosecond-laser-produced plasma](#)

[Anomalous exciton diffusion in the conjugated polymer MEH-PPV measured using a three-pulse pump-dump-probe anisotropy experiment](#)

[Sub-30 nm lithography with near-field scanning optical microscope combined with femtosecond laser](#)

[Nanostructuring of surfaces by ultra-short laser pulses](#)

[Picosecond stimulated Raman scattering in crystals](#)

[Three-dimensional nanostructuring with femtosecond laser pulses](#)

[Optical limiting of semiconductor nanoparticles for nanosecond laser pulses](#)

[Femtosecond laser photoelectron projection microscopy of organic nanocomplexes](#)

Cluster Metrics

Authors

qiu, jr 8
hirao, k 6
zheltikov, am 4
wang, x 4
vitiello, m 4
shimotsuma, y 4
krausz, f 4
bonse, j 4
amoruso, s 4
zhu, cs 3
zhao, cj 3
wiggins, sm 3
teisset, cy 3
taylor, rs 3
song, yl 3

Sources

applied physics letters 19
applied physics a-materials science & processing 16
physical review b 10
journal of applied physics 10
applied physics b-lasers and optics 10
optics letters 9
applied surface science 8
optics express 7
physical review letters 6
quantum electronics 5
physical review a 5
optics communications 5

japanese journal of applied physics part 1-regular papers brief communications & review papers 5
physical review e 4
journal of experimental and theoretical physics 4

Keywords

physics, applied 54
optics 30
pulses 30
optics 29
physics, applied 28
materials science, multidisciplinary 27
physics, multidisciplinary 24
dynamics 21
ablation 21
spectroscopy 19
physics, condensed matter 16
engineering, electrical & electronic 15
chemistry, physical 15
generation 15
emission 13

Publication Year

2005 216
2004 23
2006 4

Country

usa 52
germany 46
japan 36
russia 28
france 19
italy 18
peoples r china 17
england 16
canada 13
south korea 11
spain 9
sweden 7
poland 7
scotland 6
switzerland 5

Institution

russian acad sci 16

chinese acad sci 15
moscow mv lomonosov state univ 8
kyoto univ 8
univ toronto 5
univ tokyo 5
univ munich 5
univ naples federico ii 4
univ michigan 4
polish acad sci 4
osaka univ 4
natl inst adv ind sci & technol 4
max planck inst quantum opt 4
japan sci & technol agcy 4
csic 4

DataBase

science citation index 243

- **CLUSTER 145**

Photonic, especially two-photon, effects: photon absorption and fluorescence, as well as detection (153 Records)

(All previous leading journals have been applied physics related. Present journal leaders: Journal of Physical Chemistry, Optics Letters.

Countries: USA, followed by Germany, France, Japan. Institutions: University of Tokyo, University of Grenoble, UCB (only USA institution represented).

Cluster Syntax Features

Descriptive Terms

photon 47.2%, two.photon 8.9%, photon.absorption 2.3%, two.photon.absorption 1.9%, optic 1.7%, absorpt 1.6%, two 1.0%, excit 1.0%, single.photon 0.7%, detector 0.6%, singl 0.5%, nonlinear 0.5%, light 0.5%, energi 0.5%, tpa 0.4%

Discriminating Terms

photon 33.2%, two.photon 6.5%, photon.absorption 1.7%, film 1.6%, two.photon.absorption 1.4%, carbon 0.7%, surfac 0.7%, magnet 0.6%, particl 0.6%, nanotub 0.6%, absorpt 0.6%, nanoparticl 0.5%, single.photon 0.5%, temperatur 0.5%, oxid 0.4%

Single Word Terms

photon 153, optic 84, two 74, absorpt 56, excit 47, singl 42, structur 40, energi 40, electron 39, state 37, time 37, intens 37, high 37, laser 34, light 31

Double Word Terms

two.photon 56, photon.absorption 35, photon.energy 17, single.photon 16, room.temperature 13, one.photon 10, optical.properties 10, three dimensional 9, band.gap 9, absorption.tpa 8, photon.induced 8, single.molecule 7, photon.flux 7, cross.section 7, time.resolved 7

Triple Word Terms

two.photon.absorption 32, two.photon.induced 8, photon.absorption.tpa 8, absorption.cross.section 5, photon.absorption.cross 5, photon.absorption.coefficients 4, two.photon.excitation 4, scanning.field.optical 4, chemical.vapor.deposition 4, field.optical.microscope 4, two.photon.transitions 4, harmonic.generation.shg 3, single.photon.source 3, large.two.photon 3, single.photon.detectors 3

Term Cliques

37.78% photon excit detector light energi
39.22% photon excit detector singl energi
36.08% photon excit single.photon detector singl
42.75% photon absorpt excit light energi
36.41% photon absorpt two excit nonlinear light tpa
52.12% photon optic singl energi
47.58% photon optic absorpt light energi
39.87% photon optic absorpt two nonlinear light tpa
35.00% photon two.photon photon.absorption two.photon.absorption absorpt two excit nonlinear tpa
37.69% photon two.photon photon.absorption two.photon.absorption optic absorpt two nonlinear tpa

Sample Cluster Record Titles

[High-energy-photon dividing effects for increasing the efficiency of nano-sized TiO₂ solar cells](#)

[Collective and single-particle dynamics in time-resolved two-photon photoemission](#)

[Fine structure of coupled optical modes in photonic molecules](#)

[Single photon emission from a dendrimer containing eight perylene diimide chromophores](#)

[Two-photon-induced photoenhancement of densely packed CdSe/ZnSe/ZnS nanocrystal solids and its application to multilayer optical data storage](#)

[Two-photon absorption in diazobenzene compounds](#)

[Two-photon optical-beam-induced current solid-immersion imaging of a silicon flip chip with a resolution of 325 nm](#)

[Recurrence and photon statistics in fluorescence fluctuation spectroscopy](#)

[Two-photon absorption and fluorescence with quadrupolar and branched chromophores - effect of structure and branching](#)

Cluster Metrics

Authors

yang, dy 3
park, sh 3
lim, tw 3
beermann, j 3
yu, wt 2
yang, pd 2
yang, h 2
yan, hq 2
xu, gb 2
watanabe, k 2
voronov, b 2
verevkin, a 2
torricelli, a 2
swartling, j 2
stasel'ko, di 2

Sources

journal of physical chemistry b 8
optics letters 7
surface science 5
physical review letters 5
applied physics letters 5
optics communications 4
optics and spectroscopy 4
optical materials 4
laser physics letters 4
journal of synchrotron radiation 4
journal of applied physics 4
ieee transactions on applied superconductivity 4
applied physics b-lasers and optics 4
thin solid films 3
solid state communications 3

Keywords

physics, applied 25
optics 25
optics 23
chemistry, physical 20
engineering, electrical & electronic 15
physics, applied 14
physics, multidisciplinary 13
physics, condensed matter 11
materials science, multidisciplinary 10
spectroscopy 10
instruments & instrumentation 9
chemistry, multidisciplinary 8
silver 7
films 7
excitation 7

Publication Year

2005 136
2004 16
2006 1

Country

usa 33
germany 28
france 24
japan 23
peoples r china 15
italy 12

russia 10
south korea 7
england 7
poland 6
netherlands 5
switzerland 4
sweden 4
singapore 4
ireland 4

Institution

univ tokyo 6
univ grenoble 5
univ calif berkeley 5
univ munich 4
russian acad sci 4
chinese acad sci 4
univ hamburg 3
univ aalborg 3
tsing hua univ 3
politecn milan 3
natl univ singapore 3
natl inst adv ind sci & technol 3
mit 3
korea adv inst sci & technol 3
japan sci & technol agcy 3

DataBase

science citation index 153

• CLUSTER 76

Fabrication and structural/ optical properties of photonic crystals, especially photonic band gap features (238 Records)

(Countries: USA, Japan. Institutions: CNRS, Technical University Denmark, Moscow Lomonosov State University, RAS. No USA representation among leaders.).

Cluster Syntax Features

Descriptive Terms

photon 33.5%, photonic.crystal 16.1%, crystal 6.0%, photonic.crystals 4.4%, waveguid 2.8%, dimensional.photonic 1.7%, photonic.band 1.6%, band 1.5%, dimension 1.2%, optic 1.1%, mode 1.1%, gap 0.9%, slab 0.9%, photonic.band.gap 0.7%, dimensional.photonic.crystal 0.6%

Discriminating Terms

photon 21.3%, photonic.crystal 10.9%, photonic.crystals 2.9%, crystal 1.7%, film 1.7%, waveguid 1.6%, dimensional.photonic 1.2%, photonic.band 1.1%, surfac 0.8%, particl 0.6%, nanoparticl 0.6%, carbon 0.6%, slab 0.6%, magnet 0.6%, temperatur 0.5%

Single Word Terms

photon 232, crystal 213, optic 131, structur 120, dimension 113, band 98, mode 89, two 88, waveguid 69, on 67, gap 65, fabric 65, wavelength 63, light 58, period 57

Double Word Terms

photonic.crystal 163, photonic.crystals 94, dimensional.photonic 67, two dimensional 55, photonic.band 53, band.gap 50, three dimensional 36, one dimensional 33, refractive.index 27, time.domain 24, optical.properties 24, finite.difference 23, difference.time 22, crystal.waveguides 21, crystal.fiber 17

Triple Word Terms

dimensional.photonic.crystal 43, two dimensional.photonic 38, photonic.band.gap 38, dimensional.photonic.crystals 24, difference.time.domain 22, finite.difference.time 22, photonic.crystal.waveguides 21, photonic.crystal.fiber 17, one dimensional.photonic 16, three dimensional.photonic 15, photonic.crystal.waveguide 14, photonic.crystal.slabs 14, photonic.crystal.slabs 12, photonic.crystal.fibers 11, photonic.band.gaps 10

Term Cliques

45.56% photon photonic.band band dimension optic mode dimensional.photonic.crystal
41.86% photon dimensional.photonic photonic.band band dimension optic gap
photonic.band.gap
44.54% photon waveguid photonic.band dimension optic photonic.band.gap
43.82% photon waveguid photonic.band dimension optic mode

dimensional.photonic.crystal
 43.64% photon photonic.crystals dimensional.photonic photonic.band band dimension
 optic dimensional.photonic.crystal
 44.80% photon photonic.crystals dimensional.photonic photonic.band band dimension
 optic gap
 50.26% photon crystal band dimension optic mode slab dimensional.photonic.crystal
 48.04% photon crystal photonic.crystals dimensional.photonic band dimension optic slab
 dimensional.photonic.crystal
 52.52% photon photonic.crystal crystal dimensional.photonic dimension optic slab
 dimensional.photonic.crystal
 50.93% photon photonic.crystal crystal waveguid dimension optic mode slab
 dimensional.photonic.crystal

Sample Cluster Record Titles

[Mode-coexistent phase match condition for second harmonic generation in photonic crystal slabs consisting of centrosymmetric materials](#)

[Group delay of a coupled-defect waveguide in a photonic crystal](#)

[Fast nanopatterning of two-dimensional photonic crystals by electron beam lithography](#)

[All-optical modulation in dye-doped nematic liquid crystal photonic bandgap fibers](#)

[Broadband photonic crystal waveguide 60 degrees bend obtained utilizing topology optimization](#)

[Sol-gel photonic bandgap materials and structures](#)

[Distributed feedback regime of photonic crystal waveguide lasers at 1.5 \$\mu\$ m](#)

[Tailoring the ultrafast dephasing of quasiparticles in metallic photonic crystals](#)

[Vapor swellable colloidal photonic crystals with pressure tunability](#)

Cluster Metrics

Authors

talneau, a 7

zheltikov, am 6

sakoda, k 6

ozbay, e 6

krauss, tf 6

raj, r 5
raineri, f 5
levenson, a 5
giessen, h 5
caglayan, h 5
bulu, i 5
vecchi, g 4
van hulst, nf 4
tanaka, y 4
seassal, c 4

Sources

applied physics letters 35
optics express 26
physical review b 19
optics letters 8
applied physics b-lasers and optics 8
physical review e 7
journal of applied physics 7
journal of optics a-pure and applied optics 6
physical review letters 5
physica e-low-dimensional systems & nanostructures 5
journal of lightwave technology 5
ieee photonics technology letters 5
optics communications 4
ieee journal on selected areas in communications 4
acta physica sinica 4

Keywords

physics, applied 62
optics 49
physics, condensed matter 31
optics 31
engineering, electrical & electronic 29
physics, multidisciplinary 18
light 18
laser 17
physics, applied 15
emission 13
crystals 13
photonic crystal 12
transmission 12
photonic crystal 12
chemistry, physical 11

Publication Year

2005 213
2004 23
2006 2

Country

usa 46
japan 37
france 27
peoples r china 26
germany 24
italy 22
russia 17
canada 15
denmark 11
england 9
spain 8
scotland 8
taiwan 7
sweden 7
turkey 6

Institution

cnrs 13
tech univ denmark 9
moscow mv lomonosov state univ 9
russian acad sci 8
univ twente 6
univ toronto 6
univ st andrews 6
univ lecce 6
univ bonn 6
bilkent univ 6
univ tokyo 5
univ pavia 5
natl inst mat sci 5
kyoto univ 5
hokkaido univ 5

DataBase

science citation index 238

- **CLUSTER 79**

Optical waveguides, especially propagation of light through waveguides (139 Records)

(Countries: USA, followed by Japan, France. Institutions: University Trent, Polytechnic Milan, CAS, CNR. No USA representation among leaders.).

Cluster Syntax Features

Descriptive Terms

waveguid 57.4%, optic 5.6%, mode 1.8%, loss 1.3%, propag 1.2%, optical.waveguide 1.1%, coupler 0.9%, devic 0.9%, index 0.8%, integr 0.7%, wavelength 0.7%, planar 0.7%, coupl 0.6%, silicon 0.5%, refract 0.4%

Discriminating Terms

waveguid 37.8%, optic 1.9%, film 1.6%, surfac 0.8%, optical.waveguide 0.8%, mode 0.7%, propag 0.6%, loss 0.6%, temperatur 0.6%, particl 0.6%, coupler 0.6%, carbon 0.6%, nanoparticl 0.6%, nanotub 0.5%, magnet 0.5%

Single Word Terms

waveguid 134, optic 112, mode 62, loss 47, high 45, fabric 44, devic 44, structur 42, coupl 41, low 40, propag 40, integr 39, two 37, wavelength 35, planar 34

Double Word Terms

optical.waveguide 23, single.mode 19, refractive.index 19, optical.waveguides 17, silicon.insulator 13, planar.waveguides 13, integrated.optical 11, planar.waveguide 10, low.loss 10, beam.propagation 9, spot.size 8, finite.difference 8, time.domain 8, two dimensional 8, electric.field 8

Triple Word Terms

difference.time.domain 7, finite.difference.time 7, semiconductor.optical.amplifier 5, silicon.insulator.soi 5, field.scanning.optical 5, scanning.optical.microscopy 4, multiple.quantum.mqw 4, single.mode.optical 4, spot.size.converter 4,

low.refractive.index 3, optical.path.length 3, low.optical.loss 3, reactive.ion.etching 3, electric.field.distribution 3, dimensional.finite.difference 3

Term Cliques

30.58% optic coupler index wavelength planar refract
34.82% optic coupler index integr coupl
30.73% optic coupler index integr wavelength planar silicon
36.40% optic coupler devic integr coupl
35.54% optic coupler devic integr wavelength
42.75% waveguid optic index integr wavelength planar silicon
42.34% waveguid optic propag index wavelength planar refract
42.86% waveguid optic propag index wavelength planar silicon
44.09% waveguid optic loss index integr wavelength silicon
50.00% waveguid optic loss devic integr coupl
49.28% waveguid optic loss devic integr wavelength
43.68% waveguid optic loss propag index wavelength refract
44.19% waveguid optic loss propag index wavelength silicon
49.64% waveguid optic mode index integr planar
53.24% waveguid optic mode optical.waveguide integr
45.12% waveguid optic mode propag index planar refract
53.38% waveguid optic mode propag optical.waveguide
48.10% waveguid optic mode loss index integr coupl
46.45% waveguid optic mode loss propag index refract
48.20% waveguid optic mode loss propag index coupl

Sample Cluster Record Titles

[Embedded polymer waveguides: design and fabrication approaches](#)

[A broadband waveguide for protein crystallography under intense microwave fields](#)

[Propagation in erbium and silicon codoped silica slab waveguides: analysis of gain](#)

[Pure-silica optical waveguides, fiber couplers, and high-aspect ratio submicrometer channels for electrokinetic separation devices](#)

[Stimulated emission and optical gain in LaF₃ : Nd nanoparticle-doped polymer-based waveguides](#)

[Selective MOVPE growth of tilted arrayed waveguides from \[011\] direction](#)

[Optical waveguides with an aqueous core and a low-index nanoporous cladding](#)

[An integrated 2x2 SSFLC optical switch with channel ion-exchanged glass waveguides](#)

Cluster Metrics

Authors

pavesi, l 5
longhi, s 5
daldosso, n 4
zhu, hl 3
zhou, f 3
zayets, v 3
wang, w 3
wang, lf 3
van thourhout, d 3
shimotaya, s 3
shimomura, k 3
laporta, p 3
kawakita, y 3
hou, lp 3
bian, j 3

Sources

applied physics letters 15
ieee photonics technology letters 14
optics express 9
optics letters 7
journal of applied physics 7
optics communications 6
optical materials 4
optical engineering 4
ieee journal of selected topics in quantum electronics 4
physical review a 3
radio science 2
physical review letters 2
physical review b 2
physica status solidi a-applications and materials science 2
microwave and optical technology letters 2

Keywords

engineering, electrical & electronic 37
optics 34
optics 33
physics, applied 26
physics, applied 20
fabrication 12

physics, condensed matter 10
integrated optics 10
films 10
wave-guides 7
physics, multidisciplinary 7
materials science, multidisciplinary 7
light 7
wave-guide 6
instruments & instrumentation 6

Publication Year

2005 123
2004 14
2006 2

Country

usa 25
japan 18
france 16
italy 14
south korea 12
peoples r china 10
germany 9
england 8
spain 7
canada 7
czech republic 6
russia 5
australia 5
taiwan 4
singapore 3

Institution

univ trent 6
politecn milan 6
chinese acad sci 6
cnr 5
korea adv inst sci & technol 4
cnrs 4
australian natl univ 4
acad sci czech republ 4
univ southampton 3
state univ ghent 3
sophia univ 3
russian acad sci 3
natl inst adv ind sci & technol 3

nanyang technol univ 3
charles univ 3

DataBase
science citation index 139

• CLUSTER 40

Design, fabrication, and characterization of gratings, such as Bragg gratings, or structures containing gratings, primarily for optical applications (103 Records)

(Countries: USA prominent, followed by China, Japan, France, Korea.
Institutions: Paul Scherrer Institute, MIT, Electronics and Telecommunications Research Institute. Other USA leaders are UCSB, University of Arizona.).

Cluster Syntax Features

Descriptive Terms

grate 69.3%, optic 1.5%, bragg 1.5%, wavelength 1.4%, period 0.8%, coupler 0.7%, fiber 0.5%, waveguid 0.5%, polar 0.5%, bragg.grating 0.4%, index 0.4%, bragg.gratings 0.4%, devic 0.4%, diffract 0.4%, holograph 0.3%

Discriminating Terms

grate 43.6%, film 1.7%, bragg 0.9%, surfac 0.6%, nanoparticl 0.6%, carbon 0.6%, magnet 0.5%, wavelength 0.5%, particl 0.5%, nanotub 0.5%, structur 0.5%, temperatur 0.4%, oxid 0.4%, deposit 0.4%, coupler 0.4%

Single Word Terms

grate 103, optic 62, wavelength 41, period 37, high 35, fabric 29, two 28, diffract 27, devic 25, effici 24, structur 23, beam 23, reflect 22, order 22, america 22

Double Word Terms

refractive.index 11, bragg.grating 9, two dimensional 8, bragg.gratings 8, electron.beam 7, grating.period 6, fiber.bragg 6, single.mode 5, grating.structure 5, liquid.crystal 5, efficiency.grating 5, diffraction.efficiency 5, sub.wavelength 5, grating.fabricated 5, coupling.efficiency 5

Triple Word Terms

electron.beam.lithography 4, fiber.bragg.grating 4, high.aspect.ratio 3, wavelength.division.multiplexing 3, fiber.bragg.gratings 3, laser.interference.lithography 3, holographic.polymer.dispersed 2, distributed.bragg.reflector 2, one.two dimensional 2, high.diffraction.efficiency 2, beam.lithography.reactive 2, low.insertion.loss 2, lithography.reactive.ion 2, scanning.electron.microscope 2, first.time.knowledge 2

Term Cliques

31.07% grate bragg wavelength bragg.grating bragg.gratings holograph
31.72% grate bragg wavelength fiber bragg.grating bragg.gratings
31.90% grate bragg wavelength fiber waveguid bragg.grating devic
51.21% grate optic polar diffract
55.58% grate optic period diffract
40.78% grate optic wavelength polar index holograph
38.70% grate optic wavelength fiber waveguid index devic
39.16% grate optic wavelength coupler index holograph
38.14% grate optic wavelength coupler waveguid index devic
42.72% grate optic wavelength period fiber bragg.gratings
41.47% grate optic wavelength period fiber index devic
39.64% grate optic bragg wavelength bragg.gratings holograph
40.29% grate optic bragg wavelength fiber bragg.gratings
39.25% grate optic bragg wavelength fiber waveguid devic

Sample Cluster Record Titles

[Tunable dispersion compensator based on a fiber Bragg grating written in a tapered fiber](#)

[Normal-incidence polarized reflectometry for overlay metrology](#)

[Analog piezoelectric-driven tunable gratings with nanometer resolution](#)

[Holographic grating recording in azobenzene polymer films](#)

[Implementation of a distributed temperature sensor utilising a chirped Moire fibre Bragg grating](#)

[Precision laser diffractometry for grating period measurements](#)

[The complete analytical form and analysis on angular dispersion formula of two-dimensional grating](#)

[High contrast InP/InGaAsP grating MOCVD regrowth using TBA and TBP](#)

[Broad-band tunable all-fiber bandpass filter based on hollow optical fiber and long-period grating pair](#)

Cluster Metrics

Authors

park, y 4
paek, mc 4
david, c 4
weitkamp, t 3
suh, d 3
longhi, s 3
lee, kd 3
diaz, a 3
ahn, sw 3
ziegler, e 2
yamaguchi, t 2
visnovsky, s 2
skogen, ej 2
ryu, hj 2
ryu, h 2

Sources

applied physics letters 11
optics letters 10
optics express 8
ieee photonics technology letters 6
optics communications 4
physical review e 3
optical materials 3
electronics letters 3
applied optics 3
review of scientific instruments 2
physical review letters 2
optical review 2
nanotechnology 2
microsystem technologies-micro-and nanosystems-information storage and processing systems 2
journal of the optical society of america b-optical physics 2

Keywords

optics 33
physics, applied 23
engineering, electrical & electronic 20
optics 18
physics, applied 12
physics, multidisciplinary 7

materials science, multidisciplinary 6
diffraction 6
instruments & instrumentation 5
optical 4
silicon 3
physics, fluids & plasmas 3
engineering, multidisciplinary 3
diffraction 3
spectroscopy 3

Publication Year

2005 92

2004 11

Country

usa 19

peoples r china 13

japan 12

france 12

south korea 11

italy 7

germany 7

switzerland 5

russia 5

taiwan 4

spain 4

sweden 3

england 3

czech republic 3

singapore 2

Institution

paul scherrer inst 4

mit 4

elect & telecommun res inst 4

univ shizuoka 3

politecn milan 3

lg elect inst technol 3

european synchrotron radiat facil 3

cnrs 3

chinese acad sci 3

univ tokyo 2

univ sannio 2

univ electrocommun 2

univ calif santa barbara 2

univ arizona 2

- **CLUSTER 236**

Optical properties of nanostructures/ nanomaterials, optical materials and devices, and optical microscopy studies (359 Records)

(Countries: USA very dominant, followed by Japan, France, Germany. Institutions: CAS, Chalmers University Technology, CNRS. Leading USA institutions include University of Central Florida, University of Arizona, Northwestern University.).

Cluster Syntax Features

Descriptive Terms

optic 43.1%, field 2.1%, fiber 1.7%, modul 1.2%, field.optical 1.2%, wavelength 1.0%, snom 0.9%, polar 0.8%, light 0.7%, beam 0.7%, absorpt 0.7%, optical.properties 0.7%, switch 0.6%, scanning.field 0.6%, probe 0.5%

Discriminating Terms

optic 32.6%, film 2.0%, field.optical 1.0%, fiber 0.9%, carbon 0.9%, snom 0.8%, modul 0.8%, nanotub 0.8%, surfac 0.7%, magnet 0.7%, deposit 0.6%, nanoparticl 0.5%, oxid 0.5%, scanning.field 0.5%, field 0.5%

Single Word Terms

optic 357, field 115, high 106, structur 97, properti 92, wavelength 89, light 84, singl 74, two 69, surfac 68, system 66, scan 66, experiment 66, absorpt 63, depend 61

Double Word Terms

optical.properties 61, field.optical 47, optical.microscopy 39, scanning.field 32, refractive.index 25, optical.absorption 22, absorption.spectra 14, liquid.crystal 14, two dimensional 14, microscopy.snom 14, atomic.force 14, room.temperature 14, optical.fiber 14, three dimensional 13, band.gap 13

Triple Word Terms

scanning.field.optical 31, field.optical.microscopy 26, optical.microscopy.snom 13, field.scanning.optical 12, field.optical.microscope 11, scanning.optical.microscopy 11, optical.absorption.spectra 9, atomic.force.microscopy 9, semiconductor.optical.amplifier 9, apertureless.scanning.field 7, optical.microscopy.nsom 6, two dimensional.optical 5, signal.noise.ratio 5, scanning.electron.microscopy 5, force.microscopy.afm 5

Term Cliques

43.27% optic absorpt probe
44.66% optic absorpt optical.properties
39.14% optic polar light optical.properties
33.82% optic polar light beam probe
47.26% optic wavelength absorpt
28.93% optic modul wavelength polar light beam switch
33.48% optic fiber light beam probe
31.24% optic fiber wavelength light beam switch
33.70% optic fiber wavelength snom light
26.32% optic field fiber field.optical snom light scanning.field probe

Sample Cluster Record Titles

[Development of CMOS integrated optical receiver for short-range data communication](#)

[Advances in organic electro-optic materials and processing](#)

[Numerical modeling of the subwavelength phase-change recording using an apertureless scanning near-field optical microscope](#)

[Nanotechnology for smart polymer optical devices](#)

[Imaging optical near-fields of nanostructures](#)

[Light emission induced by tunneling electrons from surface nanostructures observed by novel conductive and transparent probes](#)

[Nanotechnology with atom optics](#)

[Modelling topographical artifacts in scanning near-field optical microscopy](#)

[Near-field optical transmittance of metal particle chain waveguides](#)

Cluster Metrics

Authors

cacialli, f 5
park, yp 4
park, nc 4
latini, g 4
garbin, v 4
ferrari, e 4
fenwick, o 4
di fabrizio, e 4
cojoc, d 4
barchiesi, d 4
andrekson, pa 4
ambrosio, a 4
allegri, m 4
zheludev, ni 3
yao, bl 3

Sources

optics express 30
applied physics letters 26
ieee photonics technology letters 20
physical review b 18
optics letters 13
journal of the korean physical society 11
journal of applied physics 11
microsystem technologies-micro-and nanosystems-information storage and processing systems 8
japanese journal of applied physics part 1-regular papers brief communications & review papers 8
applied optics 8
journal of lightwave technology 6
physical review letters 5
optics communications 5
journal of physics-condensed matter 5
ultramicroscopy 4

Keywords

optics 72
engineering, electrical & electronic 63
physics, applied 59
optics 43
physics, applied 37

physics, condensed matter 33
physics, multidisciplinary 24
materials science, multidisciplinary 20
light 20
spectroscopy 17
chemistry, physical 16
chemistry, multidisciplinary 16
photoluminescence 16
materials science, multidisciplinary 16
resolution 15

Publication Year

2005 323
2004 36

Country

usa 95
japan 36
france 33
germany 32
england 28
peoples r china 22
south korea 19
taiwan 18
italy 18
sweden 16
russia 12
spain 10
australia 10
switzerland 7
singapore 7

Institution

chinese acad sci 11
chalmers univ technol 9
cnrs 8
univ technol troyes 7
univ paris 06 7
yonsei univ 6
univ southampton 6
univ cent florida 6
univ cambridge 6
univ coll london 5
univ arizona 5
russian acad sci 5
northwestern univ 5

cnr 5
acreo ab 5

DataBase
science citation index 359

• CLUSTER 128

Optical nonlinearities in nanostructures and investigation of second harmonic generation (105 Records)

(Countries: USA, followed by a second tier of Japan and Russia, followed by a third tier of Germany, China, France. Institutions: RAS, CAS, Univerdsity Angers, Moscow Lomonosov State. USA leaders: University of Texas.).

Cluster Syntax Features

Descriptive Terms

nonlinear 24.9%, optic 7.8%, nonlinear.optical 5.1%, second.harmonic 3.8%, refract 3.8%, harmon 3.2%, second 2.2%, harmonic.generation 1.6%, shg 1.5%, second.harmonic.generation 1.4%, third.order 1.1%, gener 1.0%, wave 0.9%, third 0.9%, refractive.index 0.9%

Discriminating Terms

nonlinear 16.6%, nonlinear.optical 3.6%, optic 3.1%, second.harmonic 2.7%, refract 2.4%, harmon 2.1%, film 1.3%, second 1.2%, shg 1.1%, harmonic.generation 1.1%, second.harmonic.generation 1.0%, third.order 0.8%, particl 0.6%, surfac 0.6%, magnet

0.6%

Single Word Terms

optic 92, nonlinear 77, order 47, gener 38, second 38, harmon 32, properti 29, refract 29, field 26, phase 26, crystal 25, two 25, polar 25, puls 24, wavelength 24

Double Word Terms

nonlinear.optical 44, second.harmonic 32, harmonic.generation 25, third.order 20, refractive.index 19, order.nonlinear 19, optical.properties 16, optical.response 15, second.order 14, generation.shg 14, order.optical 11, nonlinear.refractive 8, nonlinear.refraction 8, optical.second 7, electric.field 7

Triple Word Terms

second.harmonic.generation 25, harmonic.generation.shg 14, third.order.nonlinear 12, nonlinear.optical.response 11, nonlinear.optical.properties 10, order.nonlinear.optical 8, nonlinear.refractive.index 8, linear.nonlinear.optical 6, second.order.optical 6, second.order.nonlinear 6, optical.second.harmonic 6, third.order.optical 5, four.wave.mixing 4, order.nonlinear.susceptibility 4, nonlinear.optical.spectroscopy 3

Term Cliques

47.62% optic gener wave
34.86% optic refract third.order wave third
41.19% optic nonlinear.optical shg third
36.08% optic nonlinear.optical second.harmonic harmon second harmonic.generation shg
second.harmonic.generation gener
47.78% nonlinear optic nonlinear.optical second harmonic.generation
second.harmonic.generation
49.71% nonlinear optic nonlinear.optical refract refractive.index
45.08% nonlinear optic nonlinear.optical refract third.order third

Sample Cluster Record Titles

[Linear and nonlinear optical characterization of tellurium based chalcogenide glasses](#)

[Giant nonlinear optical response of nanoporous anatase layers](#)

[Second order optical non-linearity of transparent glass-ceramic materials induced by alternating field](#)

[Theory of ultrafast nonlinear refraction in semiconductor superlattices](#)

[Nonlinear ultrasonic phase-conjugate beams and their application in ultrasonic imaging](#)

[Optical poling of several halogen derivatives of pyrazoloquinoline](#)

[Resonant effects in optical second-harmonic generation from alkali covered Si\(111\)7 x 7](#)

[Optical phonon sidebands of electronic intersubband absorption in strongly polar semiconductor heterostructures](#)

[Single-beam and enhanced two-beam second-harmonic generation from silicon nanocrystals by use of spatially inhomogeneous femtosecond pulses](#)

Cluster Metrics

Authors

kityk, iv 4
umar, aa 3
takahashi, y 3
ryasnyansky, ai 3
qian, sx 3
oyama, m 3
liu, y 3
komatsu, t 3
ganeev, ra 3
fujiwara, t 3
benino, y 3
timoshenko, vy 2
svelto, o 2
stepanov, al 2
stefanovich, sy 2

Sources

applied physics letters 10
physical review b 7
optics communications 7
optics express 6
journal of the optical society of america b-optical physics 5
ferroelectrics 4
optics letters 3
physics of the solid state 2
physical review letters 2
journal of the korean physical society 2
journal of physics-condensed matter 2
journal of optics a-pure and applied optics 2
journal of optical technology 2
journal of luminescence 2

journal of applied physics 2

Keywords

optics 30
physics, applied 17
physics, condensed matter 14
physics, multidisciplinary 11
absorption 8
thin-films 7
physics, condensed matter 6
optics 6
materials science, multidisciplinary 5
chemistry, physical 5
2nd-harmonic generation 5
spectroscopy 5
materials science, multidisciplinary 5
laser 5
index 5

Publication Year

2005 92
2004 12
2006 1

Country

usa 24
japan 19
russia 18
germany 15
peoples r china 14
france 13
italy 8
poland 6
uzbekistan 4
ukraine 4
turkey 4
south korea 4
sweden 3
austria 3
singapore 2

Institution

russian acad sci 10
chinese acad sci 6
univ angers 4
moscow mv lomonosov state univ 4

univ texas 3
univ paris 06 3
tohoku univ 3
samarkand state univ 3
osaka univ 3
natl inst mat sci 3
nagaoka univ technol 3
max born inst nichtlineare opt & kurzzeitspektros 3
kyoto univ 3
japan sci & technol corp 3
fudan univ 3

DataBase

science citation index 105

- **CLUSTER 169**

Plasmons: surface-plasmon resonance technology, surface dynamics, surface-plasmons in metallic structures, Raman scattering experiments, and studies of plasmons by finite difference time domain method (336 Records)

(Country: USA dominant, followed by France, Japan, Germany.

Institutions: University Maryland, University Aalborg, RAS, Northwestern University. USA leaders also include UCB, Argonne National Lab.)

Cluster Syntax Features

Descriptive Terms

plasmon 24.4%, surface.plasmon 6.9%, reson 4.7%, polariton 3.7%, optic 2.8%, surfac 2.2%, metal 2.0%, scatter 1.8%, plasmon.resonance 1.5%, spr 1.5%, field 1.5%, mode 1.4%, wavelength 1.4%, excit 1.3%, light 1.3%

Discriminating Terms

plasmon 18.2%, surface.plasmon 5.0%, polariton 2.9%, reson 2.6%, film 1.2%, spr 1.0%, plasmon.resonance 1.0%, spp 0.9%, scatter 0.8%, optic 0.8%, carbon 0.7%, surface.plasmon.resonance 0.7%, wavelength 0.7%, electromagnet 0.7%, temperatur 0.7%

Single Word Terms

plasmon 252, surfac 242, optic 207, reson 180, metal 155, field 135, light 118, excit 115, wavelength 111, scatter 96, mode 94, structur 88, film 85, two 82, dielectr 77

Double Word Terms

surface.plasmon 179, plasmon.resonance 100, surface.plasmons 46, raman.scattering 40, plasmon.polaritons 38, resonance.spr 33, time.domain 33, finite.difference 33, difference.time 32, refractive.index 30, plasmon.polariton 29, field.optical 26, optical.properties 23, plasmon.resonances 22, metal.dielectric 20

Triple Word Terms

surface.plasmon.resonance 83, surface.plasmon.polaritons 35, plasmon.resonance.spr 33, difference.time.domain 32, finite.difference.time 32, surface.plasmon.polariton 23, field.optical.microscopy 14, surface.raman.scattering 14, scanning.field.optical 13, surface.plasmon.resonances 12, plasmon.polaritons.spps 11, localized.surface.plasmon 11, plasmon.polariton.spp 10, attenuated.total.reflection 10, excitation.surface.plasmon 8

Term Cliques

36.35% polariton optic scatter field wavelength excit light
35.33% polariton optic scatter field mode wavelength excit
41.02% reson optic scatter wavelength excit light
39.83% reson optic scatter mode wavelength excit
42.49% plasmon polariton optic metal field mode wavelength excit
47.36% plasmon reson optic metal mode wavelength excit
47.23% plasmon surface.plasmon polariton optic surfac metal field wavelength excit light
49.74% plasmon surface.plasmon reson optic surfac plasmon.resonance wavelength excit light
47.22% plasmon surface.plasmon reson optic surfac plasmon.resonance spr wavelength light
51.55% plasmon surface.plasmon reson optic surfac metal wavelength excit light

Sample Cluster Record Titles

[Surface plasmon resonance: Theoretical evolutionary design optimization for a model analyte sensitive absorbing-layer system](#)

[Surface plasmon polariton based modulators and switches operating at telecom wavelengths](#)

[Evidence of multipolar excitations in surface enhanced Raman scattering](#)

[Resolution enhancement of a surface immersion microscope near the plasmon resonance](#)

[Coherent anti-Stokes Raman scattering as a local probe for nanocomposite materials: theoretical introduction into nanoCARS](#)

[Surface plasmon excitation on a single subwavelength hole in a metallic sheet](#)

[Plasmonic subwavelength waveguides: next to zero losses at sharp bends](#)

[Study of electromagnetic energy propagation on Au nanowires using finite-difference-time-domain method](#)

[Plasmonics - Towards subwavelength optical devices](#)

Cluster Metrics

Authors

bozhevolnyi, si 12

smolyaninov, ii 7

leosson, k 7

zayats, av 6

schatz, gc 6

nikolajsen, t 6

leitner, a 6

krenn, jr 6

kim, j 6

hohenau, a 6

aussenegg, fr 6

van duyne, rp 5

ditlbacher, h 5

zhu, j 4

zheltikov, am 4

Sources

physical review b 40
optics express 26
optics letters 23
applied physics letters 23
nano letters 14
sensors and actuators b-chemical 13
physical review letters 13
journal of physical chemistry b 13
journal of applied physics 12
optics communications 11
journal of chemical physics 10
applied optics 9
journal of optics a-pure and applied optics 8
journal of the optical society of america b-optical physics 6
journal of the korean physical society 6

Keywords

optics 92
physics, condensed matter 51
physics, applied 48
nanoparticles 37
light 35
films 34
spectroscopy 31
scattering 28
physics, multidisciplinary 24
surface 24
optics 22
chemistry, physical 20
chemistry, analytical 20
microscopy 20
particles 19

Publication Year

2005 303
2004 31
2006 2

Country

usa 101
france 43
japan 35
germany 29
russia 22
peoples r china 22
denmark 15

taiwan 14
south korea 14
england 14
canada 11
spain 10
netherlands 10
austria 9
india 7

Institution

univ maryland 12
univ aalborg 12
russian acad sci 10
northwestern univ 10
univ calif berkeley 8
karl franzens univ graz 8
cnrs 8
argonne natl lab 7
univ paris 06 6
seoul natl univ 6
queens univ belfast 6
osaka univ 6
micro managed photons as 6
leiden univ 6
indian inst technol 6

DataBase

science citation index 336

- **CLUSTER 247**

Measurement and detection using optical instruments, with focus on

the instrument parameters and features, especially mirrors and lenses
(314 Records)

(Countries: USA dominant, followed by Japan, Germany, China.
Journals: mainly optics and instrumentation journals. Institutions:
NASA, Tsing Hua University, RAS, CAS. Other leading USA
institutions include US Army, University Colorado, Caltech, University
of Central Florida, UCI, UCB, Northwestern University, University
Washington, MIT.)

Cluster Syntax Features

Descriptive Terms

wavelength 8.7%, optic 5.5%, resolut 4.0%, spectral 3.8%, imag 3.1%, light 2.7%,
detector 1.4%, reflect 1.3%, mirror 1.3%, measur 1.1%, mask 1.0%, instrument 0.9%,
infrar 0.8%, solar 0.8%, scatter 0.8%

Discriminating Terms

wavelength 6.6%, spectral 2.8%, resolut 2.6%, optic 2.4%, film 2.2%, imag 1.6%, light
1.3%, detector 1.1%, mirror 1.0%, nanoparticl 0.8%, carbon 0.8%, nanotub 0.7%, mask
0.7%, reflect 0.7%, magnet 0.7%

Single Word Terms

optic 198, wavelength 158, resolut 124, light 115, high 107, measur 106, two 100, imag
92, structur 90, spectral 88, system 74, surfac 68, reflect 59, time 58, layer 56

Double Word Terms

high.resolution 38, spatial.resolution 24, spectral.resolution 22, photo.optical 18,
two dimensional 18, optical.coherence 18, coherence.tomography 17, numerical.aperture
15, light.source 14, visible.infrared 12, focal.plane 12, light.scattering 11, real.time 11,
resolution.imaging 10, resolution.optical 10

Triple Word Terms

optical.coherence.tomography 17, extreme.ultraviolet.euv 6,
quantum.infrared.photodetector 6, single.scattering.albedo 6, high.spectral.resolution 5,
coupled.device.ccd 5, difference.time.domain 5, width.half.maximum 5,
quantum.infrared.photodetectors 5, finite.difference.time 5, charge.coupled.device 5,
tunable.filter.aotf 5, full.width.half 5, absorption.cross.section 5,
wavelength.division.multiplexing 4

Term Cliques

26.11% light reflect measur scatter
25.00% imag light reflect scatter
24.20% spectral imag scatter

24.90% resolut spectral measur instrument solar
 24.15% resolut spectral detector measur instrument infrar
 25.10% resolut spectral imag detector infrar
 37.18% optic light measur scatter
 36.07% optic imag light scatter
 29.99% optic resolut detector measur instrument infrar
 37.20% optic resolut light detector measur
 32.10% optic resolut imag detector infrar
 35.22% optic resolut imag light mask
 36.31% optic resolut imag light detector
 29.54% wavelength reflect measur scatter
 27.79% wavelength reflect mirror measur
 25.11% wavelength spectral measur instrument solar scatter
 25.96% wavelength spectral detector measur instrument infrar
 40.34% wavelength optic mask
 35.48% wavelength optic measur instrument scatter
 31.79% wavelength optic detector measur instrument infrar
 30.57% wavelength optic detector mirror measur instrument

Sample Cluster Record Titles

[Process technology of aspherical mirrors manufacturing with magnetorheological finishing](#)

[Ethanol and H₂S gas detection in air and in reducing and oxidising ambience: application of pattern recognition to analyse the output from temperature-modulated nanoparticulate WO₃ gas sensors](#)

[Characterization of Asian dust and Siberian smoke with multiwavelength Raman lidar over Tokyo, Japan in spring 2003](#)

[Ultrasoft x-ray spectroscopy using multilayer mirrors on TCV](#)

[High quality light guide plates that can control the illumination angle based on microprism structures](#)

[Phase calibration of spatially nonuniform spatial light modulators](#)

[Blue integumentary structural colours in dragonflies \(Odonata\) are not produced by incoherent Tyndall scattering](#)

[Small-angle x-ray scattering with the new NanoSTAR-U principles & applications](#)

[A three-wavelength optical extinction cell for measuring aerosol light extinction and its application to determining light absorption coefficient](#)

Cluster Metrics

Authors

woods, tn 5
yan, yb 4
stiebig, h 4
mcclintock, we 4
jin, gf 4
drexler, w 4
chen, zp 4
boreman, gd 4
van leeuwen, tg 3
tsui, dc 3
snow, m 3
sattmann, h 3
rafol, sb 3
povazay, b 3
platt, u 3

Sources

optics express 15
review of scientific instruments 12
applied optics 12
journal of vacuum science & technology b 11
geophysical research letters 9
optical engineering 8
applied physics letters 8
journal of biomedical optics 7
optics letters 6
journal of optics a-pure and applied optics 6
japanese journal of applied physics part 1-regular papers short notes & review papers 6
ieee photonics technology letters 6
journal of geophysical research-atmospheres 5
journal of applied physics 5
solar physics 4

Keywords

optics 63
engineering, electrical & electronic 46
physics, applied 44
optics 38
physics, applied 32
instruments & instrumentation 30
spectroscopy 15

astronomy & astrophysics 14
physics, multidisciplinary 13
meteorology & atmospheric sciences 10
tissue 10
absorption 10
geosciences, multidisciplinary 9
chemistry, physical 9
lithography 9

Publication Year

2005 281
2004 31
2006 2

Country

usa 123
japan 37
germany 32
peoples r china 27
france 19
russia 17
south korea 14
netherlands 13
switzerland 12
taiwan 9
italy 8
england 8
spain 7
canada 7
austria 6

Institution

nasa 9
tsing hua univ 7
russian acad sci 7
chinese acad sci 7
usa 6
univ colorado 6
caltech 6
univ cent florida 5
univ calif irvine 5
univ calif berkeley 5
paul scherrer inst 5
northwestern univ 5
univ washington 4
univ paris 06 4

mit 4

DataBase

science citation index 314

- **CLUSTER 189**

Imaging using various forms of electron microscopy, including SEM, STEM, and TEM, as well as atomic force microscopy (178 Records)

(Countries: USA dominant; Germany, Japan, next tier. Institutions: University Melbourne, UCB, ORNL, University Osaka. Other USA institutions include NIST, BNL, Northwestern University.)

Cluster Syntax Features

Descriptive Terms

imag 36.5%, resolut 9.6%, spatial 1.4%, electron 1.4%, spatial.resolution 1.4%, microscop 1.2%, aberr 1.2%, scan 1.0%, field 0.9%, high.resolution 0.7%, microscopi 0.7%, reconstruct 0.7%, contrast 0.7%, stem 0.6%, specimen 0.6%

Discriminating Terms

imag 25.5%, resolut 6.3%, film 2.0%, spatial.resolution 1.1%, aberr 0.9%, spatial 0.9%, carbon 0.7%, nanoparticl 0.7%, temperatur 0.6%, nanotub 0.6%, surfac 0.5%, layer 0.5%, oxid 0.5%, particl 0.5%, microscop 0.5%

Single Word Terms

imag 154, resolut 122, electron 91, microscopi 88, high 83, scan 71, microscop 62, field 57, structur 55, spatial 51, transmiss 51, measur 51, surfac 46, atom 44, two 44

Double Word Terms

electron.microscopy 51, high.resolution 46, transmission.electron 45, spatial.resolution 37, electron.microscope 27, scanning.transmission 22, scanning.electron 20, three dimensional 16, energy.loss 13, resolution.electron 13, dark.field 12, resolution.transmission 12, electron.energy 11, secondary.electron 11, image.processing 11

Triple Word Terms

transmission.electron.microscopy 31, scanning.transmission.electron 20, transmission.electron.microscope 16, high.resolution.transmission 12, resolution.transmission.electron 12, electron.energy.loss 11, scanning.electron.microscope 9, scanning.electron.microscopy 9, annular.dark.field 9,

high.angle.annular 8, energy.loss.spectroscopy 8, angle.annular.dark 8,
atomic.force.microscopy 7, high.resolution.electron 7, resolution.electron.microscopy 6

Term Cliques

36.24% resolut electron spatial.resolution scan field microscopi contrast stem
33.71% resolut electron spatial.resolution aberr scan microscopi contrast stem
38.12% resolut electron spatial.resolution microscop scan field contrast
35.23% resolut electron spatial.resolution microscop aberr scan contrast
37.36% resolut spatial electron spatial.resolution scan field microscopi stem
34.83% resolut spatial electron spatial.resolution aberr scan microscopi stem
39.41% resolut spatial electron spatial.resolution microscop scan field
36.52% resolut spatial electron spatial.resolution microscop aberr scan
39.89% imag resolut electron field high.resolution microscopi reconstruct contrast specimen
39.14% imag resolut electron field high.resolution microscopi reconstruct contrast stem
43.13% imag resolut electron scan field high.resolution microscopi contrast specimen
42.38% imag resolut electron scan field high.resolution microscopi contrast stem
37.64% imag resolut electron aberr high.resolution microscopi reconstruct contrast specimen
36.89% imag resolut electron aberr high.resolution microscopi reconstruct contrast stem
40.89% imag resolut electron aberr scan high.resolution microscopi contrast specimen
40.14% imag resolut electron aberr scan high.resolution microscopi contrast stem
43.47% imag resolut electron microscop scan field contrast specimen
40.94% imag resolut electron microscop aberr scan contrast specimen
46.42% imag resolut spatial electron scan field microscopi specimen
45.58% imag resolut spatial electron scan field microscopi stem
43.89% imag resolut spatial electron aberr scan microscopi specimen
43.05% imag resolut spatial electron aberr scan microscopi stem
44.59% imag resolut spatial electron microscop scan field specimen
42.06% imag resolut spatial electron microscop aberr scan specimen

Sample Cluster Record Titles

[Charge contrast imaging of gibbsite using the variable pressure SEM](#)

[Separation of linear and non-linear imaging components in high-resolution transmission electron microscope images](#)

[Symmetries in BF and HAADF STEM image calculations](#)

[High-resolution heavy ion track structure imaging](#)

[Three-dimensional atomic imaging of Y and \(B-12\)\(13\) clusters in YB56 by HREM and crystallographic image processing](#)

[Measurement of wear on asperity level using image-processing techniques](#)

[High-resolution transmission electron microscopy image simulation of screw dislocation core structures in body centered cubic metals](#)

[Application of image processing to the characterisation of nanostructures](#)

[Direct imaging of surface-enhanced Raman scattering in the near field](#)

Cluster Metrics

Authors

allen, lj 5
takai, y 4
pennycook, sj 4
oxley, mp 4
vladar, ae 3
schonhense, g 3
postek, mt 3
kimura, y 3
kawasaki, t 3
forster, f 3
findlay, sd 3
wu, y 2
weber, n 2
walther, t 2
villarrubia, js 2

Sources

ultramicroscopy 21
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 10
surface and interface analysis 7
journal of electron spectroscopy and related phenomena 6
journal of electron microscopy 6
applied physics letters 6
review of scientific instruments 5
physical review b 5
nanotechnology 5
journal of applied physics 4
scanning 3
microscopy and microanalysis 3
journal of vacuum science & technology b 3
surface science 2
small 2

Keywords

microscopy 37
physics, applied 25
resolution 18
microscopy 15
chemistry, physical 13
materials science, multidisciplinary 10
instruments & instrumentation 10
engineering, electrical & electronic 9
surface 9
materials science, multidisciplinary 9
spectroscopy 8
physics, condensed matter 7
transmission electron-microscopy 6
resolution 6
engineering, multidisciplinary 6

Publication Year

2005 167
2004 11

Country

usa 66
germany 24
japan 23
south korea 14
france 14
england 12
netherlands 8
australia 8
peoples r china 7
taiwan 5
italy 5
brazil 4
switzerland 3
poland 3
israel 3

Institution

univ melbourne 6
univ calif berkeley 6
oak ridge natl lab 6
osaka univ 5
natl inst stand & technol 4
brookhaven natl lab 4

univ oxford 3
univ mainz 3
univ cambridge 3
univ antwerp 3
tohoku univ 3
northwestern univ 3
nagoya univ 3
delft univ technol 3
cnrs 3

DataBase

science citation index 178

• CLUSTER 109

Machining, cutting, grinding, polishing of materials, especially surfaces, and characterization of the materials after these processes (86 Records)

(Countries: Japan, followed by USA, China tied for second. Very applied literature. Institutions: Harbin Institute of Technology, followed by Tohoku University and Singapore Institute of Manufacturing Technology tied for second. USA institutions far behind include Purdue University, Penn State University, ORNL.)

Cluster Syntax Features

Descriptive Terms

machin 17.0%, cut 12.1%, grind 8.9%, polish 3.8%, tool 3.5%, wheel 3.4%, micro 2.9%, diamond 2.3%, surfac 2.2%, rough 1.4%, mold 1.3%, speed 1.3%, edm 1.1%, materi 1.1%, surface.roughness 0.9%

Discriminating Terms

machin 11.1%, cut 7.8%, grind 5.8%, polish 2.4%, wheel 2.2%, tool 2.0%, film 1.8%, micro 1.5%, diamond 1.0%, mold 0.8%, speed 0.7%, edm 0.7%, nanoparticl 0.7%, rough 0.6%, carbon 0.6%

Single Word Terms

surfac 56, machin 53, materi 45, high 35, cut 34, mechan 32, rough 30, micro 29, tool 27, speed 27, forc 26, grind 25, diamond 25, electron 21, microscop 21

Double Word Terms

surface.roughness 22, atomic.force 12, scanning.electron 12, cutting.tool 9, electron.microscopy 9, material.removal 9, diamond.wheel 9, transmission.electron 8, brittle.materials 8, cutting.edge 7, high.speed 7, machined.surface 7, electron.microscope

7, discharge.machining 7, depth.cut 7

Triple Word Terms

atomic.force.microscope 6, scanning.electron.microscopy 6,
scanning.electron.microscope 6, force.microscope.afm 5, electrical.discharge.machining
5, atomic.force.microscopy 5, transmission.electron.microscopy 4,
discharge.machining.edm 4, force.microscopy.afm 4, surface.roughness.surface 3,
material.removal.rate 3, metal.bonded.diamond 3, high.speed.cutting 3,
single.crystal.diamond 3, grain.size.diamond 3

Term Cliques

19.77% mold speed
20.93% micro mold
36.88% wheel diamond surfac rough speed materi surface.roughness
18.60% grind mold
33.72% grind wheel surfac rough edm materi surface.roughness
36.54% grind wheel diamond surfac rough materi surface.roughness
32.75% grind polish wheel diamond surfac rough
43.49% cut diamond surfac speed materi
43.02% cut grind diamond surfac materi
40.03% machin tool surfac rough edm materi surface.roughness
43.19% machin tool surfac rough speed materi surface.roughness
39.70% machin grind surfac rough edm materi surface.roughness
41.86% machin grind polish surfac rough
43.22% machin cut tool surfac edm materi
46.90% machin cut tool surfac speed materi
37.98% machin cut tool micro edm materi
42.83% machin cut grind surfac edm materi

Sample Cluster Record Titles

[Slip and coupling phenomena at the liquid-solid interface](#)

[Effect of polishing process on silica surface laser-induced damage threshold at 355 nm](#)

[3D and microstructural analysis of the chip formation during high speed cutting of C45E \(AISI 1045\)](#)

[Accurate estimation of surface roughness from texture features of the surface image using an adaptive neuro-fuzzy inference system](#)

[On the effect of crystallographic orientation on ductile material removal in silicon](#)

[Structure and properties of polyethylene prepared via low-frequency vibration-assisted injection molding](#)

[Grinding characteristics of conventional and ELID methods in difficult-to-cut and hardened brittle materials](#)

[Electric discharge machining of Al-10%SiCp as-cast metal matrix composites](#)

[Machining characteristics of Ce-ZrO₂/CePO₄ ceramics](#)

Cluster Metrics

Authors

li, d 4
dong, s 4
zhang, fh 3
kuriyagawa, t 3
jackson, mj 3
huang, h 3
cheng, k 3
zong, wj 2
zhao, ql 2
yin, l 2
wang, hx 2
uematsu, t 2
tor, sb 2
togo, s 2
tay, by 2

Sources

advances in abrasive technology vi 11
precision engineering-journal of the international societies for precision engineering and nanotechnology 8
journal of materials processing technology 8
microsystem technologies-micro-and nanosystems-information storage and processing systems 6
wear 4
advances in abrasive technology viii 4
international journal of machine tools & manufacture 3
applied surface science 3
proceedings of the institution of mechanical engineers part b-journal of engineering manufacture 2
journal of micromechanics and microengineering 2
glass science and technology 2
zeitschrift fur metallkunde 1
ultramicroscopy 1
tribology letters 1

transactions of nonferrous metals society of china 1

Keywords

engineering, manufacturing 15
multidisciplinary 14
materials science, 14
materials science, multidisciplinary 10
engineering, industrial 9
engineering, manufacturing 9
& instrumentation 8
instruments 8
engineering, multidisciplinary 8
engineering, mechanical 7
engineering, electrical & electronic 7
physics, applied 7
engineering, mechanical 7
chemistry, physical 5
materials science, multidisciplinary 5

Publication Year

2005 62
2004 22
2006 2

Country

japan 21
usa 15
peoples r china 15
south korea 8
germany 7
taiwan 6
singapore 6
england 6
poland 2
malaysia 2
france 2
austria 2
syria 1
russia 1
mauritius 1

Institution

harbin inst technol 8
tohoku univ 5
singapore inst mfg technol 5
tohoku gakuin univ 3

nippon inst technol 3
univ tokyo 2
univ freiburg 2
tsing hua univ 2
toyama prefectural univ 2
pusan natl univ 2
purdue univ 2
penn state univ 2
oak ridge natl lab 2
natl inst adv ind sci & technol 2
nanyang technol univ 2

DataBase

science citation index 86

- **CLUSTER 252**

Modeling, design, and simulation of processes and systems at the nanoscale; measurement and minimization, control, and correction of errors (325 Records)

(Countries: USA dominant; followed by Japan, followed by Korea and China. Institutions: Tohoku University, followed by Nanyang Technological University, MIT, Chalmers University Technology. Other leading USA institutions include Penn State University, George Washington University, University of Texas, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

model 5.7%, error 4.9%, system 3.5%, measur 2.6%, design 2.1%, simul 1.8%, sensor 1.6%, paper 1.4%, accuraci 1.4%, machin 1.3%, micro 1.2%, scale 1.2%, precis 1.1%, element 1.0%, data 1.0%

Discriminating Terms

error 4.3%, model 2.8%, film 2.5%, system 1.4%, design 1.4%, accuraci 1.1%, machin 1.1%, measur 1.0%, sensor 0.9%, nanoparticl 0.9%, precis 0.9%, carbon 0.8%, simul 0.8%, nanotub 0.7%, paper 0.7%

Single Word Terms

model 139, system 128, paper 125, measur 107, two 102, high 86, experiment 86, simul 85, applic 78, surfac 74, data 73, design 73, structur 68, on 66, element 65

Double Word Terms

finite.element 46, three-dimensional 25, two-dimensional 17, scanning.electron 14, atomic.force 13, electron.microscopy 12, nano.scale 11, element.model 11, electron.beam 10, high.precision 9, microelectromechanical.systems 9, experimental.data 9, aspect.ratio 9, high.resolution 9, non.linear 8

Triple Word Terms

finite.element.model 11, scanning.electron.microscopy 11, three-dimensional.finite 7, dimensional.finite.element 7, microelectromechanical.systems.mems 7, electron.beam.lithography 5, force.microscope.afm 5, atomic.force.microscope 5, atomic.force.microscopy 5, finite.element.fem 5, scanning.electron.microscope 5, finite.element.fea 3, chemical.mechanical.polishing 3, finite.element.modeling 3, finite.element.simulation 3

Term Cliques

26.46% system paper accuraci scale element
25.69% system simul paper micro scale element
27.51% system design paper accuraci element
19.18% system design sensor machin micro precis
19.90% system design sensor accuraci machin precis
22.77% system design sensor paper machin micro
23.49% system design sensor paper accuraci machin
26.56% system design simul paper micro element
24.62% error measur data
30.62% error system simul paper
21.19% error system measur sensor accuraci machin precis
24.26% error system measur sensor paper accuraci machin
27.14% model paper accuraci scale element
28.92% model simul paper scale element
28.18% model design paper accuraci element
29.97% model design simul paper element
29.23% model error paper accuraci
27.46% model error simul data
31.46% model error simul paper

Sample Cluster Record Titles

[Modeling and direct simulation of near-field granular flows](#)

[Investigation on influencing factors of AFM micro probe nanomachining](#)

[Reliability analysis and design for the fine-pitch flip chip BGA packaging](#)

[Modeling the nanoindentation of elastoplastic materials with nonlinear adaptive springs \(NASs\)](#)

[A dual-mode surface encoder for position measurement](#)

[Multiple orientation technique for the calibration of cylindrical workpieces on CMMs](#)

[Design of integrated eccentric mechanisms and exact constraint fixtures for micron-level repeatability and accuracy](#)

[Dynamic model of the grinding process](#)

[Motion error correction scheme using the spatial Doppler characteristics of the in-scene target in the SAR imaging system](#)

Cluster Metrics

Authors

kiyono, s 7

gao, w 7

vallance, rr 4

shelton, jw 3

roy, s 3

parker, dh 3

marsh, er 3

lee, sj 3

zhao, yp 2

yokoyama, t 2

yokoyama, s 2

wu, rb 2

wozniak, a 2

welsch, h 2

wang, zy 2

Sources

precision engineering-journal of the international societies for precision engineering and nanotechnology 34

microsystem technologies-micro-and nanosystems-information storage and processing systems 20

on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 18
measurement technology and intelligent instruments vi 7
journal of vacuum science & technology b 6
japanese journal of applied physics part 1-regular papers brief communications & review papers 6
review of scientific instruments 5
physical review e 5
applied physics letters 5
sensors and actuators a-physical 4
journal of microelectromechanical systems 4
journal of materials processing technology 4
international journal of solids and structures 4
measurement science & technology 3
journal of micromechanics and microengineering 3

Keywords

engineering, electrical & electronic 71
engineering, manufacturing 39
engineering, multidisciplinary 39
physics, applied 38
& instrumentation 34
instruments 34
materials science, 32
multidisciplinary 31
instruments & instrumentation 24
physics, applied 22
materials science, multidisciplinary 18
mechanics 16
design 12
engineering, multidisciplinary 10
engineering, manufacturing 10

Publication Year

2005 274
2004 42
2006 9

Country

usa 101
japan 48
south korea 32
peoples r china 31
germany 24
taiwan 17
france 14

singapore 11
england 11
russia 10
italy 10
sweden 8
netherlands 8
poland 7
canada 6

Institution

tohoku univ 13
nanyang technol univ 7
mit 6
chalmers univ technol 6
tsing hua univ 5
tech univ denmark 5
seoul natl univ 5
penn state univ 5
osaka univ 5
george washington univ 5
chinese acad sci 5
univ tokyo 4
univ texas 4
univ illinois 4
phys tech bundesanstalt 4

DataBase

science citation index 325

- **CLUSTER 213**

Nanomechanical systems, including actuators, resonators, hard disk drives, sensors, and motors (211 Records)

(Countries: USA dominant, followed by Japan and Korea. Institutions: Yonsei University, Ohio State University, Nanyang Technological University, Boston University. Other USA includes UCB, Goergia Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

frequenc 8.8%, actuat 8.7%, reson 6.0%, drive 3.0%, disk 2.8%, motion 2.5%, track 1.9%, mode 1.8%, filter 1.8%, design 1.6%, slider 1.6%, servo 1.4%, vibrat 1.3%, motor 1.1%, system 1.0%

Discriminating Terms

actuat 6.5%, frequenc 5.4%, reson 3.3%, drive 2.1%, film 2.0%, disk 2.0%, motion 1.7%, track 1.4%, slider 1.2%, filter 1.2%, servo 1.1%, design 0.8%, nanoparticl 0.7%, mode 0.7%, vibrat 0.7%

Single Word Terms

frequenc 110, high 81, system 77, reson 73, paper 61, two 59, design 58, mode 57, experiment 56, actuat 53, drive 53, surfac 51, measur 51, mechan 47, structur 47

Double Word Terms

hard.disk 23, disk.drives 20, resonance.frequency 17, disk.drive 17, high.frequency 16, resonant.frequency 13, high.speed 11, resonance.frequencies 10, finite.element 9, single.crystal 8, flying.height 8, resonant.frequencies 8, aspect.ratio 7, optical.disk 7, bandpass.filter 7

Triple Word Terms

hard.disk.drives 15, hard.disk.drive 10, disk.drive.hdd 6, bandpass.filter.bpf 6, signal.noise.ratio 6, single.crystal.silicon 5, voice.coil.motor 5, high.track.density 5, disk.drives.paper 4, chemical.vapor.deposition 4, high.aspect.ratio 4, optical.disk.drive 4, van.der.waals 3, electron.beam.lithography 3, vapor.deposition.pcvd 3

Term Cliques

17.54% mode slider vibrat
10.43% track filter servo
17.06% drive disk track slider servo vibrat motor system
19.36% drive disk track design slider servo system
18.72% drive disk motion track servo vibrat motor system
25.12% reson motion mode vibrat
21.87% actuat drive disk track design servo system
19.61% actuat drive disk motion track servo motor system
26.86% actuat reson motion
39.81% frequenc design
32.94% frequenc reson mode vibrat
31.16% frequenc reson mode filter

Sample Cluster Record Titles

[Nonlinear behavior for nanoscale electrostatic actuators with Casimir force](#)

[Testing a low-influence spindle drive motor](#)

[Macroscopic quantum effects in a strongly driven nanomechanical resonator](#)

[Surface properties and electromagnetic excitation of a piezoelectric gallium phosphate biosensor](#)

[Vibration response due to lateral tape motion and impulse force in a linear tape drive](#)

[Resonators with integrated CMOS circuitry for mass sensing applications, fabricated by electron beam lithography](#)

[Microtribodynamics of pseudo-contacting head-disk interfaces intended for 1 Tbit/in\(2\)](#)

[Immunoassay of prostate-specific antigen \(PSA\) using resonant frequency shift of piezoelectric nanomechanical microcantilever](#)

[An iterative learning approach to compensation for the servo track writing error in high track density disk drives](#)

Cluster Metrics

Authors

weng, mh 6

roukes, ml 4

mohanty, p 4

jang, gh 4

du, hj 4

badzey, rl 4

zolfagharkhani, g 3

zendri, jp 3

wu, hw 3

talke, fe 3

taffarello, l 3

tada, h 3

prodi, ga 3

poggi, ma 3

pernegger, h 3

Sources

microsystem technologies-micro-and nanosystems-information storage and processing systems 54

applied physics letters 13

journal of micromechanics and microengineering 9
 review of scientific instruments 6
 precision engineering-journal of the international societies for precision engineering and nanotechnology 6
 sensors and actuators a-physical 5
 physical review letters 5
 microwave and optical technology letters 5
 ieee transactions on microwave theory and techniques 5
 ieee transactions on magnetics 5
 physical review b 4
 nanotechnology 4
 journal of applied physics 4
 physical review e 3
 on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 3

Keywords

engineering, electrical & electronic 92
 physics, applied 67
 multidisciplinary 55
 materials science, 55
 physics, applied 29
 instruments & instrumentation 27
 materials science, multidisciplinary 18
 design 15
 physics, multidisciplinary 10
 mechanics 9
 atomic-force microscope 9
 optics 9
 physics, condensed matter 7
 engineering, multidisciplinary 7
 physics, fluids & plasmas 6

Publication Year

2005 191
 2004 19
 2006 1

Country

usa 73
 japan 34
 south korea 25
 taiwan 14
 singapore 13
 germany 12
 peoples r china 9

italy 8
sweden 7
france 6
switzerland 5
denmark 5
india 4
england 4
canada 4

Institution

yonsei univ 6
ohio state univ 6
nanyang technol univ 6
boston univ 6
univ calif berkeley 5
tech univ denmark 5
samsung adv inst technol 5
natl nano device labs 5
georgia inst technol 5
data storage inst 5
chalmers univ technol 5
tohoku univ 4
nagoya univ 4
ist nazl fis nucl 4
hitachi ltd 4

DataBase

science citation index 211

• CLUSTER 154

Applications of atomic force microscopy and similar methods of nanomanipulation, with focus on tips and cantilevers, namely their uses and responses to different influences (241 Records)

(Countries: USA dominant, with Germany and Japan the second tier.
Institutions: UCB, Tel Aviv University, University Munster, Georgia Institute of Technology. Other USA include North Carolina State University, University of Illinois, Iowa State University, ORNL.)

Cluster Syntax Features

Descriptive Terms

tip 19.6%, forc 10.3%, cantilev 8.4%, probe 3.6%, atomic.force 3.0%, afm 2.5%, atom 2.5%, microscop 2.3%, imag 2.2%, force.microscope 1.9%, atomic.force.microscope 1.7%, tip.sample 1.5%, force.microscopy 1.4%, sampl 1.3%, microscopi 1.1%

Discriminating Terms

tip 13.8%, cantilev 6.2%, forc 5.8%, film 2.1%, probe 2.0%, atomic.force 1.6%, afm 1.3%, force.microscope 1.3%, atomic.force.microscope 1.2%, microscop 1.1%, tip.sample 1.1%, imag 0.9%, nanoparticl 0.7%, atom 0.7%, force.microscopy 0.7%

Single Word Terms

forc 189, atom 167, tip 152, microscopi 138, microscop 124, surfac 114, scan 108, imag 101, sampl 100, measur 94, cantilev 89, probe 85, afm 78, physic 74, resolut 64

Double Word Terms

atomic.force 148, force.microscopy 107, force.microscope 83, tip.sample 48, microscope.afm 33, scanning.probe 30, microscopy.afm 28, scanning.tunneling 27, probe.microscopy 21, tunneling.microscope 18, electric.field 18, sample.surface 18, tip.surface 16, ultrahigh.vacuum 14, afm.tip 14

Triple Word Terms

atomic.force.microscopy 81, atomic.force.microscope 78, force.microscope.afm 32, force.microscopy.afm 28, scanning.tunneling.microscope 18, scanning.probe.microscopy 17, microscopy.atomic.force 11, tip.sample.interaction 11, mode.atomic.force 10, scanning.tunneling.microscopy 10, tunneling.microscope.stm 9, force.microscope.tip 9, noncontact.atomic.force 7, frequency.modulation.atomic 7, modulation.atomic.force 7

Term Cliques

49.68% tip forc cantilev atomic.force afm atom imag tip.sample force.microscopy sampl microscopi
48.67% tip forc cantilev atomic.force afm atom microscop atomic.force.microscope

tip.sample sampl
50.12% tip forc cantilev atomic.force afm atom microscop force.microscope
atomic.force.microscope sampl
49.94% tip forc cantilev probe atomic.force atom imag tip.sample force.microscopy
sampl microscopi
50.81% tip forc cantilev probe atomic.force atom microscop tip.sample sampl
52.42% tip forc cantilev probe atomic.force atom microscop force.microscope sampl

Sample Cluster Record Titles

[Micromachined fountain pen for atomic force microscope-based nanopatterning](#)

[Frequency response of atomic force microscope cantilever driven by fluid](#)

[Preparation and characterization of single-atom tips](#)

[Single-chip mechatronic microsystem for surface imaging and force response studies](#)

[Imaging using lateral bending modes of atomic force microscope cantilevers](#)

[Development of an atomic force microscope with capability of circumferential profiling](#)

[The advancement of SPM-based nanolithography](#)

[Kelvin probe microscopy of localized electric potentials induced in insulating materials by electron irradiation](#)

[Tip-enhanced near-field CARS microscopy](#)

Cluster Metrics

Authors

salmeron, m 5
holscher, h 5
yamada, h 4
sebastian, a 4
matsushige, k 4
kobayashi, k 4
karapetian, e 4
kalinin, sv 4
kachanov, m 4
fukuma, t 4
chang, wj 4

yang, yc 3
wang, xf 3
schirmeisen, a 3
sader, je 3

Sources

applied physics letters 38
review of scientific instruments 20
nanotechnology 19
physical review b 14
journal of applied physics 9
physical review letters 8
journal of vacuum science & technology b 7
nano letters 6
ultramicroscopy 5
sensors and actuators a-physical 4
japanese journal of applied physics part 1-regular papers brief communications & review papers 4
measurement science & technology 3
langmuir 3
japanese journal of applied physics part 2-letters & express letters 3
applied surface science 3

Keywords

physics, applied 97
surface 33
instruments & instrumentation 30
materials science, multidisciplinary 27
engineering, multidisciplinary 23
tip 23
engineering, electrical & electronic 21
atomic-force microscopy 21
resolution 21
physics, condensed matter 19
microscopy 18
microscopy 17
physics, applied 15
afm 15
physics, multidisciplinary 14

Publication Year

2005 209
2004 30
2006 2

Country

usa 77
germany 39
japan 37
peoples r china 15
france 15
england 14
switzerland 11
taiwan 10
israel 8
australia 8
spain 7
canada 6
turkey 4
south korea 4
singapore 3

Institution

univ calif berkeley 8
tel aviv univ 8
univ munster 7
georgia inst technol 7
n carolina state univ 6
univ tokyo 5
univ illinois 5
iowa state univ 5
cnrs 5
univ melbourne 4
univ autonoma madrid 4
tufts univ 4
suffolk univ 4
osaka univ 4
oak ridge natl lab 4

DataBase

science citation index 241

• CLUSTER 214

Atomic force microscopy to measure, fabricate, and manipulate, with focus on rough surfaces (237 Records)

(Countries: USA dominant, followed by Japan, Germany, China.
Institutions: CAS, University Tokyo, Osaka University, USAF, University Cambridge, Tsing Hua University, Max Plank Institute for Polymer Research. Other USA include University of Utah, University of South Carolina.).

Cluster Syntax Features

Descriptive Terms

forc 12.7%, atomic.force 6.4%, tip 6.2%, atom 6.1%, afm 5.9%, surfac 5.4%, force.microscopy 4.4%, atomic.force.microscopy 3.6%, rough 2.9%, microscopi 2.7%, contact 0.9%, microscop 0.9%, force.microscope 0.9%, imag 0.8%, atomic.force.microscope 0.8%

Discriminating Terms

forc 8.9%, tip 4.8%, atomic.force 4.8%, afm 4.3%, force.microscopy 3.2%, atom 3.2%, atomic.force.microscopy 2.6%, rough 2.1%, film 2.1%, surfac 1.2%, microscopi 1.0%, particl 0.7%, nanotub 0.7%, magnet 0.7%, carbon 0.7%

Single Word Terms

forc 191, atom 184, surfac 169, microscopi 161, afm 108, tip 72, scan 69, structur 68, microscop 67, electron 64, measur 62, layer 61, contact 58, substrat 57, imag 57

Double Word Terms

atomic.force 163, force.microscopy 138, microscopy.afm 59, force.microscope 47, electron.microscopy 30, surface.roughness 29, scanning.electron 23, microscope.afm 23, single.crystal 13, surfaces.atomic 11, microscopy.atomic 11, afm.tip 11, surface.energy 10, contact.mode 10, transmission.electron 10

Triple Word Terms

atomic.force.microscopy 126, force.microscopy.afm 58, atomic.force.microscope 44, force.microscope.afm 23, scanning.electron.microscopy 19, microscopy.atomic.force 10, surfaces.atomic.force 9, conducting.atomic.force 8, electron.microscopy.sem 7, van.der.waals 7, surface.atomic.force 6, transmission.electron.microscopy 6, ray.photoelectron.spectroscopy 6, focused.ion.beam 6, root.mean.square 6

Term Cliques

48.58% afm surfac force.microscopy atomic.force.microscopy rough microscopi contact
43.74% forc atomic.force tip atom afm microscop force.microscope imag
atomic.force.microscope
53.32% forc atomic.force tip atom afm surfac microscop imag
57.76% forc atomic.force tip atom afm surfac force.microscopy atomic.force.microscopy
microscopi imag
57.81% forc atomic.force tip atom afm surfac force.microscopy atomic.force.microscopy
microscopi contact

Sample Cluster Record Titles

[Influence of the atomic force microscope tip on the multifractal analysis of rough surfaces](#)

[A comparison of the surface chemistries of chromium electroplated finishes](#)

[Nanostructure and atomic structure of glass seen by atomic force microscopy](#)

[Determination of solid surface tension from particle-substrate pull-off forces measured with the atomic force microscope](#)

[Conducting probe atomic force microscopy investigation of anisotropic charge transport in solution cast PBD single crystals induced by an external field](#)

[Revealing contamination on AFM cantilevers by microdrops and microbubbles](#)

[Nanofabrication with atomic force microscopy](#)

[Spectroscopy in a sub-micrometer thick cell or how to probe the atom-surface interaction with a nanometric spatial resolution](#)

[Microdrops on atomic force microscope cantilevers: Evaporation of water and spring constant calibration](#)

Cluster Metrics

Authors

hasegawa, y 4

sugimoto, y 3

reichling, m 3

namba, y 3
morita, s 3
kim, y 3
kim, j 3
heun, s 3
ercolani, d 3
eguchi, t 3
choi, i 3
akiyama, k 3
abe, m 3
zeng, hr 2
zabinski, js 2

Sources

nanotechnology 10
applied physics letters 10
journal of applied physics 8
applied surface science 8
surface science 6
nuclear instruments & methods in physics research section b-beam interactions with
materials and atoms 6
tribology letters 5
physical review b 5
journal of physical chemistry b 5
ultramicroscopy 4
photonics spectra 4
nano letters 4
journal of vacuum science & technology b 4
journal de physique iv 4
surface and interface analysis 3

Keywords

physics, applied 37
chemistry, physical 29
surface 25
materials science, multidisciplinary 24
films 19
surfaces 17
silicon 17
materials science, multidisciplinary 16
chemistry, multidisciplinary 15
physics, condensed matter 14
engineering, electrical & electronic 14
physics, applied 14
physics, atomic, molecular & chemical 13
tip 13

physics, condensed matter 13

Publication Year

2005 214

2004 21

2006 2

Country

usa 51

japan 33

germany 33

peoples r china 26

france 14

south korea 13

italy 12

england 11

russia 7

singapore 6

australia 5

taiwan 4

switzerland 4

sweden 4

poland 4

Institution

chinese acad sci 8

univ tokyo 5

osaka univ 5

usaf 4

univ cambridge 4

tsing hua univ 4

max planck inst polymer res 4

univ utah 3

univ twente 3

univ s carolina 3

univ osnabruck 3

univ modena 3

univ bonn 3

seoul natl univ 3

peking univ 3

DataBase

science citation index 237

• CLUSTER 245

Probing polymer/ molecular chain properties and surface interactions, especially by means of atomic force microscopy (AFM) (274 Records)

(Countries: USA dominant, followed by Japan, Germany, China.
Institutions: CAS, Max Plank Institute of Polymer Research, Kyoto University. Other USA include Harvard University, University of Massachusetts, Columbia University, VPI, University of Utah.).

Cluster Syntax Features

Descriptive Terms

chain 14.6%, forc 10.2%, surfac 2.3%, polym 2.3%, afm 2.3%, atomic.force 1.8%, interact 1.7%, conform 1.6%, atom 1.4%, molecular 1.3%, water 1.3%, force.microscopy 1.3%, molecucl 1.2%, atomic.force.microscopy 1.1%, interfac 1.1%

Discriminating Terms

chain 12.3%, forc 7.5%, film 1.7%, afm 1.5%, conform 1.3%, atomic.force 1.2%, magnet 0.8%, mica 0.8%, force.microscopy 0.8%, nanotub 0.7%, atomic.force.microscopy 0.7%, temperatur 0.7%, carbon 0.7%, nanoparticl 0.6%, polym 0.6%

Single Word Terms

surfac 159, forc 151, atom 135, chain 133, microscopi 119, structur 102, molecular 101, interact 97, molecucl 89, polym 85, afm 81, water 77, two 73, solut 67, measur 66

Double Word Terms

atomic.force 116, force.microscopy 99, microscopy.afm 47, force.microscope 28, water.interface 24, chain.length 23, air.water 23, polymer.chains 21, molecular.weight 20, self.assembled 19, microscope.afm 16, two dimensional 15, afm.tip 13, side.chains 13, aqueous.solution 12

Triple Word Terms

atomic.force.microscopy 94, force.microscopy.afm 47, atomic.force.microscope 26, air.water.interface 20, force.microscope.afm 16, van.der.waals 10, fourier.transform.infrared 9, measurements.atomic.force 7, transform.infrared.spectroscopy 7, mode.atomic.force 7, ray.photoelectron.spectroscopy 7, transmission.electron.microscopy 6, microscopy.atomic.force 6, langmuir.blodgett.films 6, tapping.mode.atomic 6

Term Cliques

27.81% conform molecular water molecu interfac
28.47% interact conform molecular interfac
28.39% polym conform molecular molecu interfac
32.48% polym afm molecular molecu
37.35% forc atomic.force atom molecular water force.microscopy molecu
atomic.force.microscopy interfac
38.87% forc atomic.force interact atom molecular force.microscopy
atomic.force.microscopy interfac
38.24% forc afm atomic.force atom molecular water force.microscopy molecu
atomic.force.microscopy
39.87% forc afm atomic.force interact atom molecular force.microscopy
atomic.force.microscopy
39.70% forc surfac atomic.force atom water force.microscopy molecu
atomic.force.microscopy interfac
41.51% forc surfac atomic.force interact atom force.microscopy atomic.force.microscopy
interfac
40.59% forc surfac afm atomic.force atom water force.microscopy molecu
atomic.force.microscopy
42.52% forc surfac afm atomic.force interact atom force.microscopy
atomic.force.microscopy
33.21% chain conform molecular water molecu
35.22% chain interact conform molecular
33.80% chain polym conform molecular molecu

Sample Cluster Record Titles

[Tight-binding description of the STM image of molecular chains](#)

[Using wavelets to analyze AFM images of thin films: Surface micelles and supported lipid bilayers](#)

[Interactions between polymer brushes: Varying the number of end-attaching groups](#)

[Effect of nanosizing on some properties of one-dimensional polyacetylene chains](#)

[Alkyl chain length dependence of the field-effect carrier mobility in regioregular poly\(3-alkylthiophene\)s](#)

[SFM characterization of poly\(isocyanodipeptide\) single polymer chains in controlled environments: Effect of tip adhesion and chain swelling](#)

[Polymer melt near a solid surface: A molecular dynamics study of chain conformations and desorption dynamics](#)

[Force spectroscopy on dendronized poly\(p-phenylene\)s: Revealing the chain elasticity and the interfacial interaction](#)

[Atomic force microscopy studies on heat-induced gelation of Curdlan](#)

Cluster Metrics

Authors

zhao, f 3
yang, p 3
shinto, h 3
pakula, t 3
li, xc 3
higashitani, k 3
egbe, dam 3
du, yk 3
cowman, mk 3
carbonnier, b 3
zhou, hl 2
zhang, x 2
yang, hs 2
xu, h 2
wei, g 2

Sources

langmuir 27
macromolecules 16
journal of physical chemistry b 15
journal of colloid and interface science 10
colloids and surfaces a-physicochemical and engineering aspects 7
carbohydrate research 7
journal of chemical physics 6
europhysics letters 6
physical review e 5
journal of the american chemical society 5
journal of adhesion science and technology 5

biophysical journal 5
biomacromolecules 5
physical review letters 4
physical review b 4

Keywords

chemistry, physical 84
polymer science 33
atomic-force microscopy 28
adsorption 26
chemistry, multidisciplinary 25
self-assembled monolayers 24
materials science, multidisciplinary 22
afm 19
physics, multidisciplinary 16
films 16
surface 15
biochemistry & molecular biology 15
microscopy 13
surfaces 13
monolayers 13

Publication Year

2005 254
2004 17
2006 3

Country

usa 79
japan 34
germany 29
peoples r china 24
england 19
france 15
canada 13
sweden 10
netherlands 10
switzerland 8
australia 8
south korea 7
spain 6
russia 6
mexico 6

Institution

chinese acad sci 10

max planck inst polymer res 9
 kyoto univ 8
 tokyo inst technol 5
 harvard univ 5
 univ twente 4
 univ massachusetts 4
 univ alberta 4
 royal inst technol 4
 natl inst adv ind sci & technol 4
 inst surface chem 4
 columbia univ 4
 virginia tech 3
 univ wageningen & res ctr 3
 univ utah 3

DataBase

science citation index 274

• CLUSTER 234

Molecular dynamics simulations and models of physical and biological systems (241 Records)

(Countries: USA predominant, followed by Germany and Japan.

Institutions: National University of Singapore, University of Wisconsin, Northwestern University. Other USA include USAF, University of Washington, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

dynam 9.4%, molecular 8.7%, simul 8.3%, molecular.dynamics 6.4%, water 3.8%, model 2.6%, diffus 2.0%, molecucl 2.0%, dynamics.simulations 1.8%, molecular.dynamics.simulations 1.8%, cluster 1.1%, liquid 1.1%, surfac 1.1%, system 1.1%, fluid 0.9%

Discriminating Terms

dynam 6.7%, simul 5.9%, molecular.dynamics 5.6%, molecular 5.3%, film 2.4%, water

2.0%, dynamics.simulations 1.6%, molecular.dynamics.simulations 1.6%, diffus 1.1%, model 0.9%, magnet 0.8%, carbon 0.7%, nanoparticl 0.7%, molecul 0.7%, nanotub 0.7%

Single Word Terms

molecular 163, dynam 141, simul 140, model 101, structur 98, molecul 93, surfac 88, system 83, two 74, interact 71, function 70, water 63, experiment 62, properti 57, energi 57

Double Word Terms

molecular.dynamics 107, dynamics.simulations 65, dynamics.simulation 32, water.molecules 27, monte.carlo 22, density.functional 21, two dimensional 14, functional.theory 14, experimental.data 12, van.der 11, der.waals 11, computer.simulations 10, self.assembly 9, lennard.jones 9, carlo.simulations 9

Triple Word Terms

molecular.dynamics.simulations 64, molecular.dynamics.simulation 30, density.functional.theory 14, van.der.waals 11, monte.carlo.simulations 9, dynamics.simulations.molecular 7, simulation.molecular.dynamics 5, functional.tight.binding 5, density.functional.tight 5, monte.carlo.simulation 5, simulations.molecular.dynamics 5, molecular.dynamics.computer 5, structural.dynamical.properties 4, equilibrium.molecular.dynamics 4, scale.molecular.dynamics 4

Term Cliques

40.72% dynam simul molecular.dynamics molecul cluster surfac system
35.31% dynam simul molecular.dynamics molecul dynamics.simulations
molecular.dynamics.simulations liquid surfac system fluid
36.22% dynam simul molecular.dynamics model diffus molecul dynamics.simulations
molecular.dynamics.simulations system fluid
36.72% dynam simul molecular.dynamics water molecul dynamics.simulations
molecular.dynamics.simulations liquid surfac system
37.63% dynam simul molecular.dynamics water model diffus molecul
dynamics.simulations molecular.dynamics.simulations system
45.47% dynam molecular simul molecular.dynamics molecul cluster surfac
38.63% dynam molecular simul molecular.dynamics molecul dynamics.simulations
molecular.dynamics.simulations liquid surfac fluid
39.54% dynam molecular simul molecular.dynamics model diffus molecul
dynamics.simulations molecular.dynamics.simulations fluid
40.04% dynam molecular simul molecular.dynamics water molecul dynamics.simulations
molecular.dynamics.simulations liquid surfac
40.95% dynam molecular simul molecular.dynamics water model diffus molecul
dynamics.simulations molecular.dynamics.simulations

Sample Cluster Record Titles

[Melting of icosahedral gold nanoclusters from molecular dynamics simulations](#)

[Molecular dynamics study of nanoscale structure formation in droplet spreading on solid surfaces](#)

[Molecular dynamics simulations of phospholipid bilayers: Influence of artificial periodicity, system size, and simulation time](#)

[GDIS: a visualization program for molecular and periodic systems](#)

[Molecular simulation of loading-dependent diffusion in nanoporous materials using extended dynamically corrected transition state theory](#)

[Molecular dynamics studies of brittle fracture in vitreous silica: Review and recent progress](#)

[Modeling of the hysteresis phenomena in finite-sized slitlike nanopores. Revision of the recent results by rigorous numerical analysis](#)

[Molecular dynamics simulation of the structural and dynamical properties of crystalline BaO](#)

[Molecular dynamics simulation of room-temperature ionic liquid mixture of \[bmim\]\[BF₄\] and acetonitrile by a refined force field](#)

Cluster Metrics

Authors

lim, tc 5

weiss, h 3

vasenkov, s 3

pal, s 3

muller-plathe, f 3

keller, h 3

jang, ss 3

goddard, wa 3

frauenheim, t 3

zhong, cl 2

zapol, p 2

wang, wc 2

wang, q 2

voth, ga 2

valiullin, r 2

Sources

journal of physical chemistry b 23
journal of chemical physics 23
physical review e 8
journal of the american chemical society 7
physical review letters 6
physical review b 6
molecular simulation 6
langmuir 6
biophysical journal 6
proceedings of the national academy of sciences of the united states of america 5
chemphyschem 5
chemical physics letters 5
physical chemistry chemical physics 4
physica a-statistical mechanics and its applications 4
journal of computational and theoretical nanoscience 4

Keywords

chemistry, physical 58
physics, atomic, molecular & chemical 38
water 23
chemistry, multidisciplinary 21
physics, multidisciplinary 20
adsorption 19
model 15
dynamics 15
diffusion 15
molecular dynamics 14
surfaces 13
surface 13
simulation 13
physics, fluids & plasmas 11
physics, condensed matter 11

Publication Year

2005 218
2004 20
2006 3

Country

usa 83
germany 24
japan 23
peoples r china 18
france 18
italy 16

england 10
netherlands 9
canada 9
australia 9
spain 8
russia 8
taiwan 7
singapore 6
poland 5

Institution

natl univ singapore 5
univ wisconsin 4
univ oxford 4
univ lyon 1 4
univ leipzig 4
univ helsinki 4
northwestern univ 4
nagoya univ 4
int univ bremen 4
chinese acad sci 4
zhejiang univ 3
usaf 3
univ washington 3
univ montpellier 2 3
univ illinois 3

DataBase

science citation index 241

- **CLUSTER 254**

Models and simulations, especially Monte Carlo and molecular dynamics simulations, of systems and comparison to experiments or other models (578 Records)

(Countries: USA dominant, followed by Germany, Japan, France.
Institutions: RAS, CAS, University of Michigan, CNRS. Other USA
include University of Illinois.).

Cluster Syntax Features

Descriptive Terms

model 4.3%, dynam 2.4%, simul 2.4%, equat 2.2%, wave 1.9%, system 1.8%, dimension 1.7%, field 1.5%, transport 1.4%, transit 1.1%, wire 1.1%, theori 1.1%, numer 1.0%, two 1.0%, diffus 1.0%

Discriminating Terms

film 3.2%, model 2.5%, equat 2.1%, wave 1.7%, simul 1.6%, dynam 1.6%, dimension 1.0%, carbon 1.0%, nanoparticl 1.0%, numer 0.9%, transport 0.9%, magnet 0.8%, deposit 0.8%, wire 0.8%, oxid 0.8%

Single Word Terms

model 235, two 217, system 209, electron 155, field 153, temperatur 153, simul 152, dynam 151, energi 146, structur 145, state 138, on 135, dimension 134, depend 133, time 130

Double Word Terms

two dimensional 64, one dimensional 53, monte.carlo 40, molecular.dynamics 34, time.dependent 33, ray.diffraction 29, phase.transition 29, three dimensional 28, electric.field 24, experimental.data 22, numerical.simulations 22, temperature.dependence 21, low.temperature 19, carlo.simulations 19, power.law 18

Triple Word Terms

monte.carlo.simulations 19, molecular.dynamics.simulations 14, molecular.dynamics.simulation 13, monte.carlo.simulation 13, charge.density.wave 10, transmission.electron.microscopy 9, quasi.one dimensional 8, mean.free.path 7, kinetic.monte.carlo 7, quasi.two dimensional 6, dimensional.electron.gas 6, phys.rev.lett 5, phase.field.model 5, electron.electron.interactions 5, two dimensional.electron 5

Term Cliques

19.72% transport wire numer two
21.54% dimension transport wire two
25.80% system dimension field transport transit theori two
19.46% wave wire numer two
21.28% wave dimension wire two
26.59% wave system dimension field theori two
25.46% equat system field transport transit theori two
22.79% simul dimension field transport transit theori two diffus
22.49% simul equat field transport transit theori two diffus
26.79% dynam equat system field transit theori two

23.66% dynam simul equat field transit theori two diffus
26.84% model equat system field transport theori numer two
26.71% model equat wave system field theori numer two
24.05% model simul equat field transport theori numer two diffus
28.01% model dynam equat system field theori numer two
25.09% model dynam simul equat field theori numer two diffus

Sample Cluster Record Titles

[Theoretical modeling of photo-induced wave propagation in liquid-crystalline Langmuir monolayers](#)

[Use of stochastic web patterns to control electron transport in semiconductor superlattices](#)

[Simulation on nanoseale self-assembly of ternary-epilayers](#)

[Numerical local-potential-averaging method for quantum mechanical simulations](#)

[Molecular simulation for nanotechnologies: Application to industry](#)

[Molecular dynamics calculation of the J-integral fracture criterion for nano-sized crystals](#)

[Modeling of electron-electron scattering in Monte Carlo simulation of quantum cascade lasers](#)

[Model for the onset of transport in systems with distributed thresholds for conduction](#)

[Modeling of clusters in a strong 248-nm laser field by a three-dimensional relativistic molecular dynamic model](#)

Cluster Metrics

Authors

lu, w 5
wang, j 4
reggiani, l 4
kim, d 4
yokoyama, h 3
toshima, t 3
todorov, tn 3
tanda, s 3
shukla, pk 3
sheng, p 3

rudan, m 3
reggiani, s 3
ratner, ma 3
li, y 3
guo, h 3

Sources

physical review b 103
physical review letters 32
physical review e 22
physica e-low-dimensional systems & nanostructures 18
journal of applied physics 14
journal of physics-condensed matter 13
journal of chemical physics 13
europhysics letters 11
journal of physical chemistry b 9
applied physics letters 8
journal of physics a-mathematical and general 7
journal of the physical society of japan 6
journal of non-crystalline solids 6
physics letters a 5
physica b-condensed matter 5

Keywords

physics, condensed matter 155
physics, multidisciplinary 85
physics, applied 44
transport 36
physics, atomic, molecular & chemical 35
systems 35
chemistry, physical 32
model 32
physics, fluids & plasmas 30
physics, mathematical 30
materials science, multidisciplinary 30
dynamics 30
materials science, multidisciplinary 27
engineering, electrical & electronic 24
growth 20

Publication Year

2005 510
2004 62
2006 6

Country

usa 172
germany 73
japan 63
france 61
peoples r china 48
italy 45
russia 43
canada 26
spain 25
england 24
south korea 19
netherlands 17
israel 17
australia 13
sweden 12

Institution

russian acad sci 18
chinese acad sci 14
univ michigan 11
cnrs 11
univ tokyo 10
infn 9
univ illinois 8
univ cambridge 8
kyoto univ 8
csic 8
univ montpellier 2 7
osaka univ 7
univ sci & technol china 6
univ roma la sapienza 6
univ paris 11 6

DataBase

science citation index 578

• CLUSTER 167

Phonon scattering, transport, and states; phonon-electron interactions; Raman scattering; related topics concerning vibrational modes and acoustics (176 Records)

(USA dominant, China, France next tier. Institutions: CAS, University Lyon, Pusan National University, MIT, CRNS. Other USA include University of Illinois, UCB, Ohio State University, University of Texas, UC Riverside, Penn State University.).

Cluster Syntax Features

Descriptive Terms

phonon 38.6%, mode 3.8%, frequenc 2.9%, scatter 2.8%, vibrat 2.3%, electron.phonon 1.9%, acoust 1.6%, conduct 1.4%, raman 1.2%, electron 0.9%, thermal 0.9%, transport 0.8%, temperatur 0.7%, thermal.conductivity 0.7%, superlatic 0.6%

Discriminating Terms

phonon 29.4%, film 2.1%, mode 2.0%, frequenc 1.5%, vibrat 1.5%, electron.phonon 1.5%, scatter 1.5%, acoust 1.2%, surfac 0.7%, magnet 0.6%, particl 0.6%, carbon 0.6%, deposit 0.6%, oxid 0.5%, layer 0.5%

Single Word Terms

phonon 134, frequenc 76, scatter 75, temperatur 73, electron 69, mode 67, low 63, energi 63, model 61, two 60, depend 57, structur 55, conduct 50, vibrat 47, calcul 44

Double Word Terms

electron.phonon 36, raman.scattering 21, low.frequency 21, thermal.conductivity 20, phonon.coupling 19, acoustic.phonon 15, phonon.modes 15, two dimensional 15, temperature.dependence 15, phonon.interaction 14, optical.phonon 14, vibrational.modes 13, optical.phonons 13, low.temperatures 13, low.temperature 12

Triple Word Terms

electron.phonon.coupling 17, electron.phonon.interaction 10, low.frequency.raman 8, strong.electron.phonon 6, optical.phonon.modes 6, electron.phonon.interactions 6, inelastic.neutron.scattering 5, frequency.raman.scattering 5, electron.electron.electron 4, dielectric.continuum.model 4, electron.electron.phonon 4, electron.phonon.scattering 4, thermal.conductivity.silicon 4, thermoelectric.figure.merit 4, vch.verlag.gmbh 4

Term Cliques

24.72% acoust conduct thermal transport temperatur thermal.conductivity
28.41% electron.phonon transport temperatur
25.68% scatter conduct thermal transport thermal.conductivity

35.04% frequenc raman temperatur
 33.52% frequenc acoust conduct temperatur
 38.07% frequenc scatter conduct
 23.86% mode vibrat superlattice
 32.10% mode frequenc vibrat raman
 32.24% mode frequenc vibrat acoust
 36.08% mode frequenc scatter raman
 30.91% phonon acoust thermal transport thermal.conductivity
 39.77% phonon electron.phonon electron transport
 31.93% phonon scatter thermal thermal.conductivity superlattice
 35.23% phonon scatter thermal transport thermal.conductivity
 45.31% phonon scatter electron transport
 45.08% phonon mode acoust
 40.91% phonon mode scatter superlattice
 44.32% phonon mode scatter raman

Sample Cluster Record Titles

[XPS spectra and electronic structure of the ErNi₄B compound](#)

[Application of valence electron energy-loss spectroscopy and plasmon energy mapping for determining material properties at the moment](#)

[Effect of benzene derivatives bearing electron-releasing and/or electron-withdrawing groups on the fluorescence of CdS-Q clusters](#)

[Electronic structure of nanostructured ZnO from x-ray absorption and emission spectroscopy and the local density approximation](#)

[Anomalous luminescence dynamics of Eu³⁺ in BaFCl microcrystals](#)

[Electronic structure of regular bacterial surface layers](#)

[Resonance energy transfer dynamics in hydrogen-bonded oligo p-phenylenevinylene nanostructures](#)

[Electronic structure of \[100\]-oriented free-standing semiconductor nanowires](#)

[Electronic properties of deep defects in n-type GaN](#)

Cluster Metrics

Authors

chen, kq 5
shuai, z 4
zou, bs 3
yang, ys 3
yang, rg 3
wang, ll 3
kim, sj 3
kim, je 3
huang, wq 3
choi, hw 3
chen, g 3
balandin, aa 3
amon, ch 3
zhang, l 2
yoshikawa, n 2

Sources

physical review b 44
journal of applied physics 13
physical review letters 10
applied physics letters 10
journal of the korean physical society 7
journal of heat transfer-transactions of the asme 6
journal of physics-condensed matter 5
surface science 3
physics letters a 3
physica status solidi b-basic solid state physics 3
journal of non-crystalline solids 3
solid state communications 2
semiconductor science and technology 2
physica status solidi a-applications and materials science 2
modern physics letters b 2

Keywords

physics, condensed matter 61
physics, applied 32
physics, multidisciplinary 26
scattering 23
transport 18
materials science, multidisciplinary 14
chemistry, physical 13
thin-films 13
physics, condensed matter 12
superlattices 9
crystals 9
spectroscopy 8

systems 8
semiconductors 8
phonons 8

Publication Year

2005 151
2004 24
2006 1

Country

usa 67
peoples r china 23
france 20
japan 14
india 13
germany 12
south korea 9
taiwan 6
russia 6
ukraine 5
sweden 5
israel 5
australia 5
spain 4
italy 4

Institution

chinese acad sci 11
univ lyon 1 6
pusan natl univ 5
mit 5
cnrs 5
univ illinois 4
univ calif berkeley 4
ohio state univ 4
indian assoc cultivat sci 4
hunan univ 4
univ texas 3
univ paris 06 3
univ mouloud mammeri 3
univ calif riverside 3
penn state univ 3

DataBase

science citation index 176

• CLUSTER 246

Electronic properties, structures, and states; energy transfer, levels, and loss; band gap properties; and spectroscopic studies (325 Records)

(Countries: USA, followed by Germany, Japan. Institutions: Tsing Hua University, CNRS, RAS, CAS, UCB. Other USA include Cornell University).

Cluster Syntax Features

Descriptive Terms

state 11.2%, energi 7.3%, band 6.9%, electron 4.1%, excit 2.7%, charg 1.5%, valenc 1.5%, level 1.3%, calcul 1.0%, transfer 0.9%, spectra 0.9%, transit 0.9%, edg 0.9%, photoemiss 0.8%, orbit 0.8%

Discriminating Terms

state 7.9%, band 5.1%, energi 4.5%, film 2.3%, excit 1.8%, electron 1.4%, valenc 1.3%, magnet 0.8%, photoemiss 0.8%, nanoparticl 0.7%, deposit 0.7%, charg 0.7%, level 0.7%, particl 0.6%, orbit 0.6%

Single Word Terms

electron 230, state 209, energi 209, structur 140, band 131, spectroscopi 103, calcul 97, excit 94, experiment 86, level 85, two 83, spectra 83, function 79, transit 78, densiti 77

Double Word Terms

electronic.structure 45, conduction.band 37, valence.band 36, band.gap 35, electronic.states 30, ground.state 28, photoelectron.spectroscopy 28, band.structure 28, charge.transfer 27, excited.state 24, ray.photoelectron 21, energy.loss 21, electron.energy 21, excited.states 20, density.states 20

Triple Word Terms

ray.photoelectron.spectroscopy 20, electron.energy.loss 17, photoelectron.spectroscopy.xps 12, conduction.band.edge 11, energy.loss.spectroscopy 11, density.functional.theory 10, electron.paramagnetic.resonance 8, band.structure.calculations 8, ray.absorption.spectroscopy 8, angle.resolved.photoemission 7, deep.level.transient 6, vch.verlag.gmbh 6, edge.ray.absorption 6, level.transient.spectroscopy 6, valence.band.spectra 5

Term Cliques

33.57% state energi electron valenc level spectra transit edg photoemiss orbit
34.83% state energi electron valenc level calcul spectra transit photoemiss orbit
38.46% state energi electron excit transfer spectra transit photoemiss
35.82% state energi electron excit level calcul spectra transit photoemiss orbit
45.28% state energi electron excit charg transfer
46.36% state energi electron excit charg level
37.57% state energi band electron valenc transfer spectra transit photoemiss
36.18% state energi band electron valenc level spectra transit edg photoemiss
37.45% state energi band electron valenc level calcul spectra transit photoemiss
43.16% state energi band electron charg valenc transfer
40.73% state energi band electron charg valenc level edg

Sample Cluster Record Titles

[Electronic structure of nanostructured ZnO from x-ray absorption and emission spectroscopy and the local density approximation](#)

[Resonance energy transfer dynamics in hydrogen-bonded oligo p-phenylenevinylene nanostructures](#)

[Electronic properties of deep defects in n-type GaN](#)

[Use of SiC band gap temperature dependence for absolute calibration of emissivity corrected pyrometers in III-nitride MOVPE](#)

[Gallium oxide and dioxide: Investigation of the ground and low-lying electronic states via anion photoelectron spectroscopy](#)

[Electronic structure of CuWO₄: XPS, XES and NEXAFS studies](#)

[Two excited state structures of Donor-Acceptor substituted "proton sponge"](#)

[Tight binding modeling of band gaps and band offsets in heterostructures](#)

[Evidence of gap state formed by the charge transfer in Alq\(3\)/NaCl/Al interface studied by ultraviolet and x-ray photoelectron spectroscopy](#)

Cluster Metrics

Authors

li, jm 4

chen, c 4
wenzel, w 3
wang, zw 3
timoshenko, vy 3
neumann, m 3
nahler, nh 3
mo, yx 3
matteucci, m 3
liu, rs 3
kuepper, k 3
hosono, h 3
cingolani, r 3
zhou, c 2
yu, my 2

Sources

physical review b 44
journal of physical chemistry b 22
journal of chemical physics 22
physical review letters 15
applied physics letters 10
journal of applied physics 9
journal of electron spectroscopy and related phenomena 8
physical review a 7
journal of physical chemistry a 7
molecular physics 6
journal of physics-condensed matter 6
chemical physics letters 6
synthetic metals 5
physica e-low-dimensional systems & nanostructures 5
surface science 4

Keywords

physics, condensed matter 77
physics, atomic, molecular & chemical 53
chemistry, physical 51
physics, multidisciplinary 32
physics, applied 27
spectroscopy 26
spectroscopy 23
films 19
materials science, multidisciplinary 18
states 17
energy 17
spectra 15
chemistry, multidisciplinary 13

semiconductors 13
optics 13

Publication Year

2005 281
2004 42
2006 2

Country

usa 87
germany 55
japan 50
peoples r china 37
russia 31
england 26
france 25
italy 20
sweden 14
canada 14
india 12
taiwan 9
south korea 9
poland 8
spain 7

Institution

tsing hua univ 13
cnrs 12
russian acad sci 11
chinese acad sci 10
univ calif berkeley 9
tohoku univ 8
univ oxford 6
univ cambridge 6
lund univ 6
kyoto univ 6
cornell univ 6
univ paris 11 5
infm 5
univ tokyo 4
univ british columbia 4

DataBase

science citation index 325

• CLUSTER 215

Density functional theory, with focus on its use for condensed matter, atomic, molecular, and chemical physics calculations, especially to study nanoclusters (266 Records)

(Countries: USA dominant, followed by Germany, China, Japan.
Institutions: Forschungszentrum Karlsruhe, Tsing Hua University, University Oslo, Osaka University. USA includes UCB.)

Cluster Syntax Features

Descriptive Terms

calcul 6.5%, cluster 6.4%, density.functional 4.4%, densiti 4.3%, function 2.8%, energi 2.8%, theori 2.6%, electron 2.5%, functional.theory 2.5%, density.functional.theory 2.5%, atom 2.4%, structur 1.4%, orbit 1.3%, electronic.structure 1.3%, principl 1.2%

Discriminating Terms

calcul 4.5%, cluster 4.1%, density.functional 3.6%, film 2.5%, densiti 2.2%, functional.theory 2.0%, density.functional.theory 2.0%, theori 1.7%, function 1.1%, electronic.structure 1.0%, orbit 1.0%, first.principles 0.9%, energi 0.9%, principl 0.9%, initio 0.8%

Single Word Terms

electron 182, calcul 174, densiti 172, function 167, structur 158, energi 151, theori 126, atom 119, state 93, experiment 84, properti 81, first 75, molecular 73, local 72, model 70

Double Word Terms

density.functional 136, functional.theory 102, electronic.structure 61, first.principles 54, ground.state 30, local.density 23, hartree.fock 23, principles.calculations 21, band.gap 21, time.dependent 21, density.states 19, dependent.density 19, basis.sets 19, theory.dft 19, structure.calculations 19

Triple Word Terms

density.functional.theory 102, first.principles.calculations 21, functional.theory.dft 19, time.dependent.density 19, dependent.density.functional 19, density.functional.calculations 17, local.density.approximation 16, functional.theory.calculations 14, calculations.density.functional 11, electronic.structure.calculations 10, density.approximation.lda 8, augmented.plane.wave 8, principles.density.functional 7, first.principles.density 7, initio.density.functional 7

Term Cliques

46.43% cluster function energi theori electron orbit
52.15% cluster function energi theori electron atom structur
49.00% calcul density.functional densiti function theori electron functional.theory
density.functional.theory atom structur electronic.structure principl
51.09% calcul density.functional densiti function energi theori electron functional.theory
density.functional.theory orbit
54.31% calcul density.functional densiti function energi theori electron functional.theory
density.functional.theory atom structur

Sample Cluster Record Titles

[A DFT study of the vibrational frequencies of alpha-\[XMo12O40\]\(n-\) heteropolyanions](#)

[Theoretical studies of multiple-scattering-cluster theory of local structure of N2O multilayer](#)

[Density-functional band-structure calculations for La-, Y-, and Sc-filled CoP3-based skutterudite structures](#)

[Blue luminescence of Au nanoclusters embedded in silica matrix](#)

[First-principles calculation of transport properties of single-row aluminium nanowires suspended between semi-infinite crystalline electrodes](#)

[Ab initio calculations of the structural and electronic properties of HgmTen clusters](#)

[Band structure calculations on the monoclinic bulk and nano-SrAl2O4 crystals](#)

[Coupled-cluster theory with simplified linear-r\(12\) corrections: The CCSD\(R12\) model](#)

[DFT vibrational calculations of Rhodamine 6G adsorbed on silver: Analysis of tip-enhanced Raman spectroscopy](#)

Cluster Metrics

Authors

zhang, sf 7
su, gl 7
ren, xg 7
ning, cg 7
deng, jk 7
li, gq 6
hirose, k 6
hattig, c 6
ono, t 5
li, b 5
klopper, w 5
huang, f 5
zhou, h 4
ohno, t 4
jorgensen, p 4

Sources

physical review b 68
journal of chemical physics 31
physical review letters 12
journal of physical chemistry b 11
international journal of quantum chemistry 10
chemical physics letters 8
nanotechnology 7
molecular physics 7
journal of physics-condensed matter 5
journal of applied physics 4
surface science 3
physical chemistry chemical physics 3
journal of the american chemical society 3
journal of solid state chemistry 3
journal of physical chemistry a 3

Keywords

physics, condensed matter 81
physics, atomic, molecular & chemical 68
chemistry, physical 40
physics, multidisciplinary 25
physics, applied 15
density 15
density-functional theory 14
growth 14
systems 13
electronic-structure 13
ab-initio 13

materials science, multidisciplinary 12
pseudopotentials 12
conductance 12
transport 11

Publication Year

2005 231
2004 35

Country

usa 69
germany 34
peoples r china 31
japan 29
italy 21
england 18
france 16
brazil 12
india 10
canada 10
sweden 9
spain 8
russia 8
norway 8
israel 8

Institution

forschungszentrum karlsruhe 12
tsing hua univ 11
univ oslo 8
osaka univ 8
univ trieste 5
univ tokyo 5
univ karlsruhe 5
natl inst mat sci 5
cnrs 5
cnr 5
chinese acad sci 5
weizmann inst sci 4
univ sao paulo 4
univ cambridge 4
univ calif berkeley 4

DataBase

science citation index 266

- **CLUSTER 197**

Nanosized clusters, including their structures and properties, density functional theory calculations, molecular dynamics simulations, and their interactions with compounds and each other (251 Records)

(Countries: USA dominant, followed by second tier China, Japan, Germany. Institutions: CAS, CNRS, University Karlsruhe, Forschungszentrum Karlsruhe. USA include Georgia Institute of Technology, VCU.).

Cluster Syntax Features

Descriptive Terms

cluster 47.4%, atom 1.9%, density.functional 1.4%, bond 1.4%, calcul 1.4%, structur 0.9%, isom 0.9%, energi 0.9%, molecul 0.8%, cu 0.8%, dft 0.8%, density.functional.theory 0.7%, functional.theory 0.7%, theori 0.7%, hydrogen 0.7%

Discriminating Terms

cluster 34.5%, film 2.3%, density.functional 1.0%, nanoparticl 0.7%, particl 0.7%, isom 0.7%, magnet 0.7%, layer 0.6%, nanotub 0.6%, calcul 0.6%, dft 0.5%, carbon 0.5%, deposit 0.5%, crystal 0.5%, functional.theory 0.5%

Single Word Terms

cluster 176, structur 152, atom 113, calcul 104, function 103, energi 93, densiti 87, bond

82, molecular 82, theori 78, molecu 77, electron 73, two 68, form 67, surfac 62

Double Word Terms

density.functional 80, functional.theory 58, molecular.dynamics 31, theory.dft 23, ray.diffraction 21, dft.calculations 18, electronic.structure 16, photoelectron.spectroscopy 14, room.temperature 14, dynamics.simulations 13, binding.energies 13, molecular.orbital 13, theory.calculations 13, dynamics.simulation 12, mass.spectrometry 12

Triple Word Terms

density.functional.theory 58, functional.theory.dft 23, molecular.dynamics.simulations 13, functional.theory.calculations 13, molecular.dynamics.simulation 12, density.functional.calculations 8, theory.dft.calculations 8, ray.photoelectron.spectroscopy 8, electronic.structure.calculations 7, scanning.tunneling.microscopy 6, absorption.fine.structure 6, ray.absorption.fine 6, time.flight.mass 6, clusters.density.functional 6, initio.density.functional 5

Term Cliques

30.56% density.functional calcul structur isom energi molecu dft
density.functional.theory functional.theory theori
31.29% density.functional bond calcul structur energi molecu dft
density.functional.theory functional.theory theori hydrogen
36.18% atom bond structur molecu cu
34.16% atom density.functional calcul structur isom energi molecu dft
34.66% atom density.functional bond calcul structur energi molecu dft hydrogen
44.54% cluster atom structur isom energi

Sample Cluster Record Titles

[Potential energy surfaces of SimOn cluster formation and isomerization](#)

[Density functional theory study of triangular molybdenum sulfide nanocluster and CO adsorption on it](#)

[XAFS spectral analysis of the cadmium coordination geometry in cadmium thiolate clusters in metallothionein](#)

[Lanthanide clusters with internal Ln: Fragmentation and the formation of dimers with bridging Se²⁻ and Se-2\(2-\) ligands](#)

[Magic clusters Na-57\(-\) and Na-59\(+\)](#)

[Thermodynamic properties of AuyAgx bimetallic clusters through the evolutive ensemble](#)

[Structure and energetics of nickel, copper, and gold clusters](#)

[Molecular dynamics study of the surface melting of iron clusters](#)

[Structures and reactions of hydrated biomolecular cluster ions](#)

Cluster Metrics

Authors

wu, hs 5
jiao, hj 4
springborg, m 3
neyman, km 3
navarrete, jtl 3
liu, rs 3
li, jy 3
hernandez, v 3
dong, kj 3
delgado, mcr 3
cui, xy 3
casado, j 3
zheng, cx 2
zhao, mw 2
zhang, z 2

Sources

journal of physical chemistry b 27
journal of chemical physics 22
journal of the american chemical society 14
physical review b 11
journal of physical chemistry a 11
chemical physics letters 9
inorganic chemistry 8
surface science 6
european physical journal d 6
journal of molecular structure-theochem 5
european journal of inorganic chemistry 5
chemical physics 5
dalton transactions 4
science and technology of advanced materials 3
physics and chemistry of glasses 3

Keywords

chemistry, physical 72
physics, atomic, molecular & chemical 53
chemistry, multidisciplinary 38

chemistry, inorganic & nuclear 31
complexes 21
adsorption 20
surface 19
nanoparticles 19
density 19
clusters 17
ab-initio 15
chemistry 14
density-functional theory 13
physics, condensed matter 12
nanoclusters 11

Publication Year

2005 231
2004 20

Country

usa 71
peoples r china 36
japan 35
germany 35
france 18
spain 14
italy 12
england 12
russia 10
canada 10
south korea 7
australia 7
india 6
mexico 5
belgium 5

Institution

chinese acad sci 8
cnrs 7
univ karlsruhe 6
forschungszentrum karlsruhe 6
shanxi normal univ 5
russian acad sci 5
natl inst adv ind sci & technol 5
univ valladolid 4
tohoku univ 4
korea adv inst sci & technol 4
inst mol sci 4

hunan univ 4
georgia inst technol 4
virginia commonwealth univ 3
univ waterloo 3

DataBase
science citation index 251

- **CLUSTER 161**

Scanning tunneling microscopy studies (268 Records)

(Countries: USA, closely followed by Japan, then by Germany.
Institutions: University of Tokyo, UCI, RAS, Free University of Berlin, CNRS. Other USA include Northwestern University and UCB.)

Cluster Syntax Features

Descriptive Terms

tunnel 25.0%, stm 8.3%, scanning.tunneling 7.4%, tunneling.microscopy 2.9%, scanning.tunneling.microscopy 2.9%, scan 2.1%, molecucl 1.7%, electron 1.6%, state 1.6%, surfac 1.2%, scanning.tunneling.microscope 1.1%, tunneling.microscope 1.1%, 111 1.0%, tunneling.spectroscopy 1.0%, imag 0.8%

Discriminating Terms

tunnel 18.2%, stm 6.2%, scanning.tunneling 5.6%, tunneling.microscopy 2.2%, scanning.tunneling.microscopy 2.1%, film 2.0%, scanning.tunneling.microscope 0.8%, tunneling.microscope 0.8%, scan 0.8%, tunneling.spectroscopy 0.8%, nanoparticl 0.7%, particl 0.7%, magnet 0.7%, carbon 0.7%, nanotub 0.6%

Single Word Terms

tunnel 258, scan 209, electron 173, surfac 156, microscopi 135, stm 123, state 116, structur 111, spectroscopi 103, energi 92, atom 88, imag 80, molecul 79, temperatur 78, two 78

Double Word Terms

scanning.tunneling 186, tunneling.microscopy 118, microscopy.stm 58, tunneling.microscope 56, tunneling.spectroscopy 51, low.temperature 41, stm.images 34, electronic.structure 33, temperature.scanning 30, microscope.stm 27, electronic.states 26, electron.tunneling 25, microscopy.spectroscopy 25, density.states 24, one dimensional 24

Triple Word Terms

scanning.tunneling.microscopy 117, scanning.tunneling.microscope 56, tunneling.microscopy.stm 53, scanning.tunneling.spectroscopy 29, low.temperature.scanning 27, temperature.scanning.tunneling 26, tunneling.microscope.stm 23, tunneling.microscopy.spectroscopy 22, density.functional.theory 18, surface.scanning.tunneling 15, local.density.states 14, scanning.tunnelling.microscopy 12, angle.resolved.photoemission 9, phys.rev.lett 8, stm.scanning.tunneling 8

Term Cliques

53.57% tunnel scanning.tunneling tunneling.microscopy scanning.tunneling.microscopy
scan electron state 111 tunneling.spectroscopy
56.76% tunnel stm scanning.tunneling scan electron surfac
scanning.tunneling.microscope tunneling.microscope
53.17% tunnel stm scanning.tunneling scan molecul electron
scanning.tunneling.microscope tunneling.microscope
53.40% tunnel stm scanning.tunneling scan molecul electron state 111 imag
54.27% tunnel stm scanning.tunneling tunneling.microscopy
scanning.tunneling.microscopy scan electron state surfac 111 imag

Sample Cluster Record Titles

[STM images of molecules on a metallic surface: a fast calculation based on a self-consistent semiempirical molecular orbital method](#)

[Quantization of electronic states in individual oxide-supported silver particles](#)

[Scanning tunneling microscopy/spectroscopy observation of intrinsic hydrogenated amorphous silicon surface under light irradiation](#)

[Fermi surface investigation in the scanning tunneling microscopy of Bi₂Sr₂CaCu₂O₈](#)

[Unequal-sphere packing model for the structural arrangement of the well-ordered adsorbate-substrate system](#)

[Structural features of Ga-rich GaAs\(001\) surfaces: Scanning tunneling microscopy study](#)

[Size-dependent tunneling differential conductance spectra of crystalline Pd nanoparticles](#)

[In situ Video-STM study of the potential-induced \(1 x 1\) -> "hex" transition on Au\(100\) electrode surfaces in Cl- containing solution](#)

[2x1 reconstructed Si\(111\) surface: STM experiments versus ab initio calculations](#)

Cluster Metrics

Authors

ho, w 10
rieder, kh 6
yeom, hw 4
nilius, n 4
nazin, gv 4
morgenstern, k 4
maeda, k 4
joachim, c 4
gourdon, a 4
ahn, jr 4
wenderoth, m 3
veuillen, jy 3
ulbrich, rg 3
trifonov, as 3
ratner, ma 3

Sources

physical review b 62
physical review letters 34
surface science 23
applied physics letters 12
nano letters 8
journal of physical chemistry b 8
journal of chemical physics 8
applied surface science 7
japanese journal of applied physics part 1-regular papers brief communications & review papers 5

russian journal of electrochemistry 4
journal of the physical society of japan 4
physica e-low-dimensional systems & nanostructures 3
physica c-superconductivity and its applications 3
physica b-condensed matter 3
jetp letters 3

Keywords

physics, condensed matter 73
physics, multidisciplinary 49
chemistry, physical 46
surface 41
scanning-tunneling-microscopy 39
spectroscopy 32
physics, applied 30
states 22
stm 21
scanning tunneling microscope 20
silicon 19
physics, condensed matter 18
physics, atomic, molecular & chemical 16
scanning tunneling microscopy 15
transport 15

Publication Year

2005 240
2004 28

Country

usa 69
japan 59
germany 41
france 24
england 17
peoples r china 16
russia 15
south korea 12
switzerland 11
italy 11
canada 10
netherlands 8
israel 8
india 6
taiwan 4

Institution

univ tokyo 16
univ calif irvine 10
russian acad sci 9
free univ berlin 9
cnrs 9
tokyo inst technol 8
northwestern univ 8
natl inst mat sci 7
yonsei univ 6
univ calif berkeley 6
tohoku univ 6
univ kiel 5
univ karlsruhe 5
osaka univ 5
natl inst adv ind sci & technol 5

DataBase

science citation index 268

- **CLUSTER 227**

Studies of individual molecules, especially on surfaces and in organic materials, with the aid of scanning tunneling microscopy (332 Records)

(Countries: USA dominant, followed by Japan and Germany.

Institutions: CAS, CNRS, University of Texas, Kyoto University. Other USA include UCB, Princeton University, Arizona State University, University of Pittsburgh.)

Cluster Syntax Features

Descriptive Terms

molecul 38.1%, single.molecule 5.1%, molecular 5.1%, singl 2.0%, stm 1.5%, conjug 1.2%, surfac 1.1%, adsorb 1.0%, tunnel 1.0%, adsorpt 0.9%, organ 0.8%, scanning.tunneling 0.7%, fulleren 0.6%, function 0.5%, interact 0.5%

Discriminating Terms

molecul 29.6%, single.molecule 4.5%, molecular 2.6%, film 2.1%, stm 1.1%, conjug 0.8%, particl 0.7%, nanotub 0.7%, magnet 0.7%, carbon 0.6%, temperatur 0.6%, deposit 0.6%, crystal 0.6%, adsorb 0.5%, singl 0.5%

Single Word Terms

molecul 289, molecular 179, surfac 149, structur 121, singl 121, two 102, electron 95, function 89, interact 87, scan 86, tunnel 80, microscopi 80, atom 72, assembl 72, adsorb 70

Double Word Terms

single.molecule 75, scanning.tunneling 66, tunneling.microscopy 52, microscopy.stm 32, self.assembled 27, density.functional 27, single.molecules 25, functional.theory 22, charge.transfer 21, atomic.force 18, surface.raman 17, self.assembly 17, organic.molecules 16, electron.transfer 16, raman.scattering 15

Triple Word Terms

scanning.tunneling.microscopy 52, tunneling.microscopy.stm 28, density.functional.theory 22, atomic.force.microscopy 11, surface.raman.scattering 10, scanning.tunneling.microscope 10, functional.theory.dft 10, self.assembled.monolayers 8, single.molecule.spectroscopy 7, oriented.pyrolytic.graphite 7, tunneling.microscope.stm 7, metal.molecule.metal 7, ray.photoelectron.spectroscopy 7, single.molecule.level 7, situ.scanning.tunneling 7

Term Cliques

30.06% molecular surfac organ fulleren interact
27.65% molecular conjug organ function interact
23.43% molecular conjug organ fulleren interact
27.17% molecular conjug tunnel scanning.tunneling interact
31.55% molecular singl conjug tunnel
23.72% single.molecule singl conjug tunnel
39.54% molecul molecular surfac adsorpt organ function interact
36.94% molecul molecular stm surfac adsorb adsorpt function interact
34.74% molecul molecular stm surfac adsorb tunnel adsorpt scanning.tunneling interact
49.28% molecul molecular singl surfac tunnel
43.01% molecul single.molecule singl surfac tunnel

Sample Cluster Record Titles

[Molecular molds](#)

[Halogen-substituted thiophenol molecules on Cu\(111\)](#)

[Reducing a polymer to its subunits as an aid to molecular mapping](#)

[Atomic structure and tip-induced reconstruction of bromide covered Cu\(110\) electrodes](#)

[Along the way from molecules to devices - The role of supramolecular interactions](#)

[Towards individual molecules as electronic components](#)

[Scanning transmission X-ray microscopy as a speciation tool for natural organic molecules](#)

[Using single-molecule fluorescence spectroscopy to study electron transfer](#)

[Pushing around electrons: towards 2-D and 3-D molecular switches](#)

Cluster Metrics

Authors

wan, lj 8

barbara, pf 6

yang, zy 4

stoddart, jf 4

morita, t 4

moresco, f 4

maruyama, y 4

liu, hy 4

lee, yj 4

kitagawa, k 4

kimura, s 4

gourdon, a 4

futamata, m 4

feringa, bl 4

bai, cl 4

Sources

journal of physical chemistry b 30

physical review b 16

langmuir 15

journal of the american chemical society 15
nano letters 11
chemphyschem 11
angewandte chemie-international edition 10
journal of raman spectroscopy 9
proceedings of the national academy of sciences of the united states of america 8
journal of chemical physics 8
physical review letters 7
surface science 6
chemical physics letters 6
chemical physics 5
biophysical journal 5

Keywords

chemistry, physical 100
chemistry, multidisciplinary 66
adsorption 34
surface 29
scanning-tunneling-microscopy 28
spectroscopy 28
materials science, multidisciplinary 26
spectroscopy 24
self-assembled monolayers 22
physics, atomic, molecular & chemical 22
monolayers 19
physics, condensed matter 18
fluorescence 17
dynamics 17
surfaces 16

Publication Year

2005 302
2004 27
2006 3

Country

usa 101
japan 50
germany 42
france 25
peoples r china 23
italy 22
england 19
netherlands 13
denmark 11
switzerland 10

spain 10
israel 9
belgium 9
south korea 7
russia 7

Institution

chinese acad sci 12
cnrs 11
univ texas 8
kyoto univ 8
weizmann inst sci 6
tohoku univ 6
free univ berlin 6
univ tokyo 5
univ munich 5
univ calif berkeley 5
tech univ denmark 5
russian acad sci 5
princeton univ 5
arizona state univ 5
univ pittsburgh 4

DataBase

science citation index 332

- **CLUSTER 192**

Fluorescence/ luminescence properties, of dyes for instance, and their applications, especially to sensors (112 Records)

(Countries: USA, followed by China and Germany. Institutions: MIT, followed closely by CAS and Anhui Normal University. Other USA include UCSB, UCLA, University of Massachusetts, University of Maryland.).

Cluster Syntax Features

Descriptive Terms

fluoresc 31.3%, dye 9.7%, aggreg 2.4%, conjug 1.4%, transfer 1.2%, polym 1.2%, sensor 1.1%, energy.transfer 1.0%, quench 0.9%, molecu 0.8%, chemosensor 0.8%, detect 0.6%, molecular 0.6%, emiss 0.6%, solut 0.6%

Discriminating Terms

fluoresc 22.0%, dye 6.8%, film 1.5%, aggreg 1.3%, conjug 0.8%, magnet 0.7%, energy.transfer 0.7%, carbon 0.6%, nanotub 0.6%, temperatur 0.6%, crystal 0.6%, chemosensor 0.6%, quench 0.6%, particl 0.5%, deposit 0.5%

Single Word Terms

fluoresc 78, molecu 38, solut 37, molecular 34, two 33, dye 32, state 29, emiss 29, spectroscopi 29, transfer 29, electron 29, system 28, detect 28, structur 27, concentr 27

Double Word Terms

energy.transfer 16, fluorescence.quenching 13, fluorescence.spectra 12, time.resolved 12, dye.molecules 11, electron.transfer 10, water.soluble 10, excited.state 9, fluorescence.lifetime 8, conjugated.polymer 8, fluorescence.emission 8, fluorescence.intensity 7, metal.ions 7, conjugated.polymers 7, red.shift 6

Triple Word Terms

poly.phenylene.ethynylene 5, fluorescence.correlation.spectroscopy 4, resonance.energy.transfer 4, photoinduced.electron.transfer 4, energy.transfer.fret 4, time.resolved.fluorescence 4, fluorescence.quantum.yield 3, fluorescence.resonance.energy 3, transient.absorption.spectroscopy 3, interfacial.electron.transfer 3, correlation.spectroscopy.fcs 3, steady.state.time 3, state.time.resolved 3, electron.energy.transfer 3, atomic.force.microscopy 3

Term Cliques

28.13% transfer polym molecu solut
23.44% transfer polym energy.transfer molecu
20.68% transfer polym sensor energy.transfer quench emiss
23.51% conjug transfer polym quench emiss solut
20.39% conjug transfer polym energy.transfer quench emiss
28.35% aggreg transfer molecu solut
22.62% dye chemosensor molecular
19.05% dye quench chemosensor
25.67% dye transfer energy.transfer molecu

22.10% dye transfer energy.transfer quench
 28.35% dye aggreg molecu molecular
 27.23% dye aggreg transfer molecu
 44.64% fluoresc molecu molecular
 30.36% fluoresc quench chemosensor detect emiss solut
 30.71% fluoresc sensor chemosensor molecular emiss
 27.98% fluoresc sensor quench chemosensor detect emiss
 36.25% fluoresc polym molecu detect solut
 32.14% fluoresc polym quench detect emiss solut
 34.38% fluoresc polym energy.transfer molecu
 29.76% fluoresc polym sensor quench detect emiss
 27.98% fluoresc polym sensor energy.transfer quench emiss
 30.80% fluoresc conjug polym quench emiss solut
 27.68% fluoresc conjug polym energy.transfer quench emiss

Sample Cluster Record Titles

[Comparison of photophysical and colloidal properties of biocompatible semiconductor nanocrystals using fluorescence correlation spectroscopy](#)

[Biosensors based on binding-modulated donor-acceptor distances](#)

[Vibrational modes of merocyanine dyes softened upon J-aggregation of the dyes in their Langmuir-Blodgett films](#)

[Fluorescence lifetime fluctuations of single molecules probe local density fluctuations in disordered media: A bulk approach](#)

[Reactant concentrations from fluorescence correlation spectroscopy with tailored fluorescent probes. An example of local calibration-free pH measurement](#)

[Femtosecond fluorescence studies of self-assembled helical aggregates in solution](#)

[Interaction of thiacyanocyanine polymethine dyes with the surface of silver bromide sols](#)

[Turning fluorescent dyes into Cu\(II\) nanosensors](#)

[Fluorescence resonant energy transfer biosensor based on upconversion-luminescent nanoparticles](#)

Cluster Metrics

Authors

swager, tm 6
zhu, cq 2
zhang, y 2
yoon, j 2
wang, l 2
van hulst, nf 2
tonellato, u 2
tecilla, p 2
shavel, a 2
rampazzo, e 2
prodi, l 2
panigrahi, s 2
pal, t 2
nath, s 2
martinez-manez, r 2

Sources

journal of the american chemical society 12
journal of physical chemistry b 9
journal of materials chemistry 5
macromolecules 4
angewandte chemie-international edition 4
langmuir 3
lab on a chip 3
analytical chemistry 3
analytica chimica acta 3
tetrahedron letters 2
spectroscopy and spectral analysis 2
spectrochimica acta part a-molecular and biomolecular spectroscopy 2
organic letters 2
new journal of chemistry 2
journal of separation science 2

Keywords

chemistry, multidisciplinary 35
chemistry, physical 27
fluorescence 13
chemistry, analytical 12
energy-transfer 11
films 9
spectroscopy 8
chemistry, organic 8
nanoparticles 8
polymer science 7
fluorescence 7
water 7

photoluminescence 7
materials science, multidisciplinary 7
conjugated polymers 7

Publication Year

2005 100
2004 11
2006 1

Country

usa 29
peoples r china 19
germany 13
japan 9
india 8
south korea 7
italy 7
spain 6
netherlands 5
taiwan 3
england 3
canada 3
ukraine 2
switzerland 2
russia 2

Institution

mit 7
chinese acad sci 5
anhui normal univ 4
univ trieste 3
univ padua 3
univ calif santa barbara 3
univ calif los angeles 3
tsing hua univ 3
cnr 3
univ twente 2
univ politecn valencia 2
univ massachusetts 2
univ maryland 2
univ hamburg 2
technion israel inst technol 2

DataBase

science citation index 112

• CLUSTER 18

Improvement of solar cells by dye-sensitized films (especially TiO₂ films) or nanostructures (92 Records)

(Countries: Japan dominant, followed by China, USA, Switzerland, Germany. Sri Lanka next, but far behind. Institutions: Swiss Federal Institute of Technology, CAS, National Institute of Advanced Industrial Science and Technology, Osaka University. USA includes NREL, UCB.).

Cluster Syntax Features

Descriptive Terms

dye 17.0%, solar 15.0%, cell 8.0%, solar.cells 7.5%, dye.sensitized 5.6%, sensit 5.2%, tio2 3.4%, sensitized.solar 3.3%, dye.sensitized.solar 3.0%, effici 2.0%, sensitized.solar.cells 1.7%, solar.cell 1.5%, convers 0.9%, dssc 0.8%, conversion.efficiency 0.8%

Discriminating Terms

dye 10.1%, solar 9.0%, solar.cells 4.6%, dye.sensitized 3.5%, cell 3.0%, sensit 2.5%, sensitized.solar 2.1%, dye.sensitized.solar 1.9%, film 1.3%, tio2 1.2%, sensitized.solar.cells 1.1%, solar.cell 0.9%, surfac 0.7%, effici 0.7%, structur 0.6%

Single Word Terms

cell 89, solar 82, dye 70, sensit 68, effici 62, tio2 54, convers 47, electron 38, film 33, light 32, current 30, nanocrystallin 30, photocurr 29, energi 28, electrolyt 27

Double Word Terms

solar.cells 70, dye.sensitized 54, sensitized.solar 47, solar.cell 34, conversion.efficiency 34, open.circuit 22, nanocrystalline.tio2 21, short.circuit 19, tio2.solar 16, energy.conversion 16, power.conversion 13, sensitized.tio2 12, incident.photon 12, circuit.voltage 12, solid.state 12

Triple Word Terms

dye.sensitized.solar 45, sensitized.solar.cells 36, sensitized.solar.cell 18, open.circuit.voltage 12, short.circuit.photocurrent 11, energy.conversion.efficiency 11, incident.photon.current 10, tio2.solar.cells 10, solar.cells.dsscs 9, photon.current.conversion 9, dye.sensitized.tio2 9, sensitized.nanocrystalline.tio2 8, short.circuit.current 8, power.conversion.efficiency 8, sensitized.tio2.solar 8

Term Cliques

62.14% dye solar cell dye.sensitized sensit tio2 sensitized.solar dye.sensitized.solar effici
solar.cell convers conversion.efficiency

59.78% dye solar cell solar.cells dye.sensitized sensit tio2 sensitized.solar
dye.sensitized.solar effici sensitized.solar.cells convers dssc conversion.efficiency

Sample Cluster Record Titles

[Influence of electrolyte on the photovoltaic performance of a dye-sensitized TiO₂ solar cell based on a Ru\(II\) terpyridyl complex photosensitizer](#)

[The use of xylene orange in a dye-sensitized solar cell](#)

[The application of inverse titania opals in nanostructured solar cells](#)

[Dye-sensitized SnO₂ electrodes with iodide and pseudohalide redox mediators](#)

[Single- and double-layered mesoporous TiO₂/P25 TiO₂ electrode for dye-sensitized solar cell](#)

[Efficiency improvement in solid-state-dye-sensitized photovoltaics with an amphiphilic Ruthenium-dye](#)

[Ionic liquid crystal as a hole transport layer of dye-sensitized solar cells](#)

[Novel conjugated organic dyes for efficient dye-sensitized solar cells](#)

[Photophysical and \(photo\)electrochemical properties of a coumarin dye](#)

Cluster Metrics

Authors

gratzel, m 10

arakawa, h 6

zakeeruddin, sm 5

yanagida, s 5

nazeeruddin, mk 5

zhang, bw 4

wang, xs 4

sugihara, h 4

schmidt-mende, l 4

li, c 4

kitamura, t 4

ito, s 4

humphry-baker, r 4

hara, k 4
zeng, zh 3

Sources

journal of physical chemistry b 15
solar energy materials and solar cells 13
journal of materials chemistry 6
applied physics letters 4
thin solid films 3
journal of the american chemical society 3
journal of photochemistry and photobiology a-chemistry 3
chemistry letters 3
nature materials 2
langmuir 2
journal of materials processing technology 2
journal of electroanalytical chemistry 2
chemphyschem 2
chemical physics letters 2
chemical communications 2

Keywords

chemistry, physical 32
materials science, multidisciplinary 21
films 19
conversion 14
chemistry, multidisciplinary 13
energy & fuels 13
efficiency 12
materials science, multidisciplinary 11
light 10
dye-sensitized solar cell 9
transport 9
physics, 8
solar-cells 7
physics, applied 7
tio2 films 7

Publication Year

2005 82
2004 7
2006 3

Country

japan 24
peoples r china 12
usa 11

switzerland 11
germany 10
sri lanka 4
sweden 3
new zealand 3
netherlands 3
england 3
austria 3
italy 2
israel 2
india 2
greece 2

Institution

swiss fed inst technol 9
chinese acad sci 8
natl inst adv ind sci & technol 7
osaka univ 6
natl renewable energy lab 4
kyoto univ 4
inst fundamental studies 4
johannes kepler univ 3
weizmann inst sci 2
uppsala univ 2
univ london imperial coll sci technol & med 2
univ jena 2
univ calif berkeley 2
riso natl lab 2
peking univ 2

DataBase

science citation index 92

• CLUSTER 250

Ring compounds, especially porphyrins, fullerenes, and their derivatives, with emphasis on reactions, synthesis, and structure of these compounds (332 Records)

(Countries: Japan and USA essentially tied. Well behind are China, Germany, Russia. Institutions: RAS, CAS, Tokyo Institute of Technology, Tohoku University, Gunma University. USA includes University of Massachusetts, UCR.).

Cluster Syntax Features

Descriptive Terms

porphyrin 7.1%, reaction 4.1%, deriv 2.7%, fulleren 2.4%, ring 2.2%, compound 2.0%, synthesi 1.8%, radic 1.8%, substitut 1.6%, bi 1.6%, nmr 1.6%, molecular 1.5%, phenyl 1.3%, ci 1.1%, unit 1.0%

Discriminating Terms

porphyrin 5.7%, film 2.2%, reaction 1.8%, fulleren 1.7%, deriv 1.6%, ring 1.4%, radic 1.2%, substitut 1.0%, phenyl 1.0%, on 0.9%, nmr 0.9%, surfac 0.9%, compound 0.9%, ci 0.9%, particl 0.8%

Single Word Terms

structur 172, reaction 146, synthesi 128, molecular 107, rai 103, compound 96, two 93, deriv 91, electron 90, diffract 78, on 76, synthes 75, nmr 73, new 72, ring 71

Double Word Terms

ray.diffract 48, vch.verlag 27, verlag.gmbh 27, gmbh.co 27, co.kgaa 26, electron.transfer 24, kgaa.69451 24, 69451.weinheim 23, nmr.spectroscopy 22, nmr.spectra 16, mass.spectrometry 16, solid.state 15, donor.acceptor 13, coupling.reaction 13, charge.transfer 12

Triple Word Terms

vch.verlag.gmbh 27, verlag.gmbh.co 26, gmbh.co.kgaa 26, co.kgaa.69451 24, kgaa.69451.weinheim 23, density.functional.theory 10, cross.coupling.reaction 6, differential.scanning.calorimetry 6, ray.diffraction.data 6, maldi.tof.mass 5, tof.mass.spectrometry 5, nmr.spectroscopy.ray 5, functional.theory.dft 5, five.membered.ring 5, single.crystal.ray 5

Term Cliques

12.95% radic bi
22.23% compound synthesi bi phenyl unit
23.19% compound synthesi bi nmr phenyl
19.64% ring substitut molecular ci unit
18.31% ring radic substitut molecular ci
21.69% ring synthesi substitut phenyl unit
25.90% ring synthesi substitut molecular unit
21.39% ring compound molecular ci unit
23.43% ring compound synthesi phenyl unit
27.65% ring compound synthesi molecular unit
20.84% deriv substitut molecular ci unit
22.89% deriv synthesi substitut phenyl unit
27.11% deriv synthesi substitut molecular unit
22.59% deriv compound molecular ci unit
23.55% deriv compound nmr molecular ci
24.64% deriv compound synthesi phenyl unit
28.86% deriv compound synthesi molecular unit
23.34% deriv fulleren synthesi unit
25.66% reaction ring radic substitut molecular
27.05% reaction ring synthesi substitut phenyl
31.27% reaction ring synthesi substitut molecular
28.80% reaction ring compound synthesi phenyl
33.01% reaction ring compound synthesi molecular
21.59% reaction fulleren radic
28.25% reaction deriv synthesi substitut phenyl
32.47% reaction deriv synthesi substitut molecular
28.66% reaction deriv compound synthesi nmr phenyl
32.18% reaction deriv compound synthesi nmr molecular
28.43% reaction deriv fulleren synthesi nmr
14.46% porphyrin bi unit
20.36% porphyrin ring substitut molecular unit
12.75% porphyrin fulleren unit

Sample Cluster Record Titles

[STM and XPS studies of the oxidation of aniline at Cu\(110\) surfaces](#)

[C-1 C60F16O: A fluorofullerene ether having exceptionally long chromatographic retention](#)

[Synthesis of novel 3,4-dihydro-2H-pyrrolo\[60\]fullerene derivatives bearing an alkylsulfanyl substituent](#)

[Synthesis and photophysical properties of C-60-diphenylaminofluorene dyad and multiads](#)

[Mimicking photosynthesis: covalent \[60\]fullerene-based donor-acceptor ensembles](#)

[A porphyrin nanochannel: formation of cationic channels by a protonated saddle-distorted porphyrin and its inclusion behavior](#)

[Porphyrin-substituted dinucleotides: Synthesis and spectroscopy](#)

[Synthesis of ferrocenylpyrazole derivatives](#)

[Porphyrins with fused exocyclic rings](#)

Cluster Metrics

Authors

liu, y 5
guldi, dm 5
nishimura, j 4
nakamura, y 4
edwards, d 4
davies, pr 4
zhang, w 3
yin, jj 3
watterson, ac 3
wang, jj 3
unno, m 3
ter wiel, mkj 3
tejedor, jl 3
tamaoki, n 3
starikova, za 3

Sources

journal of organic chemistry 23
european journal of organic chemistry 21
journal of the american chemical society 16
chemistry-a european journal 12
tetrahedron 11

russian chemical bulletin 8
chemical communications 8
tetrahedron letters 7
journal of physical chemistry b 7
journal of organometallic chemistry 7
fullerenes nanotubes and carbon nanostructures 7
organic letters 6
organic & biomolecular chemistry 6
macromolecules 6
journal of porphyrins and phthalocyanines 6

Keywords

chemistry, organic 98
chemistry, multidisciplinary 91
chemistry, physical 38
chemistry, inorganic & nuclear 32
complexes 29
derivatives 27
chemistry, organic 18
chemistry 18
polymers 15
materials science, multidisciplinary 15
polymer science 14
molecular wires 13
spectra 12
c-60 12
self-assembled monolayers 11

Publication Year

2005 291
2004 40
2006 1

Country

japan 63
usa 62
peoples r china 38
germany 33
russia 28
france 21
spain 17
italy 15
canada 14
england 12
south korea 10
india 10

mexico 7
hungary 7
switzerland 6

Institution

russian acad sci 23
chinese acad sci 12
tokyo inst technol 7
tohoku univ 7
gunma univ 7
univ tokyo 6
max planck inst polymer res 6
kyushu univ 6
univ massachusetts 5
univ erlangen nurnberg 5
cnrs 5
univ complutense madrid 4
univ calif riverside 4
univ bologna 4
univ autonoma madrid 4

DataBase

science citation index 332

- **CLUSTER 230**

Chemical studies of bonding (especially hydrogen bonding), host-guest interactions, and other molecular interactions involved in structure and assembly, with focus on supramolecular structures and macrocycles (246 Records)

(Countries: USA, well ahead of China, Japan, Germany. Institutions: CAS, UCLA, University Twente. Other USA includes UCB, University of Utah.).

Cluster Syntax Features

Descriptive Terms

bond 10.7%, supramolecular 7.7%, hydrogen 5.0%, macrocycl 2.9%, chiral 2.6%, hydrogen.bonding 2.3%, guest 2.2%, aren 2.2%, assembl 2.1%, complex 1.6%, molecular 1.5%, molecu 1.5%, nmr 1.5%, self 1.4%, calix 1.3%

Discriminating Terms

bond 6.8%, supramolecular 6.0%, hydrogen 2.6%, macrocycl 2.3%, film 2.1%, chiral 1.9%, hydrogen.bonding 1.8%, aren 1.7%, guest 1.7%, calix 1.1%, hydrogen.bonded 1.0%, rotaxan 1.0%, surfac 0.9%, nmr 0.9%, nanoparticl 0.8%

Single Word Terms

bond 128, structur 120, complex 93, hydrogen 91, assembl 88, self 88, molecu 84,

interact 84, form 82, molecular 81, two 74, supramolecular 73, nmr 62, on 62, format 58

Double Word Terms

self.assembly 56, hydrogen.bonding 47, hydrogen.bonded 32, ray.diffraction 29, hydrogen.bonds 29, nmr.spectroscopy 27, solid.state 27, hydrogen.bond 18, self.assembled 17, calix.arene 16, bonding.interactions 15, metal.ions 14, crystal.structure 11, guest.molecules 10, co.kgaa 10

Triple Word Terms

hydrogen.bonding.interactions 12, vch.verlag.gmbh 10, gmbh.co.kgaa 10, kgaa.69451.weinheim 10, co.kgaa.69451 10, verlag.gmbh.co 10, solid.state.nmr 6, fourier.transform.infrared 6, formed.self.assembly 6, hydrogen.bonded.supramolecular 5, supramolecular.self.assembly 5, van.der.waals 5, nuclear.magnetic.resonance 4, magnetic.resonance.nmr 4, hydrogen.bonding.interaction 4

Term Cliques

25.55% guest aren assembl complex molecu self calix
27.64% guest aren assembl complex molecular nmr self
28.92% guest aren assembl complex molecular molecu self
28.98% chiral guest assembl complex molecular molecu self
30.28% macrocycl assembl complex molecular nmr self
28.18% macrocycl chiral assembl complex molecular self
28.51% supramolecular chiral guest assembl complex molecu self
27.64% supramolecular macrocycl chiral assembl complex self
34.44% bond chiral assembl complex molecular molecu self
35.57% bond hydrogen hydrogen.bonding assembl complex molecular molecu self
33.97% bond supramolecular chiral assembl complex molecu self
35.16% bond supramolecular hydrogen hydrogen.bonding assembl complex molecu self

Sample Cluster Record Titles

[An STM study on the growth process of vapor-deposited hydroquinone adlayers on Rh\(111\) and Pt\(111\)](#)

[Hydrophobic chemistry in aqueous solution: Stabilization and stereoselective encapsulation of phosphonium guests in a supramolecular host](#)

[An oriented ID coordination/organometallic dimetallic molecular wire with Ag-Pd metal-metal bonds](#)

[Synthesis and self assembly of hydrogen-bonded supramolecular polymers](#)

[Halogen bonds in biological molecules](#)

[A new imidazolium cavitand for the recognition of dicarboxylates](#)

[Novel pi-expanded radialene macrocycles with inner cavity](#)

[Nanoencapsulation of \[60\]fullerene with the cavitand cucurbit\[7\]uril](#)

[Encapsulation and stabilization of reactive aromatic diazonium ions and the tropylium ion within a supramolecular host](#)

Cluster Metrics

Authors

stoddart, jf 11
reinhoudt, dn 7
liu, y 5
cantrill, sj 5
vignon, sa 4
verboom, w 4
van leeuwen, fw 4
kim, sk 4
kim, k 4
crego-calama, m 4
zhou, qf 3
yoon, yj 3
yoon, j 3
tan, yb 3
stang, pj 3

Sources

journal of the american chemical society 16
chemical communications 16
journal of physical chemistry b 11
chemistry-a european journal 11
angewandte chemie-international edition 9
organic letters 7
tetrahedron letters 6
new journal of chemistry 6
macromolecules 6
langmuir 6
journal of organic chemistry 6
journal of materials chemistry 5
european journal of organic chemistry 5
european journal of inorganic chemistry 5
tetrahedron 4

Keywords

chemistry, multidisciplinary 87
chemistry, organic 43
chemistry, physical 39
complexes 30
chemistry 23
self-assembly 20
chemistry, inorganic & nuclear 18
materials science, multidisciplinary 17
design 17
recognition 15
derivatives 14
complexation 14
complexes 13
polymer science 12
molecular recognition 12

Publication Year

2005 212
2004 34

Country

usa 60
peoples r china 33
japan 30
germany 28
france 20
south korea 17
canada 13
netherlands 12
india 12
italy 10
spain 7
england 7
russia 6
finland 5
taiwan 4

Institution

chinese acad sci 12
univ calif los angeles 11
univ twente 8
univ calif berkeley 5
univ strasbourg 1 4
univ halle wittenberg 4
tohoku univ 4

pohang univ sci & technol 4
osaka univ 4
kyoto univ 4
ewha womans univ 4
cnrs 4
yonsei univ 3
wuhan univ 3
univ utah 3

DataBase
science citation index 246

• CLUSTER 210

Self-assembly, formation of supramolecular structures, aggregation, and block copolymers (694 Records)

(Countries: USA dominant, China, Japan, Germany. Institutions: CAS dominant, Northwestern University. Other USA include University of Michigan, Georgia Institute of Technology, University of Massachusetts, UCLA.).

Cluster Syntax Features

Descriptive Terms

assembl 32.9%, self 19.1%, self.assembly 12.3%, self.assembled 2.0%, supramolecular 2.0%, aggreg 0.8%, molecular 0.7%, molecu 0.7%, peptid 0.7%, amphiphil 0.5%, structur 0.4%, self.assembling 0.4%, form 0.4%, block 0.3%, copolym 0.3%

Discriminating Terms

assembl 23.3%, self 12.7%, self.assembly 9.5%, film 1.6%, supramolecular 1.4%, self.assembled 1.2%, carbon 0.7%, nanotub 0.6%, temperatur 0.6%, magnet 0.6%, quantum 0.5%, oxid 0.5%, surfac 0.5%, si 0.4%, particl 0.4%

Single Word Terms

assembl 666, self 624, structur 302, form 217, molecular 179, surfac 179, molecu 170, two 169, format 162, interact 155, solut 152, system 138, function 131, microscopi 131, properti 131

Double Word Terms

self.assembly 433, self.assembled 232, self.assembling 65, self.assemble 62, electron.microscopy 52, atomic.force 49, force.microscopy 47, two dimensional 46, hydrogen.bonding 42, layer.layer 35, three dimensional 34, transmission.electron 34, aqueous.solution 28, building.blocks 26, one dimensional 26

Triple Word Terms

atomic.force.microscopy 43, transmission.electron.microscopy 32, self.assembled.structures 21, angle.ray.scattering 18, synthesis.self.assembly 18, small.angle.ray 17, self.assembly.amphiphilic 16, force.microscopy.afm 16, scanning.tunneling.microscopy 15, electrostatic.self.assembly 14, layer.layer.self 14, dynamic.light.scattering 14, formed.self.assembly 14, scanning.electron.microscopy 13, layer.self.assembly 12

Term Cliques

34.15% assembl self peptid amphiphil structur self.assembling form block copolym
34.69% assembl self aggreg peptid amphiphil structur self.assembling form copolym
33.38% assembl self supramolecular molecular molecu peptid amphiphil structur self.assembling form block
33.82% assembl self supramolecular aggreg molecular molecu peptid amphiphil structur self.assembling form
36.82% assembl self self.assembled peptid amphiphil structur form block copolym
37.36% assembl self self.assembled molecular molecu peptid amphiphil structur form block
37.37% assembl self self.assembled aggreg peptid amphiphil structur form copolym
37.85% assembl self self.assembled aggreg molecular molecu peptid amphiphil structur form
40.04% assembl self self.assembly peptid amphiphil structur form block copolym
40.59% assembl self self.assembly aggreg peptid amphiphil structur form copolym
38.20% assembl self self.assembly supramolecular molecular molecu peptid amphiphil structur form block
38.64% assembl self self.assembly supramolecular aggreg molecular molecu peptid amphiphil structur form

Sample Cluster Record Titles

[Nanostructures of n-type organic semiconductor in a p-type matrix via self-assembly of block copolymers](#)

[Self-assembly of cetyl linear polyethylenimine to give micelles, vesicles, and dense nanoparticles](#)

[Two-component dendritic gel: Effect of stereochemistry on the supramolecular chiral assembly](#)

[Self-assembly of folic acid derivatives: Induction of supramolecular chirality by hierarchical chiral structures](#)

[Self-assembled germanium nano-clusters on silver\(110\)](#)

[Self-assembly and properties of phthalocyanine and polyelectrolytes onto melamine resin particles](#)

[Self-assembly of organic molecules on montmorillonite](#)

[Supramolecular crystalline sheets with ordered nanopore arrays from self-assembly of rigid-rod building blocks](#)

[Bifunctional, conjugated oligomers for orthogonal self-assembly: Selectivity varies from planar substrates to nanoparticles](#)

Cluster Metrics

Authors

lee, m 10

stupp, si 9

reinhoudt, dn 7

molte, rjm 7

wang, l 6

tang, hl 6

smith, dk 6

shinkai, s 6

schenning, aphj 6

rowan, ae 6

pan, m 6

meijer, ew 6

zhu, db 5

zhang, x 5

liu, y 5

Sources

langmuir 49

journal of the american chemical society 46

chemical communications 34
macromolecules 30
angewandte chemie-international edition 30
advanced materials 25
chemistry-a european journal 23
journal of physical chemistry b 20
nano letters 12
chemistry of materials 12
colloids and surfaces a-physicochemical and engineering aspects 11
biomacromolecules 11
proceedings of the national academy of sciences of the united states of america 10
journal of materials chemistry 10
journal of colloid and interface science 8

Keywords

chemistry, multidisciplinary 206
chemistry, physical 150
self-assembly 95
polymer science 61
materials science, multidisciplinary 59
materials science, multidisciplinary 51
nanostructures 47
films 41
monolayers 38
chemistry, organic 37
water 36
polymers 35
nanoparticles 34
thin-films 32
molecules 30

Publication Year

2005 630
2004 58
2006 5
2003 1

Country

usa 244
peoples r china 117
japan 90
germany 73
england 40
netherlands 39
france 39
south korea 28

canada 21
switzerland 20
italy 19
india 14
spain 12
israel 12
singapore 11

Institution

chinese acad sci 39
northwestern univ 18
kyushu univ 13
eindhoven univ technol 13
univ michigan 11
georgia inst technol 11
radboud univ nijmegen 10
max planck inst colloids & interfaces 10
yonsei univ 9
univ tokyo 9
univ massachusetts 9
univ calif los angeles 9
nanjing univ 9
ecole polytech fed lausanne 9
univ strasbourg 1 8

DataBase

science citation index 694

• CLUSTER 50

Self-assembled monolayers (SAMs), especially gold and alkanethiol SAMs, (294 Records)

(Countries: USA dominant, followed by Japan, Germany, South korea, China. Institutions: University of Heidelberg, Korea Advanced Institute S&T, University of Washington, Kyoto University. Other USA include Penn State, Clemson University, University of Houston).

Cluster Syntax Features

Descriptive Terms

sam 44.0%, monolay 7.1%, self.assembled 5.1%, self.assembled.monolayers 4.6%, assembled.monolayers 4.6%, assembl 3.9%, self 3.0%, monolayers.sams 1.9%, assembled.monolayers.sams 1.8%, surfac 1.5%, gold 1.4%, alkanethiol 0.9%, self.assembled.monolayer 0.8%, assembled.monolayer 0.8%, termin 0.7%

Discriminating Terms

sam 30.4%, monolay 4.0%, self.assembled.monolayers 3.1%, assembled.monolayers 3.1%, self.assembled 2.9%, film 1.5%, assembl 1.4%, monolayers.sams 1.3%, assembled.monolayers.sams 1.3%, self 1.0%, particl 0.6%, magnet 0.6%, alkanethiol 0.6%, carbon 0.6%, nanoparticl 0.6%

Single Word Terms

sam 293, self 289, assembl 289, monolay 286, surfac 226, gold 128, spectroscopi 113, structur 100, form 99, molecular 95, molecucl 93, solut 90, substrat 85, termin 85, function 80

Double Word Terms

self.assembled 284, assembled.monolayers 214, monolayers.sams 180, assembled.monolayer 92, monolayer.sam 74, photoelectron.spectroscopy 50, ray.photoelectron 50, force.microscopy 37, contact.angle 35, atomic.force 35, cyclic.voltammetry 29, spectroscopy.xps 25, reflection.absorption 24, scanning.tunneling 23, surface.plasmon 23

Triple Word Terms

self.assembled.monolayers 214, assembled.monolayers.sams 177, self.assembled.monolayer 92, assembled.monolayer.sam 74, ray.photoelectron.spectroscopy 50, atomic.force.microscopy 29, photoelectron.spectroscopy.xps 23, scanning.tunneling.microscopy 22, surface.plasmon.resonance 21, force.microscopy.afm 19, contact.angle.measurements 16, infrared.reflection.absorption 15, tunneling.microscopy.stm 14, terminated.self.assembled 14, reflection.absorption.spectroscopy 14

Term Cliques

74.79% sam monolay self.assembled assembl self surfac gold self.assembled.monolayer assembled.monolayer
71.56% sam monolay self.assembled assembled.monolayers self.assembled.monolayers assembl self monolayers.sams assembled.monolayers.sams surfac gold alkanethiol termin

Sample Cluster Record Titles

[Oriented crystal growth of 4-iodo-4'-nitrobiphenyl on polar self-assembled monolayer templates: A case for "Chemical epitaxy"](#)

[Highly efficient photocurrent generation from a self-assembled monolayer film of a novel C-60-tethered 2,5-dithienylpyrrole triad](#)

[Self-assembled monolayers of bis\(salicylaldiminato\)nickel\(II\) Schiff-base complexes: synthesis and structure](#)

[Influence of alkyl chain length of biotin terminated n-alkanethiolate SAMs on a molecular recognition between streptavidin and biotin](#)

[Determination of ethamsylate in the presence of catecholamines using 4-amino-2-mercaptopyrimidine self-assembled monolayer gold electrode](#)

[Elastic and inelastic electron tunneling in alkane self-assembled monolayers](#)

[A thermal stability study of alkane and aromatic thiolate self-assembled monolayers on copper surfaces](#)

[Loosely packed self-assembled monolayer of N-hexadecyl-3,6-di\(p-mercaptophenylacetylene\)carbazole on gold and its application in biomimetic membrane research](#)

[X-ray photoelectron spectroscopy and near-edge X-ray absorption fine structure study of water adsorption on pyridine-terminated thiolate self-assembled monolayers](#)

Cluster Metrics

Authors

zharnikov, m 8
shaporenko, a 8
grunze, m 8
zhang, s 5
reinhoudt, dn 5
liedberg, b 5
kakiuchi, t 5
huskens, j 5
terfort, a 4
li, ly 4
lee, tr 4
knoll, w 4
kitano, h 4
jiang, sy 4

himmelhaus, m 4

Sources

langmuir 53

journal of physical chemistry b 30

journal of the american chemical society 15

surface science 10

applied surface science 10

chemistry of materials 8

biomaterials 6

analytical chemistry 6

journal of chemical physics 5

japanese journal of applied physics part 1-regular papers brief communications & review papers 5

electrochimica acta 5

chemistry-a european journal 5

thin solid films 4

journal of materials chemistry 4

journal of electroanalytical chemistry 4

Keywords

chemistry, physical 132

gold 92

self-assembled monolayers 79

films 54

adsorption 40

chemistry, multidisciplinary 36

surfaces 26

au(111) 26

surface 25

self-assembled monolayers 24

monolayers 23

materials science, multidisciplinary 22

spectroscopy 20

scanning-tunneling-microscopy 19

chemistry, analytical 19

Publication Year

2005 264

2004 25

2006 5

Country

usa 92

japan 36

germany 35

south korea 30
peoples r china 28
england 16
italy 12
netherlands 10
taiwan 9
spain 9
canada 9
sweden 7
portugal 7
switzerland 6
france 6

Institution

univ heidelberg 16
korea adv inst sci & technol 10
univ washington 9
kyoto univ 9
chinese acad sci 8
univ twente 7
penn state univ 7
clermson univ 7
univ houston 5
tokyo inst technol 5
nagoya univ 5
max planck inst polymer res 5
linkoping univ 5
hokkaido univ 5
cnr 5

DataBase

science citation index 294

- **CLUSTER 168**

Self-assembled monolayers (SAMs), especially gold and alkanethiol SAMs, as well as Langmuir-Blodgett monolayers/ films (335 Records)

(Countries: USA dominant, followed by Japan, Germany, China. Institutions: CAS, UCLA, University of Alberta, National Institute of Advanced Industrial S&T. Other USA include Pacific Northwest National Lab, Northwestern University).

Cluster Syntax Features

Descriptive Terms

monolay 45.4%, self.assembled 5.2%, assembl 4.2%, self.assembled.monolayers 3.2%, assembled.monolayers 3.2%, self 3.2%, surfac 2.3%, langmuir 0.8%, molecu 0.7%, self.assembled.monolayer 0.6%, assembled.monolayer 0.6%, gold 0.5%, acid 0.5%, molecular 0.4%, alkanethiol 0.4%

Discriminating Terms

monolay 33.9%, self.assembled 3.4%, self.assembled.monolayers 2.4%, assembled.monolayers 2.4%, assembl 1.8%, self 1.2%, film 1.2%, particl 0.7%, nanoparticl 0.7%, magnet 0.7%, nanotub 0.7%, temperatur 0.6%, carbon 0.6%, langmuir 0.5%, crystal 0.5%

Single Word Terms

monolay 328, surfac 246, assembl 210, self 195, molecu 121, structur 111, form 107, microscopi 107, measur 102, molecular 94, spectroscopi 91, two 86, film 82, function 81, atom 81

Double Word Terms

self.assembled 183, assembled.monolayers 118, force.microscopy 62, atomic.force 61, assembled.monolayer 57, water.interface 36, ray.photoelectron 34, surface.pressure 33, air.water 33, contact.angle 31, photoelectron.spectroscopy 30, microscopy.afm 29, langmuir.blodgett 28, electron.transfer 26, scanning.tunneling 24

Triple Word Terms

self.assembled.monolayers 118, self.assembled.monolayer 57, atomic.force.microscopy 57, air.water.interface 31, ray.photoelectron.spectroscopy 29, force.microscopy.afm 29, scanning.tunneling.microscopy 20, fourier.transform.infrared 18, surface.pressure.area 15, contact.angle.measurements 15, tunneling.microscopy.stm 14, assembled.monolayers.sams 13, photoelectron.spectroscopy.xps 13, langmuir.blodgett.films 13, grazing.incidence.ray 12

Term Cliques

45.92% monolay surfac langmuir molecu acid molecular
40.13% monolay self.assembled assembl self self.assembled.monolayer
assembled.monolayer gold acid alkanethiol
46.03% monolay self.assembled assembl self surfac molecu self.assembled.monolayer
assembled.monolayer gold acid
44.18% monolay self.assembled assembl self.assembled.monolayers
assembled.monolayers self gold acid alkanethiol
51.18% monolay self.assembled assembl self.assembled.monolayers
assembled.monolayers self surfac gold acid

Sample Cluster Record Titles

[Use of self-assembled monolayers, metal ions and smectic liquid crystals to detect organophosphonates](#)

[Growth kinetics and morphology of self-assembled monolayers formed by contact printing 7-octenyltrichlorosilane and octadecyltrichlorosilane on Si\(100\) wafers](#)

[Study of mixed Langmuir-Blodgett films of immunoglobulin G/amphiphile and their application for immunosensor engineering](#)

[Self-assembled monolayers of optically active Co\(III\) complexes: a new promoter electrode recognizing the electron transfer site in cytochrome c](#)

[Vapor-phase self-assembled monolayer for improved mold release in nanoimprint lithography](#)

[Self-assembled silane monolayers: Fabrication with nanoscale uniformity](#)

[Properties of two-component Langmuir monolayer of single chain perfluorinated carboxylic acids with dipalmitoylphosphatidylcholine \(DPPC\)](#)

[Tribological behavior of self-assembled double layer measured by a pin-on-plate method](#)

[Electrochemical properties of thiol monolayers prepared by constant- potential assembly](#)

Cluster Metrics

Authors

gooding, jj 5
wiegart, l 4
vollhardt, d 4

struth, b 4
reinhoudt, dn 4
kim, k 4
zhang, xt 3
zhang, ly 3
zhang, jd 3
xu, zh 3
whitesides, gm 3
ulstrup, j 3
tanaka, k 3
stoddart, jf 3
sek, s 3

Sources

langmuir 66
journal of physical chemistry b 33
journal of the american chemical society 12
surface science 10
colloids and surfaces b-biointerfaces 9
chemical communications 9
journal of electroanalytical chemistry 8
thin solid films 7
applied surface science 7
colloids and surfaces a-physicochemical and engineering aspects 6
small 5
journal of colloid and interface science 5
angewandte chemie-international edition 5
sensors and actuators b-chemical 4
physical chemistry chemical physics 4

Keywords

chemistry, physical 142
self-assembled monolayers 75
chemistry, multidisciplinary 56
gold 50
films 44
surfaces 37
monolayers 33
adsorption 29
monolayers 25
chemistry, analytical 22
scanning-tunneling-microscopy 21
self-assembled monolayers 21
electrochemistry 21
au(111) 20
materials science, multidisciplinary 19

Publication Year

2005 304

2004 29

2006 2

Country

usa 105

japan 42

germany 37

peoples r china 32

france 24

south korea 23

england 19

canada 16

italy 14

poland 12

india 12

netherlands 9

israel 9

denmark 9

spain 8

Institution

chinese acad sci 8

univ calif los angeles 7

univ alberta 7

natl inst adv ind sci & technol 7

nanjing univ 6

nagoya univ 6

kyushu univ 6

jilin univ 6

warsaw univ 5

univ warsaw 5

univ new s wales 5

tsing hua univ 5

pohang univ sci & technol 5

pacific nw natl lab 5

northwestern univ 5

DataBase

science citation index 335

- **CLUSTER 244**

Studies of surfaces (especially copper, gold, and silver-containing surfaces), focusing on the effects of cluster formation and deposition on surfaces and the use of scanning tunneling microscopy to characterize surfaces (STM) (220 Records)

(Countries: USA, Japan, Germany. Institutions: National Institute of Materials Science, University of Tokyo, CAS. Other USA include University of Pittsburgh, UCSB).

Cluster Syntax Features

Descriptive Terms

surfac 8.0%, cu 3.8%, stm 2.5%, cluster 2.3%, 111 2.2%, atom 2.0%, 110 1.7%, electron 1.6%, deposit 1.4%, scanning.tunneling 1.3%, oxygen 1.2%, 001 1.2%, ag 1.2%, tunnel 1.2%, oxid 1.2%

Discriminating Terms

surfac 3.1%, cu 2.6%, stm 2.4%, film 1.9%, 111 1.8%, 110 1.5%, cluster 1.4%, scanning.tunneling 1.2%, 001 0.9%, scanning.tunneling.microscopy 0.9%, nanotub 0.9%, tunneling.microscopy 0.9%, carbon 0.9%, particl 0.8%, island 0.7%

Single Word Terms

surfac 161, electron 129, structur 117, microscopi 116, atom 101, scan 90, temperatur 88, energi 88, high 87, deposit 78, substrat 68, layer 66, tunnel 65, low 62, spectroscopi 60

Double Word Terms

scanning.tunneling 60, tunneling.microscopy 53, electron.microscopy 52, transmission.electron 50, electron.diffraction 37, microscopy.stm 34, energy.electron 34, room.temperature 33, high.resolution 33, low.energy 32, photoelectron.spectroscopy 28, electron.microscope 25, ultrahigh.vacuum 22, ray.photoelectron 22, scanning.electron 20

Triple Word Terms

scanning.tunneling.microscopy 53, transmission.electron.microscopy 39,

tunneling.microscopy.stm 31, energy.electron.diffraction 31, low.energy.electron 27, ray.photoelectron.spectroscopy 21, transmission.electron.microscope 17, resolution.transmission.electron 16, high.resolution.transmission 15, scanning.electron.microscopy 12, electron.diffraction.lead 11, ultra.high.vacuum 11, atomic.force.microscopy 10, density.functional.theory 10, electron.energy.loss 10

Term Cliques

29.68% surfac 110 scanning.tunneling oxygen 001 tunnel oxid
 34.92% surfac 110 electron oxygen 001 oxid
 37.42% surfac atom deposit scanning.tunneling 001 tunnel
 32.53% surfac atom 110 scanning.tunneling oxygen 001 tunnel
 29.89% surfac stm 111 110 scanning.tunneling oxygen tunnel oxid
 33.47% surfac stm 111 atom deposit scanning.tunneling ag tunnel
 31.31% surfac stm 111 atom 110 scanning.tunneling ag tunnel
 32.39% surfac stm 111 atom 110 scanning.tunneling oxygen tunnel
 32.67% surfac stm cluster atom deposit scanning.tunneling ag tunnel
 37.64% surfac cu atom deposit 001
 35.71% surfac cu atom 110 electron oxygen 001
 34.77% surfac cu 111 atom deposit ag
 31.89% surfac cu 111 atom 110 ag
 33.33% surfac cu 111 atom 110 oxygen
 33.71% surfac cu cluster atom deposit ag

Sample Cluster Record Titles

[Nano-patterned silicon surfaces for the self-organised growth of metallic nanostructures](#)

[Chemical reactions and interdiffusion at the Fe/NiO\(001\) interface](#)

[Ag and Au thin layers on Ta\(211\) face](#)

[Self-assembled growth of CeO₂ nanostructures on sapphire](#)

[Multiscale modeling of surface sputtering in a scanning transmission electron microscope](#)

[Size distribution of cobalt nanoclusters in an amorphous carbon matrix](#)

[In situ STM study of nanosized Ru and Os islands spontaneously deposited on Pt\(111\) and Au\(111\) electrodes](#)

[STM investigations on a tetralactam macrocycle adsorbed on Au\(111\) and Cu\(111\) surfaces](#)

[Effect of external stress on the patterning of nanostructures: a kinetic Monte Carlo simulation of Ta deposited on anisotropically compressed Ta\(100\) surfaces](#)

Cluster Metrics

Authors

yang, jc 4
zhou, gw 3
zhang, y 3
yoshitake, m 3
yamamoto, t 3
xue, qk 3
tong, x 3
tanaka, s 3
spiecker, e 3
shvets, iv 3
sharma, hr 3
sasaki, t 3
murphy, s 3
mizoguchi, t 3
metiu, h 3

Sources

surface science 24
physical review b 23
journal of physical chemistry b 8
applied surface science 7
thin solid films 6
review of scientific instruments 6
physical review letters 6
journal of materials research 6
langmuir 5
journal of applied physics 5
applied physics letters 5
nuclear instruments & methods in physics research section b-beam interactions with materials and atoms 4
japanese journal of applied physics part 1-regular papers brief communications & review papers 4
acta physica sinica 4
journal of the american chemical society 3

Keywords

chemistry, physical 53
physics, condensed matter 30
growth 30
physics, applied 28
scanning-tunneling-microscopy 26
materials science, multidisciplinary 23
surface 22

films 18
physics, multidisciplinary 17
physics, applied 17
adsorption 17
surfaces 16
thin-films 15
physics, condensed matter 14
physics, 14

Publication Year

2005 195
2004 23
2003 2

Country

usa 51
japan 38
germany 35
peoples r china 15
france 15
england 14
russia 11
italy 9
spain 8
south korea 8
poland 6
taiwan 4
ireland 4
hungary 4
belgium 4

Institution

natl inst mat sci 9
univ tokyo 7
chinese acad sci 7
russian acad sci 6
natl inst adv ind sci & technol 6
univ pittsburgh 5
univ kiel 5
tohoku univ 5
univ warwick 4
univ munich 4
max planck inst met res 4
infm 4
cnrs 4
univ york 3

univ calif santa barbara 3

DataBase

science citation index 220

- **CLUSTER 253**

Layers, emphasizing properties of thickness and deposition, as well as interactions at the interfaces/ barriers (325 Records)

(Countries: USA, Japan, Germany, China. Institutions: CAS, National Chiao Tung University, RAS. Other USA include University of Illinois, UCSD, Georgia Institute of Technology, University of Wisconsin).

Cluster Syntax Features

Descriptive Terms

layer 22.6%, oxid 3.1%, thick 3.0%, deposit 2.8%, cu 1.8%, plasma 1.5%, surfac 1.4%, multilay 1.2%, contact 1.1%, substrat 0.9%, barrier 0.8%, silicon 0.8%, interfac 0.8%, metal 0.7%, dielectr 0.7%

Discriminating Terms

layer 20.0%, film 2.1%, thick 2.0%, oxid 1.1%, cu 1.1%, multilay 1.0%, nanotub 1.0%, deposit 0.9%, carbon 0.9%, nanoparticl 0.9%, plasma 0.8%, quantum 0.8%, particl 0.8%, contact 0.7%, layer.thickness 0.6%

Single Word Terms

layer 244, structur 153, surfac 136, thick 132, electron 131, deposit 130, rai 100, microscopi 99, high 98, oxid 98, substrat 92, temperatur 86, film 83, form 77, properti 77

Double Word Terms

electron.microscopy 78, scanning.electron 45, transmission.electron 44, ray.diffraction 43, layer.thickness 41, atomic.force 31, ray.photoelectron 31, force.microscopy 29, photoelectron.spectroscopy 29, vapor.deposition 23, current.density 20, chemical.vapor 20, high.resolution 18, room.temperature 17, layer.deposition 16

Triple Word Terms

transmission.electron.microscopy 43, scanning.electron.microscopy 38,
 ray.photoelectron.spectroscopy 29, atomic.force.microscopy 27,
 chemical.vapor.deposition 17, photoelectron.spectroscopy.xps 15,
 electron.microscopy.sem 13, electron.microscopy.tem 12, ray.diffraction.xrd 11,
 atomic.layer.deposition 9, high.resolution.transmission 9, resolution.transmission.electron
 9, force.microscopy.afm 9, plasma.chemical.vapor 8, magnetic.tunnel.junctions 7

Term Cliques

12.82% plasma barrier dielectr
 14.92% cu barrier metal dielectr
 24.22% deposit cu surfac contact barrier interfac metal
 26.33% deposit cu surfac contact substrat interfac metal
 21.33% thick barrier dielectr
 26.55% oxid deposit surfac contact barrier interfac metal
 28.66% oxid deposit surfac contact substrat interfac metal
 29.28% oxid deposit surfac contact substrat silicon
 27.08% oxid deposit plasma surfac contact silicon
 26.21% oxid deposit plasma surfac contact barrier
 30.59% layer deposit cu multilay substrat interfac metal
 32.57% layer deposit cu surfac barrier interfac metal
 34.68% layer deposit cu surfac substrat interfac metal
 35.69% layer thick multilay substrat interfac
 34.90% layer oxid deposit surfac barrier interfac metal
 37.01% layer oxid deposit surfac substrat interfac metal
 39.03% layer oxid deposit surfac substrat silicon
 36.82% layer oxid deposit plasma surfac silicon
 35.95% layer oxid deposit plasma surfac barrier
 36.12% layer oxid thick barrier interfac
 39.08% layer oxid thick substrat interfac
 38.58% layer oxid thick substrat silicon

Sample Cluster Record Titles

[Exchange bias in NiFe/FeMn/NiFe trilayers](#)

[Thermal effect on the oxides on Nb\(100\) studied by synchrotron-radiation x-ray photoelectron spectroscopy](#)

[Effects of wetting ability of plating electrolyte on Cu seed layer for electroplated copper film](#)

[Formation of an ordered passivated-nanogold multilayer by the Langmuir-Blodgett method](#)

[Effects of O-2- and N-2-plasma treatments on copper surface](#)

[Electroless gold deposition on silicon\(100\) wafer based on a seed layer of silver](#)

[Formation of preferentially oriented Cu\[111\] layer on Nb\[110\] barrier on SiO₂](#)

[Effect of H-2 sputter gas on interfacial mixing in spin valves](#)

[Formation and characterization of nanometer scale metal-oxide-semiconductor structures on GaAs using low-temperature atomic layer deposition](#)

Cluster Metrics

Authors

yang, y 5

park, sj 4

yamaguchi, n 3

wada, k 3

toguchi, m 3

ohno, r 3

mccreery, rl 3

matsubara, h 3

maehama, t 3

kumar, r 3

kim, sh 3

higa, a 3

eden, jg 3

zhu, jg 2

zhang, z 2

Sources

journal of applied physics 27

applied surface science 14

applied physics letters 14

thin solid films 13

japanese journal of applied physics part 1-regular papers short notes & review papers 9

nanotechnology 7

journal of the electrochemical society 7

langmuir 6

electrochemical and solid state letters 6

surface and interface analysis 5

physical review b 5

journal of vacuum science & technology b 5

journal of magnetism and magnetic materials 5

advanced functional materials 5

surface & coatings technology 4

Keywords

physics, applied 67
materials science, multidisciplinary 49
physics, applied 45
chemistry, physical 44
films 44
physics, 37
engineering, electrical & electronic 34
physics, condensed matter 33
materials science, multidisciplinary 21
applied 20
growth 20
thin-films 19
electrochemistry 19
condensed matter 17
materials science, coatings & films 16

Publication Year

2005 291
2004 29
2006 5

Country

usa 79
japan 46
germany 34
peoples r china 29
south korea 22
taiwan 20
france 20
spain 12
england 12
russia 11
singapore 9
italy 8
india 7
belgium 6
sweden 5

Institution

chinese acad sci 10
natl chiao tung univ 7
russian acad sci 6
univ illinois 5
tohoku univ 5

natl univ singapore 5
natl tsing hua univ 5
csic 5
univ calif san diego 4
inst phys 4
inst microelect 4
georgia inst technol 4
univ wisconsin 3
univ ulm 3
univ ryukyus 3

DataBase

science citation index 325

• CLUSTER 205

Growth of layers/ films, especially InN and GaAs, by means of molecular beam epitaxy, chemical vapor deposition, and similar deposition techniques (264 Records)

(Countries: USA, Japan, Germany. Institutions: RAS, CNRS, CAS.
Other USA include Arizona State University, University of Houston).

Cluster Syntax Features

Descriptive Terms

epitaxi 11.6%, layer 5.9%, growth 5.6%, grown 3.9%, molecular.beam 3.4%,
beam.epitaxy 3.4%, molecular.beam.epitaxy 3.2%, inn 2.4%, substrat 2.2%, beam 2.2%,
disloc 2.1%, gaa 2.1%, buffer 1.7%, 001 1.7%, epilay 1.3%

Discriminating Terms

epitaxi 9.0%, molecular.beam 2.8%, beam.epitaxy 2.8%, molecular.beam.epitaxy 2.7%,
growth 2.6%, grown 2.3%, inn 2.0%, layer 2.0%, disloc 1.5%, film 1.5%, buffer 1.2%,
gaa 1.2%, beam 1.2%, 001 1.1%, epilay 1.1%

Single Word Terms

epitaxi 211, grown 179, layer 176, growth 172, substrat 159, beam 128, molecular 122,
structur 121, surfac 120, high 114, temperatur 114, rai 112, electron 111, diffract 106,
microscopi 104

Double Word Terms

molecular.beam 117, beam.epitaxy 115, ray.diffraction 89, electron.microscopy 74, transmission.electron 69, layers.grown 48, high.resolution 39, atomic.force 38, force.microscopy 38, phase.epitaxy 35, growth.temperature 34, buffer.layer 31, chemical.vapor 25, vapor.deposition 25, buffer.layers 25

Triple Word Terms

molecular.beam.epitaxy 114, transmission.electron.microscopy 64, atomic.force.microscopy 36, beam.epitaxy.mbe 24, grown.molecular.beam 23, chemical.vapor.deposition 23, vapor.phase.epitaxy 22, high.resolution.ray 18, resolution.ray.diffraction 17, energy.electron.diffraction 16, electron.microscopy.tem 15, high.energy.electron 15, plasma.molecular.beam 15, reflection.high.energy 14, metalorganic.vapor.phase 12

Term Cliques

44.59% layer growth grown substrat disloc buffer epilay
47.16% layer growth grown molecular.beam beam.epitaxy molecular.beam.epitaxy substrat beam buffer epilay
46.63% layer growth grown molecular.beam beam.epitaxy molecular.beam.epitaxy inn substrat beam buffer
44.98% epitaxi layer growth substrat disloc gaa 001 epilay
47.21% epitaxi layer growth molecular.beam beam.epitaxy molecular.beam.epitaxy substrat beam gaa 001 epilay
49.95% epitaxi layer growth grown substrat disloc 001 epilay
50.83% epitaxi layer growth grown molecular.beam beam.epitaxy molecular.beam.epitaxy substrat beam 001 epilay
52.65% epitaxi layer growth grown molecular.beam beam.epitaxy molecular.beam.epitaxy inn substrat beam

Sample Cluster Record Titles

[Nano-patterning surfaces by the self-organized growth of ordered and strained epitaxial layers](#)

[Growth and characterization of InAs epitaxial layer on GaAs\(111\)B](#)

[InN epitaxial growths on Ytria stabilized zirconia \(111\) step substrates](#)

[Ordered growth of germanium hut islands on Si \(001\) molecular bonded substrates](#)

[InAsSb single crystals with cutoff wavelength longer than 10 \$\mu\$ m grown by melt epitaxy](#)

[High uniformity of InGaAsP layers grown by multi-wafer MOVPE system](#)

[Molecular-beam epitaxy of \(Zn,Mn\)Se on Si\(100\)](#)

[Metal/semiconductor phase transition in chromium nitride\(001\) grown by rf-plasma-assisted molecular-beam epitaxy](#)

[InN layers grown on silicon substrates: effect of substrate temperature and buffer layers](#)

Cluster Metrics

Authors

ploog, kh 6
suzuki, t 5
kaganer, vm 5
jenichen, b 5
braun, w 5
williams, rs 4
neave, jh 4
liu, r 4
zhou, jm 3
zhang, j 3
yao, t 3
wu, tb 3
wu, sd 3
wang, h 3
tuomi, t 3

Sources

journal of crystal growth 46
applied physics letters 36
journal of applied physics 31
journal of vacuum science & technology b 12
physical review b 11
thin solid films 9
surface science 6
superlattices and microstructures 5
crystal research and technology 5
chinese physics letters 5
applied surface science 5
semiconductors 4
physical review letters 4
journal of physics-condensed matter 4
journal of electronic materials 4

Keywords

physics, applied 79

crystallography 52
growth 46
molecular-beam epitaxy 37
physics, applied 37
physics, condensed matter 31
gaas 31
engineering, electrical & electronic 30
films 28
materials science, multidisciplinary 20
thin-films 19
molecular beam epitaxy 19
layers 19
surface 18
physics, multidisciplinary 17

Publication Year

2005 222
2004 40
2006 2

Country

usa 60
japan 49
germany 35
france 24
peoples r china 21
russia 18
taiwan 14
south korea 14
england 14
italy 10
poland 6
canada 6
ireland 5
spain 4
india 4

Institution

russian acad sci 13
cnrs 13
chinese acad sci 12
univ london imperial coll sci technol & med 6
paul drude inst festkorperelekt 6
natl tsing hua univ 6
univ shizuoka 5
tokyo inst technol 5

cnr 5
arizona state univ 5
univ houston 4
polish acad sci 4
natl synchrotron radiat res ctr 4
natl inst mat sci 4
natl inst adv ind sci & technol 4

DataBase
science citation index 264

- **CLUSTER 229**

Growth of crystals and islands, emphasizing growth parameters and properties of the products (269 Records)

(Countries: USA, China, Japan, Germany, France. Institutions: Shandong University, CAS, CNRS. USA includes Sandia National Laboratories).

Cluster Syntax Features

Descriptive Terms

growth 37.4%, crystal 6.9%, island 1.9%, grown 1.5%, step 1.4%, rate 1.1%, growth.rate 1.1%, epitaxi 1.0%, single.crystals 1.0%, layer 0.9%, nucleat 0.9%, temperatur 0.7%, crystal.growth 0.6%, surfac 0.6%, vapor 0.5%

Discriminating Terms

growth 29.6%, crystal 3.0%, film 1.7%, island 1.4%, growth.rate 1.0%, nanoparticl 0.9%, particl 0.8%, single.crystals 0.8%, step 0.7%, magnet 0.7%, grown 0.7%, epitaxi 0.5%,

crystal.growth 0.5%, quantum 0.5%, polym 0.5%

Single Word Terms

growth 248, temperatur 125, crystal 122, surfac 115, grown 99, high 96, structur 89, rate 85, layer 79, substrat 75, deposit 75, microscopi 71, epitaxi 69, singl 66, rai 62

Double Word Terms

growth.rate 46, ray.diffraction 41, single.crystals 36, atomic.force 33, vapor.deposition 33, chemical.vapor 33, crystal.growth 31, growth.temperature 29, epitaxial.growth 28, force.microscopy 27, single.crystal 25, crystals.grown 22, two dimensional 22, growth.rates 21, electron.microscopy 20

Triple Word Terms

chemical.vapor.deposition 30, atomic.force.microscopy 27, scanning.tunneling.microscopy 19, force.microscopy.afm 13, transmission.electron.microscopy 12, vapor.phase.epitaxy 10, vapor.deposition.cvd 9, single.crystals.grown 9, scanning.electron.microscopy 9, high.resolution.ray 8, situ.atomic.force 8, energy.dispersive.ray 8, width.half.maximum 8, full.width.half 8, ray.photoelectron.spectroscopy 7

Term Cliques

36.35% growth step rate growth.rate epitaxi layer temperatur surfac vapor
32.96% growth step rate growth.rate epitaxi layer nucleat surfac vapor
49.26% growth grown temperatur vapor
38.71% growth island step epitaxi layer temperatur surfac
34.36% growth island step epitaxi layer nucleat surfac
34.62% growth crystal step rate growth.rate nucleat crystal.growth surfac
40.66% growth crystal step rate growth.rate layer temperatur surfac
36.85% growth crystal step rate growth.rate layer nucleat surfac
39.85% growth crystal grown single.crystals crystal.growth
46.84% growth crystal grown single.crystals temperature

Sample Cluster Record Titles

[Fabrication of complex crystals using kinetic control, chemical additives, and epitaxial growth](#)

[Growth of atomically flat Ag on mica](#)

[Island growth as a growth mode in atomic layer deposition: A phenomenological model](#)

[Growth, structural and high pressure studies on MoS₂ single crystal](#)

[Growth dynamics and optimization of Ga\(In\)AsN/GaAs towards 1.3 \$\mu\text{m}\$ and 1.55 \$\mu\text{m}\$](#)

[Growth of \$\text{Sr}_3\text{Fe}_2\text{O}_{7-x}\$ single crystals by the floating zone method](#)

[Atomic force microscopy studies on growth mechanisms of LAP crystals grown in solution containing excessive amount of L-arginine](#)

[The influence of ammonia on the growth mode in InGaN/GaN heteroepitaxy](#)

[In situ and real-time characterization of metal-organic chemical vapor deposition growth by high resolution x-ray diffraction](#)

Cluster Metrics

Authors

zhang, gh 6

xu, d 6

wang, xq 6

geng, yl 6

wang, ty 5

du, w 5

zhang, hj 4

vaidya, r 4

sun, dl 4

silly, f 4

patel, sg 4

liu, hy 4

castell, mr 4

xu, xg 3

wei, l 3

Sources

journal of crystal growth 53

surface science 16

physical review b 13

applied physics letters 12

physical review letters 8

journal of applied physics 4

japanese journal of applied physics part 1-regular papers short notes & review papers 4

geochimica et cosmochimica acta 4

crystal research and technology 4

applied surface science 4

solid state communications 3

physica status solidi b-basic solid state physics 3

materials science and engineering b-solid state materials for advanced technology 3
materials chemistry and physics 3
journal of the american chemical society 3

Keywords

crystallography 60
chemistry, physical 33
growth 33
materials science, multidisciplinary 32
physics, applied 31
chemical-vapor-deposition 27
films 24
physics, condensed matter 23
physics, condensed matter 17
epitaxy 17
physics, multidisciplinary 16
physics, applied 15
temperature 12
surface 12
materials science, multidisciplinary 12

Publication Year

2005 229
2004 39
2006 1

Country

usa 57
peoples r china 44
japan 34
germany 32
france 26
india 17
england 13
russia 9
spain 7
italy 7
south korea 6
taiwan 5
canada 5
singapore 4
poland 4

Institution

shandong univ 12
chinese acad sci 12

cnrs 8
univ oxford 6
natl inst mat sci 6
tohoku univ 5
shanghai jiao tong univ 5
univ paris 06 4
univ cambridge 4
sardar patel univ 4
sandia natl labs 4
max planck inst met res 4
anna univ 4
univ tokyo 3
univ munster 3

DataBase

science citation index 269

• CLUSTER 58

Silicon carbide (SiC), emphasizing growth of desired structures by epitaxy or chemical vapor deposition (CVD) and issues concerning defects on the products (174 Records)

(Countries: Japan, USA, Germany. Institutions: Kyoto University, Linkoping University, Technical University Ilmenau. Other USA include University of South Carolina, Rensselaer Polytechnic Institute, US Navy.).

Cluster Syntax Features

Descriptive Terms

sic 66.8%, growth 1.8%, epitaxi 1.3%, layer 1.0%, silicon.carbide 0.9%, cvd 0.8%, carbid 0.7%, grown 0.7%, si 0.7%, silicon 0.6%, defect 0.5%, epilay 0.5%, substrat 0.5%, fault 0.4%, dope 0.4%

Discriminating Terms

sic 44.9%, film 1.4%, nanoparticl 0.7%, particl 0.6%, magnet 0.6%, silicon.carbide 0.6%, nanotub 0.6%, epitaxi 0.6%, structur 0.4%, surfac 0.4%, carbid 0.4%, quantum 0.4%, oxid 0.4%, cvd 0.3%, polym 0.3%

Single Word Terms

sic 170, layer 88, growth 82, deposit 80, high 75, temperatur 72, chemic 71, grown 71, si 69, electron 69, substrat 66, epitaxi 66, surfac 65, structur 65, silicon 65

Double Word Terms

chemical.vapor 52, vapor.deposition 47, silicon.carbide 47, electron.microscopy 37, transmission.electron 33, epitaxial.growth 27, growth.sic 25, sic.epitaxial 20, sic.0001 19, ray.diffraction 18, high.temperature 18, atomic.force 16, sic.layers 16, hot.wall 16, deposition.cvd 16

Triple Word Terms

chemical.vapor.deposition 47, transmission.electron.microscopy 28, silicon.carbide.sic 15, vapor.deposition.cvd 14, atomic.force.microscopy 12, sic.epitaxial.layers 11, grown.chemical.vapor 11, epitaxial.growth.sic 10, resolution.transmission.electron 8, high.resolution.transmission 8, epitaxial.layers.grown 8, layers.grown.chemical 8, scanning.electron.microscopy 8, hot.wall.cvd 7, sic.epitaxial.growth 7

Term Cliques

41.52% sic layer cvd grown si silicon defect dope
39.46% sic layer silicon.carbide carbid defect fault
38.29% sic layer silicon.carbide cvd carbid silicon defect dope
42.69% sic epitaxi layer grown defect substrat fault
41.59% sic epitaxi layer cvd grown si defect dope
44.25% sic epitaxi layer cvd grown si defect substrat
41.09% sic growth cvd grown si silicon defect dope
38.89% sic growth silicon.carbide carbid defect fault
37.86% sic growth silicon.carbide cvd carbid silicon defect dope
38.72% sic growth epitaxi grown defect epilay substrat fault
38.00% sic growth epitaxi cvd grown defect epilay dope
40.66% sic growth epitaxi cvd grown defect epilay substrat
41.16% sic growth epitaxi cvd grown si defect dope
43.82% sic growth epitaxi cvd grown si defect substrat

Sample Cluster Record Titles

[The microstructure of polymer-derived amorphous silicon carbide layers](#)

[Ab initio study of structural and electronic properties of planar defects in Si and SiC](#)

[Determination of densities and energy levels of donors in free-standing undoped 3C-SiC epilayers with thicknesses of 80 \$\mu\text{m}\$](#)

[Coating of SiC surface by thin carbon films using the carbide-derived carbon process](#)

[Application of Raman microscopy to the analysis of silicon carbide monofilaments](#)

[Wafer bonding characteristics for 3C-SiC-on-insulator structures using PECVD oxide](#)

[Helical nanocables with SiC core and SiO₂ shell](#)

[Strong influence of boron doping on nanocrystalline silicon-carbide formation by using photo-CVD technique](#)

[Experimental evidence for the quantum confinement effect in 3C-SiC nanocrystallites](#)

Cluster Metrics

Authors

kimoto, t 8

ambacher, o 8

pezoldt, j 7

nishino, s 6

matsunami, h 6

ohshima, s 5

janzen, e 5

cimalla, v 5

yakimova, r 4

syvajarvi, m 4

sudarshan, ts 4

monteil, y 4

henry, a 4

chow, tp 4

tojo, t 3

Sources

silicon carbide and related materials 2004 49

journal of applied physics 13
applied physics letters 8
journal of electronic materials 6
journal of crystal growth 6
physical review b 4
physica status solidi a-applications and materials science 4
journal of materials science 4
journal of the european ceramic society 3
japanese journal of applied physics part 1-regular papers short notes & review papers 3
japanese journal of applied physics part 1-regular papers brief communications & review papers 3
high-performance ceramics iii, pts 1 and 2 3
advanced si-based ceramics and composites 3
thin solid films 2
surface science 2

Keywords

physics, applied 27
silicon-carbide 20
materials science, multidisciplinary 19
silicon-carbide 17
physics, applied 15
growth 15
silicon carbide 14
physics, condensed matter 14
engineering, electrical & electronic 14
chemical-vapor-deposition 14
sic 11
cvd 11
crystallography 10
4h-sic 10
sic 10

Publication Year

2005 163
2004 9
2003 2

Country

japan 45
usa 42
germany 28
peoples r china 16
france 16
sweden 15
russia 11

south korea 9
italy 9
england 6
norway 5
greece 4
mexico 3
australia 3
ukraine 2

Institution

kyoto univ 12
linkoping univ 9
tech univ ilmenau 8
kyoto inst technol 6
cnrs 6
univ s carolina 5
univ oslo 5
chinese acad sci 5
yonsei univ 4
tohoku univ 4
royal inst technol 4
rensselaer polytech inst 4
carnegie mellon univ 4
aristotle univ thessaloniki 4
usn 3

DataBase

science citation index 174

• CLUSTER 131

Silicon-containing substances, emphasizing processes on and

interactions with silicon surfaces and scanning tunneling microscopy (STM) to characterize the substances (228 Records)

(Countries: Japan, USA, Germany. Institutions: Tohoku University, Osaka University, University of Illinois, CAS. Other USA include Arizona State University, University of Wisconsin.).

Cluster Syntax Features

Descriptive Terms

si 27.7%, si.111 10.1%, 111 6.9%, surfac 3.3%, si.100 1.5%, scanning.tunneling 1.4%, atom 1.4%, stm 1.4%, si.001 1.3%, tunnel 1.1%, scanning.tunneling.microscopy 1.1%, tunneling.microscopy 1.1%, dimer 1.0%, island 1.0%, termin 0.9%

Discriminating Terms

si 16.5%, si.111 7.8%, 111 4.6%, film 1.6%, si.100 1.1%, si.001 0.9%, scanning.tunneling 0.9%, stm 0.9%, nanoparticl 0.7%, scanning.tunneling.microscopy 0.7%, tunneling.microscopy 0.7%, terminated.si 0.7%, particl 0.7%, magnet 0.7%, nanotub 0.6%

Single Word Terms

si 228, surfac 196, 111 132, atom 125, microscopi 125, scan 113, structur 108, tunnel 106, electron 89, temperatur 88, deposit 75, energi 75, growth 74, format 74, form 72

Double Word Terms

si.111 127, scanning.tunneling 98, tunneling.microscopy 86, si.100 50, room.temperature 40, terminated.si 40, 111.surface 37, photoelectron.spectroscopy 36, si.001 35, hydrogen.terminated 34, electron.diffraction 32, energy.electron 32, si.surface 32, microscopy.stm 29, ray.photoelectron 28

Triple Word Terms

scanning.tunneling.microscopy 86, si.111.surface 34, energy.electron.diffraction 30, ray.photoelectron.spectroscopy 28, hydrogen.terminated.si 28, atomic.force.microscopy 25, tunneling.microscopy.stm 23, low.energy.electron 23, si.111.surfaces 20, si.100.surface 19, photoelectron.spectroscopy.xps 18, si.111.7x7 18, si.001.surface 17, terminated.si.111 15, surface.scanning.tunneling 14

Term Cliques

43.97% si scanning.tunneling atom si.001 tunnel scanning.tunneling.microscopy tunneling.microscopy island
44.81% si si.100 atom scanning.tunneling.microscopy tunneling.microscopy island
56.23% si surfac atom si.001 termin
46.18% si surfac scanning.tunneling atom stm si.001 tunnel scanning.tunneling.microscopy tunneling.microscopy dimer

47.37% si surfac si.100 atom stm scanning.tunneling.microscopy tunneling.microscopy
dimer
50.00% si si.111 111 scanning.tunneling atom tunnel scanning.tunneling.microscopy
tunneling.microscopy island
57.70% si si.111 111 surfac scanning.tunneling atom tunnel
scanning.tunneling.microscopy tunneling.microscopy

Sample Cluster Record Titles

[Self-organized SiC nanostructures on silicon](#)

[Scaling properties of a Si surface patterned by selective chemical etching](#)

[Physical properties and chemical reactivity of the buckled dimer on Si\(100\)](#)

[Epitaxial growth of 3C-SiC on Si\(111\) using hexamethyldisilane and tetraethylsilane](#)

[Imprinting Br-atoms at Si\(111\) from a SAM of CH₃Br\(ad\), with pattern retention](#)

[Initial processes of hydrogen adsorption on Si\(100\) surface](#)

[Scanning tunneling microscopy/spectroscopy studies of two isomers of Ce@C-82 on Si\(111\)-\(7x7\) surfaces](#)

[Scanning tunnelling microscopy observations at initial stage of Cs adsorption on Si\(III\)-root 3x root 3-Ag surface](#)

[VUV laser photodesorption of hydrogen from Si\(100\)\(2x1\): H surface assisted by scanning tunneling microscope](#)

Cluster Metrics

Authors

xue, qk 5

xu, gq 5

jia, jf 5

huang, jy 5

huang, hg 5

wu, kh 4

sakurai, t 4

oura, k 4

okado, h 4

katayama, m 4

fujikawa, y 4
custance, o 4
zotov, av 3
zegenhagen, j 3
yoshida, s 3

Sources

surface science 43
physical review b 28
applied physics letters 19
physical review letters 11
journal of physical chemistry b 7
journal of applied physics 7
applied surface science 7
japanese journal of applied physics part 1-regular papers short notes & review papers 6
thin solid films 5
journal of vacuum science & technology a 5
journal of crystal growth 5
japanese journal of applied physics part 1-regular papers brief communications & review papers 5
journal of the korean physical society 4
japanese journal of applied physics part 2-letters & express letters 4
ultramicroscopy 3

Keywords

chemistry, physical 66
silicon 62
scanning-tunneling-microscopy 55
growth 54
physics, condensed matter 37
physics, applied 37
surface 31
si(001) 25
physics, multidisciplinary 24
films 23
adsorption 23
si 22
si(111) 21
physics, applied 21
si(100) 19

Publication Year

2005 204
2004 22
2006 1
2003 1

Country

japan 67
usa 48
germany 24
peoples r china 18
france 18
south korea 14
canada 11
italy 7
russia 6
england 6
taiwan 5
singapore 5
brazil 5
australia 5
india 4

Institution

tohoku univ 13
osaka univ 13
univ illinois 10
chinese acad sci 10
univ tokyo 7
natl univ singapore 5
univ tsukuba 4
univ toronto 4
univ erlangen nurnberg 4
kyoto univ 4
arizona state univ 4
vladivostok state univ econ & serv 3
univ wisconsin 3
univ turku 3
univ paris 11 3

DataBase

science citation index 228

• CLUSTER 190

Silicon, silica, and silicide-containing substrates/ layers/ films: their properties and processes that occur on them (461 Records)

(Countries: Japan, USA, China, Germany, South Korea. Institutions: Nanjing University, National Tsing Hua University, CNR, Tohoku University, National Chiao Tung University. No USA institutions among leaders.).

Cluster Syntax Features

Descriptive Terms

si 62.5%, sio2 1.6%, silicon 1.3%, layer 1.3%, anneal 0.7%, silicid 0.7%, substrat 0.6%, interfac 0.5%, deposit 0.5%, oxid 0.5%, si.si 0.5%, si.substrate 0.4%, film 0.4%, si.sio2 0.3%, growth 0.3%

Discriminating Terms

si 47.9%, film 1.1%, sio2 0.8%, magnet 0.7%, particl 0.7%, carbon 0.6%, nanotub 0.6%, nanoparticl 0.6%, silicid 0.5%, polym 0.5%, surfac 0.5%, quantum 0.4%, structur 0.4%, si.si 0.4%, silicon 0.3%

Single Word Terms

si 461, layer 209, electron 207, silicon 202, structur 184, film 173, deposit 171, substrat 160, temperatur 157, high 150, surfac 148, microscopi 132, format 130, form 125, rai 121

Double Word Terms

electron.microscopy 109, transmission.electron 105, si.substrate 75, si.si 59, chemical.vapor 57, vapor.deposition 56, ray.diffraction 55, photoelectron.spectroscopy 52, ray.photoelectron 50, room.temperature 47, sio2.si 46, silicon.si 44, si.100 44, si.sio2 42, high.resolution 39

Triple Word Terms

transmission.electron.microscopy 95, chemical.vapor.deposition 55, ray.photoelectron.spectroscopy 50, photoelectron.spectroscopy.xps 25, plasma.chemical.vapor 25, high.resolution.transmission 23, electron.microscopy.tem 23, resolution.transmission.electron 23, atomic.force.microscopy 21, scanning.electron.microscopy 18, cross.sectional.transmission 16, sectional.transmission.electron 16, auger.electron.spectroscopy 15, ray.diffraction.xrd 12, si.nanocrystals.si 12

Term Cliques

39.98% si layer substrat deposit oxid si.substrate growth
37.71% si layer substrat interfac oxid si.substrate growth
37.66% si layer silicid substrat deposit si.substrate film growth
35.68% si layer silicid substrat interfac si.substrate film growth
42.37% si layer anneal deposit film si.sio2
39.73% si layer anneal interfac film si.sio2
40.59% si layer anneal substrat deposit oxid si.substrate
38.33% si layer anneal substrat interfac oxid si.substrate
38.20% si layer anneal silicid substrat deposit si.substrate film
36.23% si layer anneal silicid substrat interfac si.substrate film
44.32% si silicon substrat deposit si.si film
42.34% si silicon substrat deposit oxid si.si
45.62% si silicon layer substrat deposit film growth
43.91% si silicon layer substrat deposit oxid growth
46.23% si silicon layer anneal substrat deposit film
44.53% si silicon layer anneal substrat deposit oxid
38.05% si sio2 layer anneal deposit oxid si.sio2
39.08% si sio2 layer anneal deposit oxid si.substrate
35.79% si sio2 layer anneal interfac oxid si.sio2
36.81% si sio2 layer anneal interfac oxid si.substrate

Sample Cluster Record Titles

[Coarsening of nano-crystalline SiC in amorphous Si-B-C-N](#)

[Novel Er-doped SiC/SiO₂ nanocomposites: Synthesis via polymer pyrolysis and their optical characterization](#)

[Blue emission from hydrogen-containing a-Si : H/SiO₂ multilayers and the investigation of its mechanism](#)

[Nanostructure formation by high temperature-pressure treatment of silicon implanted with hydrogen/helium](#)

[Study of surface segregation of Si on palladium silicide using Auger electron spectroscopy](#)

[Molecular dynamics study of nano-size silica melting by high heat flux](#)

[The effect of Au thickness and annealing conditions on SiO₂ formation in the Au/Si system](#)

[Ternary phase analysis of interfacial silicates grown in HfO_x/Si and HF/SiO₂/Si systems](#)

[Photoluminescence of GaAs nanowhiskers grown on Si substrate](#)

Cluster Metrics

Authors

ma, zy 8
huang, xf 8
chen, kj 8
li, w 6
wang, yq 5
smirani, r 5
ross, gg 5
kim, sh 5
han, pg 5
chu, pk 5
zou, hc 4
yasuda, k 4
wu, yc 4
wu, xl 4
siu, gg 4

Sources

applied physics letters 60
journal of applied physics 26
thin solid films 17
japanese journal of applied physics part 1-regular papers short notes & review papers 17
applied surface science 16
physical review b 13
journal of the electrochemical society 13
japanese journal of applied physics part 1-regular papers brief communications & review papers 10
materials science and engineering b-solid state materials for advanced technology 9
journal of vacuum science & technology b 9
surface science 7
nanotechnology 7
journal of vacuum science & technology a 7
ieee electron device letters 7
electrochemical and solid state letters 7

Keywords

physics, applied 134
materials science, multidisciplinary 79
silicon 78

physics, applied 62
films 51
chemistry, physical 43
si 43
engineering, electrical & electronic 40
physics, condensed matter 40
silicon 39
growth 39
physics, condensed matter 36
physics, 34
photoluminescence 30
thin-films 25

Publication Year

2005 413
2004 45
2006 3

Country

japan 100
usa 87
peoples r china 54
germany 43
south korea 42
france 31
taiwan 26
italy 23
canada 16
russia 13
india 12
england 11
ukraine 10
spain 10
singapore 9

Institution

nanjing univ 13
natl tsing hua univ 12
cnr 12
tohoku univ 11
natl chiao tung univ 11
natl acad sci ukraine 9
hanyang univ 9
city univ hong kong 8
chinese acad sci 8
sungkyunkwan univ 7

russian acad sci 7
osaka univ 7
natl inst adv ind sci & technol 7
cnrs 7
waseda univ 6

DataBase
science citation index 461

• CLUSTER 36

Growth and characterization of silicon-germanium (SiGe) structures and their application to circuits, with focus on strained/ strain-relaxed SiGe layers (113 Records)

(Countries: USA, Japan, Taiwan, Germany. Institutions: RAS, CAS, National Tsing Hua University. Other USA include MIT, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

sige 31.4%, strain 11.4%, si 9.3%, strained.si 4.2%, si0 3.1%, ge 2.7%, layer 2.0%, sige.si 1.5%, si.sige 1.3%, si1 1.3%, disloc 1.2%, xgex 1.1%, si1.xgex 0.9%, relax 0.9%, island 0.9%

Discriminating Terms

sige 21.0%, strain 6.3%, si 3.6%, strained.si 2.8%, si0 2.1%, film 1.5%, ge 1.4%, sige.si 1.0%, si.sige 0.8%, si1 0.8%, xgex 0.8%, nanoparticl 0.7%, particl 0.7%, si1.xgex 0.6%, magnet 0.6%

Single Word Terms

si 101, sige 97, strain 84, layer 81, substrat 64, high 55, ge 53, temperatur 48, grown 46, electron 45, structur 43, si0 41, relax 40, growth 39, surfac 38

Double Word Terms

strained.si 32, sige.si 31, si.sige 29, transmission.electron 28, electron.microscopy 28, si1.xgex 21, sige.layer 21, metal.oxide 21, chemical.vapor 19, vapor.deposition 19, relaxed.sige 19, oxide.semiconductor 19, ray.diffraction 17, si.001 17, si.layer 16

Triple Word Terms

transmission.electron.microscopy 27, chemical.vapor.deposition 19, metal.oxide.semiconductor 19, oxide.semiconductor.field 14, semiconductor.field.transistors 11, strained.si.sige 10, strained.si.layer 9, silicon.insulator.soi 8, si.sige.si 8, si.001.substrate 8, molecular.beam.epitaxy 8, high.resolution.ray 7, si.001.substrates 7, resolution.ray.diffraction 6, strained.si.layers 6

Term Cliques

44.25% strain si ge layer si1 disloc xgex si1.xgex relax
50.44% strain si ge layer sige.si si1 disloc
44.35% strain si si0 ge layer si1 disloc xgex si1.xgex
53.54% sige si sige.si island
60.94% sige strain si ge layer disloc relax
59.80% sige strain si ge layer sige.si disloc
60.18% sige strain si ge layer sige.si si.sige
61.06% sige strain si si0 ge layer disloc
57.19% sige strain si strained.si ge layer si.sige relax
57.30% sige strain si strained.si si0 ge layer si.sige

Sample Cluster Record Titles

[Metal-induced crystallization of amorphous Si_{1-x}Ge by rapid thermal annealing](#)

[Self-forming silicide/SiGe-based tube structure on Si\(001\) substrates](#)

[The effect of Sb surfactant assisted growth on SiGe surface morphology](#)

[Shortened photoconductance lifetime of Si/SiGe hetero structures due to interfacial oxygen or carbon from incomplete in-situ hydrogen cleans](#)

[Design, fabrication and characterisation of strained Si/SiGe MOS transistors](#)

[Fabrication of thick, high-quality strained SiGe layer on ultra-thin silicon-on-insulator and modeling of film strain](#)

[Application of selective epitaxy for formation of ultra shallow SiGe-based junctions](#)

[SiGe-on-insulator material fabrication by oxygen implantation into SiGe/Si heterostructure and novel two-step annealing](#)

[Growth kinetic and doping of Si and SiGe epi layers on fullsheet substrates](#)

Cluster Metrics

Authors

olsen, sh 4
o'Neill, ag 4
novikov, av 4
krasil'nik, zf 4
chen, lj 4
zhang, m 3
zaima, s 3
vogg, g 3
taoka, n 3
takagi, s 3
stoffel, m 3
schmidt, og 3
schaffler, f 3
sakai, a 3
rolland, g 3

Sources

materials science in semiconductor processing 15
applied physics letters 15
materials science and engineering b-solid state materials for advanced technology 8
journal of crystal growth 7
thin solid films 6
electrochemical and solid state letters 5
physical review b 4
journal of applied physics 4
japanese journal of applied physics part 1-regular papers brief communications & review papers 4
semiconductor science and technology 3
physics of the solid state 3
journal of physics d-applied physics 3
japanese journal of applied physics part 2-letters & express letters 3
journal of vacuum science & technology b 2
journal of electronic materials 2

Keywords

engineering, electrical & electronic 33
physics, applied 32
physics, applied 29
physics, condensed matter 26
materials science, multidisciplinary 23
multidisciplinary 21

materials science, 21
films 18
si 16
silicon 15
sige 15
relaxation 12
mobility 12
layers 12
growth 12

Publication Year

2005 101
2004 12

Country

usa 23
japan 16
taiwan 15
germany 14
peoples r china 9
russia 8
england 6
sweden 5
south korea 5
singapore 5
france 5
austria 5
switzerland 3
belgium 3
ukraine 2

Institution

russian acad sci 6
chinese acad sci 6
natl tsing hua univ 5
univ newcastle upon tyne 4
stmicroelect 4
natl univ singapore 4
natl chiao tung univ 4
mit 4
johannes kepler univ 4
cea 4
univ illinois 3
tohoku univ 3
royal inst technol 3
paul scherrer inst 3

nagoya univ 3

DataBase

science citation index 113

- **CLUSTER 42**

Germanium-based substances, including germanium nanocrystals, islands, and substrates, as well as heterostructures containing silicon (176 Records)

(Countries: USA dominant, China, Germany, Japan, France. Institutions: National University Singapore, Arizona State University, CAS, CEA. Other USA include University of Texas, Oak Ridge National Labs.).

Cluster Syntax Features

Descriptive Terms

ge 61.4%, si 6.5%, island 6.2%, ge.si 1.5%, si.ge 1.0%, germanium 0.8%, 001 0.8%, layer 0.6%, ge.nanocrystals 0.6%, ge.islands 0.5%, growth 0.5%, si.001 0.4%, nanocryst 0.4%, size 0.4%, epitaxi 0.3%

Discriminating Terms

ge 41.2%, island 3.8%, si 2.3%, film 1.4%, ge.si 1.0%, si.ge 0.7%, particl 0.7%, carbon 0.6%, magnet 0.6%, nanoparticl 0.6%, nanotub 0.6%, germanium 0.5%, structur 0.4%, ge.nanocrystals 0.4%, polym 0.4%

Single Word Terms

ge 170, si 126, layer 86, surfac 77, deposit 67, temperatur 67, grown 66, growth 65, structur 63, electron 63, island 59, high 58, microscopi 58, atom 56, substrat 55

Double Word Terms

ge.si 53, si.ge 39, transmission.electron 35, electron.microscopy 34, si.001 32, ge.islands 27, si.100 26, ray.diffraction 21, self.assembled 19, ge.nanocrystals 19, chemical.vapor 18, vapor.deposition 18, scanning.tunneling 17, room.temperature 17, atomic.force 16

Triple Word Terms

transmission.electron.microscopy 28, chemical.vapor.deposition 18, molecular.beam.epitaxy 16, scanning.tunneling.microscopy 16, atomic.force.microscopy 14, self.assembled.ge 10, ge.si.001 8, electron.microscopy.tem 8, energy.electron.diffraction 7, high.energy.electron 7, pressure.chemical.vapor 7, ge.nanocrystals.embedded 7, ge.si.si 6, reflection.high.energy 6, si.001.islands 6

Term Cliques

48.86% ge layer growth nanocryst
42.33% ge layer ge.nanocrystals nanocryst
44.74% ge germanium layer ge.nanocrystals
48.86% ge si germanium layer growth sige
47.16% ge si si.ge layer sige epitaxi
49.43% ge si ge.si si.ge layer epitaxi
44.39% ge si island 001 layer growth sige epitaxi
43.25% ge si island 001 layer growth si.001 sige
42.68% ge si island ge.si 001 layer ge.islands growth epitaxi
41.67% ge si island ge.si 001 layer ge.islands growth si.001

Sample Cluster Record Title

[Raman scattering studies in two kinds of Ge nanosystems under hydrostatic pressure](#)

[Electrical study of MOS structure with Ge embedded in SiO₂ as floating gate for nonvolatile memory](#)

[Initial stages of Mn adsorption on Ge\(111\)](#)

[Interface modification in Co/Ge bilayer using swift heavy ions](#)

[Two-dimensional arrays of nanometre scale holes and nano-V-grooves in oxidized Si wafers for the selective growth of Ge dots or Ge/Si hetero-nanocrystals](#)

[Strain-mediated uniform islands in stacked Ge/Si\(001\) layers](#)

[An X-ray scattering study on inverted Ge-Si huts grown at low temperatures](#)

[Self-assembled In\(Ga\) as islands on Ge substrate](#)

[Size and density control of crystalline Ge islands on glass substrates by oxygen etching](#)

Cluster Metrics

Authors

stoffel, m 6
schmidt, og 6
foo, yl 6
kwong, dl 5
hartmann, jm 5
rolland, g 4
nath, r 4
chi, dz 4
bogumilowicz, y 4
billon, t 4
zhu, cx 3
wang, xs 3
wang, j 3
vostokov, nv 3
tsong, ist 3

Sources

applied physics letters 22
journal of applied physics 21
physical review b 20
materials science in semiconductor processing 9
physical review letters 6
nanotechnology 6
surface science 5
optical materials 5
microelectronic engineering 5
journal of crystal growth 5
applied surface science 5
japanese journal of applied physics part 1-regular papers brief communications & review papers 4
thin solid films 3
materials science and engineering b-solid state materials for advanced technology 3
journal of vacuum science & technology b 3

Keywords

physics, applied 54

growth 42
silicon 36
physics, condensed matter 30
germanium 30
physics, applied 27
engineering, electrical & electronic 26
si(001) 22
si 21
materials science, multidisciplinary 20
ge 20
films 19
physics, condensed matter 18
quantum dots 17
multidisciplinary 12

Publication Year

2005 157
2004 19

Country

usa 50
peoples r china 24
germany 23
japan 22
france 21
singapore 15
taiwan 13
russia 9
spain 7
italy 6
england 5
canada 5
india 4
belgium 4
brazil 3

Institution

natl univ singapore 10
arizona state univ 8
chinese acad sci 7
cea 7
inst mat res & engn 6
univ texas 5
univ paris 11 5
stmicroelect 5
russian acad sci 5

max planck inst festkorperforsch 5
inst microelect 5
cnrs 5
tohoku univ 4
oak ridge natl lab 4
natl inst adv ind sci & technol 4

DataBase
science citation index 176

• CLUSTER 117

Ion implantation to modify or create materials, including nanocrystals, sometimes accompanied by or followed by annealing, thermal or laser (354 Records)

(Countries: USA, China, Japan, Germany. Institutions: Tsing Hua University, CAS, CNRS, CNR, Australian National University).

Cluster Syntax Features

Descriptive Terms

implant 50.9%, ion 8.0%, anneal 4.4%, ion.implantation 2.4%, si 2.0%, dose 2.0%, kev 1.2%, silicon 0.7%, layer 0.6%, depth 0.6%, sampl 0.6%, energi 0.4%, fluenc 0.4%, sio2

0.4%, nanocryst 0.4%

Discriminating Terms

implant 37.2%, ion 3.8%, anneal 2.1%, ion.implantation 1.8%, film 1.7%, dose 1.3%, kev 0.9%, particl 0.6%, nanotub 0.6%, magnet 0.5%, structur 0.5%, carbon 0.5%, quantum 0.4%, nanoparticl 0.4%, deposit 0.4%

Single Word Terms

implant 304, ion 268, anneal 187, surfac 155, temperatur 155, layer 151, sampl 148, energi 147, high 138, electron 136, si 134, format 121, dose 119, kev 111, microscopi 108

Double Word Terms

ion.implantation 135, electron.microscopy 89, transmission.electron 73, ray.diffraction 50, ion.beam 44, ion.implanted 39, thermal.annealing 37, room.temperature 37, ion.mass 37, secondary.ion 36, high.resolution 35, low.energy 34, implanted.samples 32, annealing.temperature 29, rutherford.backscattering 28

Triple Word Terms

transmission.electron.microscopy 67, secondary.ion.mass 35, ray.photoelectron.spectroscopy 23, ion.mass.spectrometry 23, rapid.thermal.annealing 21, electron.microscopy.tem 21, scanning.electron.microscopy 20, photoelectron.spectroscopy.xps 19, rutherford.backscattering.spectrometry 16, auger.electron.spectroscopy 15, atomic.force.microscopy 15, resolution.transmission.electron 13, aqueous.corrosion.behavior 13, sectional.transmission.electron 13, cross.sectional.transmission 13

Term Cliques

43.85% implant ion si silicon layer depth sampl energi sio2
45.61% implant ion si kev silicon layer depth sampl energi
43.66% implant ion ion.implantation si sampl fluenc nanocryst
44.76% implant ion ion.implantation si layer depth sampl energi sio2
43.22% implant ion ion.implantation si kev layer depth sampl energi fluenc
42.66% implant ion ion.implantation si dose sampl sio2 nanocryst
45.86% implant ion ion.implantation si dose layer sampl energi sio2
47.61% implant ion ion.implantation si dose kev layer sampl energi
42.88% implant ion anneal si dose silicon sampl sio2 nanocryst
45.73% implant ion anneal si dose silicon layer sampl energi sio2
47.32% implant ion anneal si dose kev silicon layer sampl energi

Sample Cluster Record Titles

[Nanostructure formation on ion-eroded SiGe film surfaces](#)

[Direct observation of substitutional Au atoms in SrTiO₃](#)

[The effect of implantation dose on the microstructure of silicon nanocrystals in SiO₂](#)

[Nanoprecipitation in transparent matrices using an energetic ion beam](#)

[Ion irradiation for controlling composition and structure of metal alloy nanoclusters in SiO₂](#)

[Nano-structure and tribological properties of B⁺ and Ti⁺ co-implanted silicon nitride](#)

[Effect of Sn ion implantation on electrochemical behavior of zircaloy-4](#)

[Surface analysis and corrosion behavior of zirconium samples implanted with yttrium and lanthanum](#)

[Effect of Sb⁺ implantation on copper silicides formation and morphology after annealing of Cu/Si structures](#)

Cluster Metrics

Authors

bai, xd 14
skorupa, w 11
peng, dq 11
svensson, bg 7
chen, bs 7
ridgway, mc 6
privitera, v 6
pan, f 6
liu, xy 6
sun, h 5
mucklich, a 5
monakhov, ev 5
barcz, a 5
baek, s 5
sun, jm 4

Sources

nuclear instruments & methods in physics research section b-beam interactions with materials and atoms 42
materials science and engineering b-solid state materials for advanced technology 30
applied physics letters 27

journal of applied physics 22
surface & coatings technology 18
vacuum 11
physical review b 9
journal of the korean physical society 9
applied surface science 8
journal of non-crystalline solids 7
superlattices and microstructures 6
applied physics a-materials science & processing 6
optical materials 5
materials science in semiconductor processing 5
journal of the electrochemical society 5

Keywords

materials science, multidisciplinary 87
physics, applied 59
physics, condensed matter 52
physics, atomic, molecular & chemical 45
silicon 45
nuclear science & technology 43
instrumentation 42
physics, nuclear 42
instruments & 42
physics, applied 39
ion implantation 38
si 35
physics, condensed matter 31
engineering, electrical & electronic 27
implantation 27

Publication Year

2005 311
2004 41
2006 2

Country

usa 53
peoples r china 53
japan 50
germany 46
france 29
south korea 24
italy 22
england 17
russia 15
india 15

australia 15
poland 12
sweden 10
brazil 10
taiwan 8

Institution

tsing hua univ 18
chinese acad sci 14
cnrs 12
cnr 11
australian natl univ 11
forschungszentrum rossendorf ev 9
univ tokyo 7
univ surrey 7
univ oslo 7
polish acad sci 7
univ padua 6
russian acad sci 6
rossendorf inc 6
natl inst mat sci 6
katholieke univ leuven 6

DataBase

science citation index 354

- **CLUSTER 178**

Applications of ion/ electron beam/ irradiation techniques, including focused ion beam (FIB) technology, ion and electron-beam-induced deposition, and ion-beam milling (200 Records)

(Countries: Japan, USA. Institutions: National Institute of Materials Sciences. USA includes Arizona State University).

Cluster Syntax Features

Descriptive Terms

beam 15.1%, ion 11.7%, ion.beam 8.1%, irradi 4.8%, fib 4.6%, focused.ion 3.0%, focused.ion.beam 2.7%, electron.beam 2.6%, focus 2.2%, beam.induced 1.7%, electron 1.4%, deposit 1.4%, electron.beam.induced 1.3%, induc 0.8%, fabric 0.8%

Discriminating Terms

beam 10.7%, ion 6.7%, ion.beam 6.5%, fib 3.8%, irradi 3.0%, focused.ion 2.4%, focused.ion.beam 2.2%, electron.beam 2.0%, film 1.7%, focus 1.6%, beam.induced 1.4%, electron.beam.induced 1.1%, induced.deposition 0.6%, nanoparticl 0.6%, beam.induced.deposition 0.6%

Single Word Terms

beam 161, ion 135, electron 121, surfac 86, structur 85, deposit 85, irradi 81, high 71, energi 71, induc 70, focus 70, fabric 63, microscopi 63, layer 56, low 53

Double Word Terms

ion.beam 97, focused.ion 61, electron.beam 50, transmission.electron 45, electron.microscopy 44, beam.induced 37, electron.microscope 29, beam.fib 28, scanning.electron 28, vapor.deposition 27, chemical.vapor 27, induced.deposition 22, low.energy 21, high.resolution 19, atomic.force 17

Triple Word Terms

focused.ion.beam 59, ion.beam.fib 28, electron.beam.induced 28, transmission.electron.microscopy 27, chemical.vapor.deposition 26, beam.induced.deposition 21, transmission.electron.microscope 15, scanning.electron.microscope 14, atomic.force.microscopy 13, scanning.electron.microscopy 12, ion.beam.milling 11, electron.microscopy.tem 11, energy.loss.spectroscopy 11, electron.energy.loss 11, beam.induced.chemical 9

Term Cliques

35.00% irradi electron.beam electron electron.beam.induced induc
44.75% beam focus beam.induced electron deposit fabric
38.44% beam electron.beam beam.induced electron deposit electron.beam.induced induc fabric
43.14% beam fib focused.ion.beam focus electron deposit fabric
40.06% beam ion.beam fib focused.ion focused.ion.beam focus deposit fabric
44.86% beam ion ion.beam fib focused.ion focused.ion.beam focus

Sample Cluster Record Titles

[Application of a focused ion beam mill to the characterisation of a microstructure in tin plating on a Fe 42wt% Ni substrate](#)

[Fabrication of ordered array of tungsten nanoparticles on anodic porous alumina by electron-beam-induced selective deposition](#)

[Electron irradiation induced transformation of \(Pb₅Ca₅\)\(VO₄\)\(F\)₂ apatite to CaVO₃ perovskite](#)

[Electron beam induced chemical modification of amorphous chalcogenide-metal bilayers and its application](#)

[Ion beam erosion of amorphous materials: evolution of surface morphology](#)

[Electron Microscopy on FIB prepared interfaces of biological and technical materials: First results](#)

[Focused ion beam preparation and EFTEM/EELS studies on vanadium nitride thin films](#)

[Focused ion beam \(FIB\): Applications in micro- and nanoanalysis in geosciences and applied mineralogy](#)

[Ion-beam-induced chemical-vapor deposition of FePt and CoPt particles](#)

Cluster Metrics

Authors

furuya, k 17
mitsuishi, k 14
shimojo, m 8
matsui, s 8
takeguchi, m 7
song, mh 6
kaito, t 6
tanaka, m 5
hoshino, t 5
xie, gq 4
ochiai, y 4
kato, t 4

kanda, k 4
ishida, m 4
haruyama, y 4

Sources

nuclear instruments & methods in physics research section b-beam interactions with materials and atoms 13
journal of vacuum science & technology b 13
japanese journal of applied physics part 1-regular papers brief communications & review papers 10
applied physics letters 10
journal of electron microscopy 9
journal of applied physics 9
applied surface science 9
journal of nuclear materials 7
praktische metallographie-practical metallography 5
applied physics a-materials science & processing 5
vacuum 4
surface & coatings technology 4
materials transactions 4
ultramicroscopy 3
surface and interface analysis 3

Keywords

physics, applied 38
materials science, multidisciplinary 32
physics, applied 32
engineering, electrical & electronic 24
microscopy 20
chemistry, physical 18
fabrication 16
physics, atomic, molecular & chemical 14
chemical-vapor-deposition 14
physics, condensed matter 14
films 14
instrumentation 13
physics, nuclear 13
nuclear science & technology 13
instruments & 13

Publication Year

2005 175
2004 25

Country

japan 70

usa 39
germany 19
south korea 14
france 13
england 10
peoples r china 9
italy 9
taiwan 5
switzerland 5
singapore 5
russia 4
poland 4
netherlands 4
australia 4

Institution

natl inst mat sci 18
sii nanotechnol inc 8
univ tokyo 7
univ hyogo 7
tokyo inst technol 6
univ tsukuba 5
tohoku univ 5
osaka univ 5
kyushu univ 5
arizona state univ 5
yonsei univ 4
japan atom energy res inst 4
ecole polytech fed lausanne 4
univ cambridge 3
natl inst adv ind sci & technol 3

DataBase

science citation index 200

• CLUSTER 149

Lithography, including nanoimprint lithography and electron-beam lithography and focusing on nanopatterning (166 Records)

(Countries: USA, Japan, South Korea. Institutions: University of Wisconsin, Hewlett-Packard Laboratories. University of New Mexico, University of Michigan).

Cluster Syntax Features

Descriptive Terms

lithographi 13.5%, pattern 11.2%, imprint 6.4%, nanoimprint 5.4%, mask 5.2%, mold 5.0%, fabric 3.5%, resist 2.8%, nanoimprint.lithography 2.1%, wafer 1.5%, stamp 1.3%, substrat 0.9%, etch 0.9%, layer 0.8%, replic 0.8%

Discriminating Terms

lithographi 9.5%, pattern 6.5%, imprint 4.6%, nanoimprint 3.9%, mask 3.6%, mold 3.5%, nanoimprint.lithography 1.6%, film 1.5%, fabric 1.5%, resist 1.2%, stamp 0.9%, wafer 0.9%, nanoparticl 0.7%, carbon 0.6%, particl 0.6%

Single Word Terms

pattern 114, lithographi 101, fabric 90, substrat 68, surfac 67, high 66, layer 64, resist 57, low 52, etch 51, structur 48, thick 46, nanoimprint 46, electron 45, mask 42

Double Word Terms

nanoimprint.lithography 35, aspect.ratio 29, high.aspect 25, electron.beam 24, beam.lithography 20, high.resolution 15, low.cost 14, large.area 13, ray.lithography 11, scanning.electron 11, ion.beam 11, lithography.nil 11, room.temperature 10, self.assembled 9, reactive.ion 9

Triple Word Terms

high.aspect.ratio 22, electron.beam.lithography 16, nanoimprint.lithography.nil 11, focused.ion.beam 8, line.edge.roughness 7, reactive.ion.etching 7, scanning.electron.microscopy 7, edge.roughness.ler 6, atomic.force.microscopy 5, deep.ray.lithography 5, fabricated.electron.beam 4, extreme.ultraviolet.lithography 4, self.assembled.monolayers 4, ion.beam.fib 4, room.temperature.low 4

Term Cliques

23.80% imprint nanoimprint nanoimprint.lithography wafer substrat replic
28.11% imprint nanoimprint nanoimprint.lithography wafer substrat layer
18.78% imprint nanoimprint nanoimprint.lithography wafer stamp replic

39.76% pattern mask resist substrat etch layer
 43.07% pattern mask fabric substrat etch layer
 36.57% pattern nanoimprint fabric nanoimprint.lithography substrat etch replic
 40.28% pattern nanoimprint fabric nanoimprint.lithography substrat etch layer
 35.63% pattern nanoimprint mold fabric nanoimprint.lithography substrat replic
 32.45% pattern imprint nanoimprint resist nanoimprint.lithography substrat etch replic
 35.69% pattern imprint nanoimprint resist nanoimprint.lithography substrat etch layer
 31.63% pattern imprint nanoimprint mold resist nanoimprint.lithography substrat replic
 43.12% lithographi pattern nanoimprint fabric nanoimprint.lithography etch layer
 35.84% lithographi pattern nanoimprint fabric nanoimprint.lithography stamp etch replic
 35.02% lithographi pattern nanoimprint mold fabric nanoimprint.lithography stamp replic
 32.00% lithographi pattern imprint nanoimprint nanoimprint.lithography stamp etch
 replic
 34.94% lithographi pattern imprint nanoimprint resist nanoimprint.lithography etch replic
 38.18% lithographi pattern imprint nanoimprint resist nanoimprint.lithography etch layer
 31.17% lithographi pattern imprint nanoimprint mold nanoimprint.lithography stamp
 replic
 34.11% lithographi pattern imprint nanoimprint mold resist nanoimprint.lithography
 replic

Sample Cluster Record Titles

[Nano-scale patterning by mechano-chemical scanning probe lithography](#)

[Surface-initiated polymerization on nanopatterns fabricated by electron-beam lithography](#)

[Dynamic shadow mask technique: A universal tool for nanoscience](#)

[Electron-beam-based photomask repair](#)

[Investigations of the Ga⁺ focused-ion-beam implantation in resist films for nanometer lithography applications](#)

[Effect of electrostatic chucking and substrate thickness uniformity on extreme ultraviolet lithography mask flatness](#)

[Ultrathin membrane masks for electron projection lithography](#)

[Stress and image-placement distortions of 200 mm low-energy electron projection lithography masks](#)

[Formation of 15 nm scale Coulomb blockade structures in silicon by electron beam lithography with a bilayer resist process](#)

Cluster Metrics

Authors

park, s 7
jung, gy 6
schift, h 5
lee, h 5
wu, w 4
nishio, k 4
masuda, h 4
gobrecht, j 4
arshak, k 4
williams, rs 3
wang, sy 3
tong, wm 3
thoms, s 3
padeste, c 3
nakahara, s 3

Sources

journal of vacuum science & technology b 27
microelectronic engineering 19
microsystem technologies-micro-and nanosystems-information storage and processing systems 14
japanese journal of applied physics part 1-regular papers short notes & review papers 7
advanced materials 7
nanotechnology 6
journal of photopolymer science and technology 5
journal of micromechanics and microengineering 5
nano letters 4
japanese journal of applied physics part 1-regular papers brief communications & review papers 4
applied physics letters 4
langmuir 3
ieee transactions on semiconductor manufacturing 3
electrochimica acta 3
electrochemical and solid state letters 3

Keywords

engineering, electrical & electronic 69
physics, applied 68
physics, applied 26
materials science, multidisciplinary 23
optics 22
fabrication 21
multidisciplinary 16

materials science, 16
materials science, multidisciplinary 15
lithography 13
lithography 12
nanoimprint lithography 11
chemistry, physical 11
physics, condensed matter 11
films 11

Publication Year

2005 132
2004 33
2006 1

Country

usa 47
japan 34
south korea 24
germany 15
taiwan 9
switzerland 7
peoples r china 7
france 7
england 7
italy 5
singapore 4
scotland 4
ireland 4
austria 4
canada 3

Institution

univ wisconsin 6
paul scherrer inst 6
korea univ 6
hewlett packard labs 6
cnrs 5
univ limerick 4
tokyo metropolitan univ 4
korea inst machinery & mat 4
korea adv inst sci & technol 4
univ osaka prefecture 3
univ new mexico 3
univ michigan 3
univ glasgow 3
toumaz technol ltd 3

seoul natl univ 3

DataBase

science citation index 166

• CLUSTER 113

Etching, especially plasma etching and reactive ion etching (282 Records)

(Countries: USA, Japan, Korea. Institutions: Sungyunkwan University, CAS, Tohoku University. USA includes University of Maryland).

Cluster Syntax Features

Descriptive Terms

etch 64.1%, plasma 2.8%, silicon 2.1%, mask 1.0%, fabric 1.0%, surfac 0.7%, ion 0.6%, rate 0.5%, etch.rate 0.5%, ion.etching 0.5%, plasma.etching 0.5%, layer 0.5%, reactive.ion 0.5%, rough 0.4%, reactive.ion.etching 0.4%

Discriminating Terms

etch 45.3%, film 1.5%, plasma 1.2%, nanoparticl 0.6%, mask 0.6%, particl 0.6%, silicon 0.6%, nanotub 0.6%, magnet 0.5%, carbon 0.5%, temperatur 0.5%, structur 0.4%, quantum 0.4%, phase 0.4%, etch.rate 0.4%

Single Word Terms

etch 277, surfac 150, high 115, fabric 113, plasma 108, layer 102, ion 101, silicon 99, chemic 93, structur 91, rate 87, electron 80, low 78, microscopi 77, atom 69

Double Word Terms

atomic.force 53, ion.etching 52, reactive.ion 51, force.microscopy 46, plasma.etching 44, etch.rate 42, electron.microscopy 40, scanning.electron 39, coupled.plasma 34, inductively.coupled 33, wet.etching 27, surface.roughness 27, chemical.etching 24, ray.photoelectron 23, photoelectron.spectroscopy 23

Triple Word Terms

atomic.force.microscopy 45, reactive.ion.etching 43, scanning.electron.microscopy 31, inductively.coupled.plasma 29, ray.photoelectron.spectroscopy 23, force.microscopy.afm

22, chemical.vapor.deposition 17, high.aspect.ratio 16, ion.beam.etching 13, ion.etching.rie 12, electron.microscopy.sem 11, atomic.force.microscope 10, photoelectron.spectroscopy.xps 10, deep.reactive.ion 9, transmission.electron.microscopy 8

Term Cliques

43.26% etch surfac ion etch.rate layer rough
31.09% etch mask ion etch.rate ion.etching layer reactive.ion rough reactive.ion.etching
38.77% etch mask fabric ion plasma.etching rough
33.88% etch mask fabric ion ion.etching layer reactive.ion rough reactive.ion.etching
45.57% etch silicon surfac ion etch.rate layer
32.62% etch silicon mask ion etch.rate ion.etching layer reactive.ion reactive.ion.etching
35.42% etch silicon mask fabric ion ion.etching layer reactive.ion reactive.ion.etching
38.52% etch plasma surfac ion rate etch.rate plasma.etching rough
34.57% etch plasma mask ion rate etch.rate plasma.etching rough
31.28% etch plasma mask ion rate etch.rate ion.etching reactive.ion rough reactive.ion.etching
43.77% etch plasma silicon surfac ion rate etch.rate
32.66% etch plasma silicon mask ion rate etch.rate ion.etching reactive.ion reactive.ion.etching

Sample Cluster Record Titles

[Carbon etching with a high density plasma etcher](#)

[Carbon hard masks for etching sub-90 nm structures](#)

[Exchange bias studies of NiFe/FeMn/NiFe trilayer by ion beam etching](#)

[Electron-assisted chemical etching of oxidized chromium](#)

[Plasma etching of nano-structured precursor-derived ceramic composites](#)

[Etching with electron beam generated plasmas](#)

[Application of ion beam etching technique to the direct fabrication of silicon microtip arrays](#)

[Nanoflash device with self-aligned double floating gates using scanning probe lithography and tetramethylammonium hydroxide wet etching](#)

[A new pre-etching pattern to determine \$\langle 110 \rangle\$ crystallographic orientation on both \(100\) and \(110\) silicon wafers](#)

Cluster Metrics

Authors

wang, s 4
lee, ne 4
kim, dw 4
zimmer, k 3
zhang, f 3
yeom, gy 3
xu, j 3
tay, feh 3
song, ks 3
sato, k 3
rauschenbach, b 3
ra, hw 3
park, jh 3
oehrlein, gs 3
liu, c 3

Sources

journal of vacuum science & technology b 23
microelectronic engineering 18
journal of vacuum science & technology a 12
journal of applied physics 12
thin solid films 9
applied physics letters 9
nanotechnology 8
journal of the electrochemical society 7
japanese journal of applied physics part 1-regular papers brief communications & review papers 7
applied surface science 7
sensors and actuators a-physical 6
electrochemical and solid state letters 6
surface & coatings technology 5
microsystem technologies-micro-and nanosystems-information storage and processing systems 5
journal of the korean physical society 5

Keywords

physics, applied 87
engineering, electrical & electronic 79
physics, applied 46
materials science, multidisciplinary 42
fabrication 29
optics 27
materials science, coatings & films 25

films 23
silicon 20
physics, 20
physics, condensed matter 19
chemistry, physical 17
multidisciplinary 15
materials science, multidisciplinary 15
materials science, 15

Publication Year

2005 255
2004 26
2006 1

Country

usa 61
japan 57
south korea 42
peoples r china 31
germany 25
france 20
taiwan 15
italy 13
singapore 12
netherlands 6
australia 6
sweden 5
scotland 5
india 4
canada 4

Institution

sungkyunkwan univ 11
chinese acad sci 11
tohoku univ 8
univ maryland 6
nanyang technol univ 6
natl univ singapore 5
natl tsing hua univ 5
natl chiao tung univ 5
nagoya univ 5
inst microelect 5
shanghai jiao tong univ 4
pusan natl univ 4
peking univ 4
inst bioengn & nanotechnol 4

• CLUSTER 111

Hafnium dioxide (HfO₂), hafnium-containing, and oxide films, compounds, and layers, with emphasis on dielectric properties, fabrication by atomic layer deposition (ALD), and use as gate dielectrics (195 Records)

(Countries: USA, South Korea. Institutions: Soeul National University, University of Helsinki, National Chiao Tung University, Nanjing University. USA include IBM Corp., Freescale Semiconductor, Inc.).

Cluster Syntax Features

Descriptive Terms

hfo2 13.4%, film 7.4%, dielectr 5.8%, deposit 5.0%, ald 4.6%, atomic.layer 3.9%, atomic.layer.deposition 3.4%, layer.deposition 3.0%, gate 2.7%, hf 2.1%, layer 2.1%, si 1.6%, leakag 1.1%, hfo2.films 1.1%, leakage.current 0.9%

Discriminating Terms

hfo2 10.5%, ald 3.6%, dielectr 3.5%, atomic.layer 3.1%, atomic.layer.deposition 2.7%, layer.deposition 2.4%, hf 1.6%, gate 1.6%, deposit 1.6%, film 0.9%, hfo2.films 0.9%, nanoparticl 0.8%, leakag 0.8%, particl 0.8%, magnet 0.7%

Single Word Terms

film 185, deposit 175, layer 152, dielectr 122, oxid 107, atom 104, si 98, temperatur 97, high 93, thick 91, thin 85, rai 83, gate 80, spectroscopi 79, metal 77

Double Word Terms

atomic.layer 91, layer.deposition 87, leakage.current 65, films.deposited 60, photoelectron.spectroscopy 54, ray.photoelectron 53, dielectric.constant 52, deposition.ald 47, thin.films 44, chemical.vapor 44, vapor.deposition 44, hfo2.films 37, electrical.properties 37, gate.dielectric 35, films.grown 35

Triple Word Terms

atomic.layer.deposition 85, ray.photoelectron.spectroscopy 53, layer.deposition.ald 46, chemical.vapor.deposition 41, leakage.current.density 29, transmission.electron.microscopy 29, photoelectron.spectroscopy.xps 24, equivalent.oxide.thickness 23, metal.oxide.semiconductor 19, high.resolution.transmission 15, resolution.transmission.electron 15, films.deposited.si 14, auger.electron.spectroscopy 13, atomic.layer.deposited 13, metal.organic.chemical 13

Term Cliques

63.96% film deposit atomic.layer atomic.layer.deposition layer.deposition layer si
60.59% film deposit ald atomic.layer atomic.layer.deposition layer.deposition layer
66.41% hfo2 film deposit atomic.layer layer si
56.67% hfo2 film dielectr deposit hf layer si hfo2.films
54.62% hfo2 film dielectr deposit gate hf layer si leakag leakage.current

Sample Cluster Record Titles

[Improvements on surface carrier mobility and electrical stability of MOSFETs using HfTaO gate dielectric](#)

[Evaluation of a praseodymium precursor for atomic layer deposition of oxide dielectric films](#)

[Hafnium and zirconium tetramethylnonanedionates as new MOCVD precursors for oxide films](#)

[Growth of HfO₂ films using an alternate reaction of HfCl₄ and O₂ under atmospheric pressure](#)

[Preparation of HfO₂ nano-films by atomic layer deposition using HfCl₄ and O₂ under atmospheric pressure](#)

[A study on the lanthanum aluminate thin film as a gate dielectric material](#)

[Study of interfacial oxide layer of LaAlO₃ gate dielectrics on Si for metal-insulator-semiconductor devices](#)

[Comparison between atomic-layer-deposited HfO₂ films using O₃ or H₂O oxidant and Hf\[N\(CH₃\)₂\]\(₄\) precursor](#)

Cluster Metrics

Authors

hwang, cs 11
ritala, m 10
leskela, m 10
liu, zg 8
lu, j 7
lee, jh 7
lee, sw 6
kukli, k 6
jones, ac 6
yoon, sg 5
wu, d 5
tobin, pj 5
sajavaara, t 5
putkonen, m 5
niinisto, l 5

Sources

applied physics letters 20
journal of the electrochemical society 19
electrochemical and solid state letters 13
journal of applied physics 11
japanese journal of applied physics part 1-regular papers short notes & review papers 10
microelectronic engineering 9
thin solid films 8
materials science in semiconductor processing 8
journal of vacuum science & technology a 8
journal of vacuum science & technology b 7
chemical vapor deposition 6
applied physics a-materials science & processing 6
materials science and engineering b-solid state materials for advanced technology 5
chemistry of materials 5
applied surface science 5

Keywords

physics, applied 56
physics, applied 47
materials science, multidisciplinary 40
engineering, electrical & electronic 39
silicon 39

materials science, coatings & films 34
growth 34
chemical-vapor-deposition 32
electrochemistry 32
physics, condensed matter 28
si 20
physics, 19
oxide 19
gate dielectrics 19
films 19

Publication Year

2005 165
2004 30

Country

usa 56
south korea 52
japan 24
peoples r china 17
taiwan 16
finland 14
belgium 11
germany 9
england 9
singapore 8
india 6
france 6
sweden 5
slovakia 4
netherlands 4

Institution

seoul natl univ 13
univ helsinki 12
natl chiao tung univ 10
nanjing univ 9
univ liverpool 7
samsung adv inst technol 7
yonsei univ 6
univ texas 6
natl univ singapore 6
katholieke univ leuven 6
imec 5
ibm corp 5
freescale semicond inc 5

elect & telecommun res inst 5
chungnam natl univ 5

DataBase
science citation index 195

- **CLUSTER 139**

Gate dielectrics and metal-oxide semiconductor field-effect transistors (MOSFETs), emphasizing those made from silica (SiO₂), hafnium dioxide (HfO₂), silicon, and silicides (152 Records)

(Countries: USA, Japan, South Korea, Singapore. Institutions: Imec, University of Texas, National University of Singapore. Other USA include North Carolina State University, Rutgers State University, UCSB, International Sematech.).

Cluster Syntax Features

Descriptive Terms

gate 19.2%, sio2 4.8%, oxid 4.6%, dielectr 4.4%, hfo2 3.1%, si 3.0%, layer 1.9%, metal 1.6%, interfac 1.4%, stack 1.4%, silicon 1.2%, silicid 1.1%, metal.oxide 1.0%, leakag 1.0%, mosfet 0.9%

Discriminating Terms

gate 13.8%, sio2 2.8%, dielectr 2.5%, hfo2 2.3%, film 1.6%, oxid 1.4%, surfac 0.9%, stack 0.9%, silicid 0.8%, si 0.8%, metal.oxide 0.7%, leakag 0.7%, magnet 0.7%, particl 0.7%, carbon 0.7%

Single Word Terms

oxid 104, gate 99, si 93, metal 90, layer 88, sio2 79, high 78, dielectr 72, electron 67, silicon 67, devic 60, electr 58, thick 58, semiconductor 56, structur 56

Double Word Terms

metal.oxide 52, oxide.semiconductor 43, electron.microscopy 31, leakage.current 30, transmission.electron 28, oxide.thickness 26, gate.dielectric 26, gate.dielectrics 22, capacitance.voltage 22, equivalent.oxide 21, rapid.thermal 20, vapor.deposition 19, gate.stacks 19, chemical.vapor 18, high.gate 18

Triple Word Terms

metal.oxide.semiconductor 42, transmission.electron.microscopy 27, equivalent.oxide.thickness 20, chemical.vapor.deposition 18, oxide.semiconductor.field 15, oxide.thickness.eot 11, ray.photoelectron.spectroscopy 11, rapid.thermal.annealing 10, oxide.semiconductor.mos 10, interface.state.density 9, electron.energy.loss 9, conductive.atomic.force 8, leakage.current.density 8, semiconductor.field.transistors 8, complementary.metal.oxide 8

Term Cliques

30.13% metal silicid metal.oxide leakag mosfet
30.92% metal interfac silicid metal.oxide mosfet
42.32% si layer metal silicid metal.oxide leakag
44.52% si layer metal silicon silicid metal.oxide
42.98% si layer metal interfac silicid metal.oxide
37.76% gate dielectr interfac stack mosfet
46.16% gate dielectr hfo2 si layer stack
55.73% gate oxid si layer metal silicon metal.oxide
45.86% gate oxid dielectr metal metal.oxide leakag mosfet
46.43% gate oxid dielectr metal interfac metal.oxide mosfet
49.15% gate sio2 dielectr si layer interfac stack
52.92% gate sio2 oxid dielectr si layer metal metal.oxide leakag
53.36% gate sio2 oxid dielectr si layer metal interfac metal.oxide

Sample Cluster Record Titles

[HfO2 MIS capacitor with copper gate electrode](#)

[High dielectric constant oxides](#)

[High-density MIM capacitors with HfO₂ dielectrics](#)

[Physical and electrical characterization of polysilicon vs. TiN gate electrodes for HfO₂ transistors](#)

[Thermally robust TaTbxN metal gate electrode for n-MOSFETs applications](#)

[Self-assembly of Ni nanocrystals on HfO₂ and N-assisted Ni confinement for nonvolatile memory application](#)

[Irradiation induced weak spots in SiO₂ gate oxides of MOS devices observed with C-AFM](#)

[Scaling capability improvement of silicon-on-void \(SOV\) MOSFET](#)

[A novel program-erasable high-\(K\) AlN-Si MIS capacitor](#)

Cluster Metrics

Authors

kwong, dl 10

nafria, m 7

aymerich, x 7

li, mf 6

porti, m 5

foran, b 5

yu, hy 4

yokoyama, s 4

tung, ch 4

stemmer, s 4

ren, c 4

lee, bh 4

young, cd 3

yoo, wj 3

yang, h 3

Sources

applied physics letters 19

ieee electron device letters 12

microelectronics reliability 9

microelectronic engineering 9

journal of applied physics 9

japanese journal of applied physics part 1-regular papers short notes & review papers 9

materials science and engineering b-solid state materials for advanced technology 8

electrochemical and solid state letters 8
japanese journal of applied physics part 2-letters & express letters 6
thin solid films 5
ieee transactions on electron devices 5
journal of vacuum science & technology b 4
journal of vacuum science & technology a 3
journal of the electrochemical society 3
solid-state electronics 2

Keywords

engineering, electrical & electronic 55
physics, applied 40
physics, applied 36
materials science, multidisciplinary 27
silicon 16
films 16
physics, condensed matter 13
electrochemistry 11
si 10
optics 10
mosfets 10
sio₂ 9
oxide 9
dielectrics 9
multidisciplinary 8

Publication Year

2005 134
2004 18

Country

usa 45
japan 23
south korea 18
singapore 16
germany 13
belgium 13
taiwan 12
spain 10
peoples r china 9
france 6
italy 5
england 5
sweden 4
ukraine 3
turkey 2

Institution

imec 11
univ texas 10
natl univ singapore 10
natl chiao tung univ 8
univ autonoma barcelona 7
inst microelect 7
n carolina state univ 6
rutgers state univ 5
nanyang technol univ 5
hiroshima univ 5
univ calif santa barbara 4
peking univ 4
osaka univ 4
natl tsing hua univ 4
int sematech 4

DataBase

science citation index 152

- **CLUSTER 122**

Field transistors, single-electron transistors, electron mobility transistors, and similar electronic devices, with emphasis on design and properties of gates (243 Records)

(Countries: USA, Japan, South Korea. Institutions: IBM Corp., University of Florida. Other USA include University of Illinois, Purdue University, UCLA.).

Cluster Syntax Features

Descriptive Terms

gate 39.2%, transistor 11.2%, devic 3.1%, current 1.9%, voltag 1.8%, field.transistors 1.7%, drain 1.6%, single.electron 1.2%, field 1.1%, channel 1.0%, fet 0.7%, mobil 0.6%, leakag 0.6%, gate.voltage 0.5%, tunnel 0.5%

Discriminating Terms

gate 27.0%, transistor 7.5%, film 1.9%, devic 1.2%, field.transistors 1.2%, drain 1.1%, surfac 0.8%, voltag 0.8%, single.electron 0.8%, particl 0.7%, nanoparticl 0.7%, magnet 0.6%, current 0.6%, crystal 0.5%, fet 0.5%

Single Word Terms

gate 203, transistor 169, devic 135, current 122, electron 115, voltag 113, field 111, high 100, channel 72, fabric 71, drain 71, singl 69, structur 64, two 60, temperatur 60

Double Word Terms

field.transistors 65, single.electron 35, gate.voltage 33, source.drain 31, field.transistor 31, carbon.nanotube 29, gate.length 29, leakage.current 27, electron.mobility 26, threshold.voltage 25, room.temperature 24, drain.current 24, electron.transistor 22, high.electron 22, nanotube.field 19

Triple Word Terms

single.electron.transistor 22, high.electron.mobility 21, carbon.nanotube.field 18, nanotube.field.transistors 16, electron.mobility.transistors 15, metal.oxide.semiconductor 12, gate.leakage.current 11, single.electron.transistors 11, field.transistors.fets 10, heterostructure.field.transistors 10, two dimensional.electron 9, electron.mobility.transistor 9, chemical.vapor.deposition 8, organic.field.transistors 8, field.transistor.fet 7

Term Cliques

33.61% transistor single.electron tunnel
37.91% transistor devic current field.transistors drain field channel mobil leakag
40.10% transistor devic current voltag drain field channel mobil leakag
43.70% gate voltag drain field gate.voltage
43.36% gate transistor devic current field.transistors drain leakag tunnel
45.04% gate transistor devic current field.transistors drain field channel leakag
44.58% gate transistor devic current field.transistors drain field channel fet
47.23% gate transistor devic current voltag drain field channel leakag
46.78% gate transistor devic current voltag drain field channel fet

Sample Cluster Record Titles

[Dynamics of a nanomechanical resonator coupled to a superconducting single-electron transistor](#)

[Humidity-dependent characteristics of thin film poly\(3,4-ethylenedioxythiophene\) field-effect transistor](#)

[Comparing carbon nanotube transistors - The ideal choice: A novel tunneling device design](#)

[Optimization of electron beam focusing for gated carbon nanotube field emitter arrays](#)

[Nanoscale post-breakdown conduction of HfO₂/SiO₂ MOS gate stacks studied by enhanced-CAFM](#)

[Single-electron transport in GaAs/AlGaAs nano-In-plane-gate transistors](#)

[Compact logic NAND-Gate based on a single in-plane quantum-wire transistor](#)

[Large gate modulation in the current of a room temperature single molecule transistor](#)

[Terahertz generation and detection by plasma waves in nanometer gate high electron mobility transistors](#)

Cluster Metrics

Authors

lee, jw 6

pourfath, m 4

park, yj 4

park, wj 4

luth, h 4

kosina, h 4

guo, j 4

gehring, a 4

egawa, t 4

arulkumaran, s 4

appenzeller, j 4

yamamoto, k 3

watanabe, h 3

wang, yh 3

wallart, x 3

Sources

applied physics letters 35
ieee transactions on electron devices 25
physical review b 15
ieee electron device letters 15
journal of applied physics 13
ieee transactions on nanotechnology 12
solid-state electronics 9
nano letters 8
microelectronic engineering 7
japanese journal of applied physics part 1-regular papers short notes & review papers 7
electronics letters 7
journal of the korean physical society 5
japanese journal of applied physics part 2-letters & express letters 5
japanese journal of applied physics part 1-regular papers brief communications & review papers 5
physica e-low-dimensional systems & nanostructures 4

Keywords

engineering, electrical & electronic 96
physics, applied 65
physics, applied 62
physics, condensed matter 24
transport 24
field-effect transistors 21
devices 21
multidisciplinary 17
materials science, 17
chemistry, multidisciplinary 13
physics, condensed matter 13
materials science, multidisciplinary 13
physics, multidisciplinary 12
materials science, multidisciplinary 12
physics, 12

Publication Year

2005 218
2004 24
2006 1

Country

usa 79
japan 48
south korea 29
germany 21

taiwan 19
france 17
italy 12
peoples r china 10
england 9
spain 6
russia 6
belgium 6
netherlands 5
canada 5
singapore 4

Institution

ibm corp 10
univ tokyo 8
univ florida 7
seoul natl univ 7
natl chiao tung univ 7
univ illinois 6
samsung adv inst technol 6
russian acad sci 6
nagoya inst technol 6
hokkaido univ 6
purdue univ 5
korea univ 5
univ calif los angeles 4
tokyo inst technol 4
tohoku univ 4

DataBase

science citation index 243

• CLUSTER 60

Metal-oxide semiconductor field-effect transistors (MOSFETs) and silicon-on-insulator (SOI) devices (128 Records)

(Countries: USA, Japan, Taiwan, South Korea. Institutions: National Chiao Tung University, National University of Singapore. USA include Purdue University, University of Texas, University of Florida, United Microelectronic Corp., IBM Corp.).

Cluster Syntax Features

Descriptive Terms

mosfet 23.6%, gate 8.1%, channel 6.8%, devic 3.0%, transistor 2.6%, soi 2.6%, drain 2.0%, metal.oxide.semiconductor 2.0%, oxide.semiconductor 2.0%, oxide.semiconductor.field 1.6%, semiconductor.field 1.6%, metal.oxide 1.6%, double.gate 1.3%, model 1.1%, semiconductor 1.1%

Discriminating Terms

mosfet 15.5%, gate 4.5%, channel 3.7%, film 1.7%, soi 1.6%, transistor 1.4%, metal.oxide.semiconductor 1.3%, drain 1.3%, oxide.semiconductor 1.2%, oxide.semiconductor.field 1.1%, devic 1.0%, semiconductor.field 1.0%, metal.oxide 0.9%, double.gate 0.9%, surfac 0.8%

Single Word Terms

mosfet 92, devic 91, channel 83, gate 83, oxid 69, field 67, transistor 62, semiconductor 60, metal 57, simul 54, current 54, silicon 50, voltag 49, model 48, length 46

Double Word Terms

oxide.semiconductor 53, metal.oxide 53, semiconductor.field 46, field.transistors 36, short.channel 34, threshold.voltage 31, silicon.insulator 26, source.drain 25, double.gate 24, field.transistor 20, gate.length 20, transistors.mosfets 19, insulator.soi 19, two dimensional 18, gate.oxide 15

Triple Word Terms

metal.oxide.semiconductor 53, oxide.semiconductor.field 46, semiconductor.field.transistors 34, field.transistors.mosfets 19, silicon.insulator.soi 19, semiconductor.field.transistor 18, field.transistor.mosfet 12, gate.metal.oxide 8, induced.barrier.lowering 8, double.gate.mosfets 7, double.gate.metal 7, depleted.silicon.insulator 7, drain.induced.barrier 7, short.channel.sces 7, double.gate.mosfet 6

Term Cliques

49.92% mosfet gate devic transistor metal.oxide.semiconductor oxide.semiconductor oxide.semiconductor.field semiconductor.field metal.oxide semiconductor

47.11% mosfet gate devic transistor metal.oxide.semiconductor oxide.semiconductor
oxide.semiconductor.field semiconductor.field metal.oxide double.gate
51.79% mosfet gate channel devic drain double.gate model
49.55% mosfet gate channel devic soi drain double.gate

Sample Cluster Record Titles

[Effect of oxide breakdown on complementary metal oxide semiconductor circuit operation and reliability](#)

[Dependence of gate leakage current on location of soft breakdown spot in metal-oxide-semiconductor field-effect transistor](#)

[Nanoscale FD/SOI CMOS: Thick or thin BOX?](#)

[Quantum mechanical simulation of charge distribution in Schottky barrier MOSFETs](#)

[Electronic states in the inversion layer of a memory with nanoscale gate](#)

[Novel properties of erbium-silicided n-type Schottky barrier metal-oxide-semiconductor field-effect transistors](#)

[Two-dimensional quantum-mechanical modeling for strained silicon channel of double-gate MOSFET](#)

[Characteristics of ballistic transport in short-channel MOSFETs](#)

[An analytical subthreshold current model for ballistic quantum-wire double-gate MOS transistors](#)

Cluster Metrics

Authors

hiramoto, t 7
iannaccone, g 6
saitoh, m 5
lee, s 5
li, mf 4
huang, gw 4
autran, jl 4
yeo, yc 3

yang, jh 3
suzuki, e 3
rahman, a 3
park, yj 3
nagumo, t 3
munteanu, d 3
matsukawa, t 3

Sources

ieee transactions on electron devices 18
japanese journal of applied physics part 1-regular papers short notes & review papers 15
ieee electron device letters 10
applied physics letters 10
ieee transactions on nanotechnology 9
solid-state electronics 7
journal of the korean physical society 7
journal of applied physics 5
japanese journal of applied physics part 1-regular papers brief communications & review papers 3
ieice transactions on electronics 3
physical review b 2
molecular simulation 2
microelectronics journal 2
journal of non-crystalline solids 2
journal of computational and theoretical nanoscience 2

Keywords

engineering, electrical & electronic 65
physics, applied 39
physics, applied 36
mosfet 18
mosfets 15
mosfets 14
mobility 13
devices 12
multidisciplinary 11
simulation 11
materials science, 11
model 9
physics, multidisciplinary 8
mosfet 8
silicon 8

Publication Year

2005 110
2004 18

Country

usa 27
japan 24
taiwan 16
south korea 15
italy 11
france 10
singapore 9
india 6
germany 6
peoples r china 5
scotland 3
belgium 3
austria 3
sweden 2
netherlands 2

Institution

natl chiao tung univ 16
natl univ singapore 9
univ tokyo 7
natl nano device labs 7
univ pisa 6
purdue univ 6
hiroshima univ 5
univ texas 4
univ florida 4
united microelect corp 4
seoul natl univ 4
peking univ 4
inst microelect 4
ibm corp 4
etri 4

DataBase

science citation index 128

• CLUSTER 224

Electronic devices, circuits, and complementary metal-oxide semiconductor (CMOS) systems, emphasizing performance as measured by frequency, power, current, and voltage (331 Records)

(Countries: USA very dominant, Taiwan, Japan. Institutions: National Chiao Tung University dominant, Purdue University, National Nano Device Labs. Other USA include University of Florida, UCSB, Intel Corp., Hewlett-Packard Labs, University of Texas, UCLA, IBM Corp, Caltech, University of Illinois).

Cluster Syntax Features

Descriptive Terms

devic 19.8%, circuit 9.5%, cmo 3.4%, memori 2.8%, ghz 2.1%, power 2.0%, logic 1.9%, integr 1.5%, design 1.5%, transistor 1.4%, chip 1.3%, voltag 1.3%, esd 1.3%, oper 1.1%, fabric 1.0%

Discriminating Terms

devic 12.8%, circuit 7.1%, cmo 2.7%, film 2.2%, memori 2.0%, ghz 1.5%, logic 1.5%, power 1.0%, esd 1.0%, surfac 0.9%, chip 0.9%, integr 0.9%, transistor 0.8%, design 0.8%, particl 0.7%

Single Word Terms

devic 223, circuit 125, high 120, fabric 101, low 99, paper 96, electron 92, power 88, current 87, voltag 86, structur 86, oper 86, design 85, transistor 77, integr 77

Double Word Terms

low.power 23, room.temperature 19, heterojunction.bipolar 17, bipolar.transistors 16, power.consumption 14, threshold.voltage 14, high.speed 14, metal.oxide 13, high.frequency 13, oxide.semiconductor 12, equivalent.circuit 11, discharge.esd 11, esd.protection 11, integrated.circuits 11, low.cost 11

Triple Word Terms

metal.oxide.semiconductor 12, heterojunction.bipolar.transistors 11, electrostatic.discharge.esd 11, chip.esd.protection 7, silicon.insulator.soi 7, human.body.model 7, electron.beam.lithography 6, gaas.heterojunction.bipolar 6, oxide.semiconductor.cmos 5, complementary.metal.oxide 5, discharge.esd.protection 5, bipolar.transistors.hbts 5, heterojunction.bipolar.transistor 5, double.heterojunction.bipolar 5, esd.protection.design 5

Term Cliques

27.04% circuit cmo transistor voltag oper fabric
27.44% circuit cmo design voltag oper fabric
23.82% circuit cmo design voltag esd fabric
26.59% circuit cmo integr transistor voltag fabric
26.99% circuit cmo integr design voltag fabric
23.16% circuit cmo power design voltag esd
24.21% circuit cmo power logic transistor voltag oper
24.56% circuit cmo power logic design voltag oper
23.82% circuit cmo power logic integr transistor voltag
24.17% circuit cmo power logic integr design voltag
25.13% circuit cmo ghz transistor oper fabric
25.53% circuit cmo ghz design oper fabric
21.19% circuit cmo ghz design chip esd fabric
24.67% circuit cmo ghz integr transistor fabric
23.91% circuit cmo ghz integr design chip fabric
24.47% circuit cmo ghz power transistor oper
24.87% circuit cmo ghz power design oper
20.63% circuit cmo ghz power design chip esd
24.02% circuit cmo ghz power integr transistor
23.35% circuit cmo ghz power integr design chip
32.02% devic voltag esd fabric
34.62% devic transistor voltag oper fabric
34.08% devic integr transistor voltag fabric
28.00% devic memori logic transistor voltag oper
27.54% devic memori logic integr transistor voltage

Sample Cluster Record Titles

[High-speed electroab sorption modulators buried with ruthenium-doped SI-InP](#)

[Molecular devices and machines](#)

[Enhancement of photovoltaic characteristics using a PEDOT interlayer in TiO₂/MEHPPV heterojunction devices](#)

[Design of a single-electron current source for nanoelectronic devices](#)

[Impact of scaling on the high current behavior of RF CMOS technology](#)

[InGaAs-InP DHBTs for increased digital IC bandwidth having a 391-GHz \$f\(T\)\$ and 505-GHz \$f_{max}\$](#)

[High current effects in double heterojunction bipolar transistors](#)

[A new Schmitt trigger circuit in a 0.13- \$\mu\$ m 1/2.5-V CMOS process to receive 3.3-V input signals](#)

[Estimation of delay variations due to random-dopant fluctuations in nanoscale CMOS circuits](#)

Cluster Metrics

Authors

huang, gw 13

ker, md 12

roy, k 9

chen, km 8

williams, rs 5

mukhopadhyay, s 5

kuekes, pj 5

chang, cy 5

robinett, w 4

raychowdhury, a 4

meng, cc 4

cho, mh 4

chen, hy 4

wu, th 3

worschech, l 3

Sources

applied physics letters 20

ieee transactions on nanotechnology 18

ieee journal of solid-state circuits 13

ieee transactions on electron devices 12

ieee electron device letters 10

journal of applied physics 9

ieice transactions on electronics 9

solid-state electronics 7

ieee transactions on microwave theory and techniques 7

ieee transactions on applied superconductivity 7
proceedings of the ieee 6
microelectronics reliability 6
nanotechnology 5
microsystem technologies-micro-and nanosystems-information storage and processing systems 5
microelectronic engineering 5

Keywords

engineering, electrical & electronic 167
physics, applied 77
physics, applied 52
multidisciplinary 32
materials science, 32
materials science, multidisciplinary 24
devices 22
computer science, hardware & architecture 16
chemistry, multidisciplinary 16
physics, condensed matter 16
optics 14
design 14
transport 12
nanotechnology 12
instruments & instrumentation 12

Publication Year

2005 303
2004 26
2006 2

Country

usa 130
taiwan 39
japan 30
france 20
germany 18
south korea 16
peoples r china 14
england 14
netherlands 13
italy 13
belgium 9
switzerland 8
sweden 8
russia 7
spain 6

Institution

natl chiao tung univ 27
purdue univ 10
natl nano device labs 8
univ florida 7
univ calif santa barbara 7
intel corp 7
hewlett packard labs 7
univ texas 6
univ calif los angeles 6
ibm corp 6
cnrs 6
caltech 6
univ illinois 5
univ cambridge 5
stmicroelect 5

DataBase

science citation index 331

• CLUSTER 243

Modeling and design of electronic devices, including properties of those based on junctions (molecular junctions, metal junctions, Josephson junctions, and Schottky barriers), electron transport properties, current/ voltage characteristics, negative differential resistance (NDR) (407 Records)

(Countries: USA dominant, Japan, Germany. Institutions: RAS, University of Illinois, Northwestern University, Delft University of Technology, CAS. Other USA include Ohio State University, University of Texas.).

Cluster Syntax Features

Descriptive Terms

current 11.4%, voltag 6.9%, junction 6.7%, transport 5.4%, nois 2.4%, tunnel 2.4%, charg 2.3%, devic 2.2%, conduct 1.9%, current.voltage 1.6%, electr 1.4%, bia 1.4%, electron 1.4%, barrier 1.1%, switch 1.0%

Discriminating Terms

current 8.2%, junction 5.7%, voltag 5.3%, transport 3.9%, film 2.2%, nois 2.0%, tunnel 1.5%, current.voltage 1.4%, charg 1.1%, bia 1.0%, devic 1.0%, surfac 0.9%, magnet 0.8%, particl 0.7%, nanoparticl 0.7%

Single Word Terms

current 257, voltag 209, electron 197, transport 160, devic 141, electr 134, charg 124, temperatur 122, conduct 116, high 115, junction 106, two 102, metal 102, low 101, measur 99

Double Word Terms

current.voltage 100, room.temperature 37, electric.field 36, electron.transport 30, transport.properties 28, bias.voltage 24, negative.differential 24, schottky.barrier 23, electronic.transport 23, charge.transport 22, coulomb.blockade 21, electron.beam 20, space.charge 20, single.electron 19, current.density 19

Triple Word Terms

negative.differential.resistance 18, atomic.force.microscopy 11, differential.resistance.ndr 11, current.voltage.curves 10, electron.beam.lithography 10, current.voltage.characteristic 10, current.voltage.measurements 10, light.emitting.diodes 9, single.electron.tunneling 8, monte.carlo.simulations 7, schottky.barrier.diodes 7, two dimensional.electron 7, electron.transport.properties 7, metal.oxide.semiconductor 7, atomic.force.microscope 7

Term Cliques

32.19% transport charg devic conduct electr electron switch
30.89% transport tunnel charg devic conduct electron switch
33.91% voltag charg devic conduct electr electron switch
32.61% voltag tunnel charg devic conduct electron switch
31.37% current nois bia
27.33% current nois current.voltage switch
35.32% current transport devic conduct current.voltage electr electron switch
33.28% current junction transport tunnel devic conduct current.voltage electron switch
33.80% current junction transport tunnel devic conduct current.voltage electron barrier
36.82% current voltag devic conduct current.voltage electr electron switch
34.67% current voltag junction tunnel devic conduct bia electron barrier
34.62% current voltag junction tunnel devic conduct current.voltage electron switch
35.14% current voltag junction tunnel devic conduct current.voltage electron barrier

Sample Cluster Record Titles

[Two-dimensional electron transport through a barrier prepared by tip-induced oxidation](#)

[Analytical model of high-frequency noise spectrum in Schottky-barrier diodes](#)

[Coherent current transport in wide ballistic Josephson junctions](#)

[Electronic transport properties of carbon nanotube based metal/semiconductor/metal intramolecular junctions](#)

[Current measurement by real-time counting of single electrons](#)

[Metal nanocrystal memory with high-kappa tunneling barrier for improved-data retention](#)

[Single-charge devices with ultrasmall Nb/AlOx/Nb trilayer Josephson junctions](#)

[Transport properties of single-channel quantum wires with an impurity: Influence of finite length and temperature on average current and noise](#)

[Influence of external voltage on electronic transport properties of molecular junctions: the nonlinear transport behaviour](#)

Cluster Metrics

Authors

reggiani, l 7
wang, ck 4
varani, l 4
starikov, e 4
shiktorov, p 4
yoshida, m 3
xue, qk 3
williams, rs 3
wang, y 3
tour, jm 3
su, yk 3
stewart, dr 3
siegel, m 3
ratner, ma 3
luth, h 3

Sources

applied physics letters 47
physical review b 37
journal of applied physics 21
journal of physical chemistry b 14
physical review letters 12
nano letters 12
nanotechnology 10
ieee transactions on applied superconductivity 10

physica e-low-dimensional systems & nanostructures 6
journal of chemical physics 6
japanese journal of applied physics part 2-letters & express letters 6
solid-state electronics 5
small 5
mrs bulletin 5
journal of vacuum science & technology b 5

Keywords

physics, applied 100
physics, condensed matter 57
physics, applied 53
engineering, electrical & electronic 52
transport 43
chemistry, physical 37
materials science, multidisciplinary 35
physics, multidisciplinary 33
materials science, multidisciplinary 33
films 31
conductance 26
physics, condensed matter 24
devices 23
chemistry, multidisciplinary 22
physics, 17

Publication Year

2005 364
2004 41
2006 2

Country

usa 125
japan 57
germany 43
peoples r china 32
italy 30
france 22
sweden 19
south korea 19
russia 18
netherlands 17
england 17
taiwan 16
spain 15
india 12
switzerland 11

Institution

russian acad sci 10
univ illinois 9
northwestern univ 9
delft univ technol 9
chinese acad sci 9
univ karlsruhe 8
ohio state univ 8
natl inst adv ind sci & technol 8
chalmers univ technol 8
univ texas 7
univ lecce 7
natl inst mat sci 7
natl cheng kung univ 7
univ tsukuba 6
univ tokyo 6

DataBase

science citation index 407

• CLUSTER 53

Properties and fabrication of magnetic tunnel junctions (MTJs) and investigation of magnetoresistance (121 Records)

(Countries: Japan, USA. Institutions: Tohoku University, Osaka University, National Institute of Advanced industrial S&T, Korea University, Japan S&T Agency. No USA institutional representation.).

Cluster Syntax Features

Descriptive Terms

tunnel 17.3%, junction 11.9%, magnetoresist 10.8%, magnetic.tunnel 6.1%, magnet 4.7%, tunnel.junctions 3.8%, mtj 3.7%, magnetic.tunnel.junctions 3.1%, spin 2.1%, barrier 2.1%, tmr 1.9%, current 1.0%, tunneling.magnetoresistance 1.0%, layer 1.0%, ferromagnet 0.9%

Discriminating Terms

tunnel 10.1%, junction 7.2%, magnetoresist 7.0%, magnetic.tunnel 4.1%, tunnel.junctions 2.5%, mtj 2.5%, magnetic.tunnel.junctions 2.1%, film 1.7%, tmr 1.3%, magnet 1.1%, barrier 1.0%, surfac 0.9%, tunneling.magnetoresistance 0.7%, spin 0.7%, particl 0.6%

Single Word Terms

magnet 98, tunnel 92, junction 87, magnetoresist 83, spin 63, layer 56, physic 49, barrier 45, temperatur 43, field 43, depend 43, current 41, structur 37, ratio 36, resist 34

Double Word Terms

magnetic.tunnel 60, tunnel.junctions 53, tunneling.magnetoresistance 28, tunnel.junction 28, magnetoresistance.tmr 21, spin.polarization 18, junctions.mtjs 18, tunnel.magnetoresistance 17, spin.polarized 16, magnetic.field 16, spin.dependent 16, room.temperature 16, tmr.ratio 13, transport.properties 10, spin.valve 10

Triple Word Terms

magnetic.tunnel.junctions 46, magnetic.tunnel.junction 21, tunnel.junctions.mtjs 17, tunnel.magnetoresistance.tmr 11, tunneling.magnetoresistance.tmr 9, tunnel.junction.mtj 7, spin.dependent.tunneling 7, barrier.magnetic.tunnel 6, focused.ion.beam 6, random.access.memory 6, current.perpendicular.plane 5, transmission.electron.microscopy 5, ion.beam.fib 4, two dimensional.electron 4, bias.voltage.dependence 4

Term Cliques

40.08% spin current layer ferromagnet
49.59% magnetoresist spin ferromagnet
48.67% tunnel junction magnetic.tunnel magnet mtj barrier tmr current layer
50.32% tunnel junction magnetic.tunnel magnet mtj spin tmr current layer
46.28% tunnel junction magnetic.tunnel magnet tunnel.junctions mtj
magnetic.tunnel.junctions barrier tmr tunneling.magnetoresistance layer
55.17% tunnel junction magnetoresist magnetic.tunnel magnet mtj spin tmr
48.31% tunnel junction magnetoresist magnetic.tunnel magnet tunnel.junctions mtj
magnetic.tunnel.junctions barrier tmr tunneling.magnetoresistance

Sample Cluster Record Titles

[Spin-dependent quantum oscillations in magnetic tunnel junctions with Ru quantum wells](#)

[A simple fabrication process using focused ion beam for deep submicron magnetic tunnel junctions](#)

[Magnetoresistance of sol-gel derived manganite nanoparticles](#)

[Tunnelling magnetoresistance of misfit layered cobaltite \$\text{Ca}_{3-x}\text{Y}_x\text{Co}_4\text{O}_9\$ \(\$x=0, 0.1, 0.2\$ \)](#)

[Spin-dependent tunnelling through epitaxial GaAs\(001\) and \(110\) barriers](#)

[Uncorrelated and correlated nanoscale lattice distortions in the paramagnetic phase of magnetoresistive manganites](#)

[Intergranular giant magnetoresistance in a spontaneously phase separated perovskite oxide](#)

[Large magnetocurrents in double-barrier tunneling transistors](#)

[Thermal stability of tunneling spin polarization](#)

Cluster Metrics

Authors

yuasa, s 10
kubota, h 9
suzuki, y 8
miyazaki, t 6
de jonge, wjm 6
ando, y 6
ando, k 6
blamire, mg 5
shin, kh 4
rhie, k 4
pakala, m 4
lee, bc 4
huai, ym 4
fukushima, a 4
ding, yf 4

Sources

applied physics letters 24
journal of applied physics 23
physical review b 16
ieee transactions on magnetics 11
physical review letters 10
journal of magnetism and magnetic materials 8
japanese journal of applied physics part 2-letters & express letters 4

journal of physics-condensed matter 3
chinese physics letters 3
physica e-low-dimensional systems & nanostructures 2
journal of the korean physical society 2
japanese journal of applied physics part 1-regular papers short notes & review papers 2
ieee transactions on applied superconductivity 2
sensors and actuators a-physical 1
physics of the solid state 1

Keywords

physics, applied 51
magnetoresistance 26
physics, condensed matter 23
room-temperature 19
physics, multidisciplinary 19
magnetoresistance 14
engineering, electrical & electronic 14
physics, applied 14
films 14
junctions 11
film 11
materials science, multidisciplinary 9
junctions 8
physics, condensed matter 8
oxidation 6

Publication Year

2005 112
2004 9

Country

japan 28
usa 22
germany 13
south korea 12
netherlands 11
france 10
england 10
peoples r china 9
taiwan 8
russia 5
ireland 4
india 4
ukraine 3
portugal 3
switzerland 2

Institution

tohoku univ 10

osaka univ 7

natl inst adv ind sci & technol 7

korea univ 7

japan sci & technol agcy 7

univ cambridge 6

eindhoven univ technol 6

cnrs 6

univ twente 5

univ paris 07 4

univ paris 06 4

philips res labs 4

nanjing univ 4

korea inst sci & technol 4

inha univ 4

DataBase

science citation index 121

- **CLUSTER 95**

Field-emission properties of materials, especially carbon nanotubes (CNTs) and nanowires (180 Records)

(Countries: USA, China in first tier, followed by South Korea and Japan.

Institutions: CAS, Peking University. USA include Vanderbilt University, University of North Carolina).

Cluster Syntax Features

Descriptive Terms

field 20.9%, emiss 16.3%, field.emission 14.6%, emitt 5.0%, electric.field 3.7%, electr 3.3%, current 2.6%, emission.current 2.3%, nanotub 1.2%, cnt 1.2%, emission.properties 1.1%, nanowir 0.9%, field.emission.properties 0.8%, arrai 0.8%, carbon 0.6%

Discriminating Terms

field 11.3%, field.emission 10.3%, emiss 9.6%, emitt 3.6%, electric.field 2.4%, film 1.7%, emission.current 1.7%, electr 1.4%, current 1.0%, emission.properties 0.7%, surfac 0.7%, nanoparticl 0.7%, magnet 0.6%, particl 0.6%, field.emission.properties 0.6%

Single Word Terms

field 177, emiss 126, current 107, electr 91, electron 88, carbon 68, properti 64, emitt 62, nanotub 61, densiti 59, high 57, physic 52, voltag 48, low 46, vacuum 45

Double Word Terms

field.emission 114, electric.field 72, emission.current 59, current.density 43, emission.properties 41, carbon.nanotubes 33, carbon.nanotube 33, electron.emission 27, turn.field 25, fowler.nordheim 24, vapor.deposition 19, field.emitters 18, chemical.vapor 18, threshold.field 16, emission.carbon 15

Triple Word Terms

field.emission.properties 36, field.emission.current 25, emission.current.density 25, chemical.vapor.deposition 17, electron.field.emission 12, field.emission.carbon 11, carbon.nanotube.cnt 10, current.density.field 10, field.emission.measurements 10, field.emission.displays 9, carbon.nanotube.field 9, emission.carbon.nanotube 9, low.turn.field 8, emitters.field.emission 8, carbon.nanotubes.cnts 7

Term Cliques

50.00% field electric.field electr nanowir
47.59% field emiss field.emission emission.properties nanowir field.emission.properties
44.95% field emiss field.emission emitt current emission.current nanotub
emission.properties field.emission.properties arrai carbon
46.50% field emiss field.emission emitt current emission.current nanotub cnt arrai carbon

Sample Cluster Record Titles

[Enhanced field emission of ZnO nanowires](#)

[Field emission properties of needle shaped GaN nanorod arrays](#)

[Self-assembly of metallic nanowires from aqueous solution](#)

[Microstructured silicon surfaces for field emission devices](#)

[Growth and field emission of hierarchical single-crystalline wurtzite AlN nanoarchitectures](#)

[Field emission properties of large-area nanowires of organic charge-transfer complexes](#)

[Field-emission properties of macroporous silicon grown at high anodization voltages](#)

[High-current-density field emitters based on arrays of carbon nanotube bundles](#)

[Local field emission from individual vertical carbon nanofibers grown on tungsten filament](#)

Cluster Metrics

Authors

yu, dp 6

kang, wp 6

davidson, jl 6

zhao, q 5

xu, z 4

xu, ns 4

wong, ym 4

teo, kbk 4

silva, srp 4

nicolaescu, d 4

kim, jm 4

cheng, hm 4

xu, yb 3

wang, zl 3

wang, xq 3

Sources

applied physics letters 38

journal of vacuum science & technology b 20

journal of applied physics 14

nanotechnology 8

diamond and related materials 8

japanese journal of applied physics part 1-regular papers brief communications & review papers 7

physical review b 5

carbon 5
applied surface science 5
physical review letters 4
journal of the american chemical society 4
physica e-low-dimensional systems & nanostructures 3
nano letters 3
japanese journal of applied physics part 1-regular papers short notes & review papers 3
synthetic metals 2

Keywords

physics, applied 71
engineering, electrical & electronic 26
physics, applied 26
films 24
materials science, multidisciplinary 20
growth 20
field emission 20
emitters 20
carbon nanotubes 19
materials science, multidisciplinary 19
carbon nanotubes 18
arrays 15
chemistry, physical 14
chemical-vapor-deposition 12
physics, multidisciplinary 11

Publication Year

2005 162
2004 16
2006 2

Country

usa 47
peoples r china 41
south korea 24
japan 20
taiwan 17
england 14
germany 9
russia 8
france 8
singapore 5
romania 3
netherlands 3
sweden 2
slovenia 2

italy 2

Institution

chinese acad sci 16
peking univ 9
vanderbilt univ 6
natl tsing hua univ 6
univ cambridge 5
sungkyunkwan univ 5
samsung adv inst technol 5
natl taiwan univ 5
natl chiao tung univ 5
univ surrey 4
univ n carolina 4
univ lyon 1 4
seoul natl univ 4
korea univ 4
hanyang univ 4

DataBase

science citation index 180

• CLUSTER 27

Upconversion emission/ luminescence properties and spectroscopic studies of rare earth ions (Er³⁺, Yb³⁺, and Tm³⁺), especially in doped crystals and glass ceramics (82 Records)

(Countries: China completely dominant. Institutions: CAS, followed by City University Hong Kong. No USA institutional representation.).

Cluster Syntax Features

Descriptive Terms

er3 26.1%, upconverts 11.4%, yb3 8.0%, emiss 4.3%, tm3 3.2%, excit 2.7%, luminesc 2.3%, dope 1.9%, glass.ceramics 1.6%, glass 1.5%, crystal 1.2%, yb 1.0%, er3.ions 1.0%, er 1.0%, nanocryst 0.9%

Discriminating Terms

er3 16.2%, upconverts 7.1%, yb3 5.0%, tm3 2.0%, film 1.8%, emiss 1.6%, excit 1.1%, luminesc 1.0%, glass.ceramics 1.0%, surfac 0.9%, er3.ions 0.6%, yb 0.6%, carbon 0.6%, structur 0.6%, er 0.6%

Single Word Terms

emiss 62, excit 56, dope 54, er3 52, ion 46, absorpt 46, energi 38, transit 37, intens 36, luminesc 35, crystal 34, yb3 33, upconverts 32, laser 31, state 28

Double Word Terms

energy.transfer 23, er3.ions 20, er3.doped 15, glass.ceramics 14, room.temperature 13, two.photon 12, upconversion.luminescence 12, excited.state 11, rare.earth 11, oxyfluoride.glass 11, er3.yb3 10, upconversion.emission 10, state.absorption 10, judd.ofelt 9, green.red 8

Triple Word Terms

excited.state.absorption 10, oxyfluoride.glass.ceramics 9, transparent.oxyfluoride.glass 8, rare.earth.ions 7, emission.cross.section 6, judd.ofelt.theory 5, state.absorption.esa 5, energy.transfer.upconversion 5, glass.ceramics.caf2 4, stimulated.emission.cross 4, blue.green.red 4, two.photon.absorption 4, red.green.blue 4, judd.ofelt.parameters 4, transport.equilibration.vte 4

Term Cliques

38.29% luminesc dope crystal yb er
35.37% luminesc dope glass yb er
43.66% excit luminesc dope yb er
48.54% emiss luminesc dope crystal yb
45.61% emiss luminesc dope glass yb
39.37% emiss tm3 luminesc dope glass.ceramics glass nanocryst

41.11% upconverts emiss tm3 luminesc dope glass.ceramics nanocryst
49.83% upconverts yb3 emiss excit luminesc dope yb
47.41% upconverts yb3 emiss tm3 excit luminesc dope nanocryst
43.70% er3 luminesc dope crystal er3.ions er
41.26% er3 luminesc dope glass er3.ions er
52.93% er3 excit luminesc dope er
52.24% er3 emiss luminesc dope crystal er3.ions
42.84% er3 emiss luminesc dope glass.ceramics glass er3.ions nanocryst
57.11% er3 emiss excit luminesc dope nanocryst

Sample Cluster Record Titles

[Up-conversion luminescence and near infrared luminescence of Er³⁺ in transparent oxyfluoride glass-ceramics](#)

[Fluorescence spectroscopy of Er³⁺ : LaOBr prepared by NH₄Br solid state reaction](#)

[Spectroscopic properties of Er³⁺ ions in La-2\(WO₄\)\(3\) crystal](#)

[Visible upconversion in rare earth ion-doped Gd₂O₃ nanocrystals](#)

[Enhanced cooperative absorption and upconversion in Yb³⁺ doped YAG nanophosphors](#)

[Blue upconversion emission of Tm³⁺-Yb³⁺ in ZrO₂ nanocrystals: Role of Yb³⁺ ions](#)

[Spectroscopic properties of Er³⁺ in LiErP₄O₁₂ and LiErYP₄O₁₂ single crystals](#)

[Optical properties of a transparent CaF₂ : Er³⁺ fluoropolymer nanocomposite](#)

[Er³⁺- and Tm³⁺-containing ultra-transparent oxyfluoride-based glass ceramics for wavelength division multiplexing optical amplifiers](#)

Cluster Metrics

Authors

zhang, j 5

montagna, m 5

mattarelli, m 5

ferrari, m 5

zhang, dl 4

wang, j 4

pun, eyb 4

zhou, gq 3

zhao, zw 3
zhang, wp 3
yin, m 3
xu, xd 3
xu, j 3
wang, mq 3
vetrone, f 3

Sources

optical materials 12
applied physics letters 6
journal of applied physics 4
spectroscopy and spectral analysis 3
spectrochimica acta part a-molecular and biomolecular spectroscopy 3
journal of physical chemistry b 3
journal of non-crystalline solids 3
journal of luminescence 3
journal of crystal growth 3
physical review b 2
optics communications 2
journal of the electrochemical society 2
journal of the american ceramic society 2
journal of rare earths 2
journal of physics-condensed matter 2

Keywords

luminescence 25
materials science, multidisciplinary 18
optics 14
emission 14
ions 12
physics, applied 11
rare-earth ions 9
physics, condensed matter 9
spectroscopy 9
er3+ 9
materials science, ceramics 8
glasses 8
spectroscopy 7
chemistry, physical 7
yb3+ 7

Publication Year

2005 59
2004 19
2006 4

Country

peoples r china 43

italy 10

usa 7

japan 6

france 6

russia 4

germany 4

canada 4

brazil 4

switzerland 3

spain 3

mexico 3

england 3

sweden 2

india 2

Institution

chinese acad sci 20

city univ hong kong 6

univ trent 5

tianjin univ 5

zhejiang univ 4

cnr 4

univ verona 3

univ sci & technol china 3

univ padua 3

univ nottingham 3

univ la laguna 3

univ bern 3

inst mexicano petr 3

concordia univ 3

xiangtan univ 2

DataBase

science citation index 82

• CLUSTER 98

Phosphorescence and luminescence of materials containing rare earth ions (especially Eu^{3+}), with focus on synthesis by combustion method and from precursors (107 Records)

(Countries: China completely dominant; South Korea distant second.
Institutions: CAS, followed by Tongji University, followed by Tsing Hua University).

Cluster Syntax Features

Descriptive Terms

eu3 18.5%, phosphor 15.4%, luminesc 6.6%, eu 4.7%, dope 2.2%, rare 1.9%, combust 1.8%, earth 1.7%, rare.earth 1.7%, precursor 1.5%, emiss 1.4%, red 1.2%, ce 1.0%, powder 0.9%, ion 0.8%

Discriminating Terms

eu3 12.3%, phosphor 10.2%, luminesc 3.8%, eu 3.0%, film 1.9%, rare 1.1%, combust 1.1%, rare.earth 1.1%, earth 1.0%, surfac 0.9%, dope 0.7%, red 0.6%, ce 0.6%, layer 0.6%, precursor 0.6%

Single Word Terms

luminesc 70, phosphor 65, synthesi 55, emiss 53, synthes 52, dope 52, powder 51, size 51, partiel 48, properti 46, rai 44, eu3 44, structur 44, ion 43, intens 41

Double Word Terms

rare.earth 30, ray.diffraction 27, sol.gel 24, luminescent.properties 22, electron.microscopy 18, solid.state 17, diffraction.xrd 16, emission.spectra 14, state.reaction 13, combustion.synthesis 13, eu3.doped 13, eu3.ions 12, emission.intensity 12, transmission.electron 11, red.emission 11

Triple Word Terms

solid.state.reaction 13, ray.diffraction.xrd 11, ray.powder.diffraction 11, scanning.electron.microscopy 10, synthesis.luminescent.properties 8, rare.earth.ions 8, transmission.electron.microscopy 7, doped.rare.earth 7, diffraction.xrd.scanning 6, scanning.electronic.microscope 6, electron.microscopy.sem 6, eu3.ions.occupied 5, synthesized.sol.gel 5, composition.hybrid.precursors 5, rare.earth.coordination 5

Term Cliques

40.05% luminesc rare earth rare.earth precursor emiss powder
39.10% luminesc dope combust emiss ce ion
41.94% luminesc dope rare earth rare.earth emiss powder ion
37.27% luminesc dope rare earth rare.earth emiss ce ion
44.33% phosphor luminesc combust precursor emiss red powder
43.22% eu3 luminesc dope combust emiss red powder ion
44.74% eu3 phosphor luminesc combust emiss red powder ion
42.72% eu3 phosphor luminesc eu combust red powder

Sample Cluster Record Titles

[Studies on upconversion mechanism of ZrO₂ : Er³⁺, Yb³⁺ nanocrystals under excitation at 488 and 980 nm](#)

[Synthesis and characterization of Y₂O₃ : Eu phosphor derived by solution-combustion method](#)

[Phosphorescent organogels via "metallophilic" interactions for reversible RGB-color switching](#)

[In-situ wet chemical composition of multicomponent precursors to blue emitting Sr₂CeO₄ phosphors](#)

[Synthesis and luminescent properties of GdAlO₃ : RE by combustion process](#)

[In-situ sol-gel composition of hybrid precursors to synthesize SrTiO₃ : Pr³⁺ red ceramic phosphors](#)

[Preparation and luminescence of Y₂O₃ : Eu³⁺ nanopowder](#)

[Preparation and characterization of a new phosphor Lu₂O₃ : Eu³⁺](#)

[Blue luminescence of nanocrystalline PbWO₄ phosphor synthesized via a citrate complex route assisted by microwave irradiation](#)

Cluster Metrics

Authors

yan, b 12

shi, jl 7

xu, j 6

zhou, sm 5
zhang, jj 5
xia, gd 5
su, xq 4
shi, y 4
huang, hh 4
gong, ml 4
feng, t 4
zhou, ly 3
wang, sm 3
nakamura, a 3
li, yd 3

Sources

journal of rare earths 9
journal of alloys and compounds 7
materials research bulletin 6
journal of solid state chemistry 6
journal of materials research 5
journal of crystal growth 5
optical materials 4
journal of non-crystalline solids 4
solid state communications 3
materials letters 3
materials chemistry and physics 3
journal of the american chemical society 3
journal of nanoscience and nanotechnology 3
journal of luminescence 3
high-performance ceramics iii, pts 1 and 2 3

Keywords

luminescence 34
materials science, multidisciplinary 32
photoluminescence 16
materials science, multidisciplinary 16
chemistry, multidisciplinary 12
chemistry, physical 11
photoluminescence 10
luminescence 10
phosphors 10
emission 10
phosphors 9
chemistry, applied 9
phosphor 9
nanoparticles 9
rare earths 8

Publication Year

2005 94

2004 12

2006 1

Country

peoples r china 61

south korea 9

usa 7

japan 6

taiwan 4

italy 4

france 4

brazil 4

russia 3

poland 3

spain 2

mexico 2

india 2

finland 2

south africa 1

Institution

chinese acad sci 24

tongji univ 12

tsing hua univ 5

russian acad sci 3

peking univ 3

natl cheng kung univ 3

zhanjiang normal coll 2

univ wroclaw 2

univ verona 2

univ turku 2

univ tokyo 2

univ sci & technol china 2

univ lyon 1 2

univ cagliari 2

univ autonoma metropolitana azcapotzalco 2

DataBase

science citation index 107

• CLUSTER 219

Studies on optical activity (emission, luminescence, photoluminescence, and fluorescence), especially in nanocrystals and thin films, and factors that affect activity (326 Records)

(Countries: China, USA, followed by Japan. Institutions: CAS dominant, followed by RAS, University of Hong Kong. USA includes Pacific Northwest National Labs.).

Cluster Syntax Features

Descriptive Terms

emiss 17.1%, excit 9.3%, luminesc 6.2%, nanocryst 3.9%, photoluminesc 3.3%, band 3.3%, dope 2.8%, intens 2.2%, spectra 1.7%, eu3 1.4%, fluoresc 1.2%, absorpt 1.2%, peak 1.0%, light 1.0%, decal 1.0%

Discriminating Terms

emiss 11.9%, excit 6.6%, luminesc 4.6%, nanocryst 2.3%, photoluminesc 2.1%, film 2.0%, band 1.7%, intens 1.3%, dope 1.2%, eu3 1.1%, surfac 0.9%, phosphor 0.7%, carbon 0.7%, magnet 0.7%, decal 0.7%

Single Word Terms

emiss 224, excit 179, band 138, intens 136, photoluminesc 130, spectra 126, luminesc 125, properti 123, temperatur 121, optic 105, structur 100, dope 99, two 95, electron 93, light 90

Double Word Terms

room.temperature 50, emission.spectra 34, time.resolved 27, optical.properties 25,

ray.diffraction 24, energy.transfer 24, emission.band 22, photoluminescence.spectra 22, emission.bands 22, band.gap 21, luminescence.properties 20, excitation.spectra 19, solid.state 19, light.emission 19, low.temperature 18

Triple Word Terms

time.resolved.photoluminescence 9, metal.organic.chemical 6, vacuum.ultraviolet.vuv 6, mn.doped.zns 6, broad.emission.band 6, two.emission.bands 6, ray.diffraction.xrd 6, chemical.vapor.deposition 6, full.width.half 5, scanning.electron.microscopy 5, time.resolved.fluorescence 5, self.trapped.excitons 5, width.half.maximum 5, solid.state.reaction 5, excitation.emission.spectra 5

Term Cliques

31.23% excit intens fluoresc absorpt decai
35.71% excit intens spectra fluoresc absorpt
37.88% excit band intens spectra absorpt peak
37.01% excit nanocryst band intens spectra absorpt
34.51% excit nanocryst band intens spectra eu3
39.72% excit nanocryst photoluminesc band intens spectra
33.87% excit luminesc nanocryst band dope intens eu3
38.34% excit luminesc nanocryst photoluminesc band dope intens
38.14% emiss excit intens fluoresc light decai
38.70% emiss excit intens spectra eu3 fluoresc
42.48% emiss excit band intens spectra eu3
44.61% emiss excit photoluminesc band intens spectra peak
39.70% emiss excit luminesc dope intens light decai
41.10% emiss excit luminesc dope intens peak light
40.71% emiss excit luminesc band dope intens eu3
41.45% emiss excit luminesc photoluminesc dope intens decai
42.79% emiss excit luminesc photoluminesc band dope intens peak

Sample Cluster Record Titles

[The role of rare earth elements and Mn²⁺ point defects on the luminescence of bavenite](#)

[Photoluminescence of doped ZnS nanoparticles under hydrostatic pressure](#)

[Effect of reaction media on the growth and photoluminescence of colloidal CdSe nanocrystals](#)

[Photoelectric properties of lead tungstate crystals](#)

[Preparation and optical spectroscopy of Eu³⁺-doped GaN luminescent semiconductor from freeze-dried precursors](#)

[Low-temperature radio- and thermo-stimulated luminescence of SnO₂-doped silica](#)

[Synthesis, electrical properties, and optical characterization of Eu³⁺-doped La₂Mo₂O₉ nanocrystalline phosphors](#)

[Is o-carborane photoluminescent?](#)

[Structural and spectroscopic investigations of bulk poly \[bis\(2-ethyl\)hexylfluorene\]](#)

Cluster Metrics

Authors

chen, w 6

xu, j 5

zhang, gb 4

yu, lx 4

song, hw 4

phillips, dl 4

lu, sz 4

li, gh 4

leung, yh 4

kwok, wm 4

joly, ag 4

djurisic, ab 4

chan, wk 4

zhang, xy 3

zhang, qr 3

Sources

journal of applied physics 18

journal of physical chemistry b 17

applied physics letters 16

journal of luminescence 13

journal of nanoscience and nanotechnology 10

optical materials 9

physical review b 8

journal of the american chemical society 7

journal of physics-condensed matter 7

chemical physics letters 7

physics of the solid state 6

journal of rare earths 6

nanotechnology 5

journal of chemical physics 5

solid state communications 4

Keywords

luminescence 68
physics, applied 50
photoluminescence 50
chemistry, physical 39
physics, condensed matter 36
emission 34
materials science, multidisciplinary 33
chemistry, multidisciplinary 30
materials science, multidisciplinary 28
photoluminescence 24
optics 23
physics, atomic, molecular & chemical 22
luminescence 21
nanoparticles 21
optical-properties 20

Publication Year

2005 292
2004 29
2006 5

Country

peoples r china 85
usa 61
japan 34
germany 25
france 23
russia 20
south korea 17
italy 15
india 13
ukraine 12
taiwan 11
canada 11
spain 7
poland 7
netherlands 7

Institution

chinese acad sci 31
russian acad sci 9
univ hong kong 7
univ sci & technol china 6
osaka univ 5
changchun univ sci & technol 5
univ montpellier 2 4

univ cagliari 4
tohoku univ 4
polish acad sci 4
pacific nw natl lab 4
nanjing univ 4
jilin univ 4
beijing jiaotong univ 4
zhejiang univ 3

DataBase
science citation index 326

• CLUSTER 89

Light-emitting diodes (LEDs), including organic LEDs and
emphasizing construction and optimization of LEDs (263 Records)

(Countries: USA, China, followed by Taiwan, South korea, followed by
japan. Institutions: CAS, National Chiao Tung University, National
Cheng Kung University, Jilin University. USA include University of
Florida, UCSB, University of South Carolina).

Cluster Syntax Features

Descriptive Terms

emit 13.3%, light.emitting 11.1%, light 8.7%, diod 6.1%, devic 5.2%,
light.emitting.diodes 3.6%, emitting.diodes 3.6%, led 2.5%, effici 2.5%, electroluminesc
2.1%, emiss 1.9%, organic.light.emitting 1.6%, organic.light 1.6%, blue 1.1%, ol 1.0%

Discriminating Terms

emit 8.6%, light.emitting 7.5%, light 4.5%, diod 3.8%, light.emitting.diodes 2.4%,
emitting.diodes 2.4%, devic 2.3%, film 1.5%, led 1.5%, electroluminesc 1.3%,
organic.light.emitting 1.1%, organic.light 1.1%, effici 1.0%, surfac 0.8%, ol 0.7%

Single Word Terms

light 237, emit 232, diod 178, devic 173, effici 152, emiss 136, layer 130, fabric 109, organ 108, quantum 96, electroluminesc 95, structur 89, high 82, current 77, electron 77

Double Word Terms

light.emitting 217, emitting.diodes 132, organic.light 75, emitting.diode 52, emitting.devices 47, external.quantum 44, quantum.efficiency 37, tin.oxide 35, indium.tin 34, diodes.leds 33, light.emission 29, blue.light 27, output.power 23, turn.voltage 22, oxide.ito 21

Triple Word Terms

light.emitting.diodes 132, organic.light.emitting 75, light.emitting.diode 52, light.emitting.devices 45, indium.tin.oxide 34, emitting.diodes.leds 32, external.quantum.efficiency 32, blue.light.emitting 20, tin.oxide.ito 20, polymer.light.emitting 18, emitting.diodes.oleds 17, gan.light.emitting 15, tris.hydroxyquinoline.aluminum 13, white.organic.light 13, chemical.vapor.deposition 12

Term Cliques

51.81% emit light.emitting light light.emitting.diodes emitting.diodes effici emiss organic.light.emitting organic.light blue ol
51.95% emit light.emitting light devic effici electroluminesc emiss organic.light.emitting organic.light blue ol
58.06% emit light.emitting light diod light.emitting.diodes emitting.diodes effici emiss blue ol
59.91% emit light.emitting light diod light.emitting.diodes emitting.diodes led effici blue

Sample Cluster Record Titles

[Emission of an intense large area electron beam from a slab of porous dielectric](#)

[Nonpolar InGaN/GaN emitters on reduced-defect lateral epitaxially overgrown a-plane GaN with drive-current-independent electroluminescence emission peak](#)

[Improved device efficiency and color purity: Spectral redshift and line narrowing for poly \[2-methoxy,5-\(2-ethylhexyloxy\)-1,4-phenylenevinylene\] via blending with phenyl-substituted poly \[p-phenylene vinylene\] derivatives](#)

[A top-emission organic light-emitting diode with a silicon anode and an Sm/Au cathode](#)

[Small molecular white organic light emitting devices with single emission zone](#)

[Correlating physical and chemical degradation in the performance of aluminum tris\(8-](#)

[hydroxyquinoline\) \(Alq\(3\)\)-based OLEDs](#)

[AlGaN-based 280 nm light-emitting diodes with continuous-wave power exceeding 1 mW at 25 mA](#)

[Dodecanoxy-phenylethynylene oligomers for light emitting diodes](#)

[Direct emissive pattern formation in PPV type polymer with built-in photoresist properties and the application to light emitting devices](#)

Cluster Metrics

Authors

zhao, y 7

liu, sy 7

cingolani, r 6

yang, sy 5

xu, xr 5

teng, f 5

sun, xw 5

speck, js 5

li, wl 5

denbaars, sp 5

chen, bj 5

cao, y 5

xu, z 4

wenzl, fp 4

wei, hz 4

Sources

applied physics letters 43

journal of applied physics 13

thin solid films 10

japanese journal of applied physics part 1-regular papers brief communications & review papers 9

synthetic metals 8

japanese journal of applied physics part 2-letters & express letters 8

microelectronics journal 6

journal of crystal growth 6

japanese journal of applied physics part 1-regular papers short notes & review papers 6

journal of materials chemistry 5

current applied physics 5

chemistry of materials 5

optics express 4

journal of physical chemistry b 4

ieee photonics technology letters 4

Keywords

physics, applied 80
diodes 51
materials science, multidisciplinary 48
emission 42
physics, applied 35
engineering, electrical & electronic 30
devices 29
light-emitting-diodes 27
electroluminescence 27
materials science, multidisciplinary 25
layer 25
conjugated polymers 22
chemistry, physical 20
polymer science 19
physics, 19

Publication Year

2005 234
2004 26
2006 3

Country

usa 58
peoples r china 50
taiwan 38
south korea 33
japan 23
germany 14
england 13
italy 11
singapore 8
austria 8
india 5
france 5
canada 5
sweden 4
scotland 3

Institution

chinese acad sci 15
natl chiao tung univ 12
natl cheng kung univ 10
jilin univ 8

univ florida 6
s china univ technol 6
acad sinica 6
univ lecce 5
univ calif santa barbara 5
samsung adv inst technol 5
nanyang technol univ 5
korea univ 5
city univ hong kong 5
univ s carolina 4
sensor elect technol inc 4

DataBase

science citation index 263

- **CLUSTER 61**

Multiple quantum wells (MQWs), especially GaN, InGaN, and GaN/InGaN, and focusing on structural and photoluminescence properties (151 Records)

(Countries: USA, South Korea. Institutions: Polish Academy of Sciences, National Cheng Kung University, Gwangju Institute of S&T. USA include UCSB, Cornell University.).

Cluster Syntax Features

Descriptive Terms

gan 20.2%, ingan 13.8%, mqw 6.5%, quantum 6.1%, ingan.gan 5.7%, well 3.0%, multiple.quantum 2.5%, quantum.wells 2.1%, multipl 1.3%, gan.multiple 1.2%, gan.multiple.quantum 1.1%, multiple.quantum.wells 1.0%, led 0.9%, photoluminesc 0.9%, emiss 0.8%

Discriminating Terms

gan 12.1%, ingan 9.2%, mqw 4.3%, ingan.gan 3.9%, quantum 2.0%, film 1.9%, well 1.7%, multiple.quantum 1.6%, quantum.wells 1.2%, gan.multiple 0.8%, surfac 0.8%, gan.multiple.quantum 0.8%, nanoparticl 0.7%, multipl 0.7%, particl 0.7%

Single Word Terms

quantum 141, gan 120, ingan 89, well 86, structur 81, photoluminesc 72, multipl 66, grown 64, optic 63, high 60, temperatur 60, emiss 58, mqw 53, physic 53, carrier 45

Double Word Terms

quantum.wells 74, ingan.gan 70, multiple.quantum 65, gan.multiple 38, light.emitting 36, gan.quantum 33, room.temperature 26, optical.properties 26, quantum.mqw 25, emitting.diodes 25, vapor.deposition 22, diodes.leds 22, chemical.vapor 22, time.resolved 22, multi.quantum 20

Triple Word Terms

gan.multiple.quantum 37, multiple.quantum.wells 36, ingan.gan.multiple 25, light.emitting.diodes 25, ingan.gan.quantum 24, chemical.vapor.deposition 22, emitting.diodes.leds 21, multiple.quantum.mqw 19, quantum.wells.mqws 17, gan.quantum.wells 16, metalorganic.chemical.vapor 16, grown.metalorganic.chemical 13, quantum.confined.stark 13, quantum.wells.grown 12, time.resolved.photoluminescence 12

Term Cliques

39.74% mqw quantum multiple.quantum gan.multiple gan.multiple.quantum led emiss
43.71% mqw quantum well multiple.quantum quantum.wells multipl gan.multiple
gan.multiple.quantum multiple.quantum.wells photoluminesc emiss
40.21% mqw quantum ingan.gan gan.multiple gan.multiple.quantum led emiss
46.03% mqw quantum ingan.gan well quantum.wells multipl gan.multiple
gan.multiple.quantum photoluminesc emiss
47.68% gan ingan quantum multiple.quantum gan.multiple gan.multiple.quantum led
emiss
48.68% gan ingan quantum well multiple.quantum quantum.wells multipl gan.multiple
gan.multiple.quantum multiple.quantum.wells photoluminesc emiss
48.10% gan ingan quantum ingan.gan gan.multiple gan.multiple.quantum led emiss
51.23% gan ingan quantum ingan.gan well quantum.wells multipl gan.multiple
gan.multiple.quantum photoluminesc emiss

Sample Cluster Record Titles

[Investigation of the unusual temperature dependence of InGaN/GaN quantum well photoluminescence over a range of emission energies](#)

[Potentially modulated multi-quantum wells for high-efficiency solar cell applications](#)

[Luminescence and lasing in InGaN/GaN multiple quantum well heterostructures grown at different temperatures](#)

[Optical and electrical step-recovery study of minority-carrier transport in an InGaN/GaN quantum-well light-emitting diode grown on sapphire](#)

[Study of stimulated emission from InGaN/GaN multiple quantum well structures](#)

[InGaN/GaN multiple quantum disk nanocolumn light-emitting diodes grown on \(111\)Si substrate](#)

[Structural and optical characterizations of \$\text{In}_x\text{Ga}_{1-x}\text{N}/\text{GaN}\$ \(\$0.15 \leq x \leq 0.30\$ \) multi-quantum well structures](#)

[Optical properties of In-rich InGaN/GaN single quantum well structures with high density of clusters](#)

[Blue luminescence from the InGaN multiple quantum wells](#)

Cluster Metrics

Authors

suski, t 7
perlin, p 7
grzegory, i 7
zukauskas, a 6
speck, js 6
miasojedovas, s 6
leszczynski, m 6
jursenas, s 6
denbaars, sp 6
yoon, e 5
park, sj 5
nakamura, s 5
kim, hj 5
kang, tw 5
cho, yh 5

Sources

applied physics letters 40
journal of applied physics 16
journal of crystal growth 11
journal of the korean physical society 9
physica status solidi a-applications and materials science 6

physica e-low-dimensional systems & nanostructures 6
japanese journal of applied physics part 1-regular papers brief communications & review
papers 5
microelectronics journal 4
journal of vacuum science & technology b 4
electrochemical and solid state letters 4
semiconductor science and technology 3
compound semiconductors 2004, proceedings 3
acta physica polonica a 3
superlattices and microstructures 2
semiconductors 2

Keywords

physics, applied 66
gan 32
physics, condensed matter 19
engineering, electrical & electronic 19
emission 19
light-emitting-diodes 18
physics, multidisciplinary 16
luminescence 15
molecular-beam epitaxy 14
photoluminescence 14
crystallography 12
gan 11
strain 11
growth 11
single 10

Publication Year

2005 129
2004 22

Country

usa 37
south korea 36
taiwan 18
peoples r china 17
japan 15
germany 11
england 11
poland 10
lithuania 7
france 7
switzerland 4
spain 4

russia 3
italy 3
canada 3

Institution

polish acad sci 8
natl cheng kung univ 7
gwangju inst sci & technol 7
univ calif santa barbara 6
seoul natl univ 6
dongguk univ 6
chungbuk natl univ 6
vilnius univ 5
cornell univ 5
chonbuk natl univ 5
chinese acad sci 5
peking univ 4
natl taiwan univ 4
kyoto univ 4
korea res inst stand & sci 4

DataBase

science citation index 151

- **CLUSTER 74**

Gallium nitride (GaN) films, layers, and structures, primarily grown by vapor-phase/ molecular-beam epitaxy and chemical vapor deposition, as well as gallium heterostructures, especially those containing sapphire (270 Records)

(Countries: USA, Japan, China. Institutions: CAS, Chonbuk National University, National Cheng Kung University. USA include VCU, UCSB, UCB, SUNY Albany.).

Cluster Syntax Features

Descriptive Terms

gan 60.2%, disloc 2.0%, grown 1.7%, epitaxi 1.5%, layer 1.5%, growth 1.3%, sapphir 1.0%, substrat 0.8%, gan.films 0.6%, ga 0.5%, gan.layers 0.5%, si 0.4%, vapor 0.4%, growth.gan 0.3%, defect 0.3%

Discriminating Terms

gan 41.2%, disloc 1.1%, film 0.9%, particl 0.7%, epitaxi 0.7%, nanoparticl 0.7%, grown 0.6%, sapphir 0.6%, carbon 0.6%, magnet 0.6%, nanotub 0.6%, surfac 0.5%, gan.films 0.4%, oxid 0.4%, polym 0.4%

Single Word Terms

gan 268, grown 176, layer 166, substrat 151, growth 149, epitaxi 140, high 121, deposit 121, structur 118, vapor 113, film 111, temperatur 111, electron 106, chemic 100, rai 99

Double Word Terms

chemical.vapor 75, ray.diffraction 74, vapor.deposition 74, electron.microscopy 70, gan.films 56, transmission.electron 54, molecular.beam 54, beam.epitaxy 54, phase.epitaxy 47, metalorganic.chemical 47, gan.layers 42, atomic.force 41, high.resolution 41, metal.organic 41, layers.grown 39

Triple Word Terms

chemical.vapor.deposition 73, molecular.beam.epitaxy 54, transmission.electron.microscopy 49, metalorganic.chemical.vapor 43, vapor.phase.epitaxy 38, atomic.force.microscopy 36, metal.organic.chemical 31, high.resolution.ray 27, resolution.ray.diffraction 26, gan.films.grown 25, organic.chemical.vapor 25, scanning.electron.microscopy 24, vapor.deposition.mocvd 23, plasma.molecular.beam 23, width.half.maximum 18

Term Cliques

43.47% gan grown epitaxi growth gan.films ga gan.layers growth.gan
45.93% gan grown epitaxi layer growth substrat gan.films gan.layers si vapor growth.gan
44.01% gan grown epitaxi layer growth sapphir substrat gan.films gan.layers vapor growth.gan defect
47.14% gan disloc grown epitaxi layer growth substrat gan.films gan.layers si vapor
45.12% gan disloc grown epitaxi layer growth sapphir substrat gan.films gan.layers vapor defect

Sample Cluster Record Titles

[Gallium nitride powders from ammonolysis: Influence of reaction parameters on structure and properties](#)

[Preparation of stoichiometric GaN\(0001\)-1 x 1 studied with spectromicroscopy](#)

[Misfit dislocation formation in the AlGa_N/Ga_N heterointerface](#)

[Microstructural properties and atomic arrangements in Ga_N/sapphire and Al_xGa_{1-x}N/AlN/GaN/sapphire heterostructures](#)

[Micro-Auger electron spectroscopy studies of chemical and electronic effects at Ga_N-sapphire interfaces](#)

[Photoluminescence studies of Ga_N nanorods on Si \(111\) substrates grown by molecular-beam epitaxy](#)

[Correlation of in-situ reflectance spectra and resistivity of Ga_N/Al₂O₃ interfacial layer in metalorganic chemical vapor deposition](#)

[Epitaxial growth of Ga_N on \(100\) beta-Ga₂O₃ substrates by metalorganic vapor phase epitaxy](#)

[Growth of crack-free Ga_N on Si\(111\) with graded AlGa_N buffer layers](#)

Cluster Metrics

Authors

monemar, b 7

chang, sj 7

su, yk 6

morkoc, h 6

chua, sj 6

yun, f 5

xue, cs 5

weyher, jl 5

porowski, s 5

okumura, h 5

moon, yt 5

liliental-weber, z 5

larsen, pk 5

komninou, p 5

hassan, z 5

Sources

journal of crystal growth 57
applied physics letters 40
journal of applied physics 22
physica status solidi a-applications and materials science 10
physical review b 7
japanese journal of applied physics part 2-letters & express letters 7
superlattices and microstructures 6
journal of vacuum science & technology a 6
journal of the korean physical society 6
japanese journal of applied physics part 1-regular papers short notes & review papers 6
rare metal materials and engineering 5
applied surface science 5
thin solid films 4
journal of physics d-applied physics 4
journal of electronic materials 4

Keywords

physics, applied 79
crystallography 58
films 56
gan 44
growth 42
chemical-vapor-deposition 35
gan 33
physics, condensed matter 29
molecular-beam epitaxy 29
nitrides 28
materials science, multidisciplinary 25
layers 25
physics, applied 24
gallium nitride 24
vapor-phase epitaxy 23

Publication Year

2005 223
2004 46
2006 1

Country

usa 72
japan 47
peoples r china 38
south korea 29
germany 26

taiwan 22
france 14
poland 12
sweden 10
england 9
singapore 8
netherlands 8
malaysia 6
scotland 5
greece 5

Institution

chinese acad sci 15
chonbuk natl univ 10
natl cheng kung univ 8
virginia commonwealth univ 7
univ calif santa barbara 7
polish acad sci 7
linkoping univ 7
univ calif berkeley 6
inst mat res & engn 6
univ sains malaysia 5
tohoku univ 5
suny albany 5
shandong normal univ 5
samsung adv inst technol 5
osaka univ 5

DataBase

science citation index 270

• CLUSTER 41

Nitride (AlGa_N, Ga_N, AlGa_N/Ga_N, and Al_N) structures grown and/or used for applications using ohmic contact, high-electron-mobility transistors (HEMTs), and heterojunction field-effect transistors (HFETs) (100 Records)

(Countries: USA, Japan, South Korea, Taiwan. Institutions: Nagoya institute of Technology, Gwangju Institute of S&T, National Cheng Kung University. USA include University of Illinois, University of Florida, Sandia National labs, Penn State University, Georgia Institute of Technology).

Cluster Syntax Features

Descriptive Terms

algan 22.7%, gan 19.1%, contact 6.6%, ohmic 4.8%, algan.gan 3.5%, layer 1.4%, ohmic.contact 1.4%, hemt 1.3%, anneal 1.2%, aln 1.1%, hfet 1.0%, ohmic.contacts 1.0%, resist 0.9%, contact.resistance 0.7%, grown 0.5%

Discriminating Terms

algan 15.0%, gan 11.1%, contact 3.4%, ohmic 3.2%, algan.gan 2.3%, film 1.5%, ohmic.contact 0.9%, hemt 0.8%, hfet 0.7%, surfac 0.7%, nanoparticl 0.7%, ohmic.contacts 0.7%, aln 0.6%, particl 0.6%, carbon 0.6%

Single Word Terms

gan 87, layer 66, algan 66, electron 58, high 55, deposit 46, contact 43, resist 42, structur 42, grown 40, thick 39, vapor 38, temperatur 38, metal 38, current 38

Double Word Terms

algan.gan 42, vapor.deposition 26, ohmic.contact 25, chemical.vapor 25, contact.resistance 24, ohmic.contacts 23, electron.mobility 23, ray.diffraction 23, electron.microscopy 23, high.electron 20, light.emitting 16, type.gan 15, low.resistance 15, gan.high 14, algan.layer 14

Triple Word Terms

chemical.vapor.deposition 24, high.electron.mobility 20, gan.high.electron 13, transmission.electron.microscopy 12, dimensional.electron.gas 12, vapor.phase.epitaxy 12, two dimensional.electron 12, light.emitting.diodes 12, emitting.diodes.leds 11, metalorganic.chemical.vapor 11, electron.mobility.transistor 11, algan.gan.high 11, organic.chemical.vapor 11, metal.organic.chemical 11, electron.mobility.transistors 10

Term Cliques

32.29% contact ohmic ohmic.contact anneal ohmic.contacts resist contact.resistance

48.33% gan hemt resist
41.43% gan contact ohmic ohmic.contact anneal resist contact.resistance
45.33% algan gan algan.gan hemt aln grown
51.83% algan gan algan.gan layer hfet grown
53.67% algan gan algan.gan layer aln grown

Sample Cluster Record Titles

[Study of the electrical, structural and surface morphological characteristics of Pt/Re/Au ohmic contacts on p-type GaN](#)

[Thermodynamic analysis of AlGaNHVPE growth](#)

[Influence of dislocation and ionized impurity scattering on the electron mobility in GaN/AlGaN heterostructures](#)

[Electrical and structural properties of low-resistance Pt/Ag/Au ohmic contacts to p-type GaN](#)

[Impact of layer structure on performance of unpassivated AlGaN/GaN HEMT](#)

[High temperature annealed Ge/Ag/Ni ohmic contact for InAlAs/InGaAs HEMTs](#)

[High temperature and high frequency characteristics of AlGaN/GaN MOS-HFETs with photochemical vapor deposition SiO₂ layer](#)

[Growth of thick AlGaN by mixed-source hydride vapor phase epitaxy](#)

[Effect of various interlayers on epiwafer bowing in AlGaN/GaN high-electron-mobility transistor structures](#)

Cluster Metrics

Authors

egawa, t 13

seong, ty 10

ishikawa, h 10

chang, sj 8

song, jo 7

adesida, i 6

park, sj 5

miyoshi, m 5
kim, kh 5
arulkumaran, s 5
tanaka, m 4
su, yk 4
oda, o 4
kuo, ch 4
yi, jy 3

Sources

applied physics letters 18
journal of crystal growth 13
journal of vacuum science & technology b 10
journal of applied physics 6
japanese journal of applied physics part 1-regular papers brief communications & review papers 5
electrochemical and solid state letters 5
solid-state electronics 4
physica status solidi a-applications and materials science 4
materials science and engineering b-solid state materials for advanced technology 4
ieee transactions on electron devices 4
journal of the electrochemical society 3
japanese journal of applied physics part 1-regular papers short notes & review papers 3
applied surface science 3
semiconductor science and technology 2
physica status solidi a-applied research 2

Keywords

physics, applied 33
engineering, electrical & electronic 25
physics, applied 19
gan 19
crystallography 13
materials science, multidisciplinary 11
sapphire 11
light-emitting-diodes 10
physics, condensed matter 9
nitrides 9
field-effect transistors 8
electrochemistry 8
electron-mobility transistors 7
physics, 7
physics, condensed matter 6

Publication Year

2005 82

2004 17

2006 1

Country

usa 27

japan 26

south korea 20

taiwan 18

peoples r china 7

germany 5

india 4

poland 2

malaysia 2

england 2

sweden 1

spain 1

slovenia 1

slovakia 1

singapore 1

Institution

nagoya inst technol 13

gwangju inst sci & technol 10

natl cheng kung univ 8

univ illinois 7

ngk insulators ltd 6

natl cent univ 6

chinese acad sci 5

univ florida 3

sandia natl labs 3

samsung adv inst technol 3

penn state univ 3

natl inst informat & commun technol 3

nagoya univ 3

korea maritime univ 3

georgia inst technol 3

DataBase

science citation index 100

• CLUSTER 62

Zinc oxide (ZnO) thin films, emphasizing fabrication by magnetron sputtering, deposition, and annealing; doped ZnO films; and optical properties of ZnO films (254 Records)

(Countries: China dominant, followed by Japan, Korea, USA.

Institutions: CAS dominant, followed by Shandong University, Chonnam National University. No USA institutional presence.).

Cluster Syntax Features

Descriptive Terms

zno 44.9%, film 11.7%, zno.films 11.5%, zinc 1.3%, anneal 0.9%, zno.film 0.9%, zn 0.8%, zinc.oxide 0.8%, substrat 0.7%, deposit 0.7%, zno.thin 0.6%, sputter 0.6%, zno.thin.films 0.5%, dope 0.4%, optic 0.4%

Discriminating Terms

zno 30.8%, zno.films 8.8%, film 2.4%, zinc 0.7%, carbon 0.7%, zno.film 0.7%, particl 0.6%, magnet 0.6%, surfac 0.6%, nanoparticl 0.6%, nanotub 0.6%, zinc.oxide 0.6%, quantum 0.4%, phase 0.4%, zno.thin 0.4%

Single Word Terms

film 253, zno 249, substrat 152, deposit 147, temperatur 135, structur 132, rai 126, properti 126, thin 119, diffract 112, optic 112, oxid 97, zinc 95, high 93, surfac 91

Double Word Terms

zno.films 170, ray.diffraction 103, thin.films 94, zinc.oxide 72, zno.thin 64, magnetron.sputtering 58, zno.film 58, films.grown 52, optical.properties 51, films.deposited 51, room.temperature 47, diffraction.xrd 42, properties.zno 40, electron.microscopy 38, oxide.zno 35

Triple Word Terms

zno.thin.films 57, ray.diffraction.xrd 42, zinc.oxide.zno 32, zno.films.grown 31, films.ray.diffraction 28, atomic.force.microscopy 25, zno.films.deposited 24, properties.zno.films 24, scanning.electron.microscopy 23, doped.zno.films 22, zinc.oxide.films 21, structural.optical.properties 17, optical.properties.zno 17, chemical.vapor.deposition 17, ray.photoelectron.spectroscopy 17

Term Cliques

47.46% zno film zno.films zn zinc.oxide substrat zno.thin sputter zno.thin.films dope optic
 48.79% zno film zno.films anneal zn zinc.oxide substrat deposit zno.thin sputter zno.thin.films optic
 48.17% zno film zno.films zinc zn zinc.oxide substrat zno.thin zno.thin.films dope optic
 46.24% zno film zno.films zinc zno.film zn zinc.oxide substrat zno.thin zno.thin.films dope
 49.44% zno film zno.films zinc anneal zn zinc.oxide substrat deposit zno.thin zno.thin.films optic
 47.67% zno film zno.films zinc anneal zno.film zn zinc.oxide substrat deposit zno.thin zno.thin.films

Sample Cluster Record Titles

[Sputtered deposited nanocrystalline ZnO films: A correlation between electrical, optical and microstructural properties](#)

[Improvement in microstructure and crystal alignment of ZnO films grown by metalorganic chemical vapor deposition using a seed layer](#)

[Electrons transfer between mercaptoacetic acid and ZnO nanocrystal thin film](#)

[Two-step growth of ZnO films on silicon by atomic layer deposition](#)

[Nanocrystalline ZnO films prepared by pyrolysis of Zn-arachidate LB multilayers](#)

[Influence of annealing conditions of ZnO films on the properties of ZnS films prepared by sulfurizing ZnO films](#)

[Electrodeposition of ZnO-Fe granular films](#)

[Homoepitaxial growth of ZnO films on ZnO \(11 \$\bar{2}\$ 0\) substrates](#)

[Characterization of homoepitaxial and heteroepitaxial ZnO films grown by pulsed laser deposition](#)

Cluster Metrics

Authors

liu, yc 8
zhang, xj 7
li, xm 7
yu, wd 6
ma, j 6
ma, hl 6
ji, f 6
zhang, z 5
zhang, rg 5
zhang, jy 5
zeng, zq 5
xue, qk 5
xu, j 5
wang, by 5
shen, dz 5

Sources

thin solid films 31
journal of crystal growth 21
applied surface science 19
applied physics letters 13
surface & coatings technology 7
journal of the korean physical society 7
journal of applied physics 7
applied physics a-materials science & processing 7
materials letters 4
journal of vacuum science & technology a 4
journal of physics d-applied physics 4
integrated ferroelectrics 4
acta physica sinica 4
superlattices and microstructures 3
materials science and engineering b-solid state materials for advanced technology 3

Keywords

materials science, multidisciplinary 78
thin-films 63
physics, applied 57
physics, 56
growth 39
condensed matter 36
deposition 36
zno 33
physics, applied 33

physics, condensed matter 31
chemistry, physical 30
thin-films 26
zno 26
room-temperature 25
photoluminescence 24

Publication Year

2005 235
2004 16
2006 3

Country

peoples r china 88
japan 40
south korea 33
usa 26
india 18
france 13
taiwan 9
spain 8
greece 6
germany 6
singapore 5
new zealand 4
mexico 4
england 4
egypt 4

Institution

chinese acad sci 33
shandong univ 9
chonnam natl univ 7
tokyo inst technol 6
ne normal univ 6
natl cheng kung univ 6
nanjing univ 6
indian assoc cultivat sci 6
zhejiang univ 5
kyoto univ 5
jilin univ 5
beijing univ technol 5
univ montpellier 2 4
sungkyunkwan univ 4
natl inst adv ind sci & technol 4

- **CLUSTER 7**

Zinc oxide (ZnO) thin films, emphasizing growth by deposition, doped ZnO films, and emission/ magnetic/ optical/ electronic properties of ZnO films (70 Records)

(Countries: China dominant, followed by South korea, India, Japan.
Institutions: CAS, Zhejiang University, nanyang Technological University. No USA institutional presence.).

Cluster Syntax Features

Descriptive Terms

zno 27.6%, zno.thin 18.7%, zno.thin.films 15.1%, thin.films 5.4%, thin 4.9%, film 4.8%, substrat 0.7%, deposit 0.6%, dope 0.5%, properties.zno 0.4%, emiss 0.4%, properties.zno.thin 0.4%, optic 0.3%, zno.films 0.3%, zno.thin.film 0.3%

Discriminating Terms

zno 16.4%, zno.thin 13.0%, zno.thin.films 10.5%, thin.films 2.5%, thin 1.7%, surfac 0.7%, particl 0.7%, nanoparticl 0.6%, carbon 0.6%, magnet 0.6%, nanotub 0.6%, structur 0.5%, crystal 0.4%, phase 0.4%, layer 0.4%

Single Word Terms

film 70, zno 70, thin 70, substrat 46, deposit 41, properti 40, temperatur 36, structur 35, rai 33, optic 33, diffract 30, photoluminesc 26, grown 25, surfac 24, emiss 24

Double Word Terms

thin.films 69, zno.thin 66, ray.diffraction 28, thin.film 24, films.deposited 21, zno.films 20, properties.zno 19, films.grown 15, room.temperature 14, optical.properties 14, zinc.oxide 13, band.gap 12, pulsed.laser 12, diffraction.xrd 12, laser.deposition 11

Triple Word Terms

zno.thin.films 64, thin.films.deposited 20, zno.thin.film 18, properties.zno.thin 14, thin.films.grown 14, ray.diffraction.xrd 12, pulsed.laser.deposition 11, optical.properties.zno 9, doped.zno.thin 8, zinc.oxide.zno 8, films.ray.diffraction 7, atomic.force.microscopy 7, thin.films.zno 7, laser.deposition.pld 6, type.zno.thin 6

Term Cliques

76.03% zno zno.thin zno.thin.films thin.films thin film dope properties.zno optic
73.86% zno zno.thin zno.thin.films thin.films thin film substrat emiss zno.films
zno.thin.film
67.26% zno zno.thin zno.thin.films thin.films thin film substrat properties.zno emiss
properties.zno.thin optic zno.films
76.29% zno zno.thin zno.thin.films thin.films thin film substrat deposit zno.films
zno.thin.film
69.29% zno zno.thin zno.thin.films thin.films thin film substrat deposit properties.zno
properties.zno.thin optic zno.films

Sample Cluster Record Titles

[Growth of ZnO thin films - experiment and theory](#)

[Electronic properties of nano-porous TiO₂- and ZnO-thin films-comparison of simulations and experiments](#)

[Improvement of electrical and optical properties of ZnO thin films prepared by MOCVD using UV light irradiation and in situ H₂ post-treatment](#)

[High mobility in ZnO thin films deposited on perovskite substrates with a low temperature nucleation layer](#)

[Surface characterization of electrochemically fabricated CuO doped ZnO thin film](#)

[On the properties of indium doped ZnO thin films](#)

[MOCVD growth and properties of ZnO thin films on LiNbO₃ substrates](#)

[Growth and optical characterization of ZnO thin films deposited on sapphire substrate by MOCVD technique](#)

[Electron beam induced light emission and charge conduction patterning in ZnO by using an AlOx layer](#)

Cluster Metrics

Authors

zhao, bh 5
ye, zz 5
zhu, lp 4
yuan, gd 4
liu, yc 4
zhang, jy 3
vijayakumar, kp 3
shin, bc 3
shen, dz 3
shan, fk 3
qian, q 3
lu, ym 3
liu, zf 3
liu, gx 3
lee, wj 3

Sources

applied physics letters 9
journal of crystal growth 6
journal of applied physics 5
applied surface science 5
thin solid films 4
superlattices and microstructures 3
semiconductor science and technology 3
solid state communications 2
solar energy materials and solar cells 2
physica e-low-dimensional systems & nanostructures 2
materials science in semiconductor processing 2
journal of electroceramics 2
journal of ceramic processing research 2
japanese journal of applied physics part 2-letters & express letters 2
transactions of nonferrous metals society of china 1

Keywords

physics, applied 16

photoluminescence 13
physics, condensed matter 12
growth 12
materials science, multidisciplinary 11
physics, condensed matter 10
chemical-vapor-deposition 9
sapphire 9
physics, 9
engineering, electrical & electronic 8
zinc-oxide 8
room-temperature 8
physics, applied 8
zno 7
zinc-oxide films 7

Publication Year

2005 67
2004 3

Country

peoples r china 27
south korea 11
india 10
japan 7
france 5
usa 4
singapore 4
romania 2
italy 2
germany 2
vietnam 1
turkey 1
spain 1
ireland 1
greece 1

Institution

chinese acad sci 9
zhejiang univ 5
nanyang technol univ 4
jilin univ 3
indian inst technol 3
dongeui univ 3
cochin univ sci & technol 3
univ sci & technol china 2
tsing hua univ 2

ntt adv technol corp 2
ne normal univ 2
natl inst mat sci 2
nagoya inst technol 2
jadavpur univ 2
inst mat res & engn 2

DataBase

science citation index 70

- **CLUSTER 67**

Zinc oxide (ZnO) nanowires and other nanostructures, focusing on growth, emission and photoluminescence properties, doped zinc nanostructures, and nanowire arrays (304 Records)

(Countries: China dominant, followed by USA, South Korea, followed by Japan, Taiwan. Institutions: CAS dominant, followed by University S&T China, Hanyang University, Zhejiang University. USA includes University of Florida.).

Cluster Syntax Features

Descriptive Terms

zno 68.2%, zno.nanowires 3.5%, nanowir 3.2%, zn 1.3%, growth 0.9%, emiss 0.9%, nanostructur 0.6%, zno.nanostructures 0.6%, doped.zno 0.5%, zinc 0.5%, photoluminesc 0.4%, dope 0.4%, grown 0.3%, arrai 0.3%, substrat 0.3%

Discriminating Terms

zno 45.1%, zno.nanowires 2.5%, film 1.7%, nanowir 1.2%, surfac 0.6%, carbon 0.6%, particl 0.6%, zn 0.6%, magnet 0.5%, nanotub 0.5%, nanoparticl 0.5%, zno.nanostructures 0.4%, quantum 0.4%, doped.zno 0.4%, structur 0.3%

Single Word Terms

zno 297, growth 139, temperatur 135, structur 133, electron 120, emiss 115, substrat 112, photoluminesc 104, properti 99, high 99, grown 96, nanowir 92, diffract 90, rai 88, microscopi 84

Double Word Terms

electron.microscopy 76, ray.diffraction 73, zno.nanowires 71, transmission.electron 57, room.temperature 52, scanning.electron 45, zno.nanostructures 39, doped.zno 37, zinc.oxide 37, low.temperature 35, single.crystalline 34, properties.zno 32, high.resolution 32, optical.properties 31, growth.zno 31

Triple Word Terms

transmission.electron.microscopy 51, scanning.electron.microscopy 38, chemical.vapor.deposition 26, ray.diffraction.xrd 22, high.resolution.transmission 18, resolution.transmission.electron 18, molecular.beam.epitaxy 18, zinc.oxide.zno 18, room.temperature.photoluminescence 17, metalorganic.chemical.vapor 15, optical.properties.zno 13, zno.nanowires.grown 13, electron.microscopy.tem 12, vapor.liquid.solid 12, aligned.zno.nanowires 12

Term Cliques

35.28% zno doped.zno dope arrai
40.95% zno emiss doped.zno dope
43.55% zno growth zinc arrai substrat
38.45% zno growth emiss nanostructur zno.nanostructures zinc photoluminesc substrat
46.93% zno zn dope
48.19% zno zn growth zinc
38.56% zno nanowir growth emiss nanostructur zno.nanostructures photoluminesc grown substrat
35.72% zno zno.nanowires nanowir doped.zno arrai
40.26% zno zno.nanowires nanowir emiss doped.zno
41.50% zno zno.nanowires nanowir growth arrai substrat
42.19% zno zno.nanowires nanowir growth emiss photoluminesc grown substrat

Sample Cluster Record Titles

[Temperature-dependent growth mode and photoluminescence properties of ZnO nanostructures](#)

[Patterned growth of aligned ZnO nanowire arrays on sapphire and GaN layers](#)

[Role of gallium wetting layer in high-quality ZnO growth on sapphire\(0001\) substrates](#)

[As-doped p-type ZnO produced by an evaporation/sputtering process](#)

[Preparation and photoluminescence of surface N-doped ZnO nanocrystal](#)

[Evolution of the morphology and optical properties of ZnO nanowires during catalyst-free growth by thermal evaporation](#)

[A low-temperature evaporation route for ZnO nanoneedles and nanosaws](#)

[Novel morphologies of ZnO nanotetrapods](#)

[Epitaxial growth and surface modeling of ZnO on c-plane Al₂O₃](#)

Cluster Metrics

Authors

liu, yc 11

fujita, s 11

li, y 8

lee, cj 8

liao, l 7

li, jc 7

chen, ic 7

zhu, lp 6

ye, zz 6

wang, th 6

norton, dp 6

li, xm 6

fu, q 6

cho, jh 6

zhang, y 5

Sources

applied physics letters 46

journal of crystal growth 33

nanotechnology 21

journal of physical chemistry b 20

materials letters 10

journal of applied physics 10

chemical physics letters 10

applied surface science 6

solid state communications 5

journal of solid state chemistry 5

journal of nanoscience and nanotechnology 5
superlattices and microstructures 4
journal of the korean physical society 4
chinese physics letters 4
advanced materials 4

Keywords

growth 85
physics, applied 83
nanorods 72
films 56
photoluminescence 51
nanowires 49
thin-films 45
zno 41
arrays 39
nanobelts 38
chemistry, physical 37
materials science, multidisciplinary 36
materials science, multidisciplinary 36
crystallography 35
nanostructures 34

Publication Year

2005 283
2004 18
2006 2
2003 1

Country

peoples r china 122
usa 51
south korea 49
japan 30
taiwan 25
germany 16
france 13
singapore 9
spain 7
england 4
russia 3
mexico 3
india 3
ireland 2
canada 2

Institution

chinese acad sci 46
univ sci & technol china 14
hanyang univ 11
zhejiang univ 10
ne normal univ 9
natl cheng kung univ 9
ind technol res inst 9
univ florida 8
cnrs 8
wuhan univ 7
tsing hua univ 7
pohang univ sci & technol 7
peking univ 7
kyoto univ 7
tohoku univ 6

DataBase

science citation index 304

• CLUSTER 100

Nanowires: growth by vapor deposition, nanowire arrays, silicon nanowires, single crystal nanowires (645 Records)

(Countries: China, USA dominant, followed by Japan, South Korea, Taiwan. Institutions: CAS dominant, followed by Peking University, National Institute of Material Science, University S&T China, National

Tsing Hua University, Nanjing University. USA include UCB, Penn State University.).

Cluster Syntax Features

Descriptive Terms

nanowir 76.0%, growth 1.3%, nanowire.arrays 0.6%, arrai 0.6%, diamet 0.6%, silicon 0.5%, vapor 0.4%, si 0.4%, wire 0.3%, silicon.nanowires 0.3%, single.crystalline 0.3%, fabric 0.3%, singl 0.2%, crystallin 0.2%, nanowires.synthesized 0.2%

Discriminating Terms

nanowir 52.0%, film 1.8%, nanoparticl 0.6%, surfac 0.6%, particl 0.6%, carbon 0.6%, nanotub 0.5%, layer 0.4%, quantum 0.4%, nanowire.arrays 0.4%, structur 0.4%, magnet 0.4%, polym 0.3%, size 0.3%, cell 0.3%

Single Word Terms

nanowir 642, growth 281, diamet 275, structur 247, electron 247, high 209, temperatur 208, singl 200, synthes 193, microscopi 192, deposit 191, mechan 176, length 173, vapor 171, fabric 169

Double Word Terms

electron.microscopy 171, transmission.electron 153, ray.diffraction 105, scanning.electron 97, single.crystalline 92, nanowires.synthesized 84, nanowire.arrays 77, high.resolution 76, chemical.vapor 74, vapor.deposition 70, liquid.solid 69, growth.mechanism 61, nanowires.grown 61, single.crystal 61, vapor.liquid 57

Triple Word Terms

transmission.electron.microscopy 137, scanning.electron.microscopy 78, chemical.vapor.deposition 65, vapor.liquid.solid 56, resolution.transmission.electron 52, high.resolution.transmission 50, electron.microscopy.tem 39, energy.dispersive.ray 31, liquid.solid.vls 29, ray.diffraction.xrd 28, electron.microscopy.sem 27, electron.microscopy.transmission 23, microscopy.transmission.electron 23, electron.microscopy.hrtem 22, dispersive.ray.spectroscopy 22

Term Cliques

38.42% nanowir diamet wire silicon.nanowires fabric
35.53% nanowir nanowire.arrays diamet single.crystalline fabric singl crystallin
35.68% nanowir nanowire.arrays arrai diamet single.crystalline fabric
35.99% nanowir nanowire.arrays arrai diamet wire fabric
41.89% nanowir growth diamet wire silicon.nanowires
34.78% nanowir growth diamet silicon vapor single.crystalline singl crystallin nanowires.synthesized
36.04% nanowir growth diamet silicon vapor silicon.nanowires nanowires.synthesized
35.66% nanowir growth diamet silicon vapor si single.crystalline singl crystallin
37.17% nanowir growth diamet silicon vapor si silicon.nanowires

[Controlled growth of a single palladium nanowire between microfabricated electrodes](#)

[ZnO nanowires synthesized by vapor trapping CVD method](#)

[Controlling the diameter of Cu₂O nanowires by electrodeposition](#)

[Ethanol sensor based on indium oxide nanowires prepared by carbothermal reduction reaction](#)

[Effects of the confined synthesis on conjugated polymer transport properties](#)

[The effects of oxidative environments on the synthesis of CuO nanowires on Cu substrates](#)

[Large-scale boron nanowire nanojunctions and their highly-oriented arrays](#)

Cluster Metrics

Authors

zhang, ld 20

bando, y 11

zhang, y 10

li, q 10

golberg, d 10

yu, dp 9

li, gh 9

tang, cc 8

lee, st 8

chen, lj 8

zhang, xh 7

zhang, h 7

ye, ch 7

xue, cs 7

li, l 7

Sources

applied physics letters 85

nanotechnology 41

journal of physical chemistry b 38

applied physics a-materials science & processing 27

nano letters 24

advanced materials 24

journal of crystal growth 23

journal of applied physics 18

chemical physics letters 16

physical review b 11
physica e-low-dimensional systems & nanostructures 11
physical review letters 10
materials letters 10
journal of the american chemical society 10
small 9

Keywords

physics, applied 163
growth 143
materials science, multidisciplinary 114
materials science, multidisciplinary 101
arrays 80
chemistry, multidisciplinary 78
nanorods 74
chemistry, physical 71
nanotubes 65
nanowires 64
physics, applied 58
fabrication 57
films 52
nanostructures 51
physics, condensed matter 46

Publication Year

2005 568
2004 67
2006 10

Country

peoples r china 228
usa 177
japan 69
south korea 46
taiwan 41
germany 25
france 19
england 15
italy 14
sweden 13
spain 13
india 13
singapore 7
ireland 6
belgium 5

Institution

chinese acad sci 76
peking univ 24
natl inst mat sci 21
univ sci & technol china 20
natl tsing hua univ 19
nanjing univ 18
tsing hua univ 15
city univ hong kong 14
univ calif berkeley 13
pohang univ sci & technol 13
natl cheng kung univ 12
zhejiang univ 11
penn state univ 11
osaka univ 11
chinese univ hong kong 11

DataBase

science citation index 645

CATEGORY 4 - 508A2b (24 leaf clusters)

Magnetism and Tribology (6319 REC)

THRUST

()

- Spin, emphasizing properties and applications of qubits, spin-orbit interactions (SOIs) (especially Rashba SOIs), and studies of spin relaxation and polarization (139 Records) Cluster 55
- Spin polarization, spin-orbit interactions, spin dynamics, spin-dependent transport, and other spin-related phenomena as exhibited in and influenced by magnetic (especially ferromagnetic) fields and structures (481 Records) Cluster 141
- Superconductors, superconducting materials, and superconducting devices; vortex states, dynamics, and effects (188 Records) Cluster 159

- Applications and effects of external magnetic fields, especially magnetoresistance, ferrofluids, and uses of nanowires (418 Records) Cluster 162
- Magnetic properties of magnetic nanostructures (including arrays, films nanoparticles, nanotubes) and nanomaterials, emphasizing magnetic anisotropy, coercivity, magnetization reversal (657 Records) Cluster 171
- Properties of ferromagnetic and antiferromagnetic materials, especially manganese and iron compounds (355 Records) Cluster 193
- Magnetic properties of thin films (especially iron and cobalt films), focusing on anisotropy, coercivity, and preparation of films by sputtering, annealing, and deposition processes (266 Records) Cluster 181
- Iron-platinum (FePt) thin films, emphasizing their magnetic properties, fabrication, and the effect of annealing (53 Records) Cluster 0
- Amorphous and crystalline alloys (especially iron and cobalt), with emphasis on their magnetic properties, annealing processes, preparation by milling, and iron and cobalt (347 Records) Cluster 187
- Alloys (especially magnesium, copper, titanium, silver, and zirconium), focusing on structural and mechanical properties, effects of temperature, and corrosion resistance (520 Records) Cluster 160
- Alloys (especially nickel, copper, tin, titanium, and zirconium), emphasizing fusible/ eutectic alloys, formation of alloys, and mechanical/ structural characterization (139 Records) Cluster 123
- Preparation, reactions, and structure of composite materials, especially copper, nickel, and silver alloys (222 Records) Cluster 242
- Coatings formed by deposition, especially chemical vapor deposition and thermal and plasma spraying, emphasizing their properties, particularly hardness, wear/ corrosion resistance, and magnetic properties (487 Records) Cluster 150
- Nanotribological studies, focusing on friction, sliding, adhesive, and wear behavior (99 Records) Cluster 47
- Nanotribological studies, emphasizing wear behavior (especially steel substrates and silicon carbide [SiC] composites) and including analyses of sliding and abrasion (154 Records) Cluster 34
- Fabrication and characteristics of corrosion-resistant steel surfaces and layers (210 Records) Cluster 157

- Corrosion mechanisms and protection/ inhibition, especially of steel, zinc, and iron surfaces (76 Records) Cluster 66
- Crack, fatigue, and fracture processes, behavior, and mechanisms, emphasizing on analysis with scanning electron microscopy (210 Records) Cluster 118
- Materials subject to stress and strain, focusing on welded materials, residual stresses, effects of loading, and stress relaxation (131 Records) Cluster 115
- Nanoidentation, especially to test hardness, elasticity/ plasticity, and mechanical properties of materials (278 Records) Cluster 140
- Deformation behavior, shear bands, and related mechanical properties of materials and microstructures (239 Records) Cluster 112
- Dislocations, deformation, (crystal) twinning, and stress/ strain in materials, particularly crystals (147 Records) Cluster 86
- Grain boundary characteristics and processes, including diffusion, segregation, fracture, and growth (220 Records) Cluster 52
- Effects of and influences on grain size, emphasizing grain growth, texture characterization, and effect of annealing (283 Records) Cluster 166

• CLUSTER 55

Spin, emphasizing properties and applications of qubits, spin-orbit interactions (SOIs) (especially Rashba SOIs), and studies of spin relaxation and polarization (139 Records)

(Countries: USA dominant, followed by Japan, Germany, China.

Institutions: RAS, University of Toronto, Tohoku University, CAS. USA include SUNY Buffalo, U Iowa, UCSB, UCB).

Cluster Syntax Features

Descriptive Terms

spin 46.8%, quantum 7.6%, qubit 4.4%, rashba 1.9%, spin.orbit 1.4%, relax 1.4%, spin.relaxation 1.1%, polar 1.1%, orbit 0.9%, coupl 0.9%, electron 0.9%, split 0.8%, orbit.coupling 0.7%, spin.orbit.coupling 0.7%, rashba.spin 0.7%

Discriminating Terms

spin 27.9%, qubit 2.9%, quantum 2.7%, film 1.9%, rashba 1.3%, surfac 0.9%, spin.orbit 0.9%, spin.relaxation 0.7%, nanoparticl 0.6%, carbon 0.6%, particl 0.6%, relax 0.6%, crystal 0.5%, oxid 0.5%, rashba.spin 0.5%

Single Word Terms

quantum 130, spin 128, electron 86, coupl 55, field 51, magnet 47, two 47, system 46, interact 45, polar 45, state 44, structur 40, well 40, relax 38, dimension 37

Double Word Terms

quantum.wells 39, spin.orbit 33, orbit.coupling 27, spin.relaxation 26, magnetic.field 26, rashba.spin 25, spin.polarization 25, electron.spin 24, two dimensional 22, spin.polarized 17, spin.splitting 14, spin.dynamics 14, nuclear.spin 14, dimensional.electron 14, electron.gas 12

Triple Word Terms

spin.orbit.coupling 27, rashba.spin.orbit 20, two dimensional.electron 14, spin.orbit.interaction 10, dimensional.electron.gas 10, pure.spin.current 6, electron.spin.resonance 6, magnetic.field.spin 6, spin.relaxation.time 6, gaas.algaas.quantum 6, quantum.wells.spin 5, spin.relaxation.rate 5, nuclear.spin.polarization 5, semiconductor.quantum.wells 5, electron.spin.relaxation 5

Term Cliques

50.36% quantum qubit coupl
46.28% quantum qubit relax
52.76% spin quantum relax spin.relaxation electron split
54.32% spin quantum relax spin.relaxation polar electron
52.28% spin quantum rashba spin.relaxation electron split
53.84% spin quantum rashba spin.relaxation polar electron
40.07% spin quantum rashba spin.orbit orbit electron split orbit.coupling
spin.orbit.coupling rashba.spin
41.73% spin quantum rashba spin.orbit orbit coupl electron orbit.coupling
spin.orbit.coupling rashba.spin
41.01% spin quantum rashba spin.orbit polar orbit electron orbit.coupling
spin.orbit.coupling rashba.spin

Sample Cluster Record Titles

[Magnetic field effects on spin relaxation in heterostructures](#)

[Local spin-density oscillations in coupled quantum wells](#)

[Semiclassical kinetic theory of electron spin relaxation in semiconductors](#)

[Quantum networks in the presence of the Rashba effect and a magnetic field](#)

[Magnetosubbands of semiconductor quantum wires with Rashba spin-orbit coupling](#)

[Spin relaxation of two-dimensional holes in strained asymmetric SiGe quantum wells](#)

[Electronic spins and localized magnetic moments in dilute magnetic semiconductor quantum wells](#)

[Rashba spin precession in quantum-Hall edge channels](#)

[Spin manipulation of free two-dimensional electrons in Si/SiGe quantum wells](#)

Cluster Metrics

Authors

sipe, je 5
najmaie, a 4
governale, m 4
sherman, ey 3
santini, p 3
pershin, yv 3
muraki, k 3
koiller, b 3
hu, xd 3
hirayama, y 3
hashimoto, k 3
guo, y 3
glazov, mm 3
carretta, s 3
awschalom, dd 3

Sources

physical review b 50
physical review letters 20
applied physics letters 9
physical review a 6
physica e-low-dimensional systems & nanostructures 6
journal of superconductivity 4

solid state communications 3
semiconductors 3
nature materials 2
journal of applied physics 2
international journal of modern physics b 2
ieee transactions on nanotechnology 2
europhysics letters 2
acta physica sinica 2
semiconductor science and technology 1

Keywords

physics, condensed matter 64
physics, multidisciplinary 32
physics, applied 20
transport 13
heterostructures 13
gaas 13
systems 12
semiconductors 12
physics, condensed matter 10
electrons 10
semiconductors 9
physics, atomic, molecular & chemical 9
wells 9
gas 9
quantum-wells 8

Publication Year

2005 123
2004 16

Country

usa 45
japan 17
germany 16
peoples r china 14
canada 13
russia 11
england 11
switzerland 8
italy 8
poland 6
netherlands 5
brazil 5
france 4
sweden 3

denmark 3

Institution

russian acad sci 9

univ toronto 6

tohoku univ 6

chinese acad sci 6

scuola normale super pisa 5

tsing hua univ 4

suny buffalo 4

japan sci & technol agcy 4

univ parma 3

univ modena & reggio emilia 3

univ iowa 3

univ calif santa barbara 3

univ calif berkeley 3

univ basel 3

tokyo inst technol 3

DataBase

science citation index 139

- **CLUSTER 141**

Spin polarization, spin-orbit interactions, spin dynamics, spin-dependent transport, and other spin-related phenomena as exhibited in

and influenced by magnetic (especially ferromagnetic) fields and structures (481 Records)

(Countries: USA, Japan, Germany. Institutions: CAS, Osaka University, CNRS. USA includes Argonne National Lab.).

Cluster Syntax Features

Descriptive Terms

spin 55.9%, magnet 7.1%, ferromagnet 1.7%, polar 1.4%, field 1.3%, current 1.0%, orbit 0.8%, spin.polarized 0.7%, spin.orbit 0.6%, magnetic.field 0.5%, state 0.5%, spin.polarization 0.5%, electron 0.5%, antiferromagnet 0.5%, coupl 0.4%

Discriminating Terms

spin 38.9%, magnet 2.4%, film 1.8%, ferromagnet 1.0%, surfac 0.9%, nanoparticl 0.6%, polar 0.6%, particl 0.5%, spin.polarized 0.5%, deposit 0.5%, orbit 0.5%, carbon 0.5%, oxid 0.5%, nanotub 0.5%, spin.orbit 0.4%

Single Word Terms

spin 480, magnet 354, electron 213, field 208, structur 156, temperatur 154, depend 150, polar 149, state 146, ferromagnet 144, two 137, interact 136, system 130, current 118, coupl 115

Double Word Terms

magnetic.field 106, spin.polarized 74, spin.orbit 69, spin.polarization 59, two dimensional 51, spin.dependent 47, orbit.interaction 37, electron.spin 37, dimensional.electron 34, magnetic.fields 32, spin.transfer 30, spin.relaxation 30, ground.state 28, one dimensional 26, spin.valve 26

Triple Word Terms

spin.orbit.interaction 37, two dimensional.electron 31, rashba.spin.orbit 22, spin.orbit.coupling 21, dimensional.electron.gas 19, spin.polarized.current 16, density.functional.theory 15, spin.transfer.torque 14, external.magnetic.field 14, spin.lattice.relaxation 14, electron.spin.resonance 13, spin.dependent.transport 13, spin.polarized.electrons 12, spin.polarized.scanning 11, polarized.scanning.tunneling 10

Term Cliques

34.82% spin field orbit spin.orbit magnetic.field spin.polarization electron coupl
37.08% spin field orbit spin.orbit magnetic.field state electron coupl
34.90% spin field current orbit spin.orbit magnetic.field spin.polarization electron
37.16% spin field current orbit spin.orbit magnetic.field state electron
35.94% spin polar field orbit spin.orbit spin.polarization electron coupl
36.02% spin polar field current orbit spin.orbit spin.polarization electron
47.82% spin magnet field state antiferromagnet coupl
45.59% spin magnet field magnetic.field spin.polarization electron coupl

48.17% spin magnet field magnetic.field state electron coupl
45.68% spin magnet field current magnetic.field spin.polarization electron
48.26% spin magnet field current magnetic.field state electron
47.92% spin magnet polar field antiferromagnet coupl
46.87% spin magnet polar field spin.polarization electron coupl
46.96% spin magnet polar field current spin.polarization electron
45.60% spin magnet ferromagnet state antiferromagnet coupl
50.31% spin magnet ferromagnet state electron coupl
50.42% spin magnet ferromagnet current state electron
41.37% spin magnet ferromagnet polar spin.polarized antiferromagnet coupl
41.27% spin magnet ferromagnet polar spin.polarized spin.polarization electron coupl
41.35% spin magnet ferromagnet polar current spin.polarized spin.polarization electron

Sample Cluster Record Titles

[Propagation of spin waves in a thin cylindrical magnon crystal](#)

[Nuclear spin bath effects in molecular nanomagnets: Direct quantum mechanical simulations](#)

[Spin correlation, excitation, and relaxation of antiferromagnetic hematite alpha-Fe₂O₃ nanoparticles](#)

[Spin-split two-dimensional electron gas perturbed by intense terahertz laser fields](#)

[A fast ab initio approach to the simulation of spin dynamics](#)

[Identification of transverse spin currents in noncollinear magnetic structures](#)

[Modulation of spin dynamics in a channel of a nonballistic spin field effect transistor](#)

[Nuclear spin temperature and magnetization transport in laser-enhanced NMR of bulk GaAs](#)

[Electron spin resonance and related phenomena of low-dimensional electronic systems in III-V compounds](#)

Cluster Metrics

Authors

suzuki, y 11

yagami, k 7

chappert, c 6

wang, j 5

lu, mw 5
kimura, t 5
fukushima, a 5
devolder, t 5
crozat, p 5
bland, jac 5
bauer, gew 5
xi, hw 4
wernsdorfer, w 4
vaz, caf 4
tulapurkar, aa 4

Sources

physical review b 144
physical review letters 39
journal of applied physics 30
applied physics letters 25
journal of physics-condensed matter 14
journal of magnetism and magnetic materials 14
ieee transactions on magnetics 13
ieee transactions on nanotechnology 11
physics letters a 8
physica e-low-dimensional systems & nanostructures 8
physica b-condensed matter 8
polyhedron 6
microscopy research and technique 6
physica status solidi b-basic solid state physics 5
journal of the american chemical society 5

Keywords

physics, condensed matter 195
physics, multidisciplinary 76
physics, applied 68
engineering, electrical & electronic 34
transport 34
systems 34
physics, applied 31
magnetoresistance 30
films 29
materials science, multidisciplinary 28
physics, condensed matter 28
injection 23
spintronics 21
spintronics 19
multilayers 19

Publication Year

2005 425

2004 54

2006 2

Country

usa 147

japan 82

germany 79

peoples r china 52

france 42

russia 36

italy 27

south korea 24

netherlands 22

england 22

canada 17

sweden 15

switzerland 13

india 13

poland 11

Institution

chinese acad sci 20

osaka univ 16

cnrs 13

russian acad sci 11

natl inst adv ind sci & technol 11

univ hamburg 10

tsing hua univ 10

tohoku univ 10

univ tokyo 9

univ paris 11 9

delft univ technol 9

univ cambridge 8

japan sci & technol agcy 8

argonne natl lab 8

natl univ singapore 7

DataBase

science citation index 481

• CLUSTER 159

Superconductors, superconducting materials, and superconducting devices; vortex states, dynamics, and effects (188 Records)

(Countries: USA, Japan, Germany. Institutions: Katholieke University of Leuven, Tohoku University, RAS, Argonne National Lab. Other USA includes University of Illinois).

Cluster Syntax Features

Descriptive Terms

superconduct 16.7%, vortex 12.0%, magnet 9.4%, superconductor 4.9%, field 3.8%, pin 2.6%, domain 2.3%, domain.wall 1.8%, flux 1.4%, wall 1.4%, state 1.4%, current 1.3%, vortic 1.1%, magnetic.field 1.0%, ferromagnet 0.9%

Discriminating Terms

superconduct 12.2%, vortex 9.1%, superconductor 3.6%, magnet 3.6%, pin 1.9%, film 1.4%, domain.wall 1.3%, field 1.2%, domain 1.1%, surfac 0.9%, flux 0.9%, vortic 0.8%, nanoparticl 0.6%, particl 0.6%, carbon 0.6%

Single Word Terms

magnet 164, field 130, superconduct 93, temperatur 84, state 81, superconductor 60, current 59, vortex 58, two 56, measur 50, high 50, structur 49, electron 48, depend 48, critic 48

Double Word Terms

magnetic.field 63, critical.current 26, domain.wall 25, magnetic.fields 23, magnetic.flux 19, ground.state 16, current.density 16, quantum.interference 15, domain.walls 14, superconducting.state 14, micromagnetic.simulations 14, transition.temperature 13, superconducting.quantum 13, superconducting.transition 12, electron.microscopy 12

Triple Word Terms

superconducting.quantum.interference 13, quantum.interference.device 12, critical.current.density 12, interference.device.squid 8, transmission.electron.microscopy 6, superconducting.transition.temperature 5, domain.wall.pinning 5, scanning.tunneling.microscopy 5, high.temperature.superconductors 5, electron.beam.lithography 5, magnetic.field.temperature 4, function.magnetic.field 4, magnetic.domain.wall 4, external.magnetic.field 4, local.density.states 4

Term Cliques

35.87% magnet field pin domain domain.wall wall ferromagnet
34.57% magnet superconductor pin flux current vortic

44.77% magnet superconductor field current vortical magnetic field
 42.91% magnet superconductor field pin current vortical
 41.58% vortex magnet field pin domain ferromagnet
 37.94% vortex magnet superconductor flux state vortical
 34.49% vortex magnet superconductor pin flux vortical
 40.81% vortex magnet superconductor field vortical magnetic field ferromagnet
 44.45% vortex magnet superconductor field state vortical magnetic field
 39.21% vortex magnet superconductor field pin vortical ferromagnet
 43.83% superconduct magnet superconductor flux current
 46.17% superconduct magnet superconductor flux state
 50.44% superconduct magnet superconductor field current magnetic field
 52.39% superconduct magnet superconductor field state magnetic field

Sample Cluster Record Titles

[Micromagnetic simulations of vortex-state excitations in soft magnetic nanostructures](#)

[Nanoscale-SiC doping for enhancing \$J_c\$ and \$H_{c2}\$ in superconducting MgB₂](#)

[Microscopic analysis of low-frequency flux noise in YBa₂Cu₃O₇ direct current superconducting quantum interference devices](#)

[High frequency modes in vortex-state nanomagnets](#)

[Superconductivity in LiTi₂O₄ prepared by hybrid microwave method](#)

[Elastic constant in magnetic fields and singlet-triplet state of heavy fermion superconductor PrOs₄Sb₁₂](#)

[Influence of parity on the persistent currents of superconducting nanorings](#)

[Magnetic nanoparticles as efficient bulk pinning centers in type-II superconductors](#)

[Superconductor/ferromagnet current source](#)

Cluster Metrics

Authors

moshchalkov, vv 11
 vaz, caf 4
 peeters, fm 4
 murakami, m 4
 morelle, m 4
 klaui, m 4

dumpich, g 4
bland, jac 4
yamaguchi, t 3
weiss, d 3
wang, h 3
van bael, mj 3
silhanek, av 3
nowak, u 3
novosad, v 3

Sources

physical review b 39
physical review letters 22
applied physics letters 14
physica c-superconductivity and its applications 12
journal of applied physics 12
superconductor science & technology 10
journal of magnetism and magnetic materials 6
journal of low temperature physics 5
ieee transactions on applied superconductivity 5
physica e-low-dimensional systems & nanostructures 4
journal of physics-condensed matter 4
ieee transactions on magnetics 4
physica b-condensed matter 3
europhysics letters 3
solid state communications 2

Keywords

physics, condensed matter 59
physics, applied 57
physics, multidisciplinary 35
physics, condensed matter 21
vortices 14
physics, applied 11
dots 11
engineering, electrical & electronic 10
wires 10
magnetoresistance 10
films 10
materials science, multidisciplinary 9
temperature 9
superconductivity 8
high-temperature superconductors 8

Publication Year

2005 171

2004 16

2006 1

Country

usa 53

japan 38

germany 34

france 14

belgium 14

russia 11

england 11

italy 9

switzerland 8

peoples r china 7

israel 7

ukraine 6

sweden 5

south korea 4

poland 4

Institution

katholieke univ leuven 10

tohoku univ 9

russian acad sci 8

argonne natl lab 8

univ cambridge 7

paul scherrer inst 6

cnrs 6

univ regensburg 5

univ illinois 5

univ tokyo 4

univ karlsruhe 4

univ duisburg essen 4

univ antwerp 4

shibaura inst technol 4

natl inst mat sci 4

DataBase

science citation index 188

• CLUSTER 162

Applications and effects of external magnetic fields, especially magnetoresistance, ferrofluids, and uses of nanowires (418 Records)

(Countries: USA, Japan, followed by China, Germany, followed by France, Russia. Institutions: National Institute of Materials Science, RAS, Tohoku University. USA includes MIT).

Cluster Syntax Features

Descriptive Terms

magnet 32.6%, field 21.7%, magnetic.field 16.8%, magnetic.fields 1.5%, magnetoresist 0.7%, wire 0.5%, external.magnetic 0.5%, extern 0.4%, nanowir 0.4%, external.magnetic.field 0.3%, ferrofluid 0.3%, ferromagnet 0.2%, transit 0.2%, depend 0.2%, quantum 0.2%

Discriminating Terms

magnet 19.3%, field 13.1%, magnetic.field 12.8%, film 1.7%, magnetic.fields 1.1%, surfac 0.9%, carbon 0.6%, oxid 0.5%, deposit 0.5%, layer 0.5%, magnetoresist 0.4%, nanotub 0.4%, crystal 0.4%, structur 0.4%, polym 0.4%

Single Word Terms

field 412, magnet 402, structur 135, temperatur 120, electron 115, high 109, two 108, depend 103, measur 90, induc 82, extern 82, state 78, model 78, low 73, properti 73

Double Word Terms

magnetic.field 326, magnetic.fields 106, external.magnetic 60, field.induced 38, field.magnetic 37, two dimensional 30, high.magnetic 28, electric.field 24, ray.diffraction 23, temperature.dependence 23, room.temperature 22, field.strength 21, plane.magnetic 18, magnetic.nanoparticles 18, zero.field 18

Triple Word Terms

external.magnetic.field 47, magnetic.field.magnetic 25, magnetic.field.induced 19, high.magnetic.fields 18, magnetic.field.parallel 15, perpendicular.magnetic.field 14, magnetic.field.strength 13, plane.magnetic.field 13, two dimensional.electron 12, function.magnetic.field 11, field.magnetic.field 11, magnetic.field.dependence 11, application.magnetic.field 10, external.magnetic.fields 10, uniform.magnetic.field 9

Term Cliques

34.69% magnet field magnetoresist nanowir external.magnetic.field ferromagnet transit depend
33.40% magnet field magnetoresist external.magnetic nanowir external.magnetic.field ferromagnet transit
37.63% magnet field magnetoresist wire nanowir ferromagnet depend
49.67% magnet field magnetic.fields wire quantum
39.99% magnet field magnetic.fields magnetoresist nanowir transit depend
38.52% magnet field magnetic.fields magnetoresist external.magnetic nanowir transit
39.58% magnet field magnetic.fields magnetoresist wire nanowir depend
47.85% magnet field magnetic.field external.magnetic.field ferromagnet transit depend
52.19% magnet field magnetic.field external.magnetic.field ferrofluid depend
46.38% magnet field magnetic.field external.magnetic external.magnetic.field ferromagnet transit
47.10% magnet field magnetic.field external.magnetic extern external.magnetic.field ferromagnet
46.07% magnet field magnetic.field external.magnetic extern external.magnetic.field ferrofluid
56.22% magnet field magnetic.field magnetic.fields transit depend
54.55% magnet field magnetic.field magnetic.fields ferrofluid depend
49.08% magnet field magnetic.field magnetic.fields external.magnetic transit quantum
48.09% magnet field magnetic.field magnetic.fields external.magnetic extern ferrofluid

Sample Cluster Record Titles

[Magnetization dynamics of interacting iron nanocrystals in SiO₂](#)

[Magnetic-field-controllable avalanche breakdown and giant magnetoresistive effects in Gold semi-insulating-GaAs Schottky diode](#)

[Zigzag-shaped magnetic sensors](#)

[Effects of static magnetic field on growth of leptospire, *Leptospira interrogans* serovar canicola: Immunoreactivity and cell division](#)

[Ferrofluid aggregation in chains under the influence of a magnetic field](#)

[Zero-field-cooled and field-cooled magnetization of individual nanomagnets and their assembly](#)

[Magnetic field dependent ordering in ferrofluids at SiO₂ interfaces](#)

[Brillouin light scattering investigation of magnetostatic modes in symmetric and asymmetric NiFe/Cu/NiFe trilayered wires](#)

Cluster Metrics

Authors

coey, jmd 5
yao, yd 4
watanabe, k 4
saitoh, e 4
piraux, l 4
pileni, mp 4
miyajima, h 4
koyama, k 4
kido, g 4
grundler, d 4
dumpich, g 4
brands, m 4
takamasu, t 3
sokmen, i 3
slavin, an 3

Sources

physical review b 54
journal of magnetism and magnetic materials 45
journal of applied physics 28
applied physics letters 17
physica e-low-dimensional systems & nanostructures 15
ieee transactions on magnetics 14
physical review letters 13
journal of physics-condensed matter 10
physica b-condensed matter 8
international journal of modern physics b 8
physics letters a 7
physical review e 6
langmuir 5
advanced materials 5
physics of the solid state 4

Keywords

physics, condensed matter 106
physics, applied 76
materials science, multidisciplinary 70
physics, condensed matter 66
physics, multidisciplinary 46
engineering, electrical & electronic 31

physics, applied 29
chemistry, physical 20
magnetoresistance 19
field 18
nanoparticles 17
films 17
transport 16
physics, mathematical 16
systems 15

Publication Year

2005 363
2004 52
2006 3

Country

usa 79
japan 70
peoples r china 43
germany 43
france 33
russia 30
taiwan 16
south korea 14
india 14
italy 12
spain 11
england 11
canada 11
turkey 10
sweden 10

Institution

natl inst mat sci 14
russian acad sci 12
tohoku univ 11
tokyo inst technol 8
kyoto univ 8
chinese acad sci 8
chalmers univ technol 7
univ tokyo 6
univ paris 11 6
univ paris 06 6
univ hamburg 5
natl inst adv ind sci & technol 5
mit 5

korea univ 5
af ioffe phys tech inst 5

DataBase
science citation index 418

• CLUSTER 171

Magnetic properties of magnetic nanostructures (including arrays, films nanoparticles, nanotubes) and nanomaterials, emphasizing magnetic anisotropy, coercivity, magnetization reversal (657 Records)

(Countries: USA, followed by Japan, China, Germany. Institutions: CAS, CNRS, RAS, CSIC. Other USA include Argonne National Lab, UCSB, Georgia Institute of Technology, University of Texas).

Cluster Syntax Features

Descriptive Terms

magnet 63.1%, anisotropi 2.7%, magnetic.properties 1.8%, field 1.5%, co 0.8%, coerciv 0.6%, domain 0.6%, exchang 0.6%, arrai 0.5%, fe 0.5%, ferromagnet 0.5%, magnetic.anisotropy 0.4%, nanowir 0.4%, revers 0.4%, properti 0.4%

Discriminating Terms

magnet 42.6%, anisotropi 1.8%, film 1.6%, magnetic.properties 1.2%, surfac 0.8%, carbon 0.7%, nanotub 0.6%, oxid 0.5%, deposit 0.5%, crystal 0.4%, si 0.4%, polym 0.4%, structur 0.4%, coerciv 0.4%, electron 0.4%

Single Word Terms

magnet 652, field 328, properti 264, structur 215, temperatur 214, anisotropi 193, measur 173, size 166, depend 151, high 144, system 143, particl 143, sampl 135, phase 132, physic 131

Double Word Terms

magnetic.properties 199, magnetic.field 103, magnetic.anisotropy 85, magnetization.reversal 63, saturation.magnetization 53, hysteresis.loops 45, room.temperature 44, magnetic.nanoparticles 42, magnetic.force 42,

temperature.dependence 42, electron.microscopy 40, ray.diffraction 40, soft.magnetic 39, exchange.coupling 38, force.microscopy 37

Triple Word Terms

magnetic.force.microscopy 29, transmission.electron.microscopy 21, zero.field.cooled 18, superconducting.quantum.interference 17, magneto.optical.kerr 16, external.magnetic.field 16, perpendicular.magnetic.anisotropy 15, scanning.electron.microscopy 14, quantum.interference.device 14, ferromagnetic.resonance.fmr 13, exchange.bias.field 13, force.microscopy.mfm 13, transmission.electron.microscope 12, structure.magnetic.properties 12, soft.magnetic.properties 12

Term Cliques

28.45% magnet anisotropi field co coerciv arrai ferromagnet magnetic.anisotropy nanowir revers
29.44% magnet anisotropi field co coerciv domain arrai ferromagnet magnetic.anisotropy revers
28.31% magnet anisotropi field co coerciv domain exchang fe ferromagnet magnetic.anisotropy revers
34.13% magnet anisotropi magnetic.properties field co coerciv magnetic.anisotropy nanowir properti
31.37% magnet anisotropi magnetic.properties field co coerciv arrai magnetic.anisotropy nanowir
33.21% magnet anisotropi magnetic.properties field co coerciv exchang fe magnetic.anisotropy property

Sample Cluster Record Titles

[Micromagnetic simulations of hysteresis loops in ferromagnetic Reuleaux's triangles](#)

[Spatially resolved ferromagnetic resonance: Imaging of ferromagnetic eigenmodes](#)

[CoFe₂O₄ nanostructures with high coercivity](#)

[Magnetic properties, phase evolution, and coercivity mechanism of Co_xZr_{98-x}B₂ \(x=74-86\) nanocomposites](#)

[Magnetization reversal and nanostructure refinement in magnetically annealed Nd₂Fe₁₄B/ \$\alpha\$ -Fe-type nanocomposites](#)

[Core-loss analysis of an \(Fe, Co, Ni\)-based nanocrystalline soft magnetic alloy](#)

[Improvement of magnetic softness in nanocrystalline soft magnetic materials by rotating magnetic field annealing](#)

[Fully dense anisotropic nanocomposite Sm\(Co,Fe,Zr,Cu,B\)\(z\) \(z=7.5-12\) magnets](#)

[Magnetic behavior of Sm-Co-based permanent magnets during order/disorder phase transformations](#)

Cluster Metrics

Authors

vazquez, m 8
shindo, d 8
morais, pc 8
du, yw 8
dieny, b 7
chang, wc 7
chang, cw 7
sort, j 6
singh, n 6
chiu, ch 6
chang, hw 6
adeyeye, ao 6
soukoulis, cm 5
pastor, gm 5
nogues, j 5

Sources

journal of applied physics 79
journal of magnetism and magnetic materials 74
physical review b 65
applied physics letters 32
ieee transactions on magnetics 28
physical review letters 18
physica b-condensed matter 18
journal of physics-condensed matter 16
european physical journal b 10
nanotechnology 9
czechoslovak journal of physics 9
acta physica sinica 9
physics of the solid state 6
journal of the korean physical society 6
journal of alloys and compounds 6

Keywords

physics, applied 145
physics, condensed matter 133
materials science, multidisciplinary 123

physics, condensed matter 91
physics, multidisciplinary 65
nanoparticles 59
films 53
physics, applied 49
anisotropy 47
engineering, electrical & electronic 46
particles 44
alloys 32
materials science, multidisciplinary 31
field 29
chemistry, physical 27

Publication Year

2005 565
2004 87
2006 5

Country

usa 175
japan 92
peoples r china 82
germany 70
france 59
spain 52
russia 35
england 35
brazil 29
south korea 26
italy 16
india 15
poland 14
ireland 14
singapore 12

Institution

chinese acad sci 23
cnrs 20
russian acad sci 18
csic 18
tohoku univ 17
nanjing univ 13
argonne natl lab 13
univ calif san diego 12
univ tokyo 11
univ brasilia 11

osaka univ 10
univ oviedo 9
univ duisburg essen 9
georgia inst technol 9
univ texas 8

DataBase
science citation index 657

• CLUSTER 193

Properties of ferromagnetic and antiferromagnetic materials,
especially manganese and iron compounds (355 Records)

(Countries: USA, Japan, followed by China, Germany. Institutions:
CAS, Tohoku University, Polish Academy of Sciences. USA includes
University of Notre Dame).

Cluster Syntax Features

Descriptive Terms

magnet 32.1%, ferromagnet 7.2%, mn 3.7%, fe 2.9%, moment 2.4%, antiferromagnet
1.9%, magnetic.properties 1.7%, temperatur 1.6%, transit 1.3%, order 1.0%, compound
1.0%, curi 1.0%, cluster 0.8%, field 0.7%, magnetic.moment 0.7%

Discriminating Terms

magnet 20.2%, ferromagnet 5.6%, mn 2.6%, film 2.1%, moment 1.8%, antiferromagnet
1.5%, fe 1.5%, magnetic.properties 1.2%, surfac 1.0%, curi 0.8%, carbon 0.7%,
magnetic.moment 0.6%, particl 0.6%, nanotub 0.6%, deposit 0.6%

Single Word Terms

magnet 344, temperatur 233, structur 217, ferromagnet 183, properti 179, field 153, rai
145, measur 134, diffract 129, order 126, phase 122, transit 122, electron 113, spin 102,
state 101

Double Word Terms

magnetic.properties 123, ray.diffraction 109, room.temperature 72, curie.temperature 61, structure.magnetic 56, magnetic.moment 53, magnetic.field 46, magnetic.moments 39, magnetic.measurements 33, magnetic.susceptibility 33, magnetic.semiconductor 30, phase.transition 29, diluted.magnetic 27, low.temperature 26, crystal.structure 26

Triple Word Terms

structure.magnetic.properties 41, means.ray.diffraction 20, diluted.magnetic.semiconductor 19, transmission.electron.microscopy 17, powder.ray.diffraction 15, magnetic.circular.dichroism 15, ray.diffraction.xrd 14, ray.diffraction.magnetic 14, structural.magnetic.properties 14, ray.magnetic.circular 13, ray.diffraction.patterns 13, diluted.magnetic.semiconductors 12, superconducting.quantum.interference 12, crystal.structure.magnetic 11, quantum.interference.device 11

Term Cliques

47.51% magnet temperatur transit compound curi field
46.10% magnet magnetic.properties temperatur transit compound curi
48.36% magnet magnetic.properties temperatur transit order compound
46.60% magnet antiferromagnet temperatur transit order compound field
37.04% magnet moment magnetic.properties transit cluster magnetic.moment
40.47% magnet moment magnetic.properties transit order cluster
42.02% magnet moment magnetic.properties transit order compound
35.87% magnet moment antiferromagnet transit cluster magnetic.moment
39.30% magnet moment antiferromagnet transit order cluster
41.17% magnet moment antiferromagnet transit order compound field
43.10% magnet fe moment compound field
35.45% magnet fe moment magnetic.properties cluster magnetic.moment
41.41% magnet fe moment magnetic.properties compound
52.25% magnet ferromagnet temperatur transit curi field
41.03% magnet ferromagnet magnetic.properties transit cluster magnetic.moment
44.46% magnet ferromagnet magnetic.properties transit order cluster
50.85% magnet ferromagnet magnetic.properties temperatur transit curi
53.10% magnet ferromagnet magnetic.properties temperatur transit order
39.86% magnet ferromagnet antiferromagnet transit cluster magnetic.moment
43.29% magnet ferromagnet antiferromagnet transit order cluster
50.66% magnet ferromagnet antiferromagnet temperatur transit order field
42.44% magnet ferromagnet mn magnetic.properties order cluster
48.83% magnet ferromagnet mn magnetic.properties temperatur curi
51.08% magnet ferromagnet mn magnetic.properties temperatur order
41.27% magnet ferromagnet mn antiferromagnet order cluster
49.91% magnet ferromagnet mn antiferromagnet temperatur order

Sample Cluster Record Titles

[Precessional dynamics of elemental moments in a ferromagnetic alloy](#)

[X-ray absorption and magnetic circular dichroism studies of ion-bombarded ferromagnet-antiferromagnet bilayers](#)

[Single crystal growth, crystal structure characterization and magnetic properties of UCo_{0.5}Sb₂](#)

[Oscillatory Curie temperature in ultrathin ferromagnets: experimental evidence](#)

[Exchange-bias effects for MnO-MoO₂+ \$\delta\$ composite thin films](#)

[Fermi level effects on Mn incorporation in modulation-doped ferromagnetic III_{1-x}Mn_xV heterostructures](#)

[Mossbauer study of mechanical alloyed Fe-doped TiO₂ compounds](#)

[Interplay between superconductivity and ferromagnetism in Fe/V multilayered structure studied by polarized neutron reflectometry](#)

[Revealing antiferromagnetic order of the Fe monolayer on W\(001\): Spin-polarized scanning tunneling microscopy and first-principles calculations](#)

Cluster Metrics

Authors

wu, gh 8

katayama-yoshida, h 7

yang, fm 6

teigus, o 6

shen, j 6

bruck, e 6

sato, k 5

luo, hz 5

jia, l 5

chen, nx 5

zhang, y 4

vega, a 4

reiss, g 4

meng, fb 4

liu, x 4

Sources

physical review b 68

journal of applied physics 24

physica b-condensed matter 20

journal of physics-condensed matter 20
journal of magnetism and magnetic materials 20
journal of alloys and compounds 15
applied physics letters 15
solid state communications 11
physical review letters 9
chemistry of materials 8
journal of solid state chemistry 7
journal of physical chemistry b 7
journal of superconductivity 6
international journal of modern physics b 5
journal of the korean physical society 4

Keywords

physics, condensed matter 135
physics, applied 55
materials science, multidisciplinary 39
chemistry, physical 36
physics, condensed matter 35
materials science, multidisciplinary 31
physics, multidisciplinary 30
films 30
ferromagnetism 26
semiconductors 20
chemistry, inorganic & nuclear 19
transition 19
temperature 19
anisotropy 19
magnetic-properties 17

Publication Year

2005 301
2004 53
2006 1

Country

usa 70
japan 61
peoples r china 49
germany 40
france 33
russia 28
south korea 25
poland 23
spain 20
india 15

netherlands 10
taiwan 9
switzerland 8
brazil 8
england 7

Institution

chinese acad sci 23
tohoku univ 15
polish acad sci 14
russian acad sci 11
osaka univ 9
csic 9
univ amsterdam 8
moscow mv lomonosov state univ 7
univ tokyo 6
univ sci & technol beijing 6
natl inst mat sci 6
korea inst sci & technol 6
european synchrotron radiat facil 6
cnrs 6
univ notre dame 5

DataBase

science citation index 355

• CLUSTER 181

Magnetic properties of thin films (especially iron and cobalt films),
focusing on anisotropy, coercivity, and preparation of films by
sputtering, annealing, and deposition processes (266 Records)

(Countries: USA, China, Japan. Institutions: RAS, CAS, Tokyo Institute
of Technology. USA include University of Alabama, ORNL.).

Cluster Syntax Features

Descriptive Terms

film 19.4%, magnet 16.3%, fe 5.2%, anisotropi 3.9%, co 3.5%, magnetic.properties 2.5%,
thick 2.0%, coerciv 1.5%, sputter 1.3%, anneal 1.2%, ferromagnet 1.0%, perpendicular
1.0%, deposit 0.9%, underlay 0.8%, temperatur 0.7%

Discriminating Terms

magnet 9.1%, film 7.0%, fe 3.2%, anisotropi 3.0%, co 2.2%, magnetic.properties 1.9%,
coerciv 1.1%, sputter 0.8%, thick 0.8%, surfac 0.7%, nanotub 0.7%, perpendicular 0.7%,

carbon 0.7%, underlay 0.7%, ferromagnet 0.7%

Single Word Terms

film 263, magnet 230, properti 148, structur 133, temperatur 131, deposit 129, thick 124, thin 108, substrat 107, anisotropi 95, sputter 92, layer 86, high 85, fe 80, coerciv 77

Double Word Terms

magnetic.properties 116, thin.films 71, ray.diffraction 53, magnetic.anisotropy 50, room.temperature 50, magnetron.sputtering 40, film.thickness 37, electron.microscopy 35, films.grown 34, films.deposited 34, soft.magnetic 30, fe.films 29, structural.magnetic 27, transmission.electron 27, films.thickness 25

Triple Word Terms

structural.magnetic.properties 24, soft.magnetic.properties 23, transmission.electron.microscopy 23, perpendicular.magnetic.anisotropy 18, films.soft.magnetic 13, structure.magnetic.properties 13, molecular.beam.epitaxy 13, atomic.force.microscopy 12, magnetic.properties.films 12, scanning.electron.microscopy 10, ray.diffraction.xrd 10, scanning.tunneling.microscopy 10, energy.electron.diffraction 10, magneto.optical.kerr 9, electron.microscopy.tem 9

Term Cliques

49.53% film magnet co sputter anneal ferromagnet deposit temperatur
49.86% film magnet co coerciv sputter anneal deposit temperatur
49.15% film magnet co magnetic.properties coerciv sputter anneal deposit
53.87% film magnet anisotropi thick sputter ferromagnet deposit
49.84% film magnet anisotropi thick sputter ferromagnet perpendicular
52.91% film magnet anisotropi magnetic.properties thick coerciv sputter deposit
44.78% film magnet anisotropi magnetic.properties thick coerciv sputter perpendicular underlay
50.97% film magnet anisotropi co sputter ferromagnet deposit
46.94% film magnet anisotropi co sputter ferromagnet perpendicular
50.38% film magnet anisotropi co magnetic.properties coerciv sputter deposit
42.52% film magnet anisotropi co magnetic.properties coerciv sputter perpendicular underlay
50.00% film magnet fe sputter anneal ferromagnet deposit temperatur
50.33% film magnet fe coerciv sputter anneal deposit temperatur
49.62% film magnet fe magnetic.properties coerciv sputter anneal deposit
51.50% film magnet fe anisotropi sputter ferromagnet deposit
50.85% film magnet fe anisotropi magnetic.properties coerciv sputter deposit

Sample Cluster Record Titles

[Effect of nitrogen concentration on the magnetic properties of Fe-Ta-N thin films](#)

[Ag buffer layer effect on magnetization reversal of epitaxial Co films](#)

[Influence of hydrogen on magnetic properties of Fe films and multilayers](#)

[High-anisotropy nanocluster films for high-density perpendicular recording](#)

[Magnetic and transport properties of nanocomposite Fe/Fe₃-delta O₄ and Fe₃-delta O₄ films prepared by plasma-enhanced chemical vapour deposition](#)

[Preparation of high moment CoFe films with controlled grain size and coercivity](#)

[Periodic magnetic anisotropy in ultrathin ferromagnetic films on faceted surfaces](#)

[CoPt/C nanogranular magnetic thin film](#)

Cluster Metrics

Authors

yang, z 5
gupta, a 5
zhang, y 4
zhang, wl 4
wu, p 4
wang, h 4
shvets, iv 4
lin, kw 4
zheng, rk 3
zhang, xx 3
yi, jb 3
xiao, g 3
tzeng, ym 3
shi, j 3
sellmyer, dj 3

Sources

journal of applied physics 44
journal of magnetism and magnetic materials 39
ieee transactions on magnetics 23
physical review b 22
applied physics letters 9
thin solid films 7
applied surface science 7
journal of physics-condensed matter 6
technical physics letters 5
japanese journal of applied physics part 1-regular papers short notes & review papers 5

european physical journal b 5
pricm 5: the fifth pacific rim international conference on advanced materials and
processing, pts 1-5 4
journal of the korean physical society 4
applied physics a-materials science & processing 4
acta physica sinica 4

Keywords

physics, applied 78
materials science, multidisciplinary 68
physics, condensed matter 53
physics, applied 45
physics, condensed matter 44
thin-films 35
thin-films 29
anisotropy 27
growth 25
engineering, electrical & electronic 24
physics, multidisciplinary 17
magnetic-properties 17
anisotropy 15
temperature 14
physics, 14

Publication Year

2005 239
2004 20
2006 7

Country

usa 49
peoples r china 49
japan 48
germany 27
south korea 19
france 19
russia 15
taiwan 14
italy 8
england 8
spain 7
ireland 7
singapore 6
netherlands 5
india 5

Institution

russian acad sci 10
chinese acad sci 10
tokyo inst technol 8
shanghai jiao tong univ 7
lanzhou univ 7
hanyang univ 7
univ alabama 6
tohoku univ 6
natl univ singapore 6
univ york 5
trinity coll dublin 4
tianjin univ 4
oak ridge natl lab 4
natl tsing hua univ 4
natl chung hsing univ 4

DataBase

science citation index 266

• CLUSTER 0

Iron-platinum (FePt) thin films, emphasizing their magnetic properties, fabrication, and the effect of annealing (53 Records)

(Countries: Japan, USA, China, Taiwan, Singapore. Institutions: Data Storage Institute, University of Minnesota. Other USA includes University of Nebraska, University of Delaware).

Cluster Syntax Features

Descriptive Terms

fept 64.6%, film 2.8%, coerciv 2.6%, fept.films 2.6%, anneal 1.6%, magnet 1.3%, mgo 1.0%, ag 0.7%, koe 0.6%, fept.ag 0.6%, multilay 0.6%, perpendicular 0.5%, order 0.5%, layer 0.5%, fept.film 0.5%

Discriminating Terms

fept 39.5%, fept.films 1.6%, coerciv 1.4%, surfac 0.8%, nanotub 0.5%, electron 0.5%, mgo 0.4%, carbon 0.4%, crystal 0.4%, structur 0.4%, oxid 0.4%, anneal 0.4%, quantum 0.4%, fept.ag 0.4%, koe 0.4%

Single Word Terms

film 53, fept 52, magnet 41, coerciv 37, order 36, anneal 33, properti 32, structur 32, temperatur 32, thick 29, layer 29, high 28, deposit 26, grain 21, size 21

Double Word Terms

fept.films 27, magnetic.properties 25, thin.films 16, magnetron.sputtering 14, properties.fept 14, films.fept 13, fept.film 13, room.temperature 12, coercivity.koe 12, ordered.fept 12, grain.size 11, fept.thin 11, fept.grains 10, high.coercivity 10, ray.diffraction 10

Triple Word Terms

magnetic.properties.fept 13, fept.thin.films 11, perpendicular.magnetic.anisotropy 6, properties.fept.films 6, single.crystal.mgo 5, microstructure.magnetic.properties 5, structure.magnetic.properties 5, films.magnetron.sputtering 5, 001.preferred.orientation 4, face.centered.tetragonal 4, magnetron.sputtering.annealed 4, face.centered.cubic 4, magnetic.recording.media 4, perpendicular.magnetic.recording 4, films.face.centered 4

Term Cliques

62.89% fept film magnet ag layer fept.film
51.57% fept film magnet mgo ag fept.ag multilay perpendicular layer
56.81% fept film coerciv magnet mgo fept.ag multilay perpendicular layer
63.44% fept film coerciv anneal magnet fept.ag multilay layer
72.51% fept film coerciv anneal magnet koe order
67.92% fept film coerciv fept.films magnet layer fept.film
71.43% fept film coerciv fept.films magnet perpendicular order
65.09% fept film coerciv fept.films magnet koe order fept.film
64.62% fept film coerciv fept.films magnet mgo perpendicular layer

Sample Cluster Record Titles

[FePt/C granular thin films for high-density magnetic recording](#)

[Magnetoresistance of FePt nanograins embedded in carbon matrix](#)

[Annealing effect on magnetic property and recording performance of \[FePt/MgO\]_n perpendicular magnetic recording media](#)

[Calorimetric studies of the A1 to L1\(0\) transformation in binary FePt thin films with compositions in the range of 47.5-54.4 at.% Fe](#)

[Structural and magnetic properties of nanostructured FePt/MgO granular films](#)

[Mechanism of magnetization process of island-like L1\(0\) FePt films](#)

[Structure and magnetic properties of \[FePt/Ag\]\(10\) multilayer films](#)

[Improvement in hard magnetic properties of FePt films by introduction of Ti underlayer](#)

[Granular structure and magnetic properties of FePt/C films](#)

Cluster Metrics

Authors

chen, js 7

xu, xh 5

wu, hs 5

wang, jp 5

li, xl 4

zhao, zl 3

yi, jb 3

sun, ac 3

liu, e 3

kuo, pc 3

ding, yf 3

ding, j 3

chou, cy 3

chen, sc 3

zhang, zg 2

Sources

journal of applied physics 14

ieee transactions on magnetics 10

journal of magnetism and magnetic materials 6

surface & coatings technology 2

scripta materialia 2

applied physics letters 2

thin solid films 1

surface science 1

rare metal materials and engineering 1

pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 1

nanotechnology 1

nano letters 1

materials science and engineering b-solid state materials for advanced technology 1

materials chemistry and physics 1
langmuir 1

Keywords

physics, applied 18
materials science, multidisciplinary 13
thin-films 12
physics, applied 11
engineering, electrical & electronic 10
coercivity 10
nanoparticles 8
anisotropy 8
fept 7
recording media 7
physics, condensed matter 7
magnetic-properties 6
thin-films 6
temperature 6
microstructure 6

Publication Year

2005 47
2004 6

Country

japan 17
usa 11
peoples r china 10
taiwan 8
singapore 8
vietnam 1
south korea 1
italy 1
greece 1
germany 1
france 1
australia 1

Institution

data storage inst 5
univ minnesota 4
shanxi normal univ 4
natl univ singapore 4
natl tsing hua univ 3
natl taiwan univ 3
nanyang technol univ 3

univ nebraska 2
univ delaware 2
toyota technol inst 2
tohoku univ 2
sony corp 2
seagate technol 2
seagate res 2
nus 2

DataBase

science citation index 53

- **CLUSTER 187**

Amorphous and crystalline alloys (especially iron and cobalt), with emphasis on their magnetic properties, annealing processes, preparation by milling, and iron and cobalt (347 Records)

(Countries: China, Japan, USA, Poland. Institutions: CAS, Warsaw University of Technology, Tohoku University, RAS. No USA institutional presence.).

Cluster Syntax Features

Descriptive Terms

fe 18.5%, alloy 14.1%, magnet 6.6%, amorph 4.7%, phase 3.2%, magnetic.properties 2.7%, ribbon 2.5%, anneal 2.1%, nanocrystallin 1.7%, co 1.6%, mill 1.0%, alpha.fe 0.9%, coerciv 0.9%, crystal 0.8%, grain 0.8%

Discriminating Terms

fe 12.9%, alloy 9.1%, amorph 2.8%, magnet 2.3%, film 2.0%, ribbon 1.9%, magnetic.properties 1.9%, surfac 1.0%, nanocrystallin 0.9%, anneal 0.8%, phase 0.8%, co 0.7%, alpha.fe 0.7%, nanoparticl 0.7%, nanotub 0.7%

Single Word Terms

alloy 227, fe 216, phase 198, magnet 194, properti 184, structur 176, temperatur 159, amorph 152, anneal 135, rai 119, crystal 116, high 114, diffract 106, nanocrystallin 103, size 102

Double Word Terms

magnetic.properties 125, ray.diffraction 96, electron.microscopy 55, alpha.fe 54, grain.size 49, transmission.electron 41, melt.spun 41, soft.magnetic 32, fe.co 32, amorphous.matrix 29, diffraction.xrd 29, differential.scanning 27, scanning.calorimetry 27, mechanical.alloying 25, amorphous.phase 25

Triple Word Terms

transmission.electron.microscopy 35, ray.diffraction.xrd 28, differential.scanning.calorimetry 27, microstructure.magnetic.properties 18, structure.magnetic.properties 18, melt.spun.ribbons 16, soft.magnetic.properties 15, scanning.electron.microscopy 15, scanning.calorimetry.dsc 14, atomic.force.microscopy 13, average.grain.size 13, magnetic.properties.melt 12, structural.magnetic.properties 12, properties.melt.spun 12, magnetic.properties.amorphous 11

Term Cliques

36.60% alloy amorph phase ribbon anneal nanocrystallin alpha.fe crystal grain
38.79% alloy magnet amorph phase magnetic.properties ribbon anneal nanocrystallin alpha.fe grain
35.16% fe magnet phase nanocrystallin mill alpha.fe coerciv grain
36.11% fe magnet phase magnetic.properties ribbon anneal nanocrystallin alpha.fe coerciv grain
35.33% fe magnet phase magnetic.properties ribbon anneal nanocrystallin co alpha.fe coerciv
38.65% fe alloy phase ribbon anneal nanocrystallin alpha.fe crystal grain
40.81% fe alloy magnet phase nanocrystallin mill alpha.fe grain
40.63% fe alloy magnet phase magnetic.properties ribbon anneal nanocrystallin alpha.fe grain
39.86% fe alloy magnet phase magnetic.properties ribbon anneal nanocrystallin co alpha.fe

Sample Cluster Record Titles

[Pulse electric current sintering of nanostructured Fe-Co alloy](#)

[Effect of thermal treatment on the microstructure and magnetic properties of a bulk amorphous Fe₇₂Al₁₅P₁₀Ga₂C₆B₄Si₁ alloy](#)

[Compositional effects on the physical properties of iron-nickel deposits prepared by means of pulse-reverse electroplating](#)

[Effect of milling time on Fe/SiO₂ system prepared by mechanical alloying](#)

[Study of structural and magnetic properties of B-rich RE-Fe-B nanocomposite ribbons](#)

[Production of Fe-Ti-Si alloys from the ilmenite ore and their magnetic properties](#)

[Giant magnetoimpedance in as cast Fe₈₄Nb_{3.5}Zr_{3.5}B_{9-x}Cu_x ribbons](#)

[Optical properties of surface layers of Co-based amorphous metallic alloys](#)

[Crystallization behavior of the Zr₆₃Al_{7.5}Cu_{17.5}Ni₁₀B₂ amorphous alloy during isothermal annealing](#)

Cluster Metrics

Authors

liu, y 11

inoue, a 8

hono, k 7

zhang, zd 6

kulik, t 6

greneche, jm 6

yan, b 5

tu, mj 5

qin, hw 5

lu, b 5

liu, bx 5

li, b 5

hu, jf 5

gopalan, r 5

du, yw 5

Sources

journal of magnetism and magnetic materials 42
journal of applied physics 23
journal of alloys and compounds 14
applied physics letters 13
czechoslovak journal of physics 11
physica b-condensed matter 10
materials transactions 10
rare metal materials and engineering 9
physical review b 9
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 8
journal of physics-condensed matter 8
journal of materials processing technology 8
ieee transactions on magnetics 8
scripta materialia 7
materials science and engineering a-structural materials properties microstructure and processing 7

Keywords

materials science, multidisciplinary 132
physics, condensed matter 53
physics, applied 47
engineering 43
metallurgy & metallurgical 43
crystallization 40
microstructure 39
alloys 39
physics, condensed matter 37
materials science, multidisciplinary 30
physics, applied 29
films 28
phase 27
chemistry, physical 21
physics, multidisciplinary 19

Publication Year

2005 291
2004 49
2006 7

Country

peoples r china 87
japan 51
usa 42
poland 35
germany 26

south korea 22
spain 16
slovakia 16
france 16
india 15
england 14
russia 11
ukraine 10
taiwan 7
singapore 5

Institution

chinese acad sci 20
warsaw univ technol 14
tohoku univ 11
russian acad sci 9
slovak acad sci 8
shandong univ 8
tsing hua univ 7
shanghai univ 7
natl inst mat sci 7
nanjing univ 7
ifw dresden 7
cent iron & steel res inst 7
univ maine 6
silesian tech univ 6
polish acad sci 6

DataBase

science citation index 347

• CLUSTER 160

Alloys (especially magnesium, copper, titanium, silver, and zirconium), focusing on structural and mechanical properties, effects of temperature, and corrosion resistance (520 Records)

(Countries: China, USA, followed by Japan, Germany, France.

Institutions: CAS, Tohoku University, RAS. USA includes UC Davis.).

Cluster Syntax Features

Descriptive Terms

alloy 65.5%, mg 1.5%, phase 1.2%, microstructur 0.9%, precipit 0.9%, corros 0.8%, cu 0.7%, ti 0.5%, grain 0.5%, ag 0.5%, mechan 0.4%, temperatur 0.4%, zr 0.3%, oxid 0.3%, nanocrystallin 0.3%

Discriminating Terms

alloy 47.0%, film 1.8%, mg 0.9%, nanoparticl 0.7%, carbon 0.7%, nanotub 0.6%, quantum 0.5%, magnet 0.5%, corros 0.4%, precipit 0.4%, polym 0.4%, particl 0.4%, surfac 0.4%, crystal 0.4%, field 0.3%

Single Word Terms

alloy 514, phase 224, structur 205, temperatur 203, electron 191, high 190, properti 171, microscopi 166, mechan 166, microstructur 164, rai 160, surfac 148, form 142, format 139, composit 138

Double Word Terms

electron.microscopy 139, ray.diffraction 107, transmission.electron 100, scanning.electron 72, mechanical.properties 58, room.temperature 49, grain.size 47, high.temperature 38, high.resolution 36, solid.solution 33, diffraction.xrd 33, microscopy.sem 31, microscopy.tem 30, mechanical.alloying 30, heat.treatment 29

Triple Word Terms

transmission.electron.microscopy 91, scanning.electron.microscopy 56, ray.diffraction.xrd 32, electron.microscopy.tem 30, electron.microscopy.sem 29, high.resolution.transmission 22, resolution.transmission.electron 22, differential.scanning.calorimetry 21, ray.photoelectron.spectroscopy 18, equal.channel.angular 17, scanning.electron.microscope 16, energy.dispersive.ray 14, scanning.calorimetry.dsc 13, channel.angular.pressing 13, diffraction.transmission.electron 11

Term Cliques

44.23% alloy grain temperatur oxid
41.35% alloy ti temperatur oxid
36.49% alloy corros grain nanocrystallin

37.21% alloy corros grain oxid
34.33% alloy corros ti oxid
42.12% alloy corros cu
35.55% alloy phase microstructur precipit ti mechan temperatur zr
33.10% alloy phase microstructur precipit ti ag temperatur zr
34.06% alloy mg phase microstructur grain mechan temperatur zr nanocrystallin
34.76% alloy mg phase microstructur precipit grain mechan temperatur zr
32.59% alloy mg phase microstructur precipit grain ag temperatur zr
31.73% alloy mg phase microstructur precipit cu ag temperatur zr

Sample Cluster Record Titles

[Influence of annealing treatment on microstructure and cycling stability of la-rich
Ml\(NiCoMnAl\)\(5\) alloy electrode for Ni/MH batteries](#)

[Segregation in Al-3\(Sc,Zr\) precipitates in Al-Sc-Zr alloys](#)

[Effect of cooling rate on the order in martensite of a Cu-Zn-Al alloy](#)

[Nanolayered structure of the rapid-quenched alloys on the basis of cobalt and titan](#)

[Solid state synthesis of nanocrystalline and/or amorphous 50Ni-50Ti alloy](#)

[Quantification of precipitate fraction in Al-Si-Cu alloys](#)

[Novel nanostructure and deformation behavior in rapidly quenched Cu-\(Zr or Hf\)-Ti
alloys](#)

[Stress corrosion cracking of Alloy 600 in a high-temperature water containing sulfate and
thiosulfate](#)

[Effect of boric acid on the stress corrosion cracking of SG tubing in high-temperature
water](#)

Cluster Metrics

Authors

inoue, a 13

lavernia, ej 7

han, bq 6

yavari, ar 5

eckert, j 5

zhang, z 4

zhang, lc 4
tu, mj 4
schultz, l 4
maurizio, c 4
lu, l 4
louzguine, dv 4
lei, yq 4
lai, mo 4
kato, h 4

Sources

materials science and engineering a-structural materials properties microstructure and processing 27
journal of alloys and compounds 24
rare metal materials and engineering 22
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 21
acta materialia 19
scripta materialia 17
materials letters 15
physical review b 14
applied physics letters 10
transactions of nonferrous metals society of china 9
metallurgical and materials transactions a-physical metallurgy and materials science 9
surface science 8
applied surface science 8
materials science and technology 7
journal of non-crystalline solids 7

Keywords

materials science, multidisciplinary 212
engineering 100
metallurgy & metallurgical 100
microstructure 59
chemistry, physical 58
metallurgy & metallurgical engineering 49
behavior 46
materials science, multidisciplinary 45
metallurgical engineering 31
metallurgy & 31
physics, condensed matter 29
physics, applied 28
physics, condensed matter 24
corrosion 23
mechanical properties 21

Publication Year

2005 440

2004 68

2006 11

2003 1

Country

peoples r china 131

usa 92

japan 68

germany 44

france 39

south korea 25

poland 24

england 21

russia 20

india 16

canada 14

taiwan 11

singapore 11

brazil 11

spain 10

Institution

chinese acad sci 23

tohoku univ 19

russian acad sci 16

xian jiaotong univ 11

cnrs 11

shanghai jiao tong univ 10

natl inst mat sci 10

harbin inst technol 10

warsaw univ technol 9

zhejiang univ 8

northwestern polytech univ 8

univ calif davis 7

polish acad sci 7

tokyo inst technol 6

tech univ darmstadt 6

DataBase

science citation index 520

• CLUSTER 123

Alloys (especially nickel, copper, tin, titanium, and zirconium), emphasizing fusible/ eutectic alloys, formation of alloys, and mechanical/ structural characterization (139 Records)

(Countries: China, Japan, South Korea, USA. Institutions: CAS, Sungkyunkwan University. USA includes UCLA.)

Cluster Syntax Features

Descriptive Terms

ni 29.8%, alloy 9.9%, solder 7.7%, cu 7.7%, sn 5.7%, ti 2.4%, cu.ni 0.8%, ni.alloys 0.8%, imc 0.8%, eutect 0.7%, phase 0.7%, layer 0.7%, ni.cu 0.7%, microstructur 0.7%, zr 0.6%

Discriminating Terms

ni 19.4%, solder 5.7%, alloy 5.3%, cu 4.1%, sn 3.9%, film 1.6%, ti 1.2%, nanoparticl 0.7%, carbon 0.6%, nanotub 0.6%, cu.ni 0.6%, ni.alloys 0.6%, imc 0.6%, surfac 0.5%, particl 0.5%

Single Word Terms

ni 103, alloy 95, cu 61, layer 55, phase 55, form 51, rai 50, electron 49, temperatur 49, structur 46, composit 46, microstructur 42, surfac 42, format 39, interfac 39

Double Word Terms

electron.microscopy 28, ray.diffraction 26, scanning.electron 22, cu.ni 22, ni.cu 20, transmission.electron 18, ni.alloys 17, ni.ni 12, ni.alloy 12, mechanical.properties 11, ray.photoelectron 11, microscopy.sem 11, photoelectron.spectroscopy 10, ni.sn 9, intermetallic.compound 9

Triple Word Terms

scanning.electron.microscopy 18, transmission.electron.microscopy 15, electron.microscopy.sem 11, ray.photoelectron.spectroscopy 10, atomic.force.microscopy 7, ray.diffraction.xrd 6, photoelectron.spectroscopy.xps 6, lead.free.solder 6, electron.microscopy.tem 6, auger.electron.spectroscopy 6, cu.ni.sn 6, interface.solder.ni 5, intermetallic.compound.imc 5, sn.ag.cu 5, ag.cu.solder 5

Term Cliques

32.55% ti phase layer microstructur
23.17% cu cu.ni ni.cu microstructur zr
26.62% cu ti microstructur zr
33.63% cu ti layer microstructur
25.90% solder sn eutect phase microstructur
25.80% solder sn cu.ni imc phase layer microstructur
24.87% solder cu cu.ni imc layer ni.cu microstructur
26.76% solder cu sn eutect microstructur
26.41% solder cu sn cu.ni imc layer microstructur
37.59% alloy eutect phase microstructur
34.10% alloy ti phase microstructur zr
30.50% alloy ti ni.alloys phase zr
29.21% ni cu.ni ni.cu microstructur zr
34.82% ni cu.ni layer ni.cu microstructur
34.24% ni cu.ni phase microstructur zr
39.86% ni cu.ni phase layer microstructur
44.75% ni alloy phase microstructur zr
41.15% ni alloy ni.alloys phase zr

Sample Cluster Record Titles

[Preparation and mechanical properties of Zr-based containing Co bulk metallic glass](#)

[Multilayered microstructure of a Pb-Sn alloy coating obtained by electrochemical deposition](#)

[Study on the initial electrodeposition behavior of Ni-P alloys](#)

[Multi-layer composite based on amorphous materials and quasicrystals, deposited by laser ablation](#)

[Structural, magnetic and corrosion properties of electrodeposited cobalt-nickel-molybdenum alloys](#)

[Magnetic behavior of half-Heusler alloy \$Cu_xNi_{1-x}MnSb\$](#)

[An electrochemical study of Au-Ni alloy electrodeposition from cyanide-citrate electrolytes](#)

[Electroless Ni-P plating on AZ91D magnesium alloy from a sulfate solution](#)

[Corrosion of AB\(5\) alloy during the storage on the performance of nickel-metal-hydride battery](#)

Cluster Metrics

Authors

jung, sb 5
kim, dg 4
inoue, a 4
yamashita, o 3
tu, kn 3
satou, k 3
odahara, h 3
kim, jw 3
kim, dh 3
du, yw 3
zhou, j 2
zheng, yc 2
zhang, y 2
zhang, f 2
yu, ch 2

Sources

physical review b 7
applied physics letters 7
scripta materialia 6
journal of alloys and compounds 6
surface & coatings technology 5
journal of electronic materials 4
ieee transactions on applied superconductivity 4
electrochemical and solid state letters 4
surface science 3
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 3
materials transactions 3
materials science and engineering a-structural materials properties microstructure and processing 3
journal of the electrochemical society 3
applied surface science 3
acta materialia 3

Keywords

materials science, multidisciplinary 42
engineering 20
metallurgy & metallurgical 20
chemistry, physical 18
engineering, electrical & electronic 17
physics, applied 16
microstructure 15

physics, applied 13
alloys 12
materials science, coatings & films 11
physics, condensed matter 11
electrodeposition 10
physics, condensed matter 9
metallurgy & metallurgical engineering 9
nickel 9

Publication Year

2005 122
2004 16
2006 1

Country

peoples r china 34
japan 26
south korea 22
usa 20
france 9
germany 8
taiwan 5
spain 5
finland 4
england 4
norway 3
india 3
bulgaria 3
ukraine 2
singapore 2

Institution

chinese acad sci 7
sungkyunkwan univ 5
tohoku univ 4
natl inst mat sci 4
hefei univ technol 4
yonsei univ 3
xiamen univ 3
univ oslo 3
univ calif los angeles 3
univ barcelona 3
natl chiao tung univ 3
nanjing univ 3
harbin inst technol 3
ehime univ 3

• CLUSTER 242

Preparation, reactions, and structure of composite materials, especially copper, nickel, and silver alloys (222 Records)

(Countries: China, USA, Japan, Germany. Institutions: Tohoku University, CAS, National Institute of Material Science, Harbin Institute of Technology. USA include University of Wisconsin, Washington State University.).

Cluster Syntax Features

Descriptive Terms

ni 13.3%, precipit 6.4%, copper 5.6%, cu 5.5%, alloy 2.8%, phase 2.3%, nickel 1.8%, ag 1.2%, coat 1.0%, composit 0.9%, reaction 0.9%, crystal 0.8%, oxid 0.8%, metal 0.8%, solut 0.8%

Discriminating Terms

ni 10.9%, precipit 5.5%, copper 4.5%, cu 3.7%, film 2.7%, alloy 1.4%, nickel 1.3%, nanotub 0.8%, nanoparticl 0.8%, magnet 0.7%, quantum 0.6%, carbon 0.5%, ag 0.5%, phase 0.5%, polym 0.5%

Single Word Terms

rai 113, electron 107, phase 89, structur 88, scan 87, ni 83, microscopi 81, form 78, format 73, diffract 72, cu 72, composit 71, temperatur 70, solut 68, high 67

Double Word Terms

electron.microscopy 70, ray.diffraction 57, scanning.electron 50, transmission.electron 45, differential.scanning 33, diffraction.xrd 29, scanning.calorimetry 28, microscopy.tem 22, microscopy.sem 20, energy.dispersive 19, electron.microscope 19, calorimetry.dsc 19, photoelectron.spectroscopy 18, ray.photoelectron 18, solid.solution 16

Triple Word Terms

transmission.electron.microscopy 42, scanning.electron.microscopy 30, differential.scanning.calorimetry 27, ray.diffraction.xrd 23, electron.microscopy.tem 22, scanning.calorimetry.dsc 19, ray.photoelectron.spectroscopy 18, electron.microscopy.sem 17, scanning.electron.microscope 16, electron.microscope.sem 13, photoelectron.spectroscopy.xps 11, energy.dispersive.ray 10, resolution.transmission.electron 10, high.resolution.transmission 10, ray.powder.diffraction 10

Term Cliques

25.90% reaction crystal metal solut
23.72% phase nickel ag
30.97% cu alloy composit solut
26.35% cu alloy ag solut
21.51% copper coat oxid solut
26.43% copper cu reaction oxid metal solut
25.41% copper cu ag reaction solut
30.48% precipit alloy phase composit crystal solut
28.56% precipit alloy phase ag solut
26.13% ni coat composit oxid solut
26.58% ni coat composit crystal solut
23.51% ni nickel coat composit oxid
30.86% ni phase composit oxid metal solut
31.23% ni phase composit crystal metal solut
28.68% ni phase nickel composit oxid metal
29.58% ni cu composit oxid metal solut

Sample Cluster Record Titles

[Self-organized regular array microstructure of LiNbO₃-based crystal composites](#)

[Preparation of Cu-Ni alloys through a new chemical route](#)

[Structural and electrical changes in NdSrNiO₄-delta by substitute nickel with copper](#)

[In situ formation of Ni nanoparticles supported on NiFe₂O₄ by calcination](#)

[Formation of copper nanocrystals in alkali-lime silica glass by means of different reducing agents](#)

[Electroless Ni-Co-P coating of cenospheres using \[Ag\(NH₃\)₂\]\(+\) activator](#)

[Study of formation of nano-quasicrystals and crystallization kinetics of Zr-Al-Ni-Cu metallic glass](#)

[Variation in the reaction zone and its effects on the strength of diffusion bonded titanium-stainless steel couple](#)

[Thermal behaviour of Cu-Mg-Mn and Ni-Mg-Mn layered double hydroxides and characterization of formed oxides](#)

Cluster Metrics

Authors

inoue, a 4
yu, ch 3
ting, yp 3
schmidt, ac 3
deng, sb 3
zhao, q 2
zeng, ax 2
yassar, rs 2
xu, bs 2
xiong, wh 2
wilde, g 2
weiland, h 2
wang, l 2
wang, g 2
tanaka, t 2

Sources

journal of alloys and compounds 11
acta materialia 8
materials science and engineering a-structural materials properties microstructure and processing 6
materials letters 5
journal of physical chemistry b 5
materials science and technology 4
journal of solid state chemistry 4
journal of non-crystalline solids 4
journal of materials research 4
zeitschrift fur metallkunde 3
thermochimica acta 3
metallurgical and materials transactions a-physical metallurgy and materials science 3
materials transactions 3

journal of thermal analysis and calorimetry 3
journal of the electrochemical society 3

Keywords

materials science, multidisciplinary 53
chemistry, physical 34
engineering 27
metallurgy & metallurgical 27
materials science, multidisciplinary 25
metallurgy & metallurgical engineering 16
alloys 14
microstructure 13
metallurgical engineering 12
metallurgy & 12
crystallization 12
chemistry, physical 12
behavior 12
materials science, ceramics 11
chemistry, analytical 11

Publication Year

2005 197
2004 23
2006 2

Country

peoples r china 38
usa 30
japan 30
germany 20
india 14
south korea 13
france 11
taiwan 9
russia 8
england 8
spain 7
singapore 6
italy 6
austria 6
australia 6

Institution

tohoku univ 6
chinese acad sci 6
natl inst mat sci 5

harbin inst technol 5
xiamen univ 4
russian acad sci 4
natl univ singapore 4
univ wisconsin 3
tokyo inst technol 3
natl taiwan univ 3
innsbruck univ 3
ben gurion univ negev 3
yokohama natl univ 2
washington state univ 2
univ sheffield 2

DataBase

science citation index 222

- **CLUSTER 150**

Coatings formed by deposition, especially chemical vapor deposition and thermal and plasma spraying, emphasizing their properties, particularly hardness, wear/ corrosion resistance, and magnetic properties (487 Records)

(Countries: China dominant, followed by Germany and England, followed by Japan, Korea, France, Poland. Institutions: CAS dominant, Xian Jiaotong University, Harbin Institute of Technology. No USA institutional presence.).

Cluster Syntax Features

Descriptive Terms

coat 56.3%, hard 1.9%, sprai 1.8%, deposit 1.8%, substrat 1.0%, wear 0.9%, alloy 0.9%, plasma 0.8%, ti 0.8%, tin 0.7%, resist 0.6%, corros 0.6%, coatings.deposited 0.5%, layer

0.5%, diamond 0.5%

Discriminating Terms

coat 39.7%, film 1.5%, sprai 1.3%, hard 1.1%, nanoparticl 0.8%, magnet 0.7%, nanotub 0.7%, carbon 0.5%, crystal 0.5%, quantum 0.5%, wear 0.5%, particl 0.4%, coatings.deposited 0.4%, structur 0.4%, field 0.4%

Single Word Terms

coat 467, deposit 292, surfac 253, substrat 230, properti 198, structur 189, electron 186, hard 186, high 171, layer 162, temperatur 157, mechan 157, rai 151, microscopi 147, resist 145

Double Word Terms

electron.microscopy 126, scanning.electron 114, ray.diffraction 108, coatings.deposited 102, transmission.electron 55, diffraction.xrd 54, magnetron.sputtering 54, mechanical.properties 52, vapor.deposition 46, microscopy.sem 44, atomic.force 38, wear.resistance 38, chemical.vapor 37, corrosion.resistance 36, properties.coatings 34

Triple Word Terms

scanning.electron.microscopy 83, ray.diffraction.xrd 53, transmission.electron.microscopy 50, electron.microscopy.sem 40, chemical.vapor.deposition 34, ray.photoelectron.spectroscopy 33, atomic.force.microscopy 28, scanning.electron.microscope 24, photoelectron.spectroscopy.xps 22, electron.microscopy.tem 21, chemical.vapour.deposition 19, force.microscopy.afm 17, plasma.chemical.vapor 16, reactive.magnetron.sputtering 16, electron.microscopy.ray 15

Term Cliques

39.37% coat alloi resist diamond
38.85% coat alloi resist corros layer
42.15% coat alloi ti layer
38.57% coat substrat tin resist corros layer
47.28% coat deposit plasma diamond
39.66% coat deposit substrat plasma ti tin coatings.deposited
38.86% coat sprai resist corros
39.58% coat sprai plasma coatings.deposited
38.89% coat hard wear resist diamond
42.85% coat hard substrat tin resist layer
40.66% coat hard substrat ti tin layer
40.90% coat hard substrat wear tin resist
44.93% coat hard deposit wear diamond
39.14% coat hard deposit substrat wear ti tin coatings.deposited

Sample Cluster Record Titles

[Effect of carrier gases on microstructural and electrochemical behavior of cold-sprayed 1100 aluminum coating](#)

[Multi-scale modeling and analysis of an industrial HVOF thermal spray process](#)

[Microstructure and chemistry of annealed Al-Cu-Fe-Cr quasicrystalline approximant coatings](#)

[Structure, physical properties and fractal character of surface topography of the Ti plus TiC coatings on sintered high speed steel](#)

[Nanocomposite hard coatings: Deposition issues and validation of their mechanical properties](#)

[Characterization and tribological properties of plasma sprayed FeS solid lubrication coatings](#)

[Corrosion resistance of plasma sprayed NiCrAl+\(ZrO₂+Y₂O₃\) thermal barrier coating on 18-8 steel surface](#)

[Visco-elastic visco-plastic analysis of scratch resistance of organic coatings](#)

[Low-temperature processing of Fe-Al intermetallic coatings assisted by ball milling](#)

Cluster Metrics

Authors

dobrzanski, la 11

xu, kw 9

ma, sl 9

mitterer, c 7

ding, cx 6

an, mz 6

veprek, s 5

oliveira, fj 5

mayrhofer, ph 5

marple, br 5

ma, dy 5

liu, wm 5

lima, rs 5

de hosson, jtm 5

coddet, c 5

Sources

surface & coatings technology 91
thin solid films 34
journal of materials processing technology 21
rare metal materials and engineering 12
materials letters 12
materials science and engineering a-structural materials properties microstructure and processing 10
wear 9
journal of vacuum science & technology a 9
transactions of nonferrous metals society of china 8
vacuum 7
journal of thermal spray technology 7
diamond and related materials 7
applied surface science 6
scripta materialia 5
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 5

Keywords

materials science, multidisciplinary 142
materials science, coatings & films 117
physics, applied 72
films 64
microstructure 48
coatings 45
engineering 43
metallurgy & metallurgical 43
physics, 40
deposition 40
behavior 37
hardness 36
condensed matter 34
thin-films 34
metallurgy & metallurgical engineering 30

Publication Year

2005 428
2004 50
2006 8
2003 1

Country

peoples r china 130
usa 64
germany 37
england 37

japan 31
south korea 30
france 27
poland 24
taiwan 16
italy 15
spain 13
india 13
switzerland 11
canada 11
austria 11

Institution

chinese acad sci 33
xian jiaotong univ 14
harbin inst technol 14
silesian tech univ 11
tsing hua univ 9
tohoku univ 7
natl res council canada 7
hong kong polytech univ 7
univ technol belfort montbeliard 6
univ aveiro 6
univ sheffield 5
univ leoben 5
univ groningen 5
tech univ munich 5
sheffield hallam univ 5

DataBase

science citation index 487

- **CLUSTER 47**

Nanotribological studies, emphasizing friction behavior and including analyses of sliding, adhesion, and wear (99 Records)

(Countries: USA dominant, Japan, China. Institutions: Ohio State University extremely dominant. Other USA includes Georgia Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

friction 49.1%, slide 6.5%, lubric 5.9%, tribolog 2.0%, forc 1.8%, wear 1.5%, adhes 1.3%, coeffici 1.3%, veloc 1.1%, friction.coefficient 1.1%, friction.force 1.0%, contact 0.8%, scale 0.7%, surfac 0.7%, nanotribolog 0.5%

Discriminating Terms

friction 31.1%, slide 4.0%, lubric 3.7%, film 1.4%, tribolog 1.2%, wear 0.7%, friction.coefficient 0.7%, friction.force 0.7%, structur 0.6%, nanoparticl 0.6%, veloc 0.6%, coeffici 0.6%, nanotub 0.5%, adhes 0.5%, particl 0.5%

Single Word Terms

friction 91, surfac 64, forc 58, slide 46, coeffici 45, properti 44, atom 39, tribolog 39, lubric 39, mechan 36, microscopi 35, wear 34, contact 33, test 29, materi 29

Double Word Terms

atomic.force 32, friction.coefficient 28, friction.force 26, force.microscopy 25, force.microscope 19, surface.roughness 13, friction.wear 12, tribological.properties 12, sliding.velocity 12, coefficient.friction 11, dependence.friction 10, electron.microscopy 10, relative.humidity 10, scanning.electron 10, diamond.carbon 10

Triple Word Terms

atomic.force.microscopy 18, atomic.force.microscope 17, friction.force.microscopy 8, micro.nanoelectromechanical.systems 8, diamond.carbon.dlc 8, force.microscopy.afm 8, force.microscope.afm 7, scanning.electron.microscopy 6, systems.mems.nems 6, electron.microscopy.sem 5, nanoelectromechanical.systems.mems 5, velocity.dependence.friction 5, friction.coefficient.wear 5, transmission.electron.microscopy 4, photoelectron.spectroscopy.xps 4

Term Cliques

40.61% friction slide forc adhes veloc friction.force contact scale surfac nanotribolog
43.55% friction slide forc wear veloc contact scale surfac nanotribolog
41.86% friction slide lubric tribolog adhes veloc contact surfac nanotribolog
48.74% friction slide lubric tribolog wear coeffici friction.coefficient surfac
43.43% friction slide lubric tribolog wear coeffici veloc contact surfac nanotribolog

Sample Cluster Record Titles

[Sliding friction of Al-Cu-Fe-B quasicrystals](#)

[Nonmonotonic velocity dependence of atomic friction](#)

[Scale dependence of micro/nano-friction and adhesion of MEMS/NEMS materials, coatings and lubricants](#)

[Sliding friction behavior of bulk Ti₃SiC₂ under different normal pressures](#)

[Surface and sub-micron sub-surface evolution of Al₃90-T6 undergoing tribological testing under submerged lubrication conditions in the presence of CO₂ refrigerant](#)

[Nano and macro tribology of elastomers](#)

[Friction at the nano-scale](#)

[Scale effect in dry friction during multiple-asperity contact](#)

[A comparative examination of the friction coefficient of two different sliding bearing](#)

Cluster Metrics

Authors

bhushan, b 18
tambe, ns 8
zhang, zl 3
zhai, hx 3
wang, m 3
szoszkiewicz, r 3
miyake, s 3
huang, zy 3
zhou, y 2
wang, yf 2
vancso, gj 2
tocha, e 2
schonherr, h 2
rutland, mw 2
rigney, da 2

Sources

wear 12
tribology letters 5
surface & coatings technology 4
nanotechnology 4
ultramicroscopy 3
tribology international 3
review of scientific instruments 3

applied physics letters 3
physical review letters 2
microsystem technologies-micro-and nanosystems-information storage and processing systems 2
journal of vacuum science & technology a 2
journal of physics d-applied physics 2
journal of chemical physics 2
journal of adhesion science and technology 2
japanese journal of applied physics part 1-regular papers brief communications & review papers 2

Keywords

friction 29
engineering, mechanical 19
materials science, multidisciplinary 18
physics, applied 14
wear 14
adhesion 14
friction 13
surface 11
materials science, multidisciplinary 10
physics, applied 9
surfaces 8
films 8
engineering, chemical 7
coatings 7
wear 6

Publication Year

2005 89
2004 9
2006 1

Country

usa 37
japan 16
peoples r china 14
netherlands 5
south korea 4
poland 4
france 4
switzerland 3
sweden 3
italy 3
germany 3
england 3

taiwan 2
ukraine 1
turkey 1

Institution

ohio state univ 20
tohoku univ 3
nippon inst technol 3
ecole polytech fed lausanne 3
univ twente 2
univ evry val essonne 2
royal inst technol 2
jiao tong univ 2
inst elect mat technol 2
hitach maxell ltd 2
georgia inst technol 2
cnrs 2
chinese acad sci 2
andrzej soltan inst nucl studies 2
yonsei univ 1

DataBase

science citation index 99

• CLUSTER 34

Nanotribological studies, emphasizing wear behavior (especially steel substrates and silicon carbide [SiC] composites) and including analyses of sliding and abrasion (154 Records)

(Countries: China, USA, followed by England. Institutions: CAS, Tsing Hua University. USA include University of Wisconsin, University of Texas.).

Cluster Syntax Features

Descriptive Terms

wear 61.1%, friction 3.4%, slide 2.0%, abras 1.7%, tribolog 1.3%, wear.resistance 1.2%, steel 1.1%, friction.wear 1.1%, wear.rate 0.8%, test 0.8%, resist 0.7%, sic 0.7%, coat 0.7%, alloy 0.6%, worn 0.6%

Discriminating Terms

wear 38.7%, friction 1.9%, film 1.5%, slide 1.2%, abras 1.1%, wear.resistance 0.8%, tribolog 0.7%, friction.wear 0.7%, nanoparticl 0.6%, structur 0.5%, wear.rate 0.5%, nanotub 0.5%, magnet 0.5%, steel 0.5%, crystal 0.5%

Single Word Terms

wear 151, surfac 113, test 76, mechan 74, electron 74, resist 73, friction 69, scan 66, sem 64, properti 63, rate 61, slide 58, high 53, microscopi 53, steel 52

Double Word Terms

scanning.electron 56, wear.resistance 51, wear.rate 43, electron.microscopy 41, friction.wear 41, friction.coefficient 26, worn.surfaces 26, tribological.properties 24, wear.tests 23, wear.mechanism 23, sliding.wear 22, microscopy.sem 22, wear.behavior 21, atomic.force 20, electron.microscope 20

Triple Word Terms

scanning.electron.microscopy 36, electron.microscopy.sem 21, scanning.electron.microscope 17, friction.wear.properties 14, ray.photoelectron.spectroscopy 14, atomic.force.microscopy 11, photoelectron.spectroscopy.xps 11, transmission.electron.microscopy 10, atomic.force.microscope 10, electron.microscope.sem 9, friction.wear.tester 8, energy.dispersive.ray 8, ray.diffraction.xrd 7, auger.electron.spectroscopy 6, friction.coefficient.wear 6

Term Cliques

43.72% wear abras test resist sic coat
45.35% wear abras wear.resistance test resist sic
42.86% wear slide test resist sic coat worn

40.07% wear slide wear.rate test sic alloy worn
40.07% wear slide wear.rate test sic coat worn
42.86% wear slide steel wear.rate test alloy worn
41.64% wear slide wear.resistance test resist sic alloy worn
44.07% wear slide wear.resistance steel test resist alloy worn
43.43% wear friction slide steel friction.wear test resist coat worn
44.52% wear friction slide wear.resistance steel friction.wear test resist worn
40.39% wear friction slide tribology steel friction.wear wear.rate test coat worn

Sample Cluster Record Titles

[The wear behaviour of oxide ceramics - A Review](#)

[Nanomechanical and nanotribological properties of an antiwear tribofilm produced from phosphorus-containing additives on boundary-lubricated steel surfaces](#)

[Effects of methane plasma ion implantation on the microstructure and wear resistance of NiTi shape memory alloys](#)

[Micro/nanoscale mechanical and tribological characterization of SiC for orthopedic applications](#)

[The performances of BMI nanocomposites filled with nanometer SiC](#)

[Effect of chemical structure of borates on the tribological characteristics of magnesium alloy during sliding](#)

[Relationship between wear rate, surface pullout and microstructure during abrasive wear of alumina and alumina/SiC nanocomposites](#)

[Plasma immersion ion implanted Ti-B-based coatings: Tribological behaviour at room and high temperatures](#)

[Wear behavior of flame-sprayed Al₂O₃-TiO₂ coatings on plain carbon steel substrates](#)

Cluster Metrics

Authors

zhou, f 4

rainforth, wm 4

yang, j 3

xu, z 3

xu, bs 3

qi, lh 3
liu, wm 3
liu, j 3
li, dy 3
zhuang, dm 2
zhu, jh 2
zhou, zf 2
zhou, h 2
zhou, gs 2
zheng, ms 2

Sources

wear 25
tribology letters 7
tribology international 6
materials science and engineering a-structural materials properties microstructure and processing 6
surface & coatings technology 5
rare metal materials and engineering 5
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 5
journal of tribology-transactions of the asme 4
journal of materials processing technology 4
international journal of refractory metals & hard materials 4
thin solid films 3
journal of the american ceramic society 3
journal of central south university of technology 3
high-performance ceramics iii, pts 1 and 2 3
fractography of advanced ceramics ii 3

Keywords

materials science, multidisciplinary 37
engineering, mechanical 37
wear 34
materials science, multidisciplinary 30
friction 24
behavior 20
engineering 16
metallurgy & metallurgical 15
films 13
wear 11
sliding wear 11
metallurgy & metallurgical engineering 10
materials science, coatings & films 10
tribology 10
resistance 10

Publication Year

2005 136

2004 15

2006 3

Country

peoples r china 48

usa 29

england 17

south korea 11

japan 11

germany 8

poland 7

india 6

canada 5

turkey 4

netherlands 3

ukraine 2

sweden 2

spain 2

slovakia 2

Institution

chinese acad sci 9

tsing hua univ 7

xian jiaotong univ 4

univ sheffield 4

yonsei univ 3

univ wisconsin 3

univ alberta 3

taiyuan univ technol 3

huaqiao univ 3

henan univ sci & technol 3

warsaw univ technol 2

univ texas 2

univ oxford 2

univ birmingham 2

univ barcelona 2

DataBase

science citation index 154

• CLUSTER 157

Fabrication and characteristics of corrosion-resistant steel surfaces and layers (210 Records)

(Countries: China dominant, USA, Japan. Institutions: CAS, Tsing Hua University, National Institute of Materials Science. USA include ORNL, Northeastern University.).

Cluster Syntax Features

Descriptive Terms

steel 31.2%, corros 11.9%, stainless 4.1%, stainless.steel 2.7%, layer 2.0%, resist 1.8%, nitrid 1.7%, surfac 1.5%, alloy 1.3%, aisi 1.2%, implant 1.1%, corrosion.resistance 1.1%, wear 0.8%, pit 0.7%, austenit 0.7%

Discriminating Terms

steel 23.0%, corros 8.6%, stainless 3.0%, stainless.steel 1.9%, film 1.8%, aisi 0.9%, nitrid 0.9%, corrosion.resistance 0.8%, nanoparticl 0.8%, resist 0.7%, magnet 0.6%, nanotub 0.6%, crystal 0.6%, particl 0.5%, structur 0.5%

Single Word Terms

surfac 150, steel 145, layer 102, electron 100, resist 88, corros 86, microscopi 83, rai 81, properti 78, scan 76, stainless 74, mechan 74, high 73, temperatur 70, test 70

Double Word Terms

scanning.electron 70, electron.microscopy 63, stainless.steel 62, ray.diffraction 50, corrosion.resistance 45, mechanical.properties 25, microscopy.sem 22, transmission.electron 22, electron.microscope 22, surface.layer 20, atomic.force 20, ray.photoelectron 20, diffraction.xrd 19, energy.dispersive 19, photoelectron.spectroscopy 18

Triple Word Terms

scanning.electron.microscopy 49, electron.microscopy.sem 21, ray.diffraction.xrd 19, scanning.electron.microscope 18, ray.photoelectron.spectroscopy 18, transmission.electron.microscopy 16, atomic.force.microscopy 14, photoelectron.spectroscopy.xps 11, energy.dispersive.ray 11, austenitic.stainless.steel 10, 304.stainless.steel 10, 316l.stainless.steel 9, electron.microscope.sem 9, microscopy.scanning.electron 7, electron.microscopy.tem 7

Term Cliques

32.68% layer resist surfac alloi implant corrosion.resistance wear austenit
30.24% layer resist nitrid surfac aisi implant wear austenit
32.14% layer resist nitrid surfac alloi implant wear austenit
30.00% stainless.steel layer nitrid surfac aisi implant austenit
35.33% stainless resist surfac aisi pit
32.65% stainless resist surfac alloi implant corrosion.resistance austenit
29.86% stainless resist nitrid surfac aisi implant austenit
32.04% stainless resist nitrid surfac alloi implant austenit
28.10% stainless stainless.steel nitrid surfac aisi implant austenit
36.19% corros layer resist surfac alloi implant corrosion.resistance wear
36.33% corros stainless resist surfac alloi corrosion.resistance pit
36.67% corros stainless resist surfac alloi implant corrosion.resistance
36.53% steel layer nitrid surfac aisi wear austenit
37.96% steel stainless.steel layer nitrid surfac aisi austenit
38.89% steel stainless stainless.steel surfac aisi pit
36.05% steel stainless stainless.steel nitrid surfac aisi austenit

Sample Cluster Record Titles

[Effect of cross shear rolling on microstructure and properties of surface nanocrystallized 316L stainless steel](#)

[Characterization by electron diffraction of two thermodynamical phases of precipitation in nbmicroalloyed steels](#)

[Microstructure and properties of low temperature composite chromized layer on H13 tool steel](#)

[Steam oxidation of high-chromium ferritic steels containing palladium](#)

[Electrochemical corrosion behavior of low-carbon i-beam steels in a simulated Yucca Mountain repository environment](#)

[Surface modification of carbon steel and tool steel by auminizing with powder liquid coating and plasma nitriding](#)

[Surface characteristics of AISI 304L stainless steel after an atmospheric pressure plasma treatment](#)

[Long-term corrosion resistance of metallic reinforcements in concrete - a study of corrosion mechanisms based on archaeological artefacts](#)

[Ion beam nitriding of single and polycrystalline austenitic stainless steel](#)

Cluster Metrics

Authors

man, hc 4
shih, hc 3
sen, u 3
chiu, ky 3
cheng, ft 3
chen, yy 3
casteletti, lc 3
bindal, c 3
bai, xd 3
zuo, y 2
zhu, sl 2
zhao, h 2
zhang, ch 2
zak, j 2
williamson, dl 2

Sources

surface & coatings technology 22
wear 11
corrosion science 10
materials science and engineering a-structural materials properties microstructure and processing 8
journal of materials processing technology 8
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 6
applied surface science 5
journal of nuclear materials 4
transactions of nonferrous metals society of china 3
thin solid films 3
rare metal materials and engineering 3
materials transactions 3
journal of the electrochemical society 3
corrosion 3
zeitschrift fur metallkunde 2

Keywords

materials science, multidisciplinary 65
materials science, coatings & films 30
engineering 29
metallurgy & metallurgical 29
metallurgy & metallurgical engineering 21

behavior 20
corrosion 17
coatings 17
microstructure 15
alloys 15
engineering, mechanical 14
materials science, multidisciplinary 14
iron 14
chemistry, physical 12
corrosion 11

Publication Year

2005 180
2004 22
2006 8

Country

peoples r china 46
usa 20
japan 20
germany 13
brazil 12
taiwan 11
poland 11
india 11
france 10
turkey 9
south korea 7
australia 7
sweden 5
italy 5
canada 5

Institution

chinese acad sci 10
tsing hua univ 6
natl inst mat sci 6
xian jiaotong univ 5
univ sao paulo 5
sakarya univ 4
oak ridge natl lab 4
northeastern univ 4
hong kong polytech univ 4
dalian univ technol 4
chalmers univ technol 4
warsaw univ technol 3

slovak tech univ 3
silesian tech univ 3
shenyang univ technol 3

DataBase
science citation index 210

• CLUSTER 66

Corrosion mechanisms and protection/ inhibition, especially of steel, zinc, and iron surfaces (76 Records)

(Countries: China, India, USA. Institutions: CAS, University of Delhi. USA includes BNL.).

Cluster Syntax Features

Descriptive Terms

corros 48.2%, steel 6.2%, protect 2.1%, inhibit 1.9%, inhibitor 1.8%, corrosion.products 1.1%, coat 1.0%, zinc 0.8%, acid 0.8%, electrochem 0.8%, surfac 0.8%, product 0.6%, iron 0.5%, solut 0.5%, mild.steel 0.5%

Discriminating Terms

corros 32.0%, steel 3.7%, film 1.5%, protect 1.2%, inhibit 1.1%, inhibitor 1.1%, corrosion.products 0.8%, magnet 0.6%, particl 0.6%, nanotub 0.6%, nanoparticl 0.5%, structur 0.5%, crystal 0.5%, temperatur 0.5%, quantum 0.4%

Single Word Terms

corros 71, surfac 63, electron 40, scan 39, electrochem 37, steel 35, solut 35, rai 34, protect 33, microscopi 32, oxid 28, acid 27, mechan 26, sem 26, inhibit 26

Double Word Terms

scanning.electron 37, electron.microscopy 25, ray.diffraction 22, corrosion.products 15, corrosion.resistance 14, surface.morphology 13, microscopy.sem 11, corrosion.inhibition 11, energy.dispersive 10, diffraction.xrd 9, electrochemical.impedance 9, potentiodynamic.polarization 9, steel.surface 9, weight.loss 9, corrosion.rate 9

Triple Word Terms

scanning.electron.microscopy 25, electron.microscopy.sem 11,
scanning.electron.microscope 9, ray.photoelectron.spectroscopy 9, ray.diffraction.xrd 8,
electrochemical.impedance.spectroscopy 8, atomic.force.microscopy 6,
energy.dispersive.ray 5, photoelectron.spectroscopy.xps 5, open.circuit.potential 5,
langmuir.adsorption.isotherm 5, low.carbon.steel 4, surface.scanning.electron 4,
energy.dispersive.spectroscopy 4, corrosion.mild.steel 4

Term Cliques

41.78% corros iron solut mild.steel
47.04% corros inhibit inhibitor acid electrochem surfac solut mild.steel
41.89% corros protect corrosion.products product iron solut
56.80% corros protect inhibitor electrochem surfac solut
36.05% corros steel zinc iron mild.steel
48.95% corros steel zinc surfac mild.steel
47.04% corros steel inhibit inhibitor acid electrochem surfac mild.steel
55.79% corros steel protect zinc surfac
50.79% corros steel protect coat electrochem
38.16% corros steel protect coat zinc product iron
37.78% corros steel protect corrosion.products zinc product iron
56.80% corros steel protect inhibitor electrochem surface

Sample Cluster Record Titles

[Inhibition of corrosion of AZ91 magnesium alloy in ethylene glycol solution in presence of chloride anions](#)

[Microbiologically induced corrosion of copper](#)

[Effect of stoving and air drying lacquers on corrosion resistance and preserving decorative colours on copper](#)

[The influence of electrochemical surface modifications on naval steel corrosion](#)

[Corrosion protection of 316 L stainless steel by a TiO₂ nanoparticle coating prepared by sol-gel method](#)

[Corrosion inhibition of mild steel by aerobic biofilm](#)

[Suppression of deicing salt corrosion of weathering steel bridges by washing](#)

[Control of Fe\(O,OH\)₂ nano-network structures of rust for high atmospheric-corrosion resistance](#)

Cluster Metrics

Authors

singh, g 3
venkatesha, tv 2
naik, ya 2
mele, c 2
mcnamara, b 2
liu, wm 2
li, xh 2
kalman, e 2
hanson, b 2
buck, e 2
bozzini, b 2
boshkov, n 2
zucchi, f 1
zinola, cf 1
zhu, jm 1

Sources

corrosion science 7
journal of the electrochemical society 5
transactions of the institute of metal finishing 4
surface engineering 3
surface & coatings technology 3
electrochimica acta 3
thin solid films 2
radiochimica acta 2
nuclear instruments & methods in physics research section b-beam interactions with materials and atoms 2
materials chemistry and physics 2
materials and corrosion-werkstoffe und korrosion 2
journal of applied electrochemistry 2
corrosion reviews 2
corrosion engineering science and technology 2
anti-corrosion methods and materials 2

Keywords

materials science, multidisciplinary 22
engineering 18
metallurgy & metallurgical 18

materials science, coatings & films 17

corrosion 17

behavior 11

electrochemistry 9

media 8

iron 8

electrochemistry 7

steel 6

corrosion 6

steel 6

adsorption 6

adsorption 5

Publication Year

2005 70

2004 6

Country

peoples r china 12

india 12

usa 10

italy 6

japan 5

egypt 5

france 3

bulgaria 3

brazil 3

spain 2

south korea 2

hungary 2

england 2

belgium 2

australia 2

Institution

chinese acad sci 4

univ delhi 3

yunnan univ 2

univ lecce 2

univ ferrara 2

natl res ctr 2

kuvempu univ 2

hungarian acad sci 2

cent electrochem res inst 2

bulgarian acad sci 2

brookhaven natl lab 2

zhejiang univ 1
yon den consultant co 1
xian jiaotong univ 1
xiamen univ 1

DataBase
science citation index 76

- **CLUSTER 118**

Crack, fatigue, and fracture processes, behavior, and mechanisms, emphasizing on analysis with scanning electron microscopy (210 Records)

(Countries: USA, Japan, China, followed by Germany. Institutions: CAS dominant. USA include Princeton University, Georgia Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

crack 26.2%, fatigu 16.3%, fractur 12.7%, specimen 2.3%, stress 2.1%, steel 1.7%, failur 1.3%, crack.growth 1.3%, test 1.2%, strength 0.9%, propag 0.9%, tough 0.8%, load 0.8%, fatigue.crack 0.8%, fracture.toughness 0.7%

Discriminating Terms

crack 17.6%, fatigu 11.2%, fractur 8.3%, film 1.7%, specimen 1.3%, stress 0.9%, crack.growth 0.9%, failur 0.9%, steel 0.8%, nanoparticl 0.7%, magnet 0.6%, carbon 0.6%, nanotub 0.6%, fatigue.crack 0.5%, structur 0.5%

Single Word Terms

fractur 127, crack 124, surfac 117, electron 105, scan 98, stress 97, fatigu 84, mechan 82,

test 79, microscopi 75, specimen 73, materi 73, sem 65, high 61, strength 60

Double Word Terms

scanning.electron 90, electron.microscopy 58, electron.microscope 39, fracture.surfaces 34, crack.growth 34, fracture.toughness 32, fatigue.crack 30, crack.propagation 29, mechanical.properties 24, room.temperature 23, fracture.surface 21, crack.tip 21, microscope.sem 19, fatigue.life 17, transmission.electron 17

Triple Word Terms

scanning.electron.microscopy 50, scanning.electron.microscope 36, electron.microscope.sem 19, fatigue.crack.propagation 14, electron.microscopy.sem 14, atomic.force.microscopy 12, transmission.electron.microscopy 12, low.cycle.fatigue 11, stress.corrosion.cracking 11, fatigue.crack.growth 10, crack.growth.rates 9, surfaces.scanning.electron 8, stress.intensity.factor 8, optical.scanning.electron 7, single.crystal.silicon 6

Term Cliques

31.81% stress steel failur test strength
35.33% fractur stress crack.growth propag load
36.48% fractur stress failur propag load
37.14% fractur stress failur test strength load
32.14% fractur specimen test strength tough fracture.toughness
39.29% fractur specimen stress test strength load
37.22% fractur specimen stress crack.growth test load
28.41% fatigu stress crack.growth propag load fatigue.crack
32.38% fatigu stress failur propag load
34.76% fatigu stress failur test load
33.81% fatigu specimen stress crack.growth test load
32.14% crack fractur crack.growth propag tough fracture.toughness
41.52% crack fractur stress crack.growth propag
42.67% crack fractur stress failur propag
45.05% crack fractur stress failur test
34.22% crack fractur specimen crack.growth test tough fracture.toughness
42.38% crack fractur specimen stress crack.growth test
33.57% crack fatigu stress crack.growth propag fatigue.crack
38.57% crack fatigu stress failur propag
36.86% crack fatigu stress steel fatigue.crack
38.25% crack fatigu stress steel failur test
38.97% crack fatigu specimen stress crack.growth test

Sample Cluster Record Titles

[Crack growth anomalies in HAZ for parent steel P91](#)

[Investigating the mechanisms that cause quench cracking in aluminium alloy 7010](#)

[Machining a smooth surface of ceramic material by laser fracture machining technique](#)

[Cracking and decohesion of a thin Al₂O₃ film on a ductile Al-5%Mg substrate](#)

[Statistical fatigue properties in the large strain region of a stainless steel sheet for use as an abrasion strip on helicopter rotor blades](#)

[Failure analysis of explanted sternal wires](#)

[Silicon MEMS components: a fatigue life assessment approach](#)

[Investigation of wear mechanisms through in situ observation during microscratching inside the scanning electron microscope](#)

[Scratchability of soda-lime silica \(SLS\) glasses: Dynamic fracture analysis](#)

Cluster Metrics

Authors

soboyejo, wo 3

shaw, ba 3

jung, p 3

eifler, d 3

chen, j 3

bouchaud, e 3

zhao, mc 2

zhang, j 2

yang, k 2

yamaguchi, m 2

vardosanidze, m 2

ullmaier, h 2

ueda, y 2

tanaka, h 2

takashima, k 2

Sources

materials science and engineering a-structural materials properties microstructure and processing 18

international journal of fatigue 9

advances in fracture and strength, pts 1- 4 9

engineering failure analysis 7

journal of materials science 6

fatigue & fracture of engineering materials & structures 6

acta materialia 6

acta metallurgica sinica 5
pricm 5: the fifth pacific rim international conference on advanced materials and
processing, pts 1-5 4
journal of the american ceramic society 4
fractography of advanced ceramics ii 4
physical review letters 3
metallurgical and materials transactions a-physical metallurgy and materials science 3
journal of the japan institute of metals 3
journal of nuclear materials 3

Keywords

materials science, multidisciplinary 58
engineering, mechanical 30
fracture 29
behavior 27
materials science, multidisciplinary 22
microstructure 19
fatigue 18
engineering 16
metallurgy & metallurgical 16
metallurgy & metallurgical engineering 15
growth 13
materials science, ceramics 12
deformation 12
mechanical-properties 11
mechanical-properties 11

Publication Year

2005 179
2004 28
2006 3

Country

usa 50
japan 38
peoples r china 32
germany 20
france 13
england 13
south korea 9
italy 9
taiwan 7
australia 7
spain 6
canada 6
india 5

czech republic 5
switzerland 4

Institution

chinese acad sci 8
univ newcastle upon tyne 4
seoul natl univ 4
nagoya univ 4
kagoshima univ 4
cea saclay 4
univ tokyo 3
univ sevilla 3
univ dayton 3
princeton univ 3
osaka univ 3
northwestern polytech univ 3
natl inst mat sci 3
georgia inst technol 3
csic 3

DataBase

science citation index 210

• CLUSTER 115

Materials subject to stress and strain, focusing on welded materials, residual stresses, effects of loading, and stress relaxation (131 Records)

(Countries: USA, China, Japan, France. Institutions: Kyoto Institute of Technology, CAS. USA include Colorado School of Mines, USAF, University of Michigan, University of Dayton.).

Cluster Syntax Features

Descriptive Terms

stress 43.5%, weld 7.7%, residu 7.2%, residual.stress 5.9%, residual.stresses 1.9%, strain 1.3%, steel 1.2%, compress 0.9%, tensil 0.8%, peen 0.6%, surfac 0.6%, load 0.4%, surface.stress 0.3%, layer 0.3%, relax 0.3%

Discriminating Terms

stress 28.4%, weld 5.4%, residu 4.6%, residual.stress 4.1%, film 1.6%, residual.stresses 1.3%, nanoparticl 0.6%, magnet 0.6%, nanotub 0.6%, steel 0.6%, carbon 0.6%, particl 0.5%, strain 0.5%, compress 0.5%, peen 0.5%

Single Word Terms

stress 121, surfac 62, residu 57, mechan 53, materi 46, high 42, rai 42, tensil 41, compress 40, measur 39, diffract 38, electron 37, temperatur 36, structur 36, layer 33

Double Word Terms

residual.stress 42, ray.diffract 34, residual.stresses 33, electron.microscopy 21, scanning.electron 17, compressive.stress 14, mechanical.properties 13, finite.element 12, stress.distribution 12, transmission.electron 10, surface.layer 10, compressive.residual 10, stress.strain 10, tensile.stress 10, stainless.steel 10

Triple Word Terms

transmission.electron.microscopy 10, scanning.electron.microscopy 10, atomic.force.microscopy 6, scanning.electron.microscope 6, residual.stress.distribution 6, four.point.bending 5, austenitic.stainless.steel 5, compressive.residual.stress 5, compressive.residual.stresses 5, residual.stress.state 5, electron.microscope.sem 4, tensile.residual.stress 4, residual.stresses.surface 4, residual.compressive.stress 4, ray.diffract.xrd 3

Term Cliques

19.85% weld steel
38.55% stress surfac surface.stress relax
32.44% stress strain surface.stress relax
34.50% stress residu peen load relax
38.78% stress residu strain layer relax
37.56% stress residu strain load relax
41.83% stress residu strain tensil load
39.95% stress residu strain steel tensil layer
36.39% stress residu residual.stresses compress peen load
40.33% stress residu residual.stresses compress tensil load
36.86% stress residu residual.stress peen surfac layer relax
36.47% stress residu residual.stress residual.stresses steel compress peen surfac layer
39.10% stress residu residual.stress residual.stresses steel compress tensil surfac layer

Sample Cluster Record Titles

[A study on a rigid body boundary layer interface force model for stress calculation and stress-strain behaviour of nanoscale uniaxial tension](#)

[Effect of oxide and nitride films on strength of silicon: A study using controlled small-scale flaws](#)

[Residual stress determination on lithium disilicate glass-ceramic by nanoindentation](#)

[Residual compressive stress field in TC18 ultra-high strength titanium alloy by shot peening](#)

[The evaluation of Young's modulus and residual stress of nickel films by microbridge testings](#)

[Analysis by speckle interferometry of the dependency of yield stress on residual stress](#)

[Stress fields of a spheroidal inhomogeneity with an interphase in an infinite medium under remote loadings](#)

[Non-destructive analysis of surface stresses using grazing incident x-ray diffraction](#)

[A new method for measuring residual stress relaxation during nanoindentation](#)

Cluster Metrics

Authors

pezzotti, g 6
zhou, y 2
xu, kw 2
wang, k 2
wang, f 2
vignal, v 2
temiz, s 2
shirokoff, j 2
sekiguchi, y 2
sathish, s 2
rasmussen, pa 2
ozel, a 2
oltra, r 2
micele, l 2
marya, m 2

Sources

microsystem technologies-micro-and nanosystems-information storage and processing systems 6
residual stresses vii, proceedings 5
metallurgical and materials transactions a-physical metallurgy and materials science 5
materials science and engineering a-structural materials properties microstructure and processing 5
journal of materials science & technology 3

journal of applied physics 3
journal of adhesion science and technology 3
applied surface science 3
applied physics letters 3
transactions of nonferrous metals society of china 2
surface & coatings technology 2
rare metal materials and engineering 2
optics and lasers in engineering 2
materials transactions 2
materials science and technology 2

Keywords

materials science, multidisciplinary 36
engineering 17
metallurgy & metallurgical 17
residual stress 15
metallurgy & metallurgical engineering 12
materials science, multidisciplinary 12
behavior 12
physics, applied 11
engineering, electrical & electronic 10
physics, applied 9
deformation 9
multidisciplinary 8
microstructure 8
materials science, 8
residual stress 7

Publication Year

2005 109
2004 21
2006 1

Country

usa 29
peoples r china 21
japan 15
france 13
south korea 10
germany 8
taiwan 6
england 5
australia 4
turkey 3
spain 3
poland 3

italy 3
india 3
canada 3

Institution

kyoto inst technol 6
chinese acad sci 6
seoul natl univ 3
ensam 3
colorado sch mines 3
usaf 2
univ michigan 2
univ dayton 2
univ bourgogne 2
univ aix marseille 3 2
tech univ denmark 2
russian acad sci 2
pusan natl univ 2
polish acad sci 2
peking univ 2

DataBase

science citation index 131

- **CLUSTER 140**

Nanoidentation, especially to test hardness, elasticity/ plasticity, and mechanical properties of materials (278 Records)

(Countries: USA, followed by China, Japan. Institutions: CAS, Tsing Hua University, University Poitiers, ORNL, CNRS. Other USA include UCB, OSU, University of Tennessee, University of Illinois, UCSF).

Cluster Syntax Features

Descriptive Terms

indent 32.0%, nanoindent 10.3%, hard 4.9%, elast 4.5%, modulu 3.1%, load 2.8%, plastic 2.2%, deform 2.1%, contact 1.1%, elastic.modulus 1.1%, disloc 1.0%, test 0.9%, tip 0.9%, curv 0.8%, stress 0.8%

Discriminating Terms

indent 22.6%, nanoindent 7.1%, hard 2.9%, elast 2.7%, modulu 1.9%, film 1.4%, load 1.4%, plastic 1.3%, deform 1.1%, elastic.modulus 0.7%, nanoparticl 0.7%, particl 0.6%, magnet 0.6%, nanotub 0.6%, carbon 0.6%

Single Word Terms

indent 174, nanoindent 148, hard 129, elast 126, properti 116, modulu 115, load 115, mechan 114, materi 111, surfac 97, deform 96, plastic 93, test 87, measur 76, model 71

Double Word Terms

elastic.modulus 62, mechanical.properties 60, atomic.force 44, young.modulus 39, finite.element 31, plastic.deformation 28, force.microscopy 27, load.displacement 24, contact.area 22, hardness.elastic 22, indentation.depth 22, electron.microscopy 21, transmission.electron 20, elastic.plastic 20, nano.indentation 19

Triple Word Terms

atomic.force.microscopy 27, hardness.elastic.modulus 21, atomic.force.microscope 17, transmission.electron.microscopy 15, hardness.young.modulus 11, force.microscopy.afm 11, molecular.dynamics.simulations 9, load.displacement.curve 7, elastic.modulus.hardness 7, load.displacement.curves 7, force.microscope.afm 7, young.modulus.hardness 6, microscopy.atomic.force 6, soda.lime.glass 6, force.displacement.curves 6

Term Cliques

33.32% nanoindent elast load deform contact elastic.modulus tip curv
33.85% nanoindent elast modulu load contact elastic.modulus test tip curv
37.54% nanoindent hard elast modulu load elastic.modulus test tip
35.67% indent load plastic deform disloc stress
38.55% indent elast load test curv stress
38.28% indent elast load plastic deform curv stress
35.79% indent nanoindent load plastic deform contact disloc tip
37.81% indent nanoindent elast load plastic deform contact tip curv
38.33% indent nanoindent elast modulu load contact test tip curv
39.00% indent nanoindent hard load plastic disloc tip

43.06% indent nanoindent hard elast load plastic tip
42.58% indent nanoindent hard elast modulu load test tip

Sample Cluster Record Titles

[Hardness and elastic modulus of ion-nitrided titanium obtained by nanoindentation](#)

[Investigation of nanoindentation on Co/Mo multilayers by the continuous stiffness measurement technique](#)

[Comparison of the Young's modulus of polysilicon film by tensile testing and nanoindentation](#)

[Deformation free energy and elastic description of a self-assembled system](#)

[On the evaluation of stresses during nanoindentation with sharp indenters](#)

[Investigation of mechanical properties of diatom frustules using nanoindentation](#)

[Mechanical properties determined by nanoindentation tests](#)

[Nanoporous Au: A high yield strength material](#)

[A microelectromechanical load sensor for in situ electron and x-ray microscopy tensile testing of nanostructures](#)

Cluster Metrics

Authors

le bourhis, e 6

youn, sw 5

pharr, gm 5

patriarche, g 5

kang, cg 5

gong, jh 5

zhou, hx 3

zhang, zy 3

wei, l 3

swain, mv 3

riviere, jp 3

pippan, r 3

peng, zj 3

michailidis, n 3

miao, hz 3

Sources

materials science and engineering a-structural materials properties microstructure and processing 20
journal of materials research 18
applied physics letters 14
thin solid films 13
acta materialia 13
physical review b 9
surface & coatings technology 8
scripta materialia 6
nanotechnology 6
journal of applied physics 6
acta metallurgica sinica 6
wear 5
rare metal materials and engineering 5
journal of the mechanics and physics of solids 5
journal of micromechanics and microengineering 4

Keywords

materials science, multidisciplinary 109
nanoindentation 73
hardness 63
nanoindentation 51
indentation 38
load 37
physics, applied 34
materials science, multidisciplinary 28
engineering 27
metallurgy & metallurgical 27
physics, applied 25
mechanical-properties 25
indentation 24
behavior 24
deformation 23

Publication Year

2005 235
2004 33
2006 9
2003 1

Country

usa 86
peoples r china 45

japan 34
germany 22
france 21
south korea 17
england 16
taiwan 10
italy 9
spain 8
australia 8
singapore 7
sweden 5
russia 5
ukraine 4

Institution

chinese acad sci 12
tsing hua univ 9
univ poitiers 7
oak ridge natl lab 7
cnrs 7
univ calif berkeley 6
tohoku univ 6
ohio state univ 6
univ tennessee 5
univ sydney 5
univ illinois 5
univ cambridge 5
univ calif san francisco 5
shanghai jiao tong univ 5
pusan natl univ 5

DataBase

science citation index 278

• CLUSTER 112

Deformation behavior, shear bands, and related mechanical properties of materials and microstructures (239 Records)

(Countries: USA, China, followed by Russia, Germany, followed by Japan, South Korea, Poland. Institutions: CAS, RAS, UFA State Aviation Technical University. USA include UCD, JHU, University of Tennessee).

Cluster Syntax Features

Descriptive Terms

deform 34.1%, grain 6.0%, plastic 5.6%, strain 5.1%, plastic.deformation 3.6%, shear 2.3%, microstructur 1.2%, mechan 0.8%, shear.bands 0.7%, nanocrystallin 0.7%, alloy 0.7%, disloc 0.7%, boundari 0.7%, ultrafine.grained 0.6%, materi 0.6%

Discriminating Terms

deform 23.1%, plastic 3.6%, grain 2.9%, strain 2.7%, plastic.deformation 2.5%, film 2.0%, shear 1.4%, surfac 0.7%, nanoparticl 0.7%, magnet 0.6%, nanotub 0.6%, carbon 0.6%, particl 0.5%, shear.bands 0.5%, deposit 0.5%

Single Word Terms

deform 213, grain 139, strain 129, plastic 120, mechan 104, high 103, size 98, materi 95, microstructur 90, structur 84, temperatur 83, electron 71, stress 67, microscopi 67, metal 66

Double Word Terms

plastic.deformation 94, electron.microscopy 58, transmission.electron 54, grain.size 52, room.temperature 36, strain.rate 36, mechanical.properties 35, channel.angular 32, equal.channel 31, shear.bands 30, grain.boundary 29, ultrafine.grained 28, angular.pressing 26, grain.boundaries 24, high.pressure 23

Triple Word Terms

transmission.electron.microscopy 47, equal.channel.angular 31, channel.angular.pressing 26, angular.pressing.ecap 18, bulk.metallic.glass 15, high.pressure.torsion 15, grain.boundary.sliding 14, electron.microscopy.tem 14, plastic.deformation.spd 12, scanning.electron.microscopy 11, ultra.fine.grained 9, resolution.transmission.electron 9, high.resolution.transmission 9, ultrafine.grained.ufg 8, strain.rate.sensitivity 8

Term Cliques

40.48% deform strain shear microstructur alloy disloc boundari materi
40.66% deform strain shear microstructur shear.bands alloy

44.49% deform grain strain microstructur mechan alloi disloc boundari materi
41.38% deform grain strain microstructur mechan alloi disloc boundari ultrafine.grained
41.46% deform grain plastic microstructur mechan nanocrystallin alloi disloc boundari
materi
38.66% deform grain plastic microstructur mechan nanocrystallin alloi disloc boundari
ultrafine.grained
41.63% deform grain plastic plastic.deformation mechan nanocrystallin alloi disloc
boundari materi
38.83% deform grain plastic plastic.deformation mechan nanocrystallin alloi disloc
boundari ultrafine.grained

Sample Cluster Record Titles

[Modeling elastic and plastic deformations in nonequilibrium processing using phase field crystals](#)

[Crystalline properties and morphological changes in plastically deformed isotactic polypropylene evaluated by X-ray diffraction and transmission electron microscopy](#)

[Evolution of crystallographic orientations in an aluminum single crystal during tensile deformation](#)

[Strength of ultrafine-grained corrosion-resistant steels after severe plastic deformation](#)

[The role of dynamic recrystallization in \[001\] single-crystal W and W-Ta alloy ballistic rod penetration into steel targets](#)

[Characteristics of adiabatic shear bands in the orthogonal, cutting of 30CrNi\(3\)MOV steel](#)

[AFM observations of slip band development in Al single crystals](#)

[Plastic flow of ultrahigh pressure metamorphic rocks: microstructure and deformation mechanisms.](#)

[Methodical features of the measurement of mechanical properties of ultrafine-grained materials](#)

Cluster Metrics

Authors

lavernia, ej 7

valiev, rz 6

kurzydowski, kj 6

wei, bc 5

schafler, e 5
ma, e 5
han, bq 5
valiev, r 4
pippan, r 4
pakiela, z 4
lojkowski, w 4
kim, kb 4
eckert, j 4
das, j 4
baier, f 4

Sources

acta materialia 20
materials science and engineering a-structural materials properties microstructure and processing 17
applied physics letters 15
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 13
bulk and graded nanometals 12
scripta materialia 9
reviews on advanced materials science 9
physics of metals and metallography 7
metallurgical and materials transactions a-physical metallurgy and materials science 5
icotom 14: textures of materials, pts 1 and 2 5
advanced engineering materials 5
zeitschrift fur metallkunde 4
physica status solidi a-applications and materials science 4
materials science and technology 4
journal of materials science 4

Keywords

materials science, multidisciplinary 98
engineering 44
metallurgy & metallurgical 44
behavior 35
severe plastic-deformation 30
metallurgy & metallurgical engineering 30
microstructure 30
metals 27
deformation 26
physics, applied 23
copper 20
mechanical-properties 19
deformation 18
nanocrystalline 17

ductility 17

Publication Year

2005 201

2004 34

2006 4

Country

usa 51

peoples r china 48

russia 33

germany 30

japan 21

south korea 16

poland 16

austria 11

france 8

ukraine 7

denmark 6

australia 6

switzerland 4

singapore 4

canada 4

Institution

chinese acad sci 17

russian acad sci 15

ufa state aviat tech univ 14

univ calif davis 10

polish acad sci 9

harbin inst technol 9

warsaw univ technol 8

univ vienna 8

johns hopkins univ 7

forschungszentrum karlsruhe 6

univ tennessee 5

city univ hong kong 5

tech univ darmstadt 4

shanghai jiao tong univ 4

riso natl lab 4

DataBase

science citation index 239

- **CLUSTER 86**

Dislocations, deformation, (crystal) twinning, and stress/ strain in materials, particularly crystals (147 Records)

(Countries: USA dominant, China, followed by Germany, France.
Institutions: CAS, Paul Scherrer Institute, LANL. Other USA include LLNL, MIT, UCB, Georgia Institute of Technology, University of Illinois, SNL, Ohio State University, North Carolina State University.).

Cluster Syntax Features

Descriptive Terms

disloc 47.4%, deform 5.8%, twin 4.8%, stress 3.2%, grain 2.2%, boundari 1.6%, slip 1.3%, plastic 1.3%, strain 1.3%, creep 1.2%, nucleat 0.6%, glide 0.5%, partial.dislocations 0.5%, cu 0.5%, nanocrystallin 0.5%

Discriminating Terms

disloc 31.8%, deform 3.4%, twin 3.1%, film 1.8%, stress 1.5%, slip 0.9%, creep 0.8%, boundari 0.8%, grain 0.7%, plastic 0.7%, nanoparticl 0.7%, surfac 0.7%, carbon 0.6%, magnet 0.6%, nanotub 0.6%

Single Word Terms

disloc 130, deform 76, stress 68, mechan 66, grain 64, high 59, electron 55, strain 50, temperatur 50, microscopi 49, size 49, boundari 48, transmiss 47, plastic 45, structur 42

Double Word Terms

transmission.electron 45, electron.microscopy 42, grain.boundary 23, plastic.deformation 21, dislocation.density 21, ray.diffraction 18, partial.dislocations 18, grain.boundaries 17,

strain.rate 15, grain.size 14, molecular.dynamics 14, high.resolution 13, microscopy.tem 13, dislocation.nucleation 12, room.temperature 12

Triple Word Terms

transmission.electron.microscopy 39, electron.microscopy.tem 13, molecular.dynamics.simulations 10, resolution.transmission.electron 10, transmission.electron.microscope 9, high.resolution.transmission 9, high.strain.rate 7, grain.boundary.sliding 7, shockley.partial.dislocations 5, deformation.nanocrystalline.materials 4, liquid.nitrogen.temperature 4, atomic.force.microscopy 4, force.microscopy.afm 4, ray.diffraction.peak 4, dislocation.cell.structure 4

Term Cliques

28.91% deform strain partial.dislocations cu
33.50% deform plastic strain cu
23.95% deform twin glide partial.dislocations cu
26.19% deform twin slip plastic glide cu
29.15% deform twin grain boundari nucleat partial.dislocations nanocrystallin
28.57% deform twin grain boundari nucleat glide partial.dislocations
29.68% deform twin grain boundari slip plastic nucleat glide
41.98% disloc deform stress grain strain partial.dislocations nanocrystallin
40.62% disloc deform stress grain strain creep partial.dislocations
49.09% disloc deform stress grain plastic strain
39.29% disloc deform stress grain boundari nucleat partial.dislocations nanocrystallin
38.78% disloc deform stress grain boundari nucleat glide partial.dislocations
40.43% disloc deform stress grain boundari creep partial.dislocations
38.62% disloc deform stress grain boundari slip plastic nucleat glide

Sample Cluster Record Titles

[Evidence of dislocations in melt-crystallised and plastically deformed polypropylene](#)

[Dislocation climb in nanocrystalline materials under high-strain-rate superplastic deformation](#)

[Partial and split dislocations in deformed nanocrystalline metals](#)

[Room temperature dislocation plasticity in silicon](#)

[Twinning and recrystallisation as crack tip deformation mechanisms during fracture](#)

[Strain-induced grain refinement of cobalt during surface mechanical attrition treatment](#)

[Nanoscale defect structures at crystal-glass interfaces](#)

[Microcrack initiation and growth in heat-resistant 15Kh2MFA steel under cyclic deformation](#)

[Deformation behaviour and microstructure of nanocrystalline electrodeposited and high pressure torsioned nickel](#)

Cluster Metrics

Authors

van swygenhoven, h 7
derlet, pm 6
ungar, t 5
misra, a 5
lu, k 5
froseth, ag 5
ovid'ko, ia 4
hoagland, rg 4
viswanathan, gb 3
lu, l 3
hirth, jp 3
farkas, d 3
argon, as 3
zhou, sj 2
zhou, mz 2

Sources

materials science and engineering a-structural materials properties microstructure and processing 20
acta materialia 13
philosophical magazine 11
applied physics letters 6
zeitschrift fur metallkunde 5
scripta materialia 4
metallurgical and materials transactions a-physical metallurgy and materials science 4
reviews on advanced materials science 3
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 3
physical review letters 3
philosophical magazine letters 3
journal of materials science 3
journal of applied physics 3
international journal of plasticity 3
polymer 2

Keywords

materials science, multidisciplinary 76
engineering 25
metallurgy & metallurgical 25
metallurgy & metallurgical engineering 23
deformation 23
metals 22
behavior 19
mechanics 16
copper 16
physics, applied 15
dislocations 14
physics, applied 12
stress 10
crystals 10
alloys 10

Publication Year

2005 121
2004 21
2006 4
2003 1

Country

usa 59
peoples r china 19
germany 12
france 12
japan 10
switzerland 9
russia 8
canada 7
india 6
hungary 6
poland 4
italy 4
ukraine 3
taiwan 3
spain 3

Institution

chinese acad sci 12
paul scherrer inst 8
los alamos natl lab 7
lorand eotvos univ 6
lawrence livermore natl lab 6
mit 5

univ calif berkeley 4
russian acad sci 4
georgia inst technol 4
univ illinois 3
univ antwerp 3
sandia natl labs 3
polish acad sci 3
ohio state univ 3
n carolina state univ 3

DataBase

science citation index 147

• CLUSTER 52

Grain boundary characteristics and processes, including diffusion, segregation, fracture, and growth (220 Records)

(Countries: Japan, USA, followed by Germany, China, France.

Institutions: University of Tokyo, RAS, Tohoku University, National Institute of Materials Science. USA includes UCB, ORNL.).

Cluster Syntax Features

Descriptive Terms

boundari 34.5%, grain 25.3%, grain.boundary 15.2%, grain.boundaries 4.7%, diffus 0.7%, segreg 0.7%, bicryst 0.4%, nanocrystallin 0.4%, phase 0.3%, sigma 0.3%, cu 0.3%, fractur 0.2%, microstructur 0.2%, disloc 0.2%, intergranular 0.2%

Discriminating Terms

boundari 22.5%, grain 14.7%, grain.boundary 10.3%, grain.boundaries 3.1%, film 1.4%, nanoparticl 0.7%, surfac 0.7%, nanotub 0.6%, carbon 0.5%, particl 0.5%, quantum 0.4%, segreg 0.4%, magnet 0.4%, crystal 0.4%, polym 0.4%

Single Word Terms

boundari 220, grain 207, electron 95, high 93, structur 91, microscopi 77, temperatur 73, phase 68, transmiss 60, atom 56, energi 55, size 54, materi 53, surfac 51, diffus 48

Double Word Terms

grain.boundary 159, grain.boundaries 131, electron.microscopy 57, transmission.electron 56, high.resolution 33, grain.size 27, resolution.transmission 19, room.temperature 18, grain.growth 17, boundary.diffusion 15, nanocrystalline.materials 14, boundary.energy 13, ray.diffraction 13, tilt.grain 13, high.angle 13

Triple Word Terms

transmission.electron.microscopy 44, resolution.transmission.electron 19, high.resolution.transmission 19, grain.boundary.diffusion 15, grain.boundary.energy 13, grain.boundary.structure 13, grain.boundary.sliding 12, transmission.electron.microscope 11, electron.microscopy.tem 11, atomic.force.microscopy 10, grain.boundary.segregation 10, electron.microscopy.hrtem 9, angle.grain.boundaries 9, scanning.electron.microscopy 8, tilt.grain.boundaries 7

Term Cliques

48.38% boundari grain grain.boundaries nanocrystallin phase microstructur disloc
46.75% boundari grain grain.boundaries nanocrystallin phase cu disloc
46.17% boundari grain grain.boundaries segreg phase sigma cu
48.90% boundari grain grain.boundaries segreg nanocrystallin phase microstructur
47.27% boundari grain grain.boundaries segreg nanocrystallin phase cu
47.60% boundari grain grain.boundaries diffus segreg nanocrystallin microstructur
45.97% boundari grain grain.boundaries diffus segreg nanocrystallin cu
50.19% boundari grain grain.boundary nanocrystallin phase microstructur disloc
48.57% boundari grain grain.boundary nanocrystallin phase cu disloc
50.30% boundari grain grain.boundary bicryst cu disloc
47.99% boundari grain grain.boundary segreg phase sigma cu
41.14% boundari grain grain.boundary segreg nanocrystallin cu fractur intergranular
45.34% boundari grain grain.boundary segreg nanocrystallin phase microstructur intergranular
43.92% boundari grain grain.boundary segreg nanocrystallin phase cu intergranular
40.23% boundari grain grain.boundary segreg bicryst cu fractur intergranular
45.06% boundari grain grain.boundary segreg bicryst sigma cu
44.20% boundari grain grain.boundary diffus segreg nanocrystallin microstructur intergranular
42.78% boundari grain grain.boundary diffus segreg nanocrystallin cu intergranular

Sample Cluster Record Titles

[Dislocation-grain boundary interactions in martensitic steel observed through in situ nanoindentation in a transmission electron microscope](#)

[Numerical and experimental analysis of Cu diffusion in plasma-treated tungsten barrier](#)

[Local properties of grain boundaries in semiconducting ceramics](#)

[Temperature dependence of oxygen ion transport in Sr plus Mg-substituted LaGaO₃ \(LSGM\) with varying grain sizes](#)

[Application of magnetic field to the control of grain boundary segregation in iron](#)

[Toughening of brittle materials by grain boundary engineering](#)

[Does nanocrystalline Cu deform by Coble creep near room temperature?](#)

[Nanoscale waviness of low-angle grain boundaries](#)

[The control of grain boundary segregation and segregation-induced brittleness in iron by the application of a magnetic field](#)

Cluster Metrics

Authors

yamamoto, t 11
ikuhara, y 10
watanabe, t 9
tsurekawa, s 9
matsunaga, k 6
tsuzaki, k 4
straumal, bb 4
shibata, n 4
ohmura, t 4
zhang, j 3
yoshida, h 3
wu, js 3
west, gd 3
suzuki, t 3
soer, wa 3

Sources

acta materialia 17
journal of materials science 15
applied physics letters 10
materials science and engineering a-structural materials properties microstructure and processing 8
zeitschrift fur metallkunde 7
journal of applied physics 7

reviews on advanced materials science 6
pricm 5: the fifth pacific rim international conference on advanced materials and
processing, pts 1-5 6
physical review b 6
scripta materialia 5
diffusion in materials: dimat 2004, pt 1 and 2 5
solid state ionics 4
philosophical magazine 4
journal of the electrochemical society 4
journal of materials research 4

Keywords

materials science, multidisciplinary 86
engineering 33
metallurgy & metallurgical 32
physics, applied 24
growth 22
metallurgy & metallurgical engineering 21
segregation 21
microstructure 17
grain boundary 16
diffusion 16
alloys 14
chemistry, physical 13
thin-films 13
metals 13
materials science, ceramics 12

Publication Year

2005 186
2004 30
2006 3
2003 1

Country

japan 52
usa 48
germany 31
peoples r china 22
france 21
russia 17
england 16
south korea 8
taiwan 7
netherlands 7
australia 6

sweden 5
singapore 5
switzerland 4
spain 4

Institution

univ tokyo 14
russian acad sci 13
tohoku univ 11
natl inst mat sci 11
max planck inst met res 7
cnrs 7
chinese acad sci 7
univ calif berkeley 5
kyoto univ 5
univ gottingen 4
oak ridge natl lab 4
nanyang technol univ 4
chalmers univ technol 4
warsaw univ technol 3
univ warwick 3

DataBase

science citation index 220

- **CLUSTER 166**

Effects of and influences on grain size, emphasizing grain growth, texture characterization, and effect of annealing (283 Records)

(Countries: USA, China, followed by Japan, Germany. Institutions: CAS, RAS, CNR. USA include UCD, UCB.)

Cluster Syntax Features

Descriptive Terms

grain 53.8%, grain.size 7.2%, size 3.3%, nanocrystallin 2.8%, grain.growth 1.9%, microstructur 1.1%, growth 1.0%, grain.sizes 0.6%, textur 0.5%, boundari 0.5%, sampl

0.3%, phase 0.3%, temperatur 0.3%, anneal 0.3%, materi 0.3%

Discriminating Terms

grain 39.2%, grain.size 5.3%, film 1.7%, nanocrystallin 1.6%, grain.growth 1.5%, size 0.9%, carbon 0.7%, nanoparticl 0.7%, nanotub 0.6%, surfac 0.6%, quantum 0.5%, grain.sizes 0.5%, polym 0.4%, structur 0.4%, microstructur 0.4%

Single Word Terms

grain 279, size 198, electron 108, temperatur 104, high 103, nanocrystallin 88, growth 87, microstructur 86, mechan 81, structur 78, phase 78, properti 77, boundari 75, microscopi 72, materi 70

Double Word Terms

grain.size 149, electron.microscopy 64, transmission.electron 57, grain.growth 49, grain.sizes 49, ray.diffraction 44, grain.boundaries 42, scanning.electron 37, average.grain 28, room.temperature 26, grain.boundary 26, mechanical.properties 19, size.distribution 18, coarse.grained 18, high.resolution 18

Triple Word Terms

transmission.electron.microscopy 44, scanning.electron.microscopy 29, average.grain.size 22, grain.size.distribution 18, electron.microscopy.tem 14, size.grain.size 11, grain.size.grain 11, reduction.grain.size 10, ray.diffraction.xrd 10, transmission.electron.microscope 8, electron.microscopy.sem 8, sem.transmission.electron 8, atomic.force.microscopy 6, temperature.grain.size 6, abnormal.grain.growth 6

Term Cliques

37.76% grain microstructur growth boundari sampl temperatur anneal
39.17% grain microstructur growth boundari sampl phase temperatur
38.26% grain grain.growth microstructur growth boundari phase temperatur
33.57% grain grain.growth microstructur growth textur boundari temperatur anneal
41.22% grain nanocrystallin growth boundari sampl temperatur
40.16% grain nanocrystallin grain.growth growth boundari temperatur
46.79% grain grain.size size grain.sizes phase temperatur materi
45.23% grain grain.size size grain.sizes sampl temperatur anneal
46.64% grain grain.size size grain.sizes sampl phase temperatur
45.89% grain grain.size size microstructur boundari phase temperatur materi
44.52% grain grain.size size microstructur boundari sampl temperatur anneal
45.76% grain grain.size size microstructur boundari sampl phase temperatur
48.61% grain grain.size size nanocrystallin boundari temperatur materi
48.46% grain grain.size size nanocrystallin boundari sampl temperatur
47.30% grain grain.size size nanocrystallin grain.sizes temperatur materi
47.15% grain grain.size size nanocrystallin grain.sizes sampl temperatur

Sample Cluster Record Titles

[Interface intermixing and in-plane grain size in aluminum transition-metal bilayers](#)

[The influence of time, temperature, and grain size on indentation creep in high-purity nanocrystalline and ultrafine grain copper](#)

[Effect of nanocrystalline grain size on the electrochemical and corrosion behavior of nickel](#)

[Formation of Mg₂Ni nanofibres in a Mg-based metal matrix composite](#)

[Grain size dependence of optical properties and positron annihilation parameters in Bi₂O₃ powder](#)

[The effect of prepared parameters on the microstructure of electrodeposited nanocrystalline nickel coating](#)

[Radon emanation dependence on grain configuration](#)

[Grain structure of thin electrodeposited and rolled copper foils](#)

[Crystal grain growth at the alpha-uranium phase transformation in praseodymium](#)

Cluster Metrics

Authors

ramasamy, s 5

gao, rw 5

feng, wc 5

zhang, jx 4

thangadurai, p 4

song, xy 4

mazzone, am 4

li, w 4

kaito, c 4

yang, ky 3

suzuki, h 3

schoenung, jm 3

sato, t 3

lavernia, ej 3

kurzydowski, kj 3

Sources

journal of applied physics 10
 materials science and engineering a-structural materials properties microstructure and processing 9
 journal of materials science 9
 acta materialia 9
 thin solid films 8
 bulk and graded nanometals 8
 journal of the american ceramic society 7
 applied physics letters 7
 scripta materialia 6
 journal of magnetism and magnetic materials 6
 pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 5
 metallurgical and materials transactions a-physical metallurgy and materials science 5
 ieee transactions on magnetics 5
 applied physics a-materials science & processing 5
 zeitschrift fur metallkunde 4

Keywords

materials science, multidisciplinary 98
 engineering 36
 metallurgy & metallurgical 36
 microstructure 32
 physics, applied 30
 physics, applied 25
 growth 21
 behavior 20
 materials science, ceramics 18
 grain growth 15
 physics, condensed matter 14
 nickel 14
 films 14
 deformation 14
 alloys 14

Publication Year

2005 238
 2004 36
 2006 9

Country

usa 68
 peoples r china 53
 japan 36
 germany 29
 south korea 19

france 17
russia 16
india 14
england 14
poland 10
italy 10
taiwan 7
israel 7
spain 6
canada 6

Institution

chinese acad sci 11
russian acad sci 8
cnr 7
warsaw univ technol 6
univ calif davis 6
shandong univ 6
korea adv inst sci & technol 6
univ saarland 5
univ madras 5
univ calif berkeley 5
technion israel inst technol 5
ritsumeikan univ 5
univ new s wales 4
univ cambridge 4
seoul natl univ 4

DataBase

science citation index 283

CATEGORY 5 - 508B1a (9 leaf clusters)

Properties of Thin Films (2251 REC)

THRUST

()

- Thin films and processes related to film thickness, including dewetting, deposition, and growth (411 Records) Cluster 225
- Films, focusing on polymer and polyimide films, mechanical and optical properties (such as the refractive index), effects of irradiation, and conductivity (558 Records) Cluster 251
- Properties and fabrication by deposition of multilayer films, especially Langmuir, Blodgett, Langmuir-Blodgett, and polyelectrolyte films (231 Records) Cluster 200
- Preparation, characterization, and applications of layered double hydroxides (LDHs) (47 Records) Cluster 8
- YBCO ($\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$) films, emphasizing YBCO conductors and growth of buffer layers, especially CeO_2 (59 Records) Cluster 16
- Indium tin oxide (ITO) thin films, focusing on transparency, transmittance, and resistivity of ITO films (95 Records) Cluster 33
- Oxide (especially WO_3 and SnO_2) films, emphasizing formation of anodic films, use as gas sensors, and electrochemical applications (238 Records) Cluster 209
- Preparation of films by magnetron sputtering, especially titanium (Ti), titanium nitride (TiN), and aluminium nitride (AlN) films (230 Records) Cluster 172
- Growth and characterization of films, focusing on effects of annealing, deposition, and copper, silicon, and gallium nitride films (382 Records) Cluster 231

• CLUSTER 225

Thin films and processes related to film thickness, including dewetting, deposition, and growth (411 Records)

(Countries: USA dominant, followed by China, Japan, Germany.

Institutions: CAS, University of Illinois, Tsing Hua University. Other USA include UCB, University of Texas, ORNL.)

Cluster Syntax Features

Descriptive Terms

film 37.9%, thick 14.2%, film.thickness 5.9%, substrat 2.5%, surfac 1.5%, thin 1.1%, ultrathin 0.8%, interfac 0.5%, metal 0.5%, dewet 0.5%, layer 0.5%, lubric 0.5%, deposit 0.5%, silver 0.4%, growth 0.4%

Discriminating Terms

film 23.0%, thick 12.1%, film.thickness 6.2%, substrat 0.9%, nanotub 0.8%, magnet 0.8%, carbon 0.8%, nanoparticl 0.8%, ultrathin 0.7%, particl 0.7%, dewet 0.6%, structur 0.5%, quantum 0.5%, oxid 0.5%, dot 0.5%

Single Word Terms

film 408, thick 342, surfac 231, substrat 204, thin 195, deposit 125, structur 122, temperatur 120, microscopi 110, layer 108, measur 107, properti 103, atom 96, electron 95, forc 94

Double Word Terms

film.thickness 196, thin.films 83, atomic.force 71, force.microscopy 64, films.thickness 47, thin.film 47, electron.microscopy 41, ray.diffraction 32, thick.films 30, film.substrate 29, film.surface 27, films.grown 27, thick.film 25, microscopy.afm 24, film.thicknesses 24

Triple Word Terms

atomic.force.microscopy 59, force.microscopy.afm 24, transmission.electron.microscopy 20, scanning.electron.microscopy 16, surface.plasmon.resonance 15, films.film.thickness 12, ray.photoelectron.spectroscopy 11, surface.raman.scattering 11, glass.transition.temperature 11, film.thickness.film 10, poly.methyl.methacrylate 9, function.film.thickness 9, atomic.force.microscope 9, van.der.waals 9, electron.microscopy.tem 8

Term Cliques

42.38% film surfac metal deposit silver

43.67% film surfac ultrathin lubric

33.40% film surfac ultrathin interfac metal dewet growth

34.41% film surfac ultrathin interfac metal dewet layer

41.68% film surfac thin interfac metal deposit growth
 42.68% film surfac thin interfac metal layer deposit
 38.06% film surfac thin interfac metal dewet growth
 39.07% film surfac thin interfac metal dewet layer
 37.37% film film.thickness surfac ultrathin interfac dewet growth
 46.14% film film.thickness substrat surfac thin interfac deposit growth
 42.97% film film.thickness substrat surfac thin interfac dewet growth
 43.98% film thick film.thickness surfac ultrathin interfac dewet layer
 51.04% film thick film.thickness substrat surfac thin interfac layer deposit
 48.23% film thick film.thickness substrat surfac thin interfac dewet layer

Sample Cluster Record Titles

[Stimulated processes of production of silver nanoparticles in GeO₂-Ag⁺ films](#)

[Thickness dependent valence fluctuation of CeN film](#)

[Surface enhanced Raman spectroscopy for adsorption studies on semiconductor nanostructured films](#)

[Investigation of the mechanical properties of thin films by nanoindentation, considering the effects of thickness and different coating-substrate combinations](#)

[Analyses of monophase film thickness by energy dispersion X-ray diffraction - Application to nitridation](#)

[Quantitative analysis of electrodeposited tin film morphologies by atomic force microscopy](#)

[Optical response in nanostructured thin metal films with dielectric over-layers](#)

[A rapid approach to reproducible, atomically flat gold films on mica](#)

[The control of thin film morphology by the interplay of dewetting, phase separation and microphase separation](#)

Cluster Metrics

Authors

li, y 5

chiang, tc 4

zhang, zy 3

zhang, y 3

wang, j 3

vogt, bd 3

tanaka, h 3
stamm, m 3
soles, cl 3
rao, cnr 3
mckenzie, dr 3
lin, ek 3
lee, hj 3
lakowicz, jr 3
kasrai, m 3

Sources

physical review b 27
thin solid films 23
applied physics letters 16
langmuir 15
journal of applied physics 12
surface science 11
applied surface science 11
polymer 9
nanotechnology 6
macromolecules 6
applied physics a-materials science & processing 6
applied optics 6
acta materialia 6
technical physics letters 5
surface & coatings technology 5

Keywords

materials science, multidisciplinary 68
chemistry, physical 59
physics, applied 56
physics, applied 52
physics, condensed matter 43
thin-films 40
physics, 40
growth 35
condensed matter 26
physics, condensed matter 26
polymer science 25
thin-films 22
engineering, electrical & electronic 22
surfaces 22
surface 21

Publication Year

2005 359

2004 45

2006 7

Country

usa 112

peoples r china 55

japan 54

germany 46

south korea 20

france 19

russia 15

india 14

canada 14

england 13

singapore 10

italy 9

ukraine 8

spain 8

taiwan 7

Institution

chinese acad sci 13

univ illinois 8

tsing hua univ 7

univ tokyo 6

univ calif berkeley 6

seoul natl univ 6

russian acad sci 6

natl inst stand & technol 6

natl acad sci ukraine 6

tokyo inst technol 5

csic 5

city univ hong kong 5

univ texas 4

oak ridge natl lab 4

natl univ singapore 4

DataBase

science citation index 411

• CLUSTER 251

Films, focusing on polymer and polyimide films, mechanical and optical properties (such as the refractive index), effects of irradiation, and conductivity (558 Records)

(Countries: USA, China, Japan. Institutions: CAS, Tohoku University, Tsing Hua University, Tokyo Institute of Technology. USA includes University of Illinois.)

Cluster Syntax Features

Descriptive Terms

film 50.5%, polym 1.4%, surfac 1.2%, optic 1.0%, irradi 0.8%, properti 0.6%, coat 0.6%, polyimid 0.5%, conduct 0.4%, silica 0.4%, laser 0.4%, forc 0.3%, layer 0.3%, light 0.3%, thin 0.3%

Discriminating Terms

film 39.9%, magnet 1.1%, carbon 0.9%, nanotub 0.9%, particl 0.8%, quantum 0.7%, dot 0.5%, nanoparticl 0.5%, cell 0.5%, polyimid 0.5%, crystal 0.5%, irradi 0.4%, oxid 0.4%, structur 0.4%, singl 0.4%

Single Word Terms

film 558, surfac 239, properti 214, structur 198, microscopi 166, electron 150, high 145, thin 144, polym 142, optic 135, temperatur 133, measur 124, solut 117, thick 116, atom 115

Double Word Terms

atomic.force 99, force.microscopy 91, thin.films 74, electron.microscopy 73, scanning.electron 63, film.surface 45, ray.diffraction 42, microscopy.afm 39, mechanical.properties 39, optical.properties 37, polymer.film 37, polymer.films 35, refractive.index 35, spin.coating 34, sol.gel 30

Triple Word Terms

atomic.force.microscopy 88, scanning.electron.microscopy 48, force.microscopy.afm 39, transmission.electron.microscopy 24, fourier.transform.infrared 23, ray.photoelectron.spectroscopy 18, low.dielectric.constant 14, differential.scanning.calorimetry 14, angle.ray.scattering 13, electron.microscopy.tem 12,

transform.infrared.spectroscopy 12, atomic.force.microscope 12, small.angle.ray 11, scanning.electron.microscope 11, photoelectron.spectroscopy.xps 11

Term Cliques

32.51% film irradi laser light thin
34.70% film optic laser light thin
32.83% film optic coat silica forc thin
34.92% film optic properti coat silica forc
37.43% film surfac coat forc layer thin
35.93% film surfac coat silica forc thin
36.41% film surfac coat conduct forc thin
39.52% film surfac properti coat forc layer
38.02% film surfac properti coat silica forc
38.50% film surfac properti coat conduct forc
45.47% film surfac irradi thin
32.44% film polym polyimid layer light
33.51% film polym coat conduct forc thin
37.24% film polym properti polyimid layer
35.60% film polym properti coat conduct forc
35.77% film polym irradi light thin
32.28% film polym optic coat layer light thin
33.05% film polym optic coat forc layer thin
34.84% film polym optic properti coat forc layer

Sample Cluster Record Titles

[Refractive index of doped polymers modified by electrical field](#)

[Dielectric properties of doped polymethylmethacrylate](#)

[Engineering the chemistry and nanostructure of porous Silicon Fabry-Perot films for loading and release of a steroid](#)

[Modelling irradiation induced glass transition in thin films](#)

[Silica-based photorefractive sol-gel films for holography](#)

[Micromorphology and conductivity of the vacuum-deposited polyaniline films](#)

[Dielectric and dynamic mechanical properties of polyimide-clay nanocomposite films](#)

[Self-organization of isotropic droplets in smectic-C free-standing films](#)

[Temperature sensors based on nanostructured PbS films](#)

Cluster Metrics

Authors

yang, sy 6
wu, jt 6
uehara, y 6
zhang, yh 5
zhang, l 5
ushioda, s 5
usami, k 5
stumpe, j 5
sakamoto, k 5
kim, jh 5
fu, sy 5
xu, y 4
wu, d 4
sun, tl 4
park, sm 4

Sources

thin solid films 26
journal of physical chemistry b 22
langmuir 21
macromolecules 19
synthetic metals 14
chemistry of materials 13
applied surface science 12
applied physics letters 12
polymer 10
molecular crystals and liquid crystals 10
journal of non-crystalline solids 10
journal of applied physics 9
japanese journal of applied physics part 1-regular papers short notes & review papers 9
japanese journal of applied physics part 1-regular papers brief communications & review papers 9
sensors and actuators b-chemical 8

Keywords

chemistry, physical 100
materials science, multidisciplinary 94
polymer science 79
thin-films 54
physics, applied 53
physics, applied 53
materials science, multidisciplinary 47

physics, 45
physics, condensed matter 37
polymers 33
films 33
thin-films 32
chemistry, multidisciplinary 29
morphology 27
condensed matter 26

Publication Year

2005 486
2004 62
2006 10

Country

usa 105
peoples r china 104
japan 91
south korea 42
germany 41
italy 23
france 20
england 19
taiwan 15
russia 12
netherlands 12
australia 12
singapore 11
canada 11
india 10

Institution

chinese acad sci 37
tohoku univ 9
tsing hua univ 8
tokyo inst technol 8
natl tsing hua univ 7
natl inst adv ind sci & technol 7
cnr 7
city univ hong kong 7
yonsei univ 6
univ illinois 6
riken 6
pohang univ sci & technol 6
osaka univ 6
natl inst mat sci 6

- **CLUSTER 200**

Properties and fabrication by deposition of multilayer films, especially Langmuir-Blodgett, and polyelectrolyte films (231 Records)

(Countries: China, USA, Japan. Institutions: CAS, NE Normal University, Kyoto University. USA includes UCB.).

Cluster Syntax Features

Descriptive Terms

film 24.2%, multilay 9.0%, layer 4.8%, langmuir 3.4%, multilayer.films 3.3%, blodgett 3.0%, langmuir.blodgett 2.8%, monolay 1.9%, layer.layer 1.8%, assembl 1.8%, blodgett.films 1.5%, langmuir.blodgett.films 1.4%, polyelectrolyt 0.8%, self 0.8%, deposit 0.6%

Discriminating Terms

film 10.1%, multilay 7.3%, multilayer.films 3.0%, langmuir 3.0%, blodgett 2.8%, langmuir.blodgett 2.6%, layer.layer 1.6%, layer 1.5%, blodgett.films 1.4%, langmuir.blodgett.films 1.3%, monolay 1.1%, magnet 0.8%, nanotub 0.8%, particl 0.8%, carbon 0.7%

Single Word Terms

film 231, layer 150, multilay 113, surfac 110, assembl 98, substrat 94, deposit 94, structur 89, microscopi 82, forc 77, self 75, atom 74, fabric 70, langmuir 69, thick 67

Double Word Terms

layer.layer 75, atomic.force 70, langmuir.blodgett 65, force.microscopy 64, multilayer.films 58, self.assembled 41, blodgett.films 39, microscopy.afm 36,

self.assembly 33, thin.films 26, layer.lbl 22, multilayer.film 22, films.deposited 20, ray.diffraction 20, film.thickness 20

Triple Word Terms

atomic.force.microscopy 62, langmuir.blodgett.films 39, force.microscopy.afm 36, layer.layer.lbl 22, layer.layer.self 18, layer.self.assembly 16, air.water.interface 15, films.layer.layer 14, surface.pressure.area 12, layer.layer.assembly 12, electrostatic.layer.layer 11, scanning.electron.microscopy 11, self.assembled.monolayers 11, fourier.transform.infrared 10, layer.layer.deposition 10

Term Cliques

48.66% film monolay assembl self deposit
42.50% film langmuir blodgett langmuir.blodgett monolay deposit
35.44% film langmuir blodgett langmuir.blodgett monolay blodgett.films
langmuir.blodgett.films
44.64% film multilay layer multilayer.films layer.layer assembl polyelectrolyt self deposit

Sample Cluster Record Titles

[Investigation of ITO surface modified by NPB and arachidic acid LB films](#)

[Langmuir-Blodgett film fabricated with soluble imidized polyimide](#)

[Structural properties of sputter-deposited CN_x/TiN multilayer films](#)

[Molecular-level control of the photoluminescence from PPV nanostructured films](#)

[Alkoxysulfonate-functionalized PEDOT polyelectrolyte multilayer films: Electrochromic and hole transport materials](#)

[A new Co\(II\)-metalloviologen-based electrochromic material integrated in thin multilayer films](#)

[Electrochemistry of cytochrome c incorporated in Langmuir-Blodgett films of Nafion \(R\) and Eastman AQ 55 \(R\)](#)

[Integrated circuits protection with the Langmuir-Blodgett films](#)

[Polar properties of Langmuir-Blodgett films of copper phthalocyanines](#)

Cluster Metrics

Authors

oliveira, on 9

xu, l 6

song, yl 5

jiang, l 5

ito, s 5

wang, eb 4

ohkita, h 4

li, yl 4

knoll, w 4

fushimi, t 4

aroca, rf 4

zucolotto, v 3

yang, y 3

wang, zq 3

wang, wj 3

Sources

langmuir 30

thin solid films 17

journal of physical chemistry b 17

colloids and surfaces a-physicochemical and engineering aspects 14

journal of colloid and interface science 6

journal of the american chemical society 5

chemistry of materials 5

chemical journal of chinese universities-chinese 5

synthetic metals 4

japanese journal of applied physics part 1-regular papers brief communications & review papers 4

chemical communications 4

biomacromolecules 4

applied surface science 4

surface science 3

journal of nanoscience and nanotechnology 3

Keywords

chemistry, physical 92

materials science, multidisciplinary 35

thin-films 27

monolayers 24

chemistry, multidisciplinary 23

physics, 23

films 23

surface 22

physics, applied 21
adsorption 21
surfaces 19
condensed matter 17
spectroscopy 16
polymer science 15
materials science, multidisciplinary 15

Publication Year

2005 213
2004 18

Country

peoples r china 55
usa 47
japan 45
germany 23
brazil 11
france 9
canada 8
south korea 7
israel 7
taiwan 6
singapore 6
italy 6
india 5
england 5
hungary 4

Institution

chinese acad sci 21
ne normal univ 9
kyoto univ 9
univ sao paulo 6
natl univ singapore 6
max planck inst polymer res 6
zhejiang univ 4
univ windsor 4
univ calif berkeley 4
natl inst adv ind sci & technol 4
jilin univ 4
japan sci & technol agcy 4
harbin inst technol 4
ben gurion univ negev 4
acad sinica 4

• CLUSTER 8

Preparation, characterization, and applications of layered double hydroxides (LDHs) (47 Records)

(Countries: China, Brazil. Institutions: Beijing University of Chemical Technology.).

Cluster Syntax Features

Descriptive Terms

ldh 32.2%, layered.double 9.8%, hydroxid 8.7%, double.hydroxides 5.1%, layered.double.hydroxides 4.7%, doubl 3.6%, intercal 3.6%, layer 2.4%, double.hydroxide 2.1%, anion 1.9%, layered.double.hydroxide 1.3%, mg 0.7%, smear.layer 0.7%, smear 0.6%, double.hydroxides.ldhs 0.6%

Discriminating Terms

ldh 19.7%, layered.double 6.0%, hydroxid 5.1%, double.hydroxides 3.1%, layered.double.hydroxides 2.9%, intercal 1.9%, film 1.8%, doubl 1.7%, double.hydroxide

1.3%, anion 0.9%, layered.double.hydroxide 0.8%, nanoparticl 0.6%, surfac 0.5%, nanotub 0.5%, carbon 0.5%

Single Word Terms

layer 46, hydroxid 41, doubl 38, ldh 36, rai 30, anion 26, diffract 24, structur 24, intercal 21, spectroscopi 19, surfac 18, powder 17, materi 16, thermal 15, xrd 15

Double Word Terms

layered.double 36, double.hydroxides 29, ray.diffraction 22, double.hydroxide 21, powder.ray 15, hydroxides.ldhs 12, hydroxide.ldh 11, infrared.spectroscopy 9, fourier.transform 8, transform.infrared 8, scanning.electron 6, anion.exchange 6, diffraction.fourier 5, thermal.decomposition 5, ion.exchange 5

Triple Word Terms

layered.double.hydroxides 28, layered.double.hydroxide 19, powder.ray.diffraction 13, double.hydroxides.ldhs 12, double.hydroxide.ldh 11, fourier.transform.infrared 8, transform.infrared.spectroscopy 7, diffraction.fourier.transform 5, ray.diffraction.fourier 5, ray.photoelectron.spectroscopy 4, aluminum.layered.double 4, photoelectron.spectroscopy.xps 4, double.hydroxides.ldh 3, mg.layered.double 3, ray.diffraction.infrared 3

Term Cliques

38.30% layer smear.layer smear
64.89% ldh layered.double hydroxid double.hydroxides doubl layer double.hydroxide anion layered.double.hydroxide mg
66.60% ldh layered.double hydroxid double.hydroxides doubl intercal layer double.hydroxide anion layered.double.hydroxide
64.89% ldh layered.double hydroxid double.hydroxides layered.double.hydroxides doubl layer anion mg double.hydroxides.ldhs
66.38% ldh layered.double hydroxid double.hydroxides layered.double.hydroxides doubl layer anion layered.double.hydroxide mg
66.60% ldh layered.double hydroxid double.hydroxides layered.double.hydroxides doubl intercal layer anion double.hydroxides.ldhs
68.09% ldh layered.double hydroxid double.hydroxides layered.double.hydroxides doubl intercal layer anion layered.double.hydroxide

Sample Cluster Record Titles

[Synthesis of layered double hydroxides in an emulsion solution](#)

[Cationic ordering and second-staging structures in copper-chromium and zinc-chromium layered double hydroxides](#)

[Zn-Al layered double hydroxide pillared by different dicarboxylate anions](#)

[Delamination of layered double hydroxides in water](#)

[In situ FT-IR, in situ HT-XRD and TPDE study of thermal decomposition of sulfated beta-cyclodextrin intercalated in layered double hydroxides](#)

[Study on fire-retardant nanocrystalline Mg-Al layered double hydroxides synthesized by microwave-crystallization method](#)

[Intercalation and functionalization of zinc hydroxide nitrate with mono- and dicarboxylic acids](#)

[Preferential intercalation of pyridinedicarboxylates into layered double hydroxides](#)

[Hydrothermal synthesis of layered double hydroxides \(LDHs\) from mixed MgO and Al₂O₃: LDH formation mechanism](#)

Cluster Metrics

Authors

evans, dg 8
duan, x 8
wypych, f 3
wei, m 3
rives, v 3
li, sp 3
chen, hy 3
zhao, g 2
yang, qz 2
xu, jj 2
tagaya, h 2
sampaio, jec 2
saber, o 2
nakagaki, s 2
martin, c 2

Sources

journal of colloid and interface science 5
journal of solid state chemistry 4
journal of materials chemistry 3
materials research bulletin 2
colloids and surfaces a-physicochemical and engineering aspects 2
chinese journal of chemistry 2
water research 1
solid state sciences 1

science in china series b-chemistry 1
russian journal of general chemistry 1
reviews on advanced materials science 1
quintessence international 1
progress in organic coatings 1
polymer degradation and stability 1
microporous and mesoporous materials 1

Keywords

chemistry, physical 15
intercalation 15
layered double hydroxides 10
hydrotalcite 8
chemistry, multidisciplinary 7
hydrotalcite-like compounds 6
hydrotalcite 6
chemistry, inorganic & nuclear 6
chemistry, physical 6
materials science, multidisciplinary 5
layered double hydroxide 5
layered double hydroxide 4
dentistry, oral surgery & medicine 4
materials science, multidisciplinary 4
layered double hydroxides 4

Publication Year

2005 40
2004 6
2006 1

Country

peoples r china 16
brazil 9
spain 4
japan 4
france 4
india 3
usa 2
south korea 2
portugal 2
germany 2
argentina 2
russia 1
norway 1
morocco 1
malaysia 1

Institution

beijing univ chem technol 6
chinese acad sci 4
univ salamanca 3
univ fed parana 3
univ clermont ferrand 3
nanjing univ 3
yamagata univ 2
univ sao paulo 2
univ aveiro 2
unesp 2
beijing inst chem technol 2
usn 1
univ szeged 1
univ queensland 1
univ putra malaysia 1

DataBase

science citation index 47

• CLUSTER 16

YBCO (YBa₂Cu₃O_{7-x}) films, emphasizing YBCO conductors and growth of buffer layers, especially CeO₂ (59 Records)

(Countries: Japan, China, USA. Institutions: National Institute of Advanced Industrial S&T, ISTECH. USA include USAF, ORNL, ANL, University of Houston, University of Dayton.).

Cluster Syntax Features

Descriptive Terms

ybcu 36.0%, ybcu.films 6.4%, film 6.0%, buffer 3.4%, ceo2 2.6%, yba2cu3o7 2.0%,

substrat 1.4%, deposit 1.2%, ybco.film 1.2%, critical.current 1.2%, layer 1.0%, critic 0.9%, mod 0.9%, conductor 0.9%, superconduct 0.8%

Discriminating Terms

ybco 23.9%, ybco.films 4.3%, buffer 1.9%, ceo2 1.6%, yba2cu3o7 1.3%, ybco.film 0.8%, critical.current 0.8%, particl 0.6%, nanoparticl 0.6%, surfac 0.6%, mod 0.6%, carbon 0.6%, structur 0.5%, nanotub 0.5%, conductor 0.5%

Single Word Terms

film 59, deposit 49, substrat 47, ybco 46, critic 33, layer 33, current 32, densiti 30, thick 30, high 30, buffer 29, temperatur 29, yba2cu3o7 26, surfac 25, puls 24

Double Word Terms

ybco.films 34, critical.current 28, pulsed.laser 22, current.density 21, laser.deposition 20, ybco.film 17, ray.diffraction 17, buffer.layer 16, ybco.coated 15, coated.conductors 15, buffer.layers 15, electron.microscopy 13, films.deposited 12, film.thickness 11, yba2cu3o7.ybco 11

Triple Word Terms

critical.current.density 20, pulsed.laser.deposition 20, ybco.coated.conductors 12, ybco.films.deposited 8, ceo2.buffer.layer 7, transmission.electron.microscopy 7, ybco.thin.films 7, atomic.force.microscopy 7, yba2cu3o7.delta.ybco 7, ceo2.buffer.layers 6, laser.deposition.pld 6, scanning.electron.microscopy 6, delta.ybco.films 6, ybco.films.grown 5, high.critical.current 5

Term Cliques

58.64% film deposit layer mod superconduct
62.43% film deposit critical.current layer critic superconduct
53.22% film deposit ybco.film mod superconduct
57.20% film buffer ceo2 substrat deposit layer mod conductor
53.81% film buffer ceo2 substrat deposit ybco.film mod conductor
58.31% film buffer ceo2 yba2cu3o7 substrat deposit critical.current layer critic conductor
57.87% ybco.films film deposit ybco.film critical.current critic superconduct
58.86% ybco ybco.films film buffer ceo2 substrat deposit ybco.film critical.current critic conductor
60.25% ybco ybco.films film buffer ceo2 yba2cu3o7 substrat deposit critical.current critic conductor

Sample Cluster Record Titles

[Microstructural studies of YB2Cu3O7-delta/Nd2CuO4/YB2CU3O7-delta Josephson junctions with a Nd2CuO4 buffer layer grown on YSZ substrate](#)

[Evaluation of the lattice matching effect on critical current density for surface coated](#)

[YbBa₂Cu₃O₇](#)

[The effect of Ag diffusion on properties of YBa₂Cu₃O_{7-x} thin films produced by electron beam deposition techniques](#)

[YBCO superconducting film coated on LaAlO₃ substrate by TFA-MOD process](#)

[Microcrack-free epitaxy of thick YBa₂Cu₃O_{7-delta} films on vicinal r-cut sapphire buffered with CeO₂](#)

[Magnetic relaxation and flux pinning in YBCO films prepared by PLD from a nanocrystalline target](#)

[Thickness dependence of J\(c\) for YBCO thin films prepared by large-area pulsed laser deposition on CeO₂-buffered sapphire substrates](#)

[Growth of epitaxial Y₂O₃ buffer layers on biaxially textured Ni-W substrates for YBCO coated conductors by MOD approach](#)

[Fast growth process of long-length YBCO coated conductor with high critical current density](#)

Cluster Metrics

Authors

yamada, y 5

shiohara, y 5

yamasaki, h 4

watanabe, t 4

nie, jc 4

nakagawa, y 4

izumi, t 4

develos-bagarinao, k 4

barnes, pn 4

yamaguchi, i 3

yajima, a 3

tsukada, k 3

teranishi, r 3

sohma, m 3

obara, h 3

Sources

ieee transactions on applied superconductivity 15

physica c-superconductivity and its applications 13

superconductor science & technology 6

applied physics letters 4
journal of superconductivity 3
thin solid films 2
pricm 5: the fifth pacific rim international conference on advanced materials and
processing, pts 1-5 2
japanese journal of applied physics part 1-regular papers brief communications & review
papers 2
rare metals 1
journal of the korean physical society 1
journal of the american ceramic society 1
journal of rare earths 1
journal of materials research 1
journal of electron spectroscopy and related phenomena 1
journal of crystal growth 1

Keywords

physics, applied 28
physics, applied 17
engineering, electrical & electronic 16
thin-films 10
physics, condensed matter 9
ybco 8
tapes 8
deposition 8
critical-current density 7
films 7
growth 6
fabrication 6
ybco films 5
ybco film 5
yba₂cu₃o₇ 5

Publication Year

2005 57
2004 2

Country

japan 20
peoples r china 14
usa 13
south korea 6
italy 4
turkey 2
germany 2
finland 2
taiwan 1

russia 1
romania 1
lithuania 1
israel 1
canada 1

Institution

natl inst adv ind sci & technol 7
istec 7
chinese acad sci 4
beijing normal univ 4
usaf 3
oak ridge natl lab 3
argonne natl lab 3
univ houston 2
univ hong kong 2
univ elect sci & technol china 2
univ dayton 2
panzhihua univ 2
natl inst mat sci 2
korea atom energy res inst 2
japan fine ceram ctr 2

DataBase

science citation index 59

• CLUSTER 33

Indium tin oxide (ITO) thin films, focusing on transparency, transmittance, and resistivity of ITO films (95 Records)

(Countries: Japan, China, USA, Taiwan, South Korea. Institutions: University of Hong Kong, Osaka University).

Cluster Syntax Features

Descriptive Terms

ito 32.1%, indium 5.8%, tin.oxide 5.0%, indium.tin.oxide 4.7%, film 4.6%, indium.tin 4.6%, tin 4.4%, ito.films 2.9%, oxide.ito 2.0%, oxid 1.6%, tin.oxide.ito 1.6%, transpar 0.9%, transmitt 0.8%, resist 0.7%, deposit 0.7%

Discriminating Terms

ito 22.2%, indium 3.8%, tin.oxide 3.3%, indium.tin.oxide 3.2%, indium.tin 3.2%, tin 2.6%, ito.films 2.0%, oxide.ito 1.4%, tin.oxide.ito 1.1%, carbon 0.6%, particl 0.6%, magnet 0.6%, nanotub 0.6%, structur 0.6%, nanoparticl 0.5%

Single Word Terms

oxid 83, film 81, indium 79, ito 76, tin 73, deposit 54, properti 53, optic 45, substrat 44, resist 40, structur 35, surfac 33, thin 33, electr 33, conduct 33

Double Word Terms

tin.oxide 70, indium.tin 67, oxide.ito 63, ito.films 33, thin.films 26, oxide.films 23, light.emitting 22, optical.properties 22, films.deposited 18, ray.diffraction 18, glass.substrates 17, ito.film 16, electrical.optical 16, ito.thin 15, room.temperature 14

Triple Word Terms

indium.tin.oxide 67, tin.oxide.ito 57, ito.thin.films 15, tin.oxide.films 14, organic.light.emitting 13, oxide.ito.films 13, light.emitting.diodes 12, oxide.ito.thin 11, atomic.force.microscopy 10, electrical.optical.properties 10, scanning.electron.microscopy 9, deposited.glass.substrates 8, doped.indium.oxide 8, thin.films.deposited 8, ray.photoelectron.spectroscopy 8

Term Cliques

59.89% ito indium film ito.films oxide.ito oxid transpar transmitt resist deposit
64.02% ito indium film tin ito.films oxide.ito oxid tin.oxide.ito transmitt resist deposit
67.85% ito indium tin.oxide film tin ito.films oxide.ito oxid tin.oxide.ito resist deposit
70.44% ito indium tin.oxide indium.tin.oxide film indium.tin tin ito.films oxide.ito oxid tin.oxide.ito deposit

Sample Cluster Record Titles

[The properties of tin-doped indium oxide films prepared by pulsed magnetron sputtering from powder targets](#)

[Characterization of indium-tin-oxide films treated by different procedures: effect of treatment time in aqua regia solution](#)

[Molecularly thin polymer films that function to enhance charge injection efficiency in organic light-emitting diodes](#)

[Cytocompatibility of novel tin oxide thin films](#)

[A statistical parameter study of indium tin oxide thin films deposited by radio-frequency sputtering](#)

[Effect of aluminum doping on the high-temperature stability and piezoresistive response of indium tin oxide strain sensors](#)

[ITO as a diffusion barrier between Si and Cu](#)

[Preparation of indium-tin oxide \(ITO\) nano-aciculae by a simple precipitation near boiling point and post-calcination method](#)

[Microstructure of sputter deposited tin doped indium oxide films with silver additive](#)

Cluster Metrics

Authors

djurisic, ab 3

you, t 2

yoshino, k 2

yeom, gy 2

yan, h 2

xiong, y 2

wang, rx 2

wang, h 2

vaidyan, vk 2

tsutsui, t 2

sung, gy 2

park, nm 2

nishihara, y 2

niklasson, ga 2

ling, cc 2

Sources

thin solid films 15
journal of applied physics 5
synthetic metals 4
journal of the korean physical society 4
japanese journal of applied physics part 1-regular papers short notes & review papers 4
rare metal materials and engineering 3
journal of vacuum science & technology a 3
applied physics letters 3
surface & coatings technology 2
materials science and engineering b-solid state materials for advanced technology 2
journal of physical chemistry b 2
applied surface science 2
applied physics a-materials science & processing 2
vacuum 1
surface and interface analysis 1

Keywords

materials science, multidisciplinary 35
physics, applied 26
physics, applied 17
physics, 17
condensed matter 15
thin-films 14
thin-films 10
chemistry, physical 10
physics, condensed matter 9
ito 8
ito 8
diodes 8
films 7
physics, multidisciplinary 6
materials science, coatings & films 6

Publication Year

2005 86
2004 7
2006 2

Country

japan 20
peoples r china 14
usa 11
taiwan 11
south korea 11

germany 5
india 4
france 4
sweden 3
portugal 3
italy 3
singapore 2
switzerland 1
slovakia 1
scotland 1

Institution

univ hong kong 3
osaka univ 3
uppsala univ 2
unl 2
univ tokyo 2
univ rhode isl 2
univ nantes 2
univ kerala 2
toyota cent res & dev labs inc 2
sungkyunkwan univ 2
natl sun yat sen univ 2
natl cheng kung univ 2
natl changhua univ educ 2
nagoya univ 2
nagoya inst technol 2

DataBase

science citation index 95

• CLUSTER 209

Oxide (especially WO₃ and SnO₂) films, emphasizing formation of anodic films, use as gas sensors, and electrochemical applications (238 Records)

(Countries: USA, China, Japan. Institutions: University of Manchester, Keio University, Hokkaido University, Harbin Institute of Technology, CAS. USA includes Texas A&M.).

Cluster Syntax Features

Descriptive Terms

film 24.7%, oxid 14.8%, anod 4.5%, oxide.films 4.5%, oxide.film 2.1%, wo3 1.7%, sensor 1.1%, electrolyt 0.9%, thick 0.8%, sno2 0.8%, ga 0.7%, deposit 0.6%, alumina 0.5%, surfac 0.5%, electrochem 0.5%

Discriminating Terms

film 11.5%, oxid 9.6%, oxide.films 4.6%, anod 4.0%, oxide.film 2.1%, wo3 1.7%, magnet 0.9%, particl 0.8%, nanotub 0.7%, carbon 0.7%, quantum 0.6%, electrolyt 0.6%, sensor 0.6%, crystal 0.6%, sno2 0.6%

Single Word Terms

film 237, oxid 185, surfac 102, structur 98, rai 98, deposit 97, form 92, temperatur 91, thick 91, electron 84, thin 84, substrat 84, spectroscopi 81, properti 71, metal 66

Double Word Terms

oxide.films 76, ray.photoelectron 51, photoelectron.spectroscopy 50, oxide.film 44, ray.diffraction 40, electron.microscopy 39, thin.films 34, scanning.electron 30, spectroscopy.xps 28, films.deposited 25, films.formed 25, room.temperature 22, sol.gel 22, metal.oxide 21, diffraction.xrd 20

Triple Word Terms

ray.photoelectron.spectroscopy 49, photoelectron.spectroscopy.xps 26, scanning.electron.microscopy 25, ray.diffraction.xrd 19, oxide.thin.films 14, electrochemical.impedance.spectroscopy 13, electron.microscopy.sem 12, transmission.electron.microscopy 12, low.energy.electron 10, energy.electron.diffraction

10, atomic.force.microscopy 10, scanning.tunneling.microscopy 10, films.ray.diffraction
9, auger.electron.spectroscopy 8, impedance.spectroscopy.eis 7

Term Cliques

36.05% film sensor sno2 ga deposit
41.01% film sensor thick deposit alumina
41.85% film sensor thick ga deposit
44.68% film wo3 electrochem
36.30% film wo3 sensor ga deposit
46.22% film oxide.film surfac electrochem
42.12% film anod electrolyt electrochem
39.29% film anod electrolyt thick deposit alumina
64.08% film oxid thick deposit
58.51% film oxid oxide.film thick
50.35% film oxid oxide.films sno2 deposit surfac
54.12% film oxid oxide.films oxide.film surface

Sample Cluster Record Titles

[The effects of cathodic and anodic voltages on the characteristics of porous nanocrystalline titania coatings fabricated by microarc oxidation](#)

[Laser assisted cleaning of oxide films on SUS409 stainless steel](#)

[Characterization of anodic films formed on AZ91D magnesium alloy](#)

[An ellipsometric study of manganese oxide films - In situ characterization of the deposition and electroreduction of MnO₂](#)

[Determination of the optical constants of porous anodic aluminum oxide films](#)

[Electrical and transport properties of europium-indium oxide films prepared on Si\(100\) substrates](#)

[Thin fluorine-doped tin oxide films prepared using an electric field-modified spray pyrolysis deposition technique](#)

[Si-supported mesoporous and microporous oxide interconnects as electrophoretic gates for application in microfluidic devices](#)

[Epitaxial growth of well-ordered ultra-thin Al₂O₃ film on NiAl \(110\) by a single-step oxidation](#)

Cluster Metrics

Authors

ivanova, t 5
dakhel, aa 5
zhao, lc 4
wang, fp 4
thompson, ge 4
shimizu, t 4
montemor, mf 4
llobet, e 4
liu, f 4
igarashi, k 4
granqvist, cg 4
batzill, m 4
agnihotry, sa 4
zhou, j 3
skeldon, p 3

Sources

sensors and actuators b-chemical 18
thin solid films 12
journal of the electrochemical society 12
surface & coatings technology 10
surface science 9
electrochimica acta 9
journal of physical chemistry b 8
applied surface science 7
corrosion science 6
applied physics letters 6
langmuir 5
japanese journal of applied physics part 1-regular papers brief communications & review papers 5
transactions of nonferrous metals society of china 4
solid state ionics 4
journal of materials science 4

Keywords

materials science, multidisciplinary 56
chemistry, physical 40
electrochemistry 36
thin-films 27
oxidation 27
growth 27
physics, applied 26
materials science, coatings & films 24

chemistry, analytical 22
physics, 22
physics, condensed matter 19
instruments & instrumentation 18
thin-films 17
physics, applied 17
electrochemistry 14

Publication Year

2005 215

2004 20

2006 3

Country

usa 42

peoples r china 41

japan 41

south korea 13

italy 13

germany 13

england 12

taiwan 10

india 8

spain 7

russia 7

canada 7

france 6

bulgaria 6

portugal 5

Institution

univ manchester 5

keio univ 5

hokkaido univ 5

harbin inst technol 5

chinese acad sci 5

uppsala univ 4

univ rovera & virgili 4

univ bahrain 4

tsing hua univ 4

texas a&m univ 4

natl phys lab 4

inst super tecn 4

chiba inst technol 4

bulgarian acad sci 4

yonsei univ 3

• CLUSTER 172

Preparation of films by magnetron sputtering, especially titanium (Ti), titanium nitride (TiN), and aluminium nitride (AlN) films (230 Records)

(Countries: China, USA, followed by South Korea, Japan, followed by Taiwan, Germany, France. Institutions: CAS, Sungyunkwan University, Shanghai Jiao Tong University, National Cheng Kung University).

Cluster Syntax Features

Descriptive Terms

film 25.2%, sputter 16.7%, magnetron 5.3%, magnetron.sputtering 3.8%, deposit 2.2%, ti 1.8%, reactiv 1.2%, ar 0.9%, films.deposited 0.9%, substrat 0.8%, reactive.magnetron 0.7%, target 0.7%, reactive.magnetron.sputtering 0.7%, aln 0.6%, tin 0.6%

Discriminating Terms

sputter 14.3%, film 10.8%, magnetron 4.6%, magnetron.sputtering 3.3%, ti 1.1%, reactiv 0.8%, magnet 0.8%, nanotub 0.8%, nanoparticl 0.8%, particl 0.7%, ar 0.7%, carbon 0.6%, reactive.magnetron 0.6%, reactive.magnetron.sputtering 0.6%, films.deposited 0.6%

Single Word Terms

film 228, sputter 216, deposit 164, magnetron 153, rai 125, substrat 123, structur 112, properti 105, thin 103, diffract 101, reactiv 93, surfac 92, electron 86, composit 81, temperatur 79

Double Word Terms

magnetron.sputtering 133, ray.diffraction 97, films.deposited 85, thin.films 82, electron.microscopy 56, reactive.magnetron 50, photoelectron.spectroscopy 35,

atomic.force 35, diffraction.xrd 33, scanning.electron 33, ray.photoelectron 33, transmission.electron 30, films.ray 29, force.microscopy 27, reactive.sputtering 26

Triple Word Terms

reactive.magnetron.sputtering 49, ray.diffraction.xrd 33, ray.photoelectron.spectroscopy 33, atomic.force.microscopy 27, scanning.electron.microscopy 27, transmission.electron.microscopy 26, films.ray.diffraction 17, photoelectron.spectroscopy.xps 14, films.magnetron.sputtering 12, radio.frequency.magnetron 12, frequency.magnetron.sputtering 12, thin.films.deposited 12, deposited.magnetron.sputtering 11, films.reactive.magnetron 11, ion.beam.sputtering 11

Term Cliques

40.60% film magnetron magnetron.sputtering reactiv reactive.magnetron
reactive.magnetron.sputtering aln tin
45.99% film magnetron magnetron.sputtering deposit reactiv ar reactive.magnetron
reactive.magnetron.sputtering tin
43.53% film magnetron magnetron.sputtering deposit ti ar reactive.magnetron
reactive.magnetron.sputtering tin
45.61% film magnetron magnetron.sputtering deposit ti ar films.deposited substrat
reactive.magnetron target reactive.magnetron.sputtering
51.09% film sputter magnetron magnetron.sputtering reactiv reactive.magnetron
reactive.magnetron.sputtering aln
51.49% film sputter magnetron magnetron.sputtering deposit reactiv ar films.deposited
substrat reactive.magnetron target reactive.magnetron.sputtering

Sample Cluster Record Titles

[Properties of Si-rich SiO₂ films by RF magnetron sputtering](#)

[Relationship between oxygen contents and lubrication properties of MoSO₄ films onto rollers prepared by reactive sputtering method](#)

[Studies of structure and morphology of sputter-deposited stainless steel-nitrogen films](#)

[Growth dynamics of reactive-sputtering-deposited AlN films](#)

[Effect of annealing on DC sputtered aluminum nitride films](#)

[Preparation of monolithic AlN and composite TiN-AlN powders and films from precursors synthesized by electrolysis](#)

[Growth and characterization of Ti_xNi_{1-x} shape memory thin films using simultaneous sputter deposition from separate elemental targets](#)

[Optical models for radio-frequency-magnetron reactively sputtered AlN films](#)

[Dynamic scaling phenomena and universality classes in growth of iron nitride thin films deposited by direct current magnetron sputtering](#)

Cluster Metrics

Authors

han, jg 7
sun, h 4
nam, kh 4
musil, j 4
li, gy 4
leng, yx 4
lee, hy 4
huang, n 4
chen, jy 4
cavaleiro, a 4
zhao, zb 3
yang, p 3
yalisove, sm 3
vlcek, j 3
sanjabi, s 3

Sources

thin solid films 36
surface & coatings technology 21
journal of vacuum science & technology a 13
journal of applied physics 10
journal of vacuum science & technology b 9
vacuum 5
materials letters 5
applied surface science 5
solar energy materials and solar cells 4
nuclear instruments & methods in physics research section b-beam interactions with materials and atoms 4
journal of materials research 4
chinese physics letters 4
asbm6: advanced biomaterials vi 4
applied physics letters 4
reviews on advanced materials science 3

Keywords

materials science, multidisciplinary 85

physics, applied 76
physics, 42
thin-films 38
materials science, coatings & films 37
condensed matter 37
physics, applied 25
growth 25
microstructure 24
thin-films 23
sputtering 23
deposition 21
physics, condensed matter 19
engineering, electrical & electronic 16
titanium 16

Publication Year

2005 208
2004 18
2006 4

Country

peoples r china 54
usa 30
south korea 22
japan 22
taiwan 18
germany 17
france 15
spain 8
india 8
ukraine 6
sweden 6
singapore 6
portugal 6
poland 6
italy 5

Institution

chinese acad sci 10
sungkyunkwan univ 7
shanghai jiao tong univ 7
natl cheng kung univ 7
univ coimbra 5
tohoku univ 5
nanyang technol univ 5
univ w bohemia 4

sw jiaotong univ 4
polish acad sci 4
wuhan univ 3
univ paisley 3
univ michigan 3
univ illinois 3
univ franche comte 3

DataBase
science citation index 230

• CLUSTER 231

Growth and characterization of films, focusing on effects of annealing, deposition, and copper, silicon, and gallium nitride films (382 Records)

(Countries: China, USA, Japan. CAS dominant, Yonsei University, University of Tokyo, Kyoto University, Indian Institute of Technology, Bulgarian Academy of Sciences. USA presence not shown.).

Cluster Syntax Features

Descriptive Terms

film 35.1%, anneal 9.4%, deposit 2.6%, substrat 2.1%, cu 1.5%, temperatur 1.3%, grown 0.8%, si 0.8%, oxygen 0.7%, films.grown 0.7%, gan 0.7%, optic 0.7%, annealing.temperature 0.5%, thick 0.5%, grain 0.5%

Discriminating Terms

film 21.8%, anneal 8.1%, carbon 1.0%, magnet 1.0%, nanotub 1.0%, particl 0.9%, nanoparticl 0.8%, cu 0.7%, deposit 0.7%, substrat 0.7%, quantum 0.7%, films.grown 0.6%, polym 0.6%, surfac 0.6%, annealing.temperature 0.5%

Single Word Terms

film 381, deposit 220, temperatur 210, rai 207, anneal 198, structur 196, substrat 195, diffract 174, electron 166, thin 146, properti 138, microscopi 136, surfac 132, thick 112, high 112

Double Word Terms

ray.diffraction 158, electron.microscopy 91, thin.films 91, films.grown 74, films.deposited 73, diffraction.xrd 71, annealing.temperature 61, scanning.electron 57, transmission.electron 55, room.temperature 46, atomic.force 44, ray.photoelectron 43, optical.properties 43, photoelectron.spectroscopy 43, force.microscopy 40

Triple Word Terms

ray.diffraction.xrd 70, scanning.electron.microscopy 48, transmission.electron.microscopy 44, ray.photoelectron.spectroscopy 40, atomic.force.microscopy 40, electron.microscopy.sem 29, force.microscopy.afm 23, photoelectron.spectroscopy.xps 22, films.ray.diffraction 22, electron.microscopy.tem 16, fourier.transform.infrared 15, molecular.beam.epitaxy 15, auger.electron.spectroscopy 13, diffraction.xrd.scanning 13, xrd.scanning.electron 13

Term Cliques

44.24% film substrat temperatur gan optic thick
38.61% film substrat temperatur grown oxygen films.grown gan thick
47.77% film deposit cu grain
52.09% film deposit substrat temperatur thick grain
52.79% film deposit substrat temperatur optic thick
45.03% film deposit substrat temperatur grown oxygen films.grown thick
45.06% film deposit substrat temperatur grown si films.grown thick
47.05% film anneal deposit temperatur annealing.temperature thick grain
47.64% film anneal deposit temperatur optic annealing.temperature thick
47.01% film anneal deposit temperatur oxygen annealing.temperature thick
47.05% film anneal deposit temperatur si annealing.temperature thick

Sample Cluster Record Titles

[Electrical properties and crystal structures of nitrogen-doped Ge₂Sb₂Te₅ thin film for phase change memory](#)

[The role of hcp-AlN on hardness behavior of Ti_{1-x}Al_xN nanocomposite during annealing](#)

[Structural characteristics and interfacial reactions of low dielectric constant porous polysilazane for Cu metallization](#)

[CdTe polycrystalline films for X-ray digital imaging applications](#)

[The growth of ultra-thin epitaxial CeO₂ films on r-plane sapphire](#)

[Optical properties of sol-gel SiO₂ films containing nickel](#)

[Effect of annealing on the characteristics of Au/Ni₈₀Fe₂₀ and Au/Ni₃₀Fe₇₀ bilayer films grown on glass](#)

[Evolution of internal stress and microstructure in Ti₅₀Cu₅₀ alloy films: influence of substrate temperature and composition](#)

[Effect of in-situ cleaning temperature on the structural quality of homoepitaxial film on Si substrate](#)

Cluster Metrics

Authors

lin, j 6
yu, m 5
shi, y 5
zhang, r 4
wang, h 4
saito, k 4
liu, b 4
chen, zh 4
yoshida, y 3
yang, y 3
wu, p 3
watanabe, t 3
wang, y 3
wang, fp 3
troda hl, hj 3

Sources

thin solid films 43
applied surface science 21
applied physics letters 19
journal of crystal growth 16
journal of applied physics 13
japanese journal of applied physics part 1-regular papers brief communications & review papers 9
surface & coatings technology 8
journal of optoelectronics and advanced materials 8
applied physics a-materials science & processing 8
surface science 7
journal of the electrochemical society 7
journal of materials research 7
physical review b 6
materials science and engineering b-solid state materials for advanced technology 6

materials chemistry and physics 6

Keywords

materials science, multidisciplinary 115
physics, applied 85
physics, 64
thin-films 62
physics, applied 60
physics, condensed matter 46
thin-films 45
condensed matter 43
chemistry, physical 41
growth 37
materials science, coatings & films 25
engineering, electrical & electronic 25
deposition 25
silicon 24
chemical-vapor-deposition 22

Publication Year

2005 344
2004 34
2006 4

Country

peoples r china 78
usa 64
japan 62
south korea 29
germany 29
india 26
taiwan 20
france 16
italy 11
england 11
spain 10
singapore 10
bulgaria 8
ukraine 7
turkey 5

Institution

chinese acad sci 27
yonsei univ 8
univ tokyo 8
kyoto univ 8

indian inst technol 8
bulgarian acad sci 8
natl inst mat sci 7
nanyang technol univ 6
nanjing univ 6
feng chia univ 6
cnr 6
univ sci & technol china 5
univ padua 5
silicon storage technol inc 5
natl univ singapore 5

DataBase

science citation index 382

CATEGORY 6 - 508B1b (7 leaf clusters)

Applications of Thin Films (2509 REC)

THRUST

()

- Thin film transistors (TFTs), especially pentacene and organic thin film transistors (OTFTs) (93 Records) Cluster 28
- Thin films, emphasizing fabrication by deposition, sensor and device applications, and optical properties (395 Records) Cluster 222

- Thin films, focusing on optical and band gap properties, absorption, and preparation by deposition, annealing, and evaporation (329 Records) Cluster 180
- Thin films, emphasizing orientation of films, silicon films, and preparation by deposition, magnetron sputtering, and annealing (959 Records) Cluster 217
- Ferroelectric thin films (including platinum [Pt], BST, BLT, and silica [SiO₂] films), with emphasis on polarization, orientation, and dielectric/ ferroelectric properties (258 Records) Cluster 132
- Pb(ZrTi)O₃ (PZT) thin films, emphasizing ferroelectric properties and orientation control (122 Records) Cluster 10
- Characterization of thin films grown by pulsed laser deposition (PLD), especially SrTiO₃ films (353 Records) Cluster 137

• CLUSTER 28

Thin film transistors (TFTs), especially pentacene and organic thin film transistors (OTFTs) (93 Records)

(Countries: USA, South Korea, Japan. Institutions: Yonsie University, Tokyo Institute of Technology, Xerox Research Center Canada, University of Minnesota. Other USA include University of Kentucky,

Stanford University, RPI, Oregon State University, Northwestern University.).

Cluster Syntax Features

Descriptive Terms

pentacen 11.6%, transistor 10.0%, thin.film.transistors 7.2%, film.transistors 7.2%, thin.film 5.2%, organic.thin 4.8%, tft 4.3%, organic.thin.film 4.1%, thin 4.1%, organ 3.7%, film 3.4%, otft 2.9%, mobil 2.5%, gate 1.6%, dielectr 1.0%

Discriminating Terms

pentacen 7.9%, transistor 6.2%, thin.film.transistors 4.9%, film.transistors 4.9%, organic.thin 3.3%, tft 2.9%, thin.film 2.9%, organic.thin.film 2.8%, otft 2.0%, organ 1.5%, mobil 1.4%, thin 1.3%, gate 0.7%, surfac 0.7%, particl 0.6%

Single Word Terms

thin 91, film 90, transistor 78, organ 63, mobil 56, field 45, devic 44, fabric 44, layer 42, pentacen 39, high 36, gate 36, structur 35, ratio 35, current 34

Double Word Terms

thin.film 79, film.transistors 63, organic.thin 43, thin.films 26, ray.diffraction 20, field.mobility 20, current.ratio 19, gate.dielectric 19, film.transistor 17, pentacene.thin 16, atomic.force 16, transistors.otfts 16, field.transistors 15, transistors.tfts 14, force.microscopy 13

Triple Word Terms

thin.film.transistors 63, organic.thin.film 38, thin.film.transistor 17, film.transistors.otfts 16, film.transistors.tfts 14, atomic.force.microscopy 13, pentacene.thin.film 12, mobility.current.ratio 10, organic.field.transistors 8, organic.thin.films 7, film.transistors.high 6, scanning.electron.microscopy 5, film.transistors.fabricated 5, self.assembled.monolayers 5, film.transistor.tft 4

Term Cliques

69.77% pentacen transistor thin.film.transistors film.transistors thin.film tft thin film mobil

60.46% pentacen transistor thin.film.transistors film.transistors thin.film organic.thin organic.thin.film thin organ film otft gate dielectr

62.94% pentacen transistor thin.film.transistors film.transistors thin.film organic.thin organic.thin.film thin organ film otft mobil gate

Sample Cluster Record Titles

[Nanotransfer printing by use of noncovalent surface forces: Applications to thin-film transistors that use single-walled carbon nanotube networks and semiconducting polymers](#)

[Organic thin film transistors based on N-alkyl perylene diimides: Charge transport kinetics as a function of gate voltage and temperature](#)

[An organic thin-film transistor of high mobility by dielectric surface modification with organic molecule](#)

[Nanoscale chemical sensor based on organic thin-film transistors](#)

[Low-temperature non-metal-induced crystallization of germanium for fabrication of thin-film transistors](#)

[Simulated operation and properties of source-gated thin-film transistors](#)

[Supramolecular organization in ultra-thin films of alpha-sexithiophene on silicon dioxide](#)

[Electrical properties of shadow-mask patterned organic thin film transistor fabricated on plastic substrate](#)

[Indolo\[3,2-b\]carbazole-based thin-film transistors with high mobility and stability](#)

Cluster Metrics

Authors

ong, bs 5
wu, yl 4
liu, p 4
lee, j 4
im, s 4
cho, k 4
zan, hw 3
yoon, mh 3
yoo, kh 3
yi, mh 3
yang, hc 3
wu, yc 3
whang, cn 3
tu, ch 3
tsukagoshi, k 3

Sources

applied physics letters 27
journal of the american chemical society 6
advanced materials 5
advanced functional materials 5
journal of applied physics 4
ieee transactions on electron devices 4
electrochemical and solid state letters 4
synthetic metals 2
solid-state electronics 2
microelectronic engineering 2
journal of the korean physical society 2
journal of physical chemistry b 2
applied surface science 2
thin solid films 1
surface and interface analysis 1

Keywords

physics, applied 33
field-effect transistors 30
materials science, multidisciplinary 16
chemistry, physical 15
transport 15
engineering, electrical & electronic 14
physics, applied 14
mobility 13
physics, 12
thin-film transistors 11
physics, condensed matter 11
high-mobility 11
pentacene 10
applied 8
materials science, multidisciplinary 8

Publication Year

2005 83
2004 8
2006 2

Country

usa 27
south korea 20
japan 18
canada 9
peoples r china 6
germany 6
taiwan 5

italy 3
austria 2
spain 1
russia 1
mexico 1
iran 1
france 1
england 1

Institution

yonsei univ 7
tokyo inst technol 7
xerox res ctr canada ltd 5
univ minnesota 5
pohang univ sci & technol 4
chinese acad sci 4
univ kentucky 3
stanford univ 3
riken 3
rensselaer polytech inst 3
oregon state univ 3
northwestern univ 3
natl sun yat sen univ 3
natl chiao tung univ 3
korea res inst chem technol 3

DataBase

science citation index 93

• CLUSTER 222

Thin films, emphasizing fabrication by deposition, sensor and device applications, and optical properties (395 Records)

(Countries: USA, Japan, China, followed by South Korea, Germany.

Institutions: CAS, Osaka University, Nagoya University, Korea Institute of S&T. USA include Stanford University, Penn State University.).

Cluster Syntax Features

Descriptive Terms

thin.film 27.3%, thin 22.1%, film 18.4%, substrat 0.8%, thin.films 0.7%, deposit 0.6%, thick 0.6%, sensor 0.5%, layer 0.4%, surfac 0.4%, temperatur 0.3%, devic 0.3%, fabric 0.3%, optic 0.3%, electrod 0.3%

Discriminating Terms

thin.film 26.4%, thin 17.2%, film 7.2%, nanoparticl 0.8%, particl 0.7%, carbon 0.7%, nanotub 0.7%, magnet 0.5%, quantum 0.5%, crystal 0.4%, structur 0.4%, surfac 0.4%, dot 0.3%, electron 0.3%, size 0.3%

Single Word Terms

thin 395, film 389, surfac 138, structur 136, deposit 134, substrat 133, high 111, temperatur 111, thick 103, layer 103, properti 99, electron 98, fabric 85, measur 84, rai 82

Double Word Terms

thin.film 360, thin.films 137, ray.diffraction 55, electron.microscopy 34, room.temperature 29, film.thickness 28, atomic.force 25, force.microscopy 23, scanning.electron 22, diffraction.xrd 21, film.deposited 21, ray.photoelectron 20, magnetron.sputtering 19, transmission.electron 17, sol.gel 17

Triple Word Terms

atomic.force.microscopy 22, ray.diffraction.xrd 20, thin.film.deposited 19, ray.photoelectron.spectroscopy 17, transmission.electron.microscopy 16, scanning.electron.microscopy 15, thin.film.thickness 14, photoelectron.spectroscopy.xps 13, thin.film.electrodes 11, electron.microscopy.sem 10, fourier.transform.infrared 10, thin.film.surface 10, force.microscopy.afm 10, oxide.thin.film 9, thin.film.silicon 9

Term Cliques

43.77% thin.film thin film deposit thick sensor layer devic fabric optic

44.94% thin.film thin film deposit thick sensor layer temperatur devic fabric

46.18% thin.film thin film thin.films deposit layer temperatur devic fabric electro
45.80% thin.film thin film thin.films deposit sensor layer temperatur devic fabric
50.72% thin.film thin film thin.films deposit sensor layer surfac temperatur
51.00% thin.film thin film substrat deposit thick layer temperatur fabric
48.05% thin.film thin film substrat thin.films deposit layer temperatur fabric electro
53.45% thin.film thin film substrat thin.films deposit layer surfac temperature

Sample Cluster Record Titles

[Fabrication and characterization of SnO₂-RuO₂ composite anode thin film for lithium ion batteries](#)

[The electrochemical capacities and cycle retention of electrochemically deposited Cu₂O thin film toward lithium](#)

[Tilt-modulated chiral sculptured thin films: an alternative to quarter-wave stacks](#)

[A round robin characterisation of the thickness and composition of thin to ultra-thin AlNO films](#)

[A mathematical model of the removal of gold thin film on polymer surface by laser ablation](#)

[Electrical properties of V₂O₅ thin films obtained by atomic layer deposition \(ALD\)](#)

[Evaluation of experimental stress-strain dependence in thermally cycled Al thin film on Si\(100\)](#)

[Electrochemical mechanisms during lithium insertion into TiO_{0.6}S_{2.8} thin film positive electrode in lithium microbatteries](#)

[High-throughput craze studies in gradient thin films using ductile copper grids](#)

Cluster Metrics

Authors

wang, j 4

zhu, w 3

zhang, hd 3

yoon, ys 3

yang, jy 3

shukla, s 3

seal, s 3
park, kw 3
park, jh 3
naito, m 3
mitsuya, y 3
ludwig, l 3
liu, y 3
lee, yh 3
kim, jh 3

Sources

applied physics letters 21
thin solid films 14
journal of applied physics 10
journal of physical chemistry b 8
electrochimica acta 8
microelectronic engineering 7
journal of the korean physical society 7
surface & coatings technology 6
sensors and actuators b-chemical 6
review of scientific instruments 6
journal of optoelectronics and advanced materials 6
electrochemical and solid state letters 6
applied surface science 6
rare metal materials and engineering 5
microsystem technologies-micro-and nanosystems-information storage and processing systems 5

Keywords

materials science, multidisciplinary 70
physics, applied 62
physics, applied 52
engineering, electrical & electronic 50
chemistry, physical 42
thin film 37
physics, 27
electrochemistry 23
physics, condensed matter 22
growth 22
physics, multidisciplinary 21
optics 21
instruments & instrumentation 20
silicon 17
materials science, multidisciplinary 17

Publication Year

2005 341
2004 50
2006 4

Country

usa 85
japan 69
peoples r china 58
south korea 39
germany 32
taiwan 19
france 18
india 11
canada 10
netherlands 9
england 9
austria 7
slovakia 6
singapore 6
russia 6

Institution

chinese acad sci 12
osaka univ 8
nagoya univ 8
korea inst sci & technol 8
tokyo inst technol 7
kyoto univ 6
zhejiang univ 5
stanford univ 5
penn state univ 5
natl chiao tung univ 5
natl cheng kung univ 5
yonsei univ 4
univ paris 06 4
tsing hua univ 4
riken 4

DataBase

science citation index 395

• CLUSTER 180

Thin films, focusing on optical and band gap properties, absorption, and preparation by deposition, annealing, and evaporation (329 Records)

(Countries: India, followed by China, followed by USA, South Korea, France. Institutions: Shivaji University, CAS, University National Autonoma Mexico, Bharathiar University. USA include Northwestern University.).

Cluster Syntax Features

Descriptive Terms

film 20.3%, thin.films 13.3%, thin 10.7%, optic 4.6%, deposit 2.7%, gap 1.3%, absorpt 1.1%, substrat 1.1%, band 1.1%, band.gap 1.0%, anneal 0.9%, glass 0.8%, optical.properties 0.8%, evapor 0.7%, electr 0.6%

Discriminating Terms

thin.films 10.1%, film 7.9%, thin 6.7%, optic 2.0%, surfac 0.9%, carbon 0.8%, gap 0.8%, nanoparticl 0.8%, magnet 0.8%, nanotub 0.8%, band.gap 0.8%, particl 0.8%, deposit 0.6%, quantum 0.5%, optical.properties 0.5%

Single Word Terms

thin 329, film 328, optic 241, deposit 211, properti 209, structur 196, substrat 187, rai 171, diffract 156, temperatur 154, band 150, gap 146, glass 131, energi 125, absorpt 119

Double Word Terms

thin.films 326, ray.diffraction 147, band.gap 110, optical.properties 101, films.deposited 93, glass.substrates 79, thin.film 63, optical.band 60, scanning.electron 53, optical.absorption 52, electron.microscopy 50, diffraction.xrd 49, electrical.properties 47, refractive.index 43, structural.optical 41

Triple Word Terms

thin.films.deposited 73, optical.band.gap 53, ray.diffraction.xrd 48,
scanning.electron.microscopy 38, thin.films.grown 35, oxide.thin.films 31,
films.ray.diffraction 28, atomic.force.microscopy 26, optical.electrical.properties 24,
chemical.bath.deposition 24, structural.optical.properties 22, band.gap.energy 21,
thin.films.optical 18, deposited.glass.substrates 18, indium.tin.oxide 18

Term Cliques

57.89% film thin.films thin optic gap absorpt substrat band anneal optical.properties
evapor

58.75% film thin.films thin optic gap absorpt substrat band band.gap anneal
optical.properties

59.37% film thin.films thin optic deposit gap substrat band band.gap anneal glass electr

59.17% film thin.films thin optic deposit gap absorpt substrat band anneal glass evapor

59.95% film thin.films thin optic deposit gap absorpt substrat band band.gap anneal glass

Sample Cluster Record Titles

[Self-assembled electrooptic thin films with remarkably blue-shifted optical absorption based on an X-shaped chromophore](#)

[Synthesis and characterization of copper doped zinc telluride thin films](#)

[Aerosol-assisted chemical vapour deposition of sodium fluoride thin films](#)

[Growth and characterisation of Eu doped GaN thin films](#)

[Influence of annealing on the optical and the electrical properties of ITO thin films prepared by using a sol-gel spin method](#)

[Preparation and properties of CdS thin films grown by ILGAR method](#)

[The microstructure effect on the electrical and optical properties of undoped and Sr-doped SmCoO₃ thin films](#)

[The effects of composition and heat treatment on the structural and optical properties of Ge₁₅Te_{85-x}Cu_x thin films](#)

[Structural and optical properties of homogeneous Cu\(In,Ga\)Se-2 thin films prepared by thermal reaction of InSe/Cu/GaSe alloys with elemental Se vapour](#)

Cluster Metrics

Authors

lokhande, cd 8

rezig, b 7
narayandass, sk 7
mangalaraj, d 7
rusu, gi 6
kanzari, m 6
wang, h 5
nair, pk 5
marks, tj 5
el-nahass, mm 5
zribi, m 4
yi, j 4
yang, y 4
yan, h 4
xu, hy 4

Sources

thin solid films 39
journal of optoelectronics and advanced materials 22
journal of crystal growth 13
materials letters 12
materials chemistry and physics 11
applied surface science 11
semiconductor science and technology 9
materials science and engineering b-solid state materials for advanced technology 9
journal of applied physics 9
applied physics letters 9
solar energy materials and solar cells 7
journal of materials science 6
physica b-condensed matter 5
surface & coatings technology 4
optical materials 4

Keywords

materials science, multidisciplinary 131
physics, applied 85
physics, 55
physics, condensed matter 48
condensed matter 42
physics, applied 34
optical properties 34
growth 32
thin films 31
optics 26
optical-properties 23
deposition 23
chemistry, physical 22

physics, condensed matter 19
optical-properties 19

Publication Year

2005 298
2004 24
2006 7

Country

india 71
peoples r china 49
usa 31
south korea 25
france 23
japan 19
mexico 18
romania 14
tunisia 12
egypt 12
taiwan 11
italy 11
turkey 8
germany 8
bulgaria 8

Institution

shivaji univ 12
chinese acad sci 11
univ nacl autonoma mexico 8
bharathiar univ 8
sungkyunkwan univ 7
ain shams univ 6
northwestern univ 5
korea inst sci & technol 5
jadavpur univ 5
hanyang univ 5
enit 5
bulgarian acad sci 5
alagappa univ 5
al i cuza univ 5
zhejiang univ 4

DataBase

science citation index 329

- **CLUSTER 217**

Thin films, emphasizing orientation of films, silicon films, and preparation by deposition, magnetron sputtering, and annealing (959 Records)

(Countries: USA, China, Japan. Institutions: CAS dominant, Nanyang Technological University, National Tsing Hua University, National Institute of Advanced Industrial S&T. USA includes Penn State University.).

Cluster Syntax Features

Descriptive Terms

film 27.1%, thin.films 20.8%, thin 18.7%, deposit 1.5%, substrat 1.5%, sputter 1.0%, temperatur 0.5%, thin.film 0.4%, si 0.4%, anneal 0.4%, thick 0.4%, orient 0.3%, surfac 0.3%, layer 0.3%, properti 0.3%

Discriminating Terms

thin.films 19.4%, thin 15.3%, film 14.4%, particl 0.9%, nanoparticl 0.9%, nanotub 0.8%, carbon 0.8%, sputter 0.7%, quantum 0.6%, dot 0.4%, surfac 0.4%, cell 0.4%, structur 0.3%, electron 0.3%, polym 0.3%

Single Word Terms

thin 959, film 958, deposit 477, substrat 476, temperatur 400, structur 400, surfac 361, rai 361, properti 331, microscopi 301, diffract 298, electron 281, high 255, thick 248, sputter 242

Double Word Terms

thin.films 940, ray.diffraction 274, thin.film 228, electron.microscopy 167, films.deposited 166, atomic.force 157, force.microscopy 135, magnetron.sputtering 123, films.grown 106, transmission.electron 103, scanning.electron 92, room.temperature 82, diffraction.xrd 76, sol.gel 75, ray.photoelectron 64

Triple Word Terms

atomic.force.microscopy 129, thin.films.deposited 126, transmission.electron.microscopy 97, thin.films.grown 85, scanning.electron.microscopy 80, ray.diffraction.xrd 75, ray.photoelectron.spectroscopy 57, force.microscopy.afm 56, films.ray.diffraction 36, oxide.thin.films 32, electron.microscopy.tem 32, electron.microscopy.sem 29, thin.films.thin 29, thin.films.high 28, films.thin.films 28

Term Cliques

44.28% film thin.films thin deposit substrat sputter thin.film si anneal thick orient surfac layer properti
44.57% film thin.films thin deposit substrat sputter temperatur thin.film si anneal thick orient layer properti

Sample Cluster Record Titles

[The effect of substrate materials on orientation degree of lanthanum-substituted bismuth titanate thin films](#)

[Deposition of SrFeO₃-delta-dispersed SrMoO₄ oxide thin films on Si \(100\) surface for spintronic applications](#)

[Low temperature synthesis of AlN films by ICP-assisted metalorganic chemical vapor deposition method](#)

[Crystalline thin films formed by supramolecular assembly for ultrahigh-density data storage](#)

[Electronic structure of UH₃ thin films prepared by sputter deposition](#)

[Study on the etch characteristics of BST thin films by using inductively coupled plasma](#)

[Stress behavior related to the boron and nitrogen concentration of W-B-N thin films on Si substrate](#)

[Growth of ferromagnetic Zn_{1-x}Mn_xO thin films on Al₂O₃ \(0001\) by reactive RF magnetron sputtering](#)

Cluster Metrics

Authors

brett, mj 8
wang, j 7
xu, kw 6
xi, xx 6
wang, y 6
kim, j 6
kim, dy 6
goudeau, p 6
fu, yq 6
yi, xj 5
yamamoto, h 5
wu, js 5
varela, ja 5
tanaka, h 5
longo, e 5

Sources

thin solid films 72
journal of applied physics 52
applied physics letters 40
surface & coatings technology 28
physical review b 28
applied surface science 26
journal of crystal growth 22
macromolecules 18
journal of vacuum science & technology a 18
japanese journal of applied physics part 1-regular papers brief communications & review papers 15
applied physics a-materials science & processing 15
chemical vapor deposition 13
journal of the electrochemical society 12
journal of optoelectronics and advanced materials 12
journal of the korean physical society 11

Keywords

materials science, multidisciplinary 232
physics, applied 173
physics, applied 150

physics, 110
chemistry, physical 96
growth 90
physics, condensed matter 80
condensed matter 77
thin films 72
materials science, coatings & films 71
deposition 64
physics, condensed matter 59
materials science, multidisciplinary 50
thin film 48
engineering, electrical & electronic 47

Publication Year

2005 839
2004 107
2006 13

Country

usa 193
peoples r china 157
japan 116
south korea 86
germany 79
france 68
england 49
italy 38
taiwan 36
singapore 31
india 29
spain 24
canada 23
brazil 18
switzerland 16

Institution

chinese acad sci 42
nanyang technol univ 20
natl tsing hua univ 15
natl inst adv ind sci & technol 15
cnrs 14
cnr 14
xian jiaotong univ 12
univ cambridge 12
tohoku univ 12
univ alberta 10

penn state univ 10
osaka univ 10
natl univ singapore 10
korea adv inst sci & technol 10
hanyang univ 10

DataBase
science citation index 959

• CLUSTER 132

Ferroelectric thin films (including platinum [Pt], BST, BLT, and silica [SiO₂] films), with emphasis on polarization, orientation, and dielectric/ ferroelectric properties (258 Records)

(Countries: South Korea, Japan, China, followed by USA. Tokyo Institute of Technology, Hynix Semiconductor, Inc., National Institute of Advanced Industrial S&T, Korea Advanced Institute S&T. USA includes Caltech.).

Cluster Syntax Features

Descriptive Terms

ferroelectr 17.4%, film 14.2%, thin 5.0%, thin.films 4.7%, dielectr 4.2%, pt 2.2%, polar 1.2%, orient 1.2%, ferroelectric.properties 1.1%, bst 1.0%, blt 1.0%, sio2.si 0.9%, dielectric.constant 0.8%, properti 0.7%, deposit 0.7%

Discriminating Terms

ferroelectr 13.5%, film 3.7%, thin.films 2.5%, dielectr 2.4%, thin 2.1%, pt 1.1%, ferroelectric.properties 0.8%, blt 0.8%, surfac 0.8%, nanoparticl 0.8%, bst 0.8%, carbon 0.7%, particl 0.7%, sio2.si 0.7%, nanotub 0.6%

Single Word Terms

film 250, thin 220, ferroelectr 168, properti 168, substrat 147, deposit 128, structur 122, dielectr 114, polar 111, si 109, pt 108, temperatur 102, electr 94, rai 89, orient 88

Double Word Terms

thin.films 195, sio2.si 81, ray.diffraction 73, dielectric.constant 67, films.deposited 59, thin.film 58, ferroelectric.properties 57, sol.gel 54, si.substrates 52, electrical.properties 52, ti.sio2 51, dielectric.properties 45, pt.ti 45, remanent.polarization 40, electron.microscopy 39

Triple Word Terms

ti.sio2.si 51, pt.ti.sio2 43, sio2.si.substrates 42, ferroelectric.thin.films 35, thin.films.deposited 33, atomic.force.microscopy 26, scanning.electron.microscopy 23, chemical.solution.deposition 23, leakage.current.density 21, substrates.sol.gel 20, remanent.polarization.coercive 18, transmission.electron.microscopy 18, sio2.si.substrate 18, thin.films.fabricated 18, ray.diffraction.xrd 18

Term Cliques

54.44% film thin thin.films pt orient blt sio2.si properti deposit
52.48% film thin thin.films dielectr pt bst sio2.si dielectric.constant properti deposit
51.87% ferroelectr film thin thin.films pt polar orient ferroelectric.properties blt sio2.si properti

Sample Cluster Record Titles

[Growth of biaxially textured BaxPb1-xTiO3 ferroelectric thin films on amorphous Si3N4](#)

[Characteristics of constrained ferroelectricity in PbZrO3/BaZrO3 superlattice films](#)

[Ferroelectric domain morphologies of \(001\)PbZr1-xTixO3 epitaxial thin films](#)

[Mechanism of polarization enhancement in la-doped Bi4Ti3O12 films](#)

[Th4+ donor/Mg2+ acceptor-cosubstituted \(Bi,Nd\)\(4\)Ti3O12 films with excellent ferroelectric properties](#)

[Growth and dielectric properties of ferroelectric BaTiO3 thin films for cantilever-type microsensors](#)

[Selective reaction and chemical anisotropy in epitaxial bismuth layer-structured ferroelectric thin films](#)

[Growth and characterizations of relaxor-based \$\text{Pb}\(\text{Mg}_{1/3}\text{Nb}_{2/3}\)\text{O}_3\text{-PbTiO}_3\$ thin films by sol-gel method](#)

[Preparation of \$\text{SrBi}_2\text{Ta}_2\text{O}_9\$ ferroelectric thin films by liquid source misted chemical vapor deposition method using inorganic salt solution](#)

Cluster Metrics

Authors

hong, sk 9
waser, r 8
wang, j 6
suzuki, k 6
kim, kt 6
kim, ci 6
kato, k 6
song, tk 5
scott, jf 5
nishizawa, k 5
miki, t 5
kim, ss 5
ishiwara, h 5
yao, k 4
yang, cr 4

Sources

applied physics letters 33
integrated ferroelectrics 24
thin solid films 18
journal of applied physics 17
japanese journal of applied physics part 1-regular papers brief communications & review papers 14
journal of the european ceramic society 10
journal of crystal growth 9
materials science and engineering b-solid state materials for advanced technology 8
journal of the korean physical society 8
journal of electroceramics 7
ferroelectrics 7
applied physics a-materials science & processing 7
materials letters 6
journal of physics d-applied physics 4

solid state communications 3

Keywords

physics, applied 73
physics, applied 67
materials science, multidisciplinary 63
physics, 44
condensed matter 42
chemical-vapor-deposition 35
engineering, electrical & electronic 32
capacitors 25
materials science, ceramics 24
polarization 22
ceramics 22
thin-films 21
physics, condensed matter 21
memories 21
deposition 21

Publication Year

2005 224
2004 34

Country

south korea 53
japan 45
peoples r china 43
usa 36
germany 17
taiwan 12
england 8
singapore 7
israel 7
switzerland 6
spain 5
france 5
russia 4
romania 4
portugal 4

Institution

tokyo inst technol 10
hynix semicond inc 10
natl inst adv ind sci & technol 8
korea adv inst sci & technol 8
univ cambridge 7

univ elect sci & technol china 6
tohoku univ 6
chung ang univ 6
chinese acad sci 6
changwon natl univ 6
technion israel inst technol 5
shandong univ 5
seoul natl univ 5
nanjing univ 5
caltech 5

DataBase

science citation index 258

- **CLUSTER 10**

Pb(ZrTi)O₃ (PZT) thin films, emphasizing ferroelectric properties
and orientation control (122 Records)

(Countries: Japan, South Korea, China. Institutions: CAS, Tokyo
Institute of Technology, National Institute of Advanced Industrial S&T.).

Cluster Syntax Features

Descriptive Terms

pzt 45.3%, film 5.5%, pzt.films 3.9%, pzt.thin 3.6%, ferroelectr 2.8%, pzt.thin.films

2.1%, pb 2.0%, thin 1.7%, thin.films 1.4%, ti 1.1%, zr.ti 1.0%, zr 0.9%, pb.zr0 0.7%, orient 0.7%, pb.zr.ti 0.7%

Discriminating Terms

pzt 30.0%, pzt.films 2.6%, pzt.thin 2.4%, ferroelectr 1.6%, pzt.thin.films 1.4%, pb 1.1%, surfac 0.8%, nanoparticl 0.6%, zr.ti 0.6%, carbon 0.6%, particl 0.6%, magnet 0.6%, nanotub 0.5%, pb.zr0 0.5%, pb.zr.ti 0.4%

Single Word Terms

pzt 121, film 119, thin 100, pb 86, deposit 80, ferroelectr 79, properti 79, substrat 74, ti 64, structur 59, polar 55, orient 52, si 52, rai 49, zr 48

Double Word Terms

thin.films 90, pzt.thin 70, pzt.films 64, zr.ti 43, pb.zr0 41, pb.zr 39, ray.diffraction 37, zirconate.titanate 34, lead.zirconate 34, thin.film 33, sol.gel 32, sio2.si 31, films.deposited 30, ferroelectric.properties 26, titanate.pzt 25

Triple Word Terms

pzt.thin.films 58, pb.zr.ti 39, lead.zirconate.titanate 34, zirconate.titanate.pzt 24, zr.ti.pzt 21, ti.sio2.si 21, pt.ti.sio2 19, pb.zr0.52ti0 18, pulsed.laser.deposition 18, pzt.thin.film 18, thin.films.deposited 17, zr.ti.thin 16, ti.thin.films 15, sio2.si.substrates 14, zr0.52ti0.pzt 13

Term Cliques

66.89% pzt film pzt.thin ferroelectr pzt.thin.films pb thin thin.films pb.zr0 orient
68.77% pzt film pzt.thin ferroelectr pzt.thin.films pb thin thin.films ti orient
61.82% pzt film pzt.films ferroelectr pb thin thin.films ti zr.ti zr orient pb.zr.ti
66.39% pzt film pzt.films ferroelectr pzt.thin.films pb thin thin.films pb.zr0 orient
65.65% pzt film pzt.films ferroelectr pzt.thin.films pb thin thin.films ti zr orient

Sample Cluster Record Titles

[True Young modulus of Pb\(Zr,Ti\)O-3 films measured by nanoindentation](#)

[A study of UV-photolysis effects on ferroelectricity in PZT thin films](#)

[Comparison study of \(001\)-/\(100\)-oriented epitaxial and fiber-textured Pb\(Zr,Ti\)O-3 thick films prepared by MOCVD](#)

[Pb\(Zr,Ti\)O-3 thin film deposited using AlN buffer layer and its ferroelectric properties](#)

[Analysis of the switching characteristics of PZT films by first order reversal curve diagrams](#)

[Ferroelectric properties of PbZrO₃/PbTiO₃ artificial superlattices by scanning probe microscopy](#)

[Electrical properties of PZT/Mg₂TiO₄ thin films made by low pressure MOCVD](#)

[Thickness dependent characteristics in the growth of Pb\(Zr_{0.4}Ti_{0.6}\)O₃ thin films on LaNiO₃ electrode by MOCVD](#)

[Fabrication of planar and three-dimensional PZT capacitors with Ir-based electrodes solely by low-temperature MOCVD using a novel liquid Ir precursor](#)

Cluster Metrics

Authors

funakubo, h 6
yokoyama, s 4
shimizu, m 4
saito, k 4
remiens, d 4
okamoto, s 4
morioka, h 4
maeda, r 4
zhu, xh 3
zeng, hr 3
yu, hf 3
yin, qr 3
wang, gs 3
soyer, c 3
son, yg 3

Sources

applied physics letters 19
integrated ferroelectrics 16
thin solid films 7
journal of applied physics 6
journal of electroceramics 5
applied physics a-materials science & processing 5
materials science and engineering b-solid state materials for advanced technology 4
journal of the korean physical society 4
journal of crystal growth 4
microsystem technologies-micro-and nanosystems-information storage and processing systems 3
applied surface science 3

acta physica sinica 3
sensors and actuators a-physical 2
journal of the european ceramic society 2
japanese journal of applied physics part 1-regular papers short notes & review papers 2

Keywords

physics, applied 36
physics, applied 30
engineering, electrical & electronic 27
physics, 26
condensed matter 23
materials science, multidisciplinary 22
chemical-vapor-deposition 19
pzt 17
growth 13
pzt 12
polarization 12
physics, condensed matter 11
capacitors 11
materials science, ceramics 10
electrical-properties 10

Publication Year

2005 96
2004 25
2006 1

Country

japan 30
south korea 26
peoples r china 24
usa 11
germany 8
taiwan 6
france 6
singapore 5
england 5
romania 2
czech republic 2
switzerland 1
russia 1
portugal 1
north ireland 1

Institution

chinese acad sci 9

tokyo inst technol 7
natl inst adv ind sci & technol 6
univ elect sci & technol china 5
tohoku univ 5
tsing hua univ 4
samsung adv inst technol 4
pusan natl univ 4
natl tsing hua univ 4
cnrs 4
univ hyogo 3
natl univ singapore 3
korea adv inst sci & technol 3
hitachi ltd 3
yonsei univ 2

DataBase

science citation index 122

- **CLUSTER 137**

Characterization of thin films grown by pulsed laser deposition (PLD), especially SrTiO₃ films (353 Records)

(Countries: China, USA, Japan, followed by South korea, Germany, France. Institutions: CAS dominant, Nanjing University, Tokyo Institute of Technology, Hong Kong Polytechnical University. USA include USN, UCB, USAF.).

Cluster Syntax Features

Descriptive Terms

film 12.9%, pulsed.laser 7.4%, laser.deposition 7.1%, pulsed.laser.deposition 6.8%, laser 5.1%, puls 5.0%, thin 4.7%, thin.films 4.3%, deposit 3.9%, srtio3 3.4%, substrat 2.3%, epitaxi 1.3%, pld 1.1%, grown 1.0%, 001 1.0%

Discriminating Terms

pulsed.laser 6.0%, laser.deposition 5.9%, pulsed.laser.deposition 5.7%, film 3.2%, puls 3.2%, srtio3 2.7%, laser 2.5%, thin.films 2.4%, thin 2.0%, deposit 1.1%, pld 0.9%, particl 0.8%, carbon 0.7%, nanoparticl 0.7%, nanotub 0.7%

Single Word Terms

film 347, thin 322, deposit 309, laser 298, puls 286, substrat 255, temperatur 187, grown 181, rai 176, diffract 172, properti 168, structur 157, electron 139, microscopi 137, growth 130

Double Word Terms

thin.films 284, pulsed.laser 275, laser.deposition 266, ray.diffraction 152, films.grown 110, electron.microscopy 80, thin.film 80, atomic.force 74, deposition.pld 74, substrates.pulsed 74, force.microscopy 70, films.deposited 60, transmission.electron 56, room.temperature 55, single.crystal 51

Triple Word Terms

pulsed.laser.deposition 261, substrates.pulsed.laser 73, laser.deposition.pld 73, thin.films.grown 70, atomic.force.microscopy 67, films.pulsed.laser 50, transmission.electron.microscopy 50, grown.pulsed.laser 42, thin.films.pulsed 41, ray.diffraction.xrd 32, films.grown.pulsed 30, scanning.electron.microscopy 29, thin.films.deposited 28, films.ray.diffraction 27, force.microscopy.afm 25

Term Cliques

57.14% film thin srtio3 substrat epitaxi grown 001

73.69% film thin thin.films deposit substrat epitaxi grown

79.42% film pulsed.laser laser.deposition pulsed.laser.deposition laser puls thin thin.films deposit substrat grown

76.85% film pulsed.laser laser.deposition pulsed.laser.deposition laser puls thin thin.films deposit substrat pld

Sample Cluster Record Titles

[Characteristics of perovskite \(Li_{0.5}La_{0.5}\)TiO₃ solid electrolyte thin films grown by pulsed laser deposition for rechargeable lithium microbattery](#)

[X-ray, absorption and photocurrent properties of thin-film GaAs on glass formed by pulsed-laser deposition](#)

[Elastic anomaly for SrTiO₃ thin films grown on Si\(001\)](#)

[Growth dynamics of pulsed laser deposited Pt nanoparticles on highly oriented pyrolytic graphite substrates](#)

[In situ composition monitoring using reflection high-energy electron diffraction for SrTiO₃ thin films grown by reactive coevaporation](#)

[Barium ferrite \(BaFe₁₂O₁₉\) thin films prepared by pulsed laser deposition on MgO buffered Si substrates](#)

[Crystalline growth of cubic \(Eu, Nd\): Y₂O₃ thin films on alpha-Al₂O₃ by pulsed laser deposition](#)

[Switch performance and electronic nature of photonic laser digitizing through thin GaAs films on glass](#)

[Pulsed laser deposition of LiNbO₃ thin films from Li-rich targets](#)

Cluster Metrics

Authors

kim, jh 11

lu, hb 10

chen, zh 10

zhou, yl 8

yang, gz 8

wong, kh 8

li, xm 8

chan, hlw 8

yi, ss 7

socol, g 7

koinuma, h 7

jeong, jh 7

chen, tl 7

bae, js 7

wang, xl 6

Sources

applied physics letters 34

thin solid films 33
 journal of applied physics 30
 applied physics a-materials science & processing 25
 applied surface science 22
 journal of crystal growth 17
 physical review b 9
 integrated ferroelectrics 8
 ieee transactions on applied superconductivity 8
 materials science and engineering b-solid state materials for advanced technology 6
 journal of the korean physical society 6
 journal of materials research 6
 japanese journal of applied physics part 1-regular papers short notes & review papers 6
 japanese journal of applied physics part 1-regular papers brief communications & review papers 6
 superlattices and microstructures 5

Keywords

materials science, multidisciplinary 102
 physics, applied 95
 physics, applied 93
 physics, 63
 physics, condensed matter 49
 condensed matter 41
 growth 37
 pulsed laser deposition 33
 pulsed-laser deposition 32
 chemistry, physical 29
 engineering, electrical & electronic 26
 thin-films 25
 physics, condensed matter 25
 applied 22
 materials science, coatings & films 22

Publication Year

2005 308
 2004 36
 2006 9

Country

peoples r china 80
 usa 70
 japan 54
 south korea 31
 germany 29
 france 28
 romania 17

italy 14
canada 12
spain 9
india 8
england 7
switzerland 6
singapore 6
sweden 5

Institution

chinese acad sci 32
nanjing univ 15
tokyo inst technol 12
hong kong polytech univ 11
silla univ 7
pukyong natl univ 7
kyoto univ 7
city univ hong kong 7
usn 6
univ elect sci & technol china 6
univ calif berkeley 6
natl inst mat sci 6
dong eui univ 6
usaf 5
suzhou univ 5

DataBase

science citation index 353

CATEGORY 7 - 508B2a (6 leaf clusters)

Deposition of Thin Films (1752 REC)

THRUST

()

- Studies on silicon, especially porous and amorphous silicon, silicon nanocrystals, silicon nitride materials, and silicon wafers (222 Records) Cluster 176
- Silicon films (some hydrogenated and/or amorphous) prepared primarily by chemical vapor deposition (405 Records) Cluster 170
- Chemical vapor deposition (CVD), focusing on techniques (such as metal organic CVD), growth of films from certain precursors, and properties of deposited films (461 Records) Cluster 216
- Plasma polymerization, treatment, and ion implantation and deposition (242 Records) Cluster 156
- Carbon thin films, focusing on preparation by deposition and sputtering, amorphous carbon and carbon nitride films, and characterization, especially of bonding properties (297 Records) Cluster 163

- Diamond-like carbon (DLC) coatings, emphasizing preparation by deposition and/or plasma ion implantation and Raman studies (125 Records) Cluster 17

• CLUSTER 176

Studies on silicon, especially porous and amorphous silicon, silicon nanocrystals, silicon nitride materials, and silicon wafers (222 Records)

Countries: USA, China, followed by Japan, Germany, France, South Korea, Russia. Institutions: CNRS, CAS, RAS. USA includes NREL.).

Cluster Syntax Features

Descriptive Terms

silicon 46.7%, si 5.4%, porous.silicon 5.3%, porou 3.0%, layer 1.4%, amorphous.silicon 1.2%, nanocryst 1.1%, oxid 1.0%, silicon.nanocrystals 0.9%, hydrogen 0.8%, amorph 0.7%, silicon.nitride 0.6%, wafer 0.6%, nitrid 0.5%, anneal 0.5%

Discriminating Terms

silicon 34.3%, porous.silicon 4.4%, si 2.1%, porou 1.9%, film 1.7%, amorphous.silicon 0.9%, magnet 0.7%, silicon.nanocrystals 0.7%, nanotub 0.7%, carbon 0.7%, particl 0.6%, nanoparticl 0.6%, silicon.nitride 0.5%, quantum 0.4%, polym 0.4%

Single Word Terms

silicon 220, si 142, layer 93, temperatur 87, structur 84, electron 81, surfac 81, oxid 75, high 73, deposit 67, chemic 59, porou 58, form 58, microscopi 58, substrat 53

Double Word Terms

porous.silicon 54, electron.microscopy 40, amorphous.silicon 35, silicon.si 29, chemical.vapor 29, vapor.deposition 26, silicon.oxide 26, transmission.electron 25, plasma.chemical 24, silicon.nanocrystals 23, silicon.nitride 22, photoelectron.spectroscopy 21, ray.photoelectron 21, silicon.dioxide 19, scanning.electron 19

Triple Word Terms

chemical.vapor.deposition 26, ray.photoelectron.spectroscopy 20, transmission.electron.microscopy 20, plasma.chemical.vapor 19, scanning.electron.microscopy 16, amorphous.silicon.si 15, atomic.force.microscopy 14, hydrogenated.amorphous.silicon 12, photoelectron.spectroscopy.xps 11, high.resolution.transmission 11, resolution.transmission.electron 11, silicon.nanocrystals.embedded 10, silicon.solar.cells 10, porous.silicon.layers 9, vch.verlag.gmbh 9

Term Cliques

29.88% silicon nanocryst amorph silicon.nitride nitrid anneal
27.85% silicon nanocryst silicon.nanocrystals silicon.nitride nitrid anneal
35.95% silicon nanocryst oxid silicon.nanocrystals anneal
37.58% silicon si layer silicon.nitride wafer nitrid anneal
37.77% silicon si layer hydrogen silicon.nitride wafer nitrid
36.68% silicon si layer silicon.nanocrystals silicon.nitride nitrid anneal
45.95% silicon si layer oxid wafer anneal
44.89% silicon si layer oxid silicon.nanocrystals anneal
35.59% silicon si layer amorphous.silicon amorph silicon.nitride nitrid anneal
35.75% silicon si layer amorphous.silicon hydrogen amorph silicon.nitride nitrid
51.08% silicon si porous.silicon porou layer

Sample Cluster Record Titles

[Probing structural transitions of nanosize silicon clusters via anion photoelectron spectroscopy at 7.9 eV](#)

[Optimisation of a silicon/silicon dioxide substrate for a fluorescence DNA microarray](#)

[Observation of metastable self-organised structure during porous silicon formation](#)

[Hydrogen annealing effects on epitaxy of SOI wafer](#)

[Surface plasmon enhancement of an optical anisotropy in porous silicon/metal composite](#)

[Nanopores in macroporous silicon](#)

[Optical switching in hydrogenated amorphous silicon-sulfur alloy prepared by glow discharge](#)

[Formation of silicon-on-aluminum nitride using ion-cut and theoretical investigation of self-heating effects](#)

[Femtosecond laser-induced formation of submicrometer spikes on silicon in water](#)

Cluster Metrics

Authors

wang, q 4
timoshenko, vy 4
renna, l 4
reina, s 4
liu, wl 4
lin, cl 4
kashkarov, pk 4
galati, c 4
du, xw 4
cerofolini, gf 4
zhu, m 3
zhao, y 3
yang, dr 3
sun, j 3
osminkina, la 3

Sources

applied physics letters 25
thin solid films 13
physica status solidi a-applications and materials science 9
physical review b 8
journal of applied physics 8
journal of the electrochemical society 7
materials science and engineering b-solid state materials for advanced technology 6
applied surface science 6
applied physics a-materials science & processing 6
materials letters 5
electrochemical and solid state letters 5
semiconductor science and technology 4
physics of the solid state 4

optical materials 4
nanotechnology 4

Keywords

materials science, multidisciplinary 58
physics, applied 47
physics, applied 35
physics, condensed matter 30
films 28
si 27
physics, 21
physics, condensed matter 20
photoluminescence 19
porous silicon 17
silicon 17
engineering, electrical & electronic 16
growth 16
condensed matter 14
chemistry, physical 14

Publication Year

2005 198
2004 19
2006 4
2003 1

Country

usa 31
peoples r china 30
japan 24
germany 24
france 24
south korea 20
russia 18
italy 11
spain 6
netherlands 6
belgium 6
singapore 5
india 5
england 5
ukraine 4

Institution

cnrs 10
chinese acad sci 10

russian acad sci 8
moscow mv lomonosov state univ 5
tokyo inst technol 4
tianjin univ 4
stmicroelect 4
samsung adv inst technol 4
cnr 4
city univ hong kong 4
cea 4
zhejiang univ 3
univ lyon 1 3
univ autonoma madrid 3
natl renewable energy lab 3

DataBase

science citation index 222

- **CLUSTER 170**

Silicon films (some hydrogenated and/or amorphous) prepared primarily by chemical vapor deposition (405 Records)

(Countries: China, USA, Japan. Institutions: CAS, Sungyunkwan University, Nankai University. USA include MIT, NREL.).

Cluster Syntax Features

Descriptive Terms

film 13.7%, silicon 9.9%, si 7.7%, deposit 7.0%, plasma 3.3%, plasma.chemical 2.1%,

hydrogen 1.8%, pecvd 1.7%, plasma.chemical.vapor 1.6%, amorphous.silicon 1.5%, amorph 1.4%, chemical.vapor 1.3%, chemical.vapor.deposition 1.1%, thin 1.1%, vapor.deposition 1.1%

Discriminating Terms

silicon 6.6%, film 4.0%, si 4.0%, deposit 3.2%, plasma 1.9%, plasma.chemical 1.8%, pecvd 1.6%, plasma.chemical.vapor 1.4%, amorphous.silicon 1.3%, si.films 0.9%, silicon.films 0.9%, surfac 0.8%, chemical.vapor 0.8%, nanoparticl 0.8%, particl 0.8%

Single Word Terms

film 391, deposit 357, silicon 302, chemic 262, plasma 249, si 240, vapor 199, thin 199, temperatur 185, amorph 172, high 163, structur 159, substrat 158, hydrogen 152, properti 152

Double Word Terms

chemical.vapor 194, plasma.chemical 190, vapor.deposition 180, films.deposited 141, thin.films 137, amorphous.silicon 107, deposition.pecvd 72, thin.film 72, si.films 68, silicon.films 63, low.temperature 52, hydrogenated.amorphous 51, si.si 50, silicon.nitride 49, deposition.rate 49

Triple Word Terms

chemical.vapor.deposition 180, plasma.chemical.vapor 152, vapor.deposition.pecvd 49, thin.films.deposited 47, hydrogenated.amorphous.silicon 46, chemical.vapour.deposition 42, fourier.transform.infrared 38, plasma.chemical.vapour 38, ray.photoelectron.spectroscopy 36, films.plasma.chemical 32, silicon.thin.films 32, electron.cyclotron.resonance 25, deposited.plasma.chemical 25, amorphous.silicon.si 24, vapour.deposition.pecvd 23

Term Cliques

57.21% film silicon deposit plasma.chemical hydrogen amorph chemical.vapor
chemical.vapor.deposition thin vapor.deposition
54.55% film silicon deposit plasma plasma.chemical hydrogen pecvd
plasma.chemical.vapor chemical.vapor chemical.vapor.deposition thin vapor.deposition
55.53% film silicon si deposit hydrogen amorphous.silicon amorph chemical.vapor
chemical.vapor.deposition thin vapor.deposition
60.35% film silicon si deposit plasma hydrogen chemical.vapor
chemical.vapor.deposition thin vapor.deposition

Sample Cluster Record Titles

[Suppression of photo-induced dilation in cyanide treated hydrogenated amorphous silicon films](#)

[Electrical transport properties of microcrystalline silicon grown by plasma enhanced chemical vapor deposition](#)

[Control on the formation of Si nanodots fabricated by thermal annealing/oxidation of hydrogenated amorphous silicon](#)

[Structure and mechanical properties of Ti-Si-N films deposited by combined DC/RF reactive unbalanced magnetron sputtering](#)

[Structure characterization and photon absorption analysis of carbon-doped beta-FeSi₂ film](#)

[Structural and optical characterization of amorphous As₄₀S₆₀ and As₄₀Se₆₀ films prepared by plasma-enhanced chemical vapor deposition](#)

[Novel polymeric thin film deposition system: Injector-apparatus/PECVD reactor](#)

[Study on crystallization of amorphous silicon using CeO₂ seed layer patterned on the plastic substrate](#)

[Chemical bonding structure of low dielectric constant Si : O : C : H films characterized by solid-state NMR](#)

Cluster Metrics

Authors

geng, xh 7

zhang, xd 6

zhang, s 6

wuu, ds 6

wei, cc 6

van de sanden, mcm 6

martins, r 6

gleason, kk 6

fortunato, e 6

chen, gh 6

zhu, xh 5

zhao, y 5

xiong, sz 5

raniero, l 5

mataras, d 5

Sources

thin solid films 43

journal of applied physics 40
applied surface science 16
surface & coatings technology 15
acta physica sinica 15
applied physics letters 13
journal of vacuum science & technology a 11
journal of the korean physical society 11
journal of optoelectronics and advanced materials 11
japanese journal of applied physics part 1-regular papers short notes & review papers 11
solar energy materials and solar cells 10
journal of non-crystalline solids 8
journal of the electrochemical society 7
electrochemical and solid state letters 7
materials science and engineering b-solid state materials for advanced technology 6

Keywords

materials science, multidisciplinary 113
physics, applied 97
chemical-vapor-deposition 86
physics, applied 84
physics, 64
condensed matter 47
thin-films 42
physics, multidisciplinary 39
materials science, coatings & films 36
growth 35
physics, condensed matter 33
engineering, electrical & electronic 32
plasma 32
amorphous-silicon 31
silicon 30

Publication Year

2005 358
2004 43
2006 4

Country

peoples r china 65
usa 58
japan 56
south korea 28
taiwan 25
france 22
italy 20
germany 19

netherlands 17
singapore 13
canada 13
india 12
england 12
spain 10
russia 10

Institution

chinese acad sci 11
sungkyunkwan univ 9
nankai univ 9
nanyang technol univ 8
eindhoven univ technol 8
ecole polytech 8
univ cambridge 7
russian acad sci 7
mit 7
univ nova lisboa 6
osaka univ 6
natl renewable energy lab 6
natl chung hsing univ 6
natl chiao tung univ 6
cnr 6

DataBase

science citation index 405

• CLUSTER 216

Chemical vapor deposition (CVD), focusing on techniques (such as

metal organic CVD), growth of films from certain precursors, and properties of deposited films (461 Records)

(Countries: USA, Japan, followed by China, South Korea. Institutions: Tokyo Institute of Technology, RAS, University of Illinois, University of Shizuoka, Tohoku University. Other USA include University of Maryland, Penn State University.).

Cluster Syntax Features

Descriptive Terms

deposit 25.6%, film 12.8%, vapor 4.0%, vapor.deposition 3.9%, chemical.vapor 3.4%, chemical.vapor.deposition 3.3%, chemic 2.2%, cvd 1.8%, precursor 1.2%, mocvd 1.1%, substrat 1.0%, temperatur 0.8%, thin 0.8%, growth 0.7%, ga 0.6%

Discriminating Terms

deposit 18.9%, film 3.9%, vapor.deposition 3.3%, vapor 3.1%, chemical.vapor 2.9%, chemical.vapor.deposition 2.9%, cvd 1.5%, mocvd 1.0%, chemic 0.9%, nanoparticl 0.9%, magnet 0.8%, particl 0.8%, nanotub 0.8%, precursor 0.7%, surfac 0.6%

Single Word Terms

deposit 456, film 416, chemic 315, vapor 292, temperatur 222, substrat 210, thin 179, structur 158, surfac 157, low 150, high 143, rai 138, metal 135, growth 134, properti 133

Double Word Terms

vapor.deposition 271, chemical.vapor 260, thin.films 122, films.deposited 105, ray.diffraction 86, films.grown 73, metal.organic 65, deposition.mocvd 62, electron.microscopy 60, organic.chemical 58, ray.photoelectron 57, deposition.temperature 55, photoelectron.spectroscopy 53, thin.film 52, deposition.cvd 49

Triple Word Terms

chemical.vapor.deposition 256, metal.organic.chemical 58, vapor.deposition.mocvd 56, ray.photoelectron.spectroscopy 53, organic.chemical.vapor 50, vapor.deposition.cvd 44, metalorganic.chemical.vapor 43, scanning.electron.microscopy 37, photoelectron.spectroscopy.xps 31, chemical.vapour.deposition 29, ray.diffraction.xrd 27, thin.films.deposited 25, transmission.electron.microscopy 23, pressure.chemical.vapor 22, electron.microscopy.sem 20

Term Cliques

51.47% deposit film vapor vapor.deposition chemical.vapor chemical.vapor.deposition chemic precursor mocvd substrat temperatur thin growth ga
51.78% deposit film vapor vapor.deposition chemical.vapor chemical.vapor.deposition chemic cvd precursor substrat temperatur thin growth ga

Sample Cluster Record Titles

[Chemical vapor deposition of niobium disulfide thin films](#)

[Improvement of electrochemical properties in LiCoO₂ cathode films grown on Pt/TiO₂/SiO₂/Si substrates by liquid-delivery metalorganic chemical vapor deposition](#)

[Characteristics of organic film deposited by plasma-enhanced chemical-vapor deposition using a benzocyclobutene resin](#)

[Crystal quality, electrical and optical properties of single crystal pyrite films prepared by chemical vapor deposition under atmospheric pressure](#)

[Development of TiSiN CVD process using TiCl₄/SiH₄/NH₃ chemistry for ULSI anti-oxidation barrier applications](#)

[Effect of carrier gas on the structure and electrical properties of low dielectric constant SiCOH film using trimethylsilane prepared by plasma enhanced chemical vapor deposition](#)

[Evaluation of young modulus of CVD coatings by different techniques](#)

[NbS₂ thin films by atmospheric pressure chemical vapour deposition and the formation of a new 1T polytype](#)

[Root growth of multi-wall carbon nanotubes by MPCVD](#)

Cluster Metrics

Authors

parkin, ip 9

lee, jh 8

funakubo, h 8

nakamura, t 7

kim, hj 7

carmalt, cj 7

shimogaki, y 6

matsumura, h 6

masuda, a 6

fragala, il 6

zheng, yd 5

zhang, r 5

temmyo, j 5

shi, y 5
park, y 5

Sources

thin solid films 36
journal of the electrochemical society 20
chemical vapor deposition 17
journal of crystal growth 16
journal of applied physics 16
applied surface science 16
electrochemical and solid state letters 14
japanese journal of applied physics part 2-letters & express letters 12
japanese journal of applied physics part 1-regular papers short notes & review papers 12
materials science and engineering b-solid state materials for advanced technology 10
journal of vacuum science & technology b 10
journal of the korean physical society 9
journal of physical chemistry b 9
applied physics letters 9
surface & coatings technology 8

Keywords

materials science, multidisciplinary 101
physics, applied 88
chemical-vapor-deposition 86
thin-films 79
physics, 68
physics, condensed matter 63
growth 60
physics, applied 57
materials science, coatings & films 57
engineering, electrical & electronic 53
chemistry, physical 52
condensed matter 49
films 43
mocvd 39
cvd 37

Publication Year

2005 397
2004 56
2006 7
2003 1

Country

usa 98
japan 95

peoples r china 51
south korea 50
germany 28
italy 25
england 25
taiwan 22
france 20
russia 15
spain 13
netherlands 9
australia 7
mexico 6
india 6

Institution

tokyo inst technol 12
russian acad sci 12
univ illinois 10
univ shizuoka 9
tohoku univ 9
univ tokyo 7
osaka univ 7
nanjing univ 7
csic 7
cnr 7
chinese acad sci 7
univ maryland 6
seoul natl univ 6
penn state univ 6
natl inst adv ind sci & technol 6

DataBase

science citation index 461

• CLUSTER 156

Plasma polymerization, treatment, and ion implantation and deposition (242 Records)

(Countries: USA, Japan, South Korea, China, Germany. Institutions: Sungyungwan University, National University of Singapore, Nanyang Technological University. USA include USAF, University of Michigan.).

Cluster Syntax Features

Descriptive Terms

plasma 39.9%, film 12.8%, deposit 4.9%, discharg 0.9%, surfac 0.9%, thin 0.6%, plasma.polymerization 0.6%, ion 0.5%, chemic 0.5%, treatment 0.5%, polymer 0.5%, plasma.treatment 0.5%, substrat 0.5%, ga 0.4%, etch 0.4%

Discriminating Terms

plasma 32.1%, film 3.3%, deposit 1.7%, magnet 0.7%, crystal 0.7%, nanoparticl 0.7%, discharg 0.6%, structur 0.6%, nanotub 0.6%, quantum 0.5%, particl 0.5%, plasma.polymerization 0.5%, size 0.5%, phase 0.4%, plasma.treatment 0.4%

Single Word Terms

plasma 236, film 228, deposit 186, surfac 134, spectroscopi 112, chemic 105, thin 102, rai 91, substrat 89, electron 81, low 78, properti 78, high 74, structur 74, ga 69

Double Word Terms

ray.photoelectron 63, photoelectron.spectroscopy 61, thin.films 58, films.deposited 55, vapor.deposition 53, plasma.chemical 52, chemical.vapor 52, spectroscopy.xps 39, atomic.force 36, fourier.transform 35, transform.infrared 34, electron.microscopy 33, scanning.electron 33, contact.angle 32, plasma.treatment 31

Triple Word Terms

ray.photoelectron.spectroscopy 59, chemical.vapor.deposition 51, plasma.chemical.vapor 44, photoelectron.spectroscopy.xps 38, fourier.transform.infrared 34, atomic.force.microscopy 29, scanning.electron.microscopy 26, force.microscopy.afm 22, inductively.coupled.plasma 21, optical.emission.spectroscopy 20, transform.infrared.spectroscopy 15, vapor.deposition.pecvd 12, electron.microscopy.sem 11, secondary.ion.mass 11, contact.angle.measurements 11

Term Cliques

47.77% plasma film treatment plasma.treatment etch
51.82% plasma film ion ga etch
59.34% plasma film surfac plasma.treatment substrat
56.61% plasma film surfac treatment plasma.treatment
55.65% plasma film discharg surfac chemic treatment
53.67% plasma film deposit surfac plasma.polymerization chemic polymer substrat
54.34% plasma film deposit surfac thin plasma.polymerization chemic polymer
53.40% plasma film deposit discharg surfac ion chemic substrat ga
52.11% plasma film deposit discharg surfac ion chemic polymer substrat
53.99% plasma film deposit discharg surfac thin ion chemic ga
52.71% plasma film deposit discharg surfac thin ion chemic polymer

Sample Cluster Record Titles

[Deuterium emission in laser plasma induced by transversely excited atmospheric pressure CO2 laser in low-pressure of helium surrounding gas](#)

[Structure and optical properties of Au-polyimide nanocomposite films prepared by ion implantation](#)

[Thin polymer films prepared by plasma immersion ion implantation and deposition](#)

[Electrochemical stability of magnetron-sputtered Ti films on sintered and sintered/plasma nitrided Fe-1.5% Mo alloy](#)

[Surface characteristics of polypropylene film treated by an atmospheric pressure plasma](#)

[Plasma polymer films rf sputtered from PTFE under various argon pressures](#)

[Composition of the plasma during the arc extinction and study of soot deposition in a low voltage circuit breaker with vapors coming from the erosion of walls and contacts.](#)

[Plasma deposition and surface characterization of oligoglyme, dioxane, and crown ether nonfouling films](#)

[B-C-N hybrid synthesis by high-temperature ion implantation](#)

Cluster Metrics

Authors

shimada, m 5

bodas, ds 5

kim, jh 4
gangal, sa 4
yang, p 3
xu, s 3
wolden, ca 3
tullis, s 3
tran, nd 3
samukawa, s 3
palumbo, f 3
ostrikov, k 3
ono, t 3
okigawa, m 3
nastase, f 3

Sources

surface & coatings technology 29
thin solid films 23
journal of vacuum science & technology a 19
journal of applied physics 13
plasma processes and polymers 11
applied surface science 9
journal of vacuum science & technology b 7
applied physics letters 7
electrochemical and solid state letters 5
diamond and related materials 4
vacuum 3
microelectronic engineering 3
materials science and engineering b-solid state materials for advanced technology 3
journal of the electrochemical society 3
journal of optoelectronics and advanced materials 3

Keywords

physics, applied 62
materials science, multidisciplinary 53
materials science, coatings & films 52
chemical-vapor-deposition 46
physics, 32
physics, applied 28
thin-films 24
films 24
condensed matter 23
deposition 20
chemistry, physical 19
growth 18
xps 17
plasma 16

surface 15

Publication Year

2005 212

2004 27

2006 3

Country

usa 39

japan 31

south korea 28

peoples r china 21

germany 20

france 18

italy 14

singapore 13

taiwan 12

india 8

australia 8

romania 6

switzerland 5

czech republic 5

canada 5

Institution

sungkyunkwan univ 7

natl univ singapore 6

nanyang technol univ 6

cnr 5

univ sydney 4

univ paris 06 4

univ bari 4

natl cheng kung univ 4

ecole polytech 4

usaf 3

univ trent 3

univ s australia 3

univ poona 3

univ padua 3

univ michigan 3

DataBase

science citation index 242

• CLUSTER 163

Carbon thin films, focusing on preparation by deposition and sputtering, amorphous carbon and carbon nitride films, and characterization, especially of bonding properties (297 Records)

(Countries: Japan, China. Institutions: Nagoya Institute of Technology dominant, CAS, Chubu University. No USA presence shown.).

Cluster Syntax Features

Descriptive Terms

film 17.4%, carbon 9.9%, deposit 5.9%, carbon.films 3.9%, amorphous.carbon 3.8%, amorph 2.4%, nitrid 2.1%, carbon.nitride 1.5%, nitrogen 1.2%, plasma 1.2%, cnx 1.2%, films.deposited 1.1%, sputter 1.0%, bond 1.0%, substrat 0.9%

Discriminating Terms

film 6.2%, carbon 4.8%, carbon.films 3.7%, amorphous.carbon 3.5%, deposit 2.5%, carbon.nitride 1.4%, nitrid 1.4%, amorph 1.4%, cnx 1.1%, films.deposited 0.8%, particl 0.8%, nanoparticl 0.8%, nitrogen 0.7%, magnet 0.7%, amorphous.carbon.films 0.7%

Single Word Terms

film 293, deposit 258, carbon 239, properti 156, spectroscopi 148, amorph 148, substrat 146, structur 139, chemic 135, plasma 133, electron 112, thin 104, vapor 100, raman 100, surfac 98

Double Word Terms

films.deposited 121, amorphous.carbon 112, carbon.films 104, chemical.vapor 92, vapor.deposition 92, plasma.chemical 78, thin.films 76, photoelectron.spectroscopy 61, ray.photoelectron 59, magnetron.sputtering 58, carbon.nitride 56, raman.spectroscopy 52, field.emission 47, electron.microscopy 47, nitride.films 43

Triple Word Terms

chemical.vapor.deposition 90, plasma.chemical.vapor 68, ray.photoelectron.spectroscopy 55, amorphous.carbon.films 47, photoelectron.spectroscopy.xps 35, carbon.films.deposited 32, scanning.electron.microscopy 31, atomic.force.microscopy 30, carbon.nitride.films 29, carbon.thin.films 25, thin.films.deposited 23, fourier.transform.infrared 23, hydrogenated.amorphous.carbon 22, field.emission.properties 21, pulsed.laser.deposition 20

Term Cliques

51.76% film deposit nitrid nitrogen films.deposited sputter substrat
46.18% film deposit nitrid nitrogen cnx films.deposited sputter
42.93% film deposit nitrid carbon.nitride nitrogen cnx films.deposited bond
49.54% film deposit nitrid carbon.nitride nitrogen plasma films.deposited substrat
47.26% film deposit nitrid carbon.nitride nitrogen plasma films.deposited bond
48.73% film deposit amorph nitrogen cnx films.deposited sputter
55.60% film carbon deposit carbon.nitride nitrogen plasma films.deposited substrat
47.95% film carbon deposit amorphous.carbon amorph carbon.nitride nitrogen cnx films.deposited bond
51.41% film carbon deposit amorphous.carbon amorph carbon.nitride nitrogen plasma films.deposited bond
56.12% film carbon deposit carbon.films amorphous.carbon amorph plasma films.deposited bond

Sample Cluster Record Titles

[Structure and chemical bonds of CN_x films deposited by alternating irradiations of mass-separated ion beams of C⁺ and N⁺](#)

[Optical properties of hydrogenated amorphous carbon thin films prepared by dc saddle field plasma-enhanced chemical vapor deposition](#)

[Characteristics of phosphorus-doped amorphous carbon films grown by rf plasma-enhanced CVD with a novel phosphorus solid target](#)

[Mechanical properties of carbon-doped TiN films by ion beam irradiation in ethylene gas atmosphere](#)

[The bonding properties of amorphous carbon nitride films by the means of X-ray photoelectron spectroscopy studies](#)

[Nanoindentation and nanowear of extremely thin protective layers of C-N and B-C-N](#)

[Study in hydrogen ion irradiation of N⁺-ion-implanted SiC-C films](#)

[In vitro endothelialization on CN_x films deposited on PTFE](#)

Cluster Metrics

Authors

soga, t 21
rusop, m 20
jimbo, t 20
umeno, m 10
omer, amm 9
adhikary, s 9
uchida, h 8
adhikari, s 8
papakonstantinou, p 7
mclaughlin, ja 7
roy, ss 6
xu, t 5
silva, srp 4
park, ys 4
ossi, pm 4

Sources

thin solid films 42
diamond and related materials 26
surface & coatings technology 19
journal of applied physics 19
applied surface science 17
carbon 11
applied physics letters 11
japanese journal of applied physics part 1-regular papers short notes & review papers 9
surface review and letters 8
applied physics a-materials science & processing 7
journal of the korean physical society 6
journal of non-crystalline solids 6
japanese journal of applied physics part 1-regular papers brief communications & review papers 6
vacuum 5
new diamond and frontier carbon technology 5

Keywords

materials science, multidisciplinary 108
physics, applied 65

thin-films 63
physics, 61
physics, applied 53
condensed matter 43
growth 37
chemical-vapor-deposition 36
chemistry, physical 34
physics, condensed matter 34
materials science, coatings & films 32
diamond-like carbon 32
coatings 30
deposition 24
materials science, multidisciplinary 21

Publication Year

2005 258
2004 28
2006 11

Country

japan 80
peoples r china 55
usa 25
italy 22
south korea 19
germany 17
france 16
taiwan 12
russia 12
singapore 10
england 10
north ireland 8
india 8
spain 7
brazil 7

Institution

nagoya inst technol 24
chinese acad sci 12
chubu univ 11
univ ulster 8
univ trent 8
osaka univ 8
sungkyunkwan univ 7
nanyang technol univ 6
cnrs 6

univ surrey 5
russian acad sci 5
politecn milan 5
natl tsing hua univ 5
nagoya univ 5
moscow mv lomonosov state univ 5

DataBase
science citation index 297

• CLUSTER 17

Diamond-like carbon (DLC) coatings, emphasizing preparation by deposition and/or plasma ion implantation and Raman studies (125 Records)

(Countries: Japan, China. Institutions: CAS, Sungyunkwan University, Chuba University. No USA presence shown.).

Cluster Syntax Features

Descriptive Terms

dlc 33.4%, dlc.films 8.8%, diamond.carbon 8.6%, film 7.6%, diamond 5.8%, carbon 3.5%, carbon.dlc 2.2%, diamond.carbon.dlc 2.0%, deposit 1.5%, carbon.films 1.5%, dlc.film 1.3%, diamond.carbon.films 1.2%, carbon.dlc.films 0.9%, plasma 0.8%, raman 0.7%

Discriminating Terms

dlc 23.3%, dlc.films 6.2%, diamond.carbon 6.0%, diamond 3.2%, carbon.dlc 1.5%, diamond.carbon.dlc 1.4%, carbon.films 1.0%, dlc.film 0.9%, diamond.carbon.films 0.8%, film 0.8%, nanoparticl 0.7%, carbon.dlc.films 0.7%, carbon 0.6%, particl 0.6%, surfac 0.5%

Single Word Terms

film 123, carbon 123, diamond 120, dlc 110, deposit 99, properti 70, plasma 60,

spectroscopy 60, structure 60, chemical 58, substrate 57, Raman 53, surface 52, coating 41, amorphous 41

Double Word Terms

diamond.carbon 112, carbon.dlc 91, dlc.films 79, carbon.films 64, films.deposited 47, Raman.spectroscopy 39, plasma.chemical 34, dlc.film 31, vapor.deposition 30, chemical.vapor 30, atomic.force 27, ray.photoelectron 24, thin.films 23, photoelectron.spectroscopy 22, properties.diamond 21

Triple Word Terms

diamond.carbon.dlc 83, carbon.dlc.films 54, diamond.carbon.films 50, dlc.films.deposited 29, chemical.vapor.deposition 29, plasma.chemical.vapor 25, ray.photoelectron.spectroscopy 22, properties.diamond.carbon 20, atomic.force.microscopy 18, dlc.thin.films 13, photoelectron.spectroscopy.xps 12, transmission.electron.microscopy 12, carbon.thin.films 11, carbon.films.deposited 10, radio.frequency.plasma 10

Term Cliques

69.80% dlc dlc.films diamond.carbon film diamond carbon deposit carbon.films
diamond.carbon.films carbon.dlc.films plasma Raman
71.07% dlc dlc.films diamond.carbon film diamond carbon diamond.carbon.dlc deposit
diamond.carbon.films carbon.dlc.films plasma Raman
73.80% dlc dlc.films diamond.carbon film diamond carbon carbon.dlc
diamond.carbon.dlc deposit carbon.dlc.films plasma Raman
72.33% dlc dlc.films diamond.carbon film diamond carbon carbon.dlc
diamond.carbon.dlc deposit dlc.film carbon.dlc.films plasma

Sample Cluster Record Titles

[Micro-Raman studies on DLC coatings](#)

[The ultrasmoothness of diamond-like carbon surfaces](#)

[Thermal stability of diamondlike carbon buried layer fabricated by plasma immersion ion implantation and deposition in silicon on insulator](#)

[Structure evolution of fluorinated diamond-like carbon films prepared at varying source gas flow ratios](#)

[Low voltage electrodeposition of diamond like carbon \(DLC\)](#)

[Femtosecond pulsed laser ablation of diamond-like carbon films on silicon](#)

[Plasma study and deposition of DLC/TiC/Ti multilayer structures using technique combining pulsed laser deposition and magnetron sputtering](#)

[Properties of DLC thin films produced by RF PE-CVD from pyrrole monomer](#)

[Interfaces and temperature stability of stepwise graded DLC films studied by nanoindentation and Raman spectroscopy](#)

Cluster Metrics

Authors

xu, t 5
umeno, m 5
hong, b 5
robertson, j 4
pascual, e 4
fu, rky 4
ferrari, ac 4
corbella, c 4
chu, pk 4
casiraghi, c 4
bertran, e 4
andujar, jl 4
adhikary, s 4
zhou, hd 3
yang, wj 3

Sources

diamond and related materials 24
thin solid films 20
surface & coatings technology 13
applied surface science 12
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 4
acta physica sinica 4
new diamond and frontier carbon technology 3
journal of vacuum science & technology b 3
journal of physics d-applied physics 3
journal of applied physics 3
journal of materials processing technology 2
journal of inorganic materials 2
journal of ceramic processing research 2
applied physics letters 2
zeitschrift fur metallkunde 1

Keywords

materials science, multidisciplinary 52

diamond-like carbon 41
physics, 32
physics, applied 25
coatings 24
amorphous-carbon 23
deposition 22
condensed matter 20
thin-films 18
materials science, coatings & films 17
amorphous-carbon 15
chemistry, physical 14
plasma 14
dlc 13
applied 12

Publication Year

2005 114
2004 10
2006 1

Country

japan 33
peoples r china 23
south korea 14
usa 13
germany 10
taiwan 8
england 7
spain 5
singapore 5
india 5
france 3
czech republic 3
romania 2
ireland 2
greece 2

Institution

chinese acad sci 11
sungkyunkwan univ 7
chubu univ 5
univ cambridge 4
univ barcelona 4
nanyang technol univ 4
tokyo denki univ 3
natl cheng kung univ 3

korea inst sci & technol 3
keio univ 3
hanyang univ 3
city univ hong kong 3
yonsei univ 2
univ surrey 2
univ st etienne 2

DataBase
science citation index 125

CATEGORY 8 - 508B2b (2 leaf clusters)

Diamond films (394 REC)

THRUST

()

- Diamond films, emphasizing chemical vapor deposition (CVD), nanocrystalline, and boron-doped diamond films (219 Records)
Cluster 26
- Chemical vapor deposition (CVD) diamond films, emphasizing plasma CVD, growth, and interactions with silicon (175 Records)
Cluster 138

• CLUSTER 26

Diamond films, emphasizing chemical vapor deposition (CVD), nanocrystalline, and boron-doped diamond films (219 Records)

(Countries: China, followed by Japan, USA. Institutions: Shanghai University, RAS, CAS. USA includes Michigan State University.).

Cluster Syntax Features

Descriptive Terms

diamond 52.4%, diamond.films 10.6%, film 5.8%, diamond.film 1.8%, deposit 1.6%, cvd 1.3%, cvd.diamond 1.3%, substrat 0.8%, nanocrystalline.diamond 0.6%, growth 0.5%, plasma 0.5%, cvd.diamond.films 0.5%, chemical.vapor 0.5%, boron 0.4%, microwav 0.4%

Discriminating Terms

diamond 34.9%, diamond.films 7.4%, diamond.film 1.2%, cvd.diamond 0.9%, nanoparticl 0.7%, cvd 0.7%, magnet 0.6%, structur 0.6%, surfac 0.5%, nanotub 0.5%, particl 0.5%, nanocrystalline.diamond 0.4%, oxid 0.4%, crystal 0.4%, layer 0.4%

Single Word Terms

diamond 219, film 216, deposit 172, chemic 139, substrat 112, vapor 101, high 100, growth 95, surfac 91, electron 88, plasma 88, temperatur 86, cvd 82, properti 77, raman 69

Double Word Terms

diamond.films 148, chemical.vapor 100, vapor.deposition 96, diamond.film 80, cvd.diamond 53, microwave.plasma 49, plasma.chemical 48, raman.spectroscopy 45, hot.filament 44, filament.chemical 38, electron.microscopy 36, scanning.electron 36, films.grown 35, films.deposited 31, nanocrystalline.diamond 31

Triple Word Terms

chemical.vapor.deposition 96, hot.filament.chemical 38, microwave.plasma.chemical 38, plasma.chemical.vapor 36, cvd.diamond.films 31, scanning.electron.microscopy 31, filament.chemical.vapor 30, diamond.films.grown 25, chemical.vapour.deposition 25, diamond.thin.films 22, electron.microscopy.sem 21, boron.doped.diamond 21, vapor.deposition.cvd 21, nanocrystalline.diamond.films 18, vapor.deposition.hfcd 17

Term Cliques

55.18% diamond film growth chemical.vapor boron microwav
53.82% diamond film diamond.film cvd growth chemical.vapor boron
55.38% diamond diamond.films film cvd cvd.diamond cvd.diamond.films

chemical.vapor
56.76% diamond diamond.films film deposit substrat nanocrystalline.diamond growth
plasma chemical.vapor microwav
63.14% diamond diamond.films film deposit cvd cvd.diamond.films chemical.vapor
56.68% diamond diamond.films film diamond.film cvd cvd.diamond growth
chemical.vapor
62.40% diamond diamond.films film diamond.film deposit substrat growth plasma
chemical.vapor
63.47% diamond diamond.films film diamond.film deposit cvd growth chemical.vapor

Sample Cluster Record Titles

[Quantitative analysis of hydrogen in chemical vapor deposited diamond films](#)

[{111}-oriented diamond films and p/n junctions grown on B-doped type Ib substrates](#)

[Optical properties of diamond-like carbon and nanocrystalline diamond films](#)

[Synthetic diamond electrodes: The effect of surface microroughness on the electrochemical properties of CVD diamond thin films on titanium](#)

[Off-diagonal elastic constant and sp\(2\)-bonded graphitic grain boundary in nanocrystalline-diamond thin films](#)

[High rate growth of thick diamond films by high-current hot-cathode PCVD](#)

[Growth of Pt clusters electrodeposited onto boron-doped diamond films](#)

[A study of diamond synthesis by hot filament chemical vapour deposition on nanocomposite coatings](#)

[Photochemical oxidation of hydrogenated boron-doped diamond surfaces](#)

Cluster Metrics

Authors

xia, yb 10

wang, lj 10

ferreira, ng 8

zhang, ml 7

lu, fx 7

gu, bb 7

trava-airoldi, vj 6

teraji, t 6
silva, f 6
li, cm 6
ito, t 6
hirose, a 6
hassouni, k 6
yang, q 5
xiao, c 5

Sources

diamond and related materials 50
thin solid films 17
journal of applied physics 9
applied physics letters 9
physica status solidi a-applications and materials science 7
carbon 5
surface & coatings technology 4
plasma science & technology 4
journal of crystal growth 4
acta metallurgica sinica 4
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 3
plasma sources science & technology 3
new diamond and frontier carbon technology 3
journal of vacuum science & technology b 3
applied surface science 3

Keywords

materials science, multidisciplinary 89
chemical-vapor-deposition 65
growth 50
diamond 33
thin-films 30
physics, applied 29
cvd 27
physics, applied 25
physics, 22
films 21
diamond film 19
nucleation 19
condensed matter 18
diamond 18
deposition 18

Publication Year

2005 193

2004 19

2006 7

Country

peoples r china 60

japan 37

usa 31

france 20

italy 16

russia 12

germany 12

brazil 12

england 10

taiwan 8

portugal 8

canada 8

israel 6

india 6

belgium 5

Institution

shanghai univ 10

russian acad sci 10

chinese acad sci 10

univ sci & technol beijing 8

univ aveiro 8

osaka univ 8

univ saskatchewan 7

univ paris 13 7

univ roma tor vergata 6

technion israel inst technol 6

natl inst mat sci 6

michigan state univ 6

jilin univ 6

inst nacl pesquisas espaciais 5

univ kassel 4

DataBase

science citation index 219

• CLUSTER 138

Chemical vapor deposition (CVD) diamond films, emphasizing plasma CVD, growth, and interactions with silicon (175 Records)

(Countries: USA, followed by China, Japan. Institutions: RAS, CAS, National Chiao Tung University. USA include Ohio State university, UCLA.).

Cluster Syntax Features

Descriptive Terms

diamond 53.3%, cvd 4.1%, deposit 1.6%, plasma 1.4%, chemical.vapor 1.3%, vapor 1.2%, vapor.deposition 1.1%, chemical.vapor.deposition 1.1%, chemic 1.0%, cvd.diamond 0.8%, pressur 0.7%, surfac 0.6%, growth 0.6%, silicon 0.5%, carbon 0.5%

Discriminating Terms

diamond 39.8%, cvd 2.8%, film 1.8%, nanoparticl 0.7%, chemical.vapor 0.7%, chemical.vapor.deposition 0.6%, vapor.deposition 0.6%, magnet 0.6%, cvd.diamond 0.6%, structur 0.5%, vapor 0.5%, plasma 0.5%, quantum 0.5%, particl 0.4%, polym 0.4%

Single Word Terms

diamond 115, deposit 113, chemic 105, vapor 85, high 81, cvd 70, surfac 66, electron 64, temperatur 61, plasma 57, substrat 56, growth 55, properti 50, pressur 46, carbon 43

Double Word Terms

chemical.vapor 83, vapor.deposition 78, plasma.chemical 35, deposition.cvd 31, cvd.diamond 30, high.temperature 22, electron.microscopy 20, microwave.plasma 18, single.crystal 18, high.pressure 18, polycrystalline.diamond 17, scanning.electron 16, diamond.surface 15, chemical.vapour 13, diamond.nucleation 13

Triple Word Terms

chemical.vapor.deposition 77, plasma.chemical.vapor 33, vapor.deposition.cvd 24, microwave.plasma.chemical 15, scanning.electron.microscopy 15, single.crystal.diamond 11, chemical.vapour.deposition 11, high.pressure.high 9, pressure.high.temperature 8, high.temperature.high 7, transmission.electron.microscopy 7, atomic.force.microscopy 7, vapour.deposition.cvd 7, hot.filament.chemical 7, vapor.deposition.diamond 6

Term Cliques

38.14% chemic surfac growth silicon
34.57% chemic cvd.diamond surfac silicon
37.00% deposit plasma pressur carbon
40.86% deposit plasma chemical.vapor chemic cvd.diamond silicon
42.11% deposit plasma chemical.vapor vapor vapor.deposition chemical.vapor.deposition
chemic growth silicon carbon
42.29% cvd chemic surfac growth
38.71% cvd chemic cvd.diamond surfac
36.11% cvd deposit plasma cvd.diamond pressur
43.62% cvd deposit plasma chemical.vapor chemic cvd.diamond
45.90% cvd deposit plasma chemical.vapor vapor vapor.deposition
chemical.vapor.deposition chemic growth
39.57% diamond surfac growth silicon
36.00% diamond cvd.diamond surfac silicon
43.71% diamond cvd surfac growth
40.14% diamond cvd cvd.diamond surface

Sample Cluster Record Titles

[The vacuum-annealed undoped polycrystalline CVD diamond electrodes: the impedance-spectroscopy and photoelectrochemical studies](#)

[High-order stokes and anti-stokes Raman generation in CVD diamond](#)

[Characterization of cascade arc assisted CVD diamond coating technology - Part I. Plasma processing parameters](#)

[Model of carrier dynamics in chemical vapor deposition diamond detectors](#)

[Oxidization process of CVD diamond \(100\): H 2 x 1 surfaces](#)

[Low temperature growth of nanostructured diamond on quartz spheres](#)

[Studies on nano-diamond prepared by explosive detonation by Raman and infrared spectroscopy](#)

[Diamond growth on faceted sapphire and the charged cluster model](#)

[Diamond CVD by microwave plasmas in argon-diluted methane without or with 2% hydrogen additive](#)

Cluster Metrics

Authors

kagan, h 4
zhang, fq 3
yamasaki, s 3
verona-rinati, g 3
vanecek, m 3
tallaire, a 3
ralchenko, vg 3
pucella, g 3
lee, st 3
kawarada, h 3
kato, h 3
goto, t 3
achard, j 3
zhang, yf 2
zhang, rq 2

Sources

diamond and related materials 24
applied physics letters 10
journal of applied physics 9
nuclear instruments & methods in physics research section a-accelerators spectrometers
detectors and associated equipment 6
surface & coatings technology 5
physica status solidi a-applications and materials science 4
new diamond and frontier carbon technology 4
journal of crystal growth 4
thin solid films 3
physical review b 3
materials chemistry and physics 3
journal of the electrochemical society 3
journal of physical chemistry b 3
vacuum 2
surface science 2

Keywords

materials science, multidisciplinary 42
chemical-vapor-deposition 36
films 36
physics, applied 27
growth 21
materials science, coatings & films 14
chemistry, physical 14
diamond 13

physics, applied 13
spectroscopy 12
physics, condensed matter 11
engineering, electrical & electronic 11
thin-films 9
nucleation 9
instruments & instrumentation 9

Publication Year

2005 155
2004 17
2006 3

Country

usa 51
peoples r china 28
japan 27
france 15
england 13
russia 11
germany 11
taiwan 9
south korea 8
italy 8
australia 5
belgium 4
hungary 3
czech republic 3
brazil 3

Institution

russian acad sci 8
chinese acad sci 6
natl chiao tung univ 5
zhengzhou univ 4
waseda univ 4
univ roma tor vergata 4
univ florence 4
tohoku univ 4
osaka univ 4
ohio state univ 4
city univ hong kong 4
univ surrey 3
univ shizuoka 3
univ london kings coll 3
univ calif los angeles 3

DataBase
science citation index 175

CATEGORY 9 - 509A1a (1 leaf cluster)

Applications of Carbon Nanotubes (474 REC)

THRUST

()

- Carbon nanotubes (CNTs), especially application to electrodes and catalysts, CNT composites, and preparation of aligned CNTs (474 Records) Cluster 37

• CLUSTER 37

Carbon nanotubes (CNTs), especially application to electrodes and catalysts, CNT composites, and preparation of aligned CNTs (474 Records)

(Countries: China, followed by USA, South korea, followed by japan.
Institutions: CAS dominant, followed by Sungyunkwan University. USA includes PNNL.).

Cluster Syntax Features

Descriptive Terms

cnt 66.5%, nanotub 7.1%, carbon 5.4%, carbon.nanotubes 3.6%, nanotubes.cnts 1.4%, carbon.nanotubes.cnts 1.4%, carbon.nanotube 1.1%, catalyst 0.5%, electrod 0.3%, carbon.nanotube.cnt 0.3%, nanotube.cnt 0.3%, composit 0.3%, wall 0.2%, align 0.2%, ni 0.2%

Discriminating Terms

cnt 46.0%, nanotub 2.4%, film 1.7%, carbon.nanotubes 1.6%, carbon 1.4%, nanotubes.cnts 0.9%, carbon.nanotubes.cnts 0.9%, surfac 0.6%, structur 0.6%, magnet 0.6%, carbon.nanotube 0.5%, crystal 0.5%, layer 0.5%, nanoparticl 0.4%, temperatur 0.4%

Single Word Terms

cnt 474, carbon 472, nanotub 471, electron 158, high 152, surfac 142, properti 136, deposit 131, structur 124, wall 122, chemic 121, composit 110, catalyst 109, mechan 103, microscopi 102

Double Word Terms

carbon.nanotubes 374, nanotubes.cnts 252, carbon.nanotube 200, nanotube.cnt 103, electron.microscopy 81, transmission.electron 76, vapor.deposition 68, chemical.vapor 68, scanning.electron 49, walled.carbon 45, field.emission 44, nanotubes.cnt 41, multi.walled 37, multiwalled.carbon 35, aligned.carbon 33

Triple Word Terms

carbon.nanotubes.cnts 250, carbon.nanotube.cnt 103, chemical.vapor.deposition 68, transmission.electron.microscopy 61, carbon.nanotubes.cnt 40, scanning.electron.microscopy 35, walled.carbon.nanotubes 34, electron.microscopy.tem 33, multiwalled.carbon.nanotubes 31, multi.walled.carbon 25, aligned.carbon.nanotubes 23, growth.carbon.nanotubes 22, ray.photoelectron.spectroscopy 20, nanotubes.cnts.synthesized 19, synthesis.carbon.nanotubes 17

Term Cliques

65.01% cnt nanotub carbon carbon.nanotube composit wall
56.87% cnt nanotub carbon carbon.nanotube nanotube.cnt carbon.nanotube.cnt align
58.26% cnt nanotub carbon carbon.nanotube nanotube.cnt carbon.nanotube.cnt composit
57.29% cnt nanotub carbon carbon.nanotube electrode nanotube.cnt carbon.nanotube.cnt
67.44% cnt nanotub carbon carbon.nanotubes electrode ni
60.34% cnt nanotub carbon carbon.nanotubes nanotubes.cnts carbon.nanotubes.cnts composit wall ni
58.95% cnt nanotub carbon carbon.nanotubes nanotubes.cnts carbon.nanotubes.cnts catalyst align ni
60.31% cnt nanotub carbon carbon.nanotubes nanotubes.cnts carbon.nanotubes.cnts catalyst wall ni

Sample Cluster Record Titles

[Deposition and electrocatalytic properties of platinum on well-aligned carbon nanotube \(CNT\) arrays for methanol oxidation](#)

[CO₂ detection using carbon nanotube networks and micromachined resonant transducers](#)

[An electrochemical biosensor with cholesterol oxidase/sol-gel film on a nanoplatinum/carbon nanotube electrode](#)

[Nickel oxide/carbon nanotubes nanocomposite for electrochemical capacitance](#)

[Deformation-morphology correlations in electrically conductive carbon nanotube thermoplastic polyurethane nanocomposites](#)

[A study on nano tube-substrate interaction effect for fullerene-shuttle-memory based on nanopeapod](#)

[IR and NMR spectroscopic characterization of graphitization process occurring in the pores of mesoporous silicates in formation of carbon nanotubes](#)

[Synthesis of vertically aligned carbon nanotube films on macroporous alumina substrates](#)

[Extraordinary strengthening effect of carbon nanotubes in metal-matrix nanocomposites processed by molecular-level mixing](#)

Cluster Metrics

Authors

yoo, jb 11
park, jh 10
park, cy 9
wang, j 8
lin, yh 8
liew, km 7
liang, j 7
kim, jm 7
zhang, xb 6
yao, sz 6
nam, jw 6
lim, sh 6
kang, jw 6
hwang, hj 6
choe, dh 6

Sources

diamond and related materials 27
applied physics letters 21
carbon 19
journal of physical chemistry b 18
chemical physics letters 14
physical review b 13
nanotechnology 13
langmuir 8
journal of vacuum science & technology b 7
nano letters 6
materials letters 6
journal of nanoscience and nanotechnology 6
electroanalysis 6
applied surface science 6
analytical chemistry 6

Keywords

carbon nanotubes 114
chemistry, physical 82
materials science, multidisciplinary 81
materials science, multidisciplinary 63
growth 62
physics, applied 54
chemical-vapor-deposition 46

carbon nanotube 46
carbon nanotubes 39
chemistry, multidisciplinary 32
chemistry, analytical 30
composites 29
films 27
physics, applied 25
carbon nanotube 25

Publication Year

2005 421
2004 40
2006 13

Country

peoples r china 153
usa 93
south korea 77
japan 43
taiwan 25
france 21
germany 16
italy 14
singapore 12
india 12
canada 10
switzerland 8
england 8
belgium 8
spain 6

Institution

chinese acad sci 45
sungkyunkwan univ 16
seoul natl univ 14
tsing hua univ 13
hunan univ 12
zhejiang univ 11
natl tsing hua univ 9
pacific nw natl lab 8
natl univ singapore 7
korea adv inst sci & technol 7
city univ hong kong 7
peking univ 6
natl chiao tung univ 6
korea univ 6

CATEGORY 10 - 509A1b (6 leaf clusters)

Multi-walled Nanotubes (1876 REC)

THRUST

()

- Multi-walled (carbon) nanotubes (MWNTs), including composites and surface, magnetic, and structural properties (240 Records) Cluster 14
- Nanotubes, emphasizing template synthesis, especially of titanium dioxide (TiO₂), titania, and titanate nanotubes; nanowires; and nanotube arrays (517 Records) Cluster 183
- Boron nitride nanotubes (BNNTs) and nanohorns, emphasizing electronic properties (59 Records) Cluster 5
- Multi-walled carbon nanotubes (MWCNTs), focusing on electronic, mechanical, and structural properties (140 Records) Cluster 32
- Carbon nanotubes, including composites, nanotube bundles, conductance, and application to electrodes and transistors (283 Records) Cluster 96
- Carbon nanotubes (CNTs), including single-walled and multi-walled CNTs and emphasizing electronic and structural properties (637 Records) Cluster 105

• CLUSTER 14

Multi-walled (carbon) nanotubes (MWNTs), including composites and surface, magnetic, and structural properties (240 Records)

(Countries: China very dominant, USA, South Korea. Institutions: CAS dominant, Zhejiang University, Nanjing University.).

Cluster Syntax Features

Descriptive Terms

mwnt 63.0%, nanotub 6.0%, carbon 3.3%, carbon.nanotubes 3.1%, nanotubes.mwnts 1.7%, multiwal 1.6%, carbon.nanotubes.mwnts 1.6%, multi.walled 1.6%, multi.walled.carbon 1.5%, multi 1.1%, multiwalled.carbon 1.0%, walled.carbon 0.9%, wall 0.8%, walled.carbon.nanotubes 0.6%, multiwalled.carbon.nanotubes 0.6%

Discriminating Terms

mwnt 41.1%, nanotub 1.7%, film 1.4%, carbon.nanotubes 1.3%, nanotubes.mwnts 1.1%, carbon.nanotubes.mwnts 1.0%, multi.walled 1.0%, multiwal 1.0%, multi.walled.carbon 1.0%, surfac 0.6%, structur 0.6%, multiwalled.carbon 0.6%, multi 0.6%, carbon 0.5%, magnet 0.5%

Single Word Terms

mwnt 240, nanotub 239, carbon 236, wall 140, multi 128, multiwal 111, composit 82, surfac 80, electron 79, properti 78, electrode 61, dispers 58, oxid 57, acid 52, high 50

Double Word Terms

carbon.nanotubes 209, nanotubes.mwnts 152, walled.carbon 108, multi.walled 107, multiwalled.carbon 81, carbon.nanotube 80, electron.microscopy 41, transmission.electron 39, nanotubes.mwnt 33, nanotube.mwnt 33, multiwall.carbon 30, scanning.electron 26, glassy.carbon 23, wall.carbon 22, multi.wall 21

Triple Word Terms

carbon.nanotubes.mwnts 144, multi.walled.carbon 103, walled.carbon.nanotubes 91, multiwalled.carbon.nanotubes 69, transmission.electron.microscopy 32, carbon.nanotubes.mwnt 32, carbon.nanotube.mwnt 31, multiwall.carbon.nanotubes 29, walled.carbon.nanotube 25, multi.wall.carbon 21, glassy.carbon.electrode 19, scanning.electron.microscopy 19, multiwalled.carbon.nanotube 19, wall.carbon.nanotubes 16, electron.microscopy.tem 16

Term Cliques

65.87% mwnt nanotub carbon carbon.nanotubes nanotubes.mwnts
carbon.nanotubes.mwnts multi.walled multi.walled.carbon multi walled.carbon wall
walled.carbon.nanotubes
68.56% mwnt nanotub carbon carbon.nanotubes nanotubes.mwnts multiwal
carbon.nanotubes.mwnts multiwalled.carbon multiwalled.carbon.nanotubes

Sample Cluster Record Titles

[On the origin of the high performance of MWNT-supported PtPd catalysts for the hydrogenation of aromatics](#)

[Surfactant functionalization of carbon nanotubes \(CNTs\) for layer-by-layer assembling of CNT multi-layer films and fabrication of gold nanoparticle/CNT nanohybrid](#)

[Bending of multiwalled carbon nanotubes over gold lines](#)

[Deposition of gold nanoparticles onto thiol-functionalized multiwalled carbon nanotubes](#)

[Buckling of multiwalled carbon nanotubes under axial compression and bending via a molecular mechanics model](#)

[Axisymmetric and beamlike vibrations of multiwall carbon nanotubes](#)

[Mechanical cutting of bamboo-shaped multiwalled carbon nanotubes by an atomic force microscope tip](#)

[Light-scattering and dispersion behavior of multiwalled carbon nanotubes](#)

[Reinforcement of alumina matrix with multi-walled carbon nanotubes](#)

Cluster Metrics

Authors

gao, l 8
wei, xw 7
potschke, p 7
zhao, gc 6
zhang, wd 5
park, sj 5
janke, a 5
feng, w 5
choi, hj 5
zhao, f 4
yoshino, k 4
wang, cy 4
sheu, fs 4
ozaki, m 4
liu, y 4

Sources

carbon 15
polymer 9
applied physics letters 8
nanotechnology 7
electroanalysis 7
chemical physics letters 6
physical review b 5
materials chemistry and physics 5
macromolecular rapid communications 5
journal of physical chemistry b 5
journal of applied physics 5
fullerenes nanotubes and carbon nanostructures 5
diamond and related materials 5
chinese chemical letters 5
microchimica acta 4

Keywords

carbon nanotubes 50
chemistry, physical 42
materials science, multidisciplinary 36
polymer science 29
physics, applied 28
materials science, multidisciplinary 27
carbon nanotubes 26
chemistry, analytical 24
chemistry, multidisciplinary 21

films 21
composites 19
oxidation 16
nanocomposites 16
functionalization 15
behavior 15

Publication Year

2005 214
2004 20
2006 6

Country

peoples r china 120
usa 30
south korea 29
japan 17
germany 14
taiwan 11
england 11
france 10
singapore 8
italy 6
russia 5
spain 4
poland 4
portugal 3
india 3

Institution

chinese acad sci 26
zhejiang univ 10
nanjing univ 8
inha univ 7
e china normal univ 7
anhui normal univ 7
wuhan univ 6
peking univ 6
korea univ 6
hunan univ 6
tsing hua univ 5
tianjin univ 5
osaka univ 5
natl univ singapore 5
natl tsing hua univ 5

• CLUSTER 183

Nanotubes, emphasizing template synthesis, especially of titanium dioxide (TiO₂), titania, and titanate nanotubes; nanowires; and nanotube arrays (517 Records)

(Countries: China, followed by USA, followed by Japan. Institutions: CAS, followed by RAS, Tsing Hua University, Nanjing University. USA include CUNY Hunter College, University of Florida.).

Cluster Syntax Features

Descriptive Terms

nanotub 72.6%, tube 1.4%, templat 0.9%, tio2 0.7%, titan 0.6%, nanowir 0.6%, diamet 0.5%, tio2.nanotubes 0.4%, wall 0.4%, arrai 0.4%, titanate.nanotubes 0.3%, tubular 0.3%, nanotube.arrays 0.3%, synthesi 0.3%, length 0.3%

Discriminating Terms

nanotub 49.4%, film 2.0%, tube 0.8%, surfac 0.7%, particl 0.6%, magnet 0.5%, deposit 0.4%, quantum 0.4%, nanoparticl 0.4%, crystal 0.4%, phase 0.4%, temperatur 0.4%, titan 0.4%, si 0.4%, templat 0.4%

Single Word Terms

nanotub 515, structur 208, diamet 152, electron 149, templat 120, synthesi 119, properti 115, high 112, wall 110, length 110, temperatur 105, format 103, synthes 103, surfac 102,

form 99

Double Word Terms

transmission.electron 71, electron.microscopy 66, carbon.nanotubes 47, ray.diffraction 44, scanning.electron 41, carbon.nanotube 33, nanotube.arrays 32, nanotubes.synthesized 30, tio2.nanotubes 29, high.resolution 25, wall.thickness 25, room.temperature 24, one dimensional 24, titanate.nanotubes 24, nanotubes.high 23

Triple Word Terms

transmission.electron.microscopy 53, scanning.electron.microscopy 27, electron.microscopy.tem 21, high.resolution.transmission 15, ray.diffraction.xrd 15, resolution.transmission.electron 15, scanning.electron.microscope 14, electron.microscopy.sem 13, density.functional.theory 13, transmission.electron.microscope 13, anodic.aluminum.oxide 12, energy.dispersive.ray 11, area.electron.diffraction 11, high.aspect.ratio 9, sem.transmission.electron 9

Term Cliques

33.85% nanotub diamet wall tubular synthesi length
29.01% nanotub titan nanowir diamet titanate.nanotubes synthesi
25.49% nanotub tio2 diamet tio2.nanotubes wall arrai nanotube.arrays synthesi length
29.11% nanotub tio2 titan diamet titanate.nanotubes synthesi
29.27% nanotub tio2 titan diamet tio2.nanotubes synthesi
29.55% nanotub templat diamet wall arrai nanotube.arrays synthesi length
31.28% nanotub templat nanowir diamet arrai synthesi length
33.17% nanotub tube diamet wall tubular length
32.69% nanotub tube diamet tio2.nanotubes wall length
35.86% nanotub tube nanowir diamet length

Sample Cluster Record Titles

[Gold nanotubes by template-directed synthesis](#)

[High activity of novel Pd/TiO₂ nanotube catalysts for methanol electro-oxidation](#)

[Synthesis and characterization of TiO₂ nanotube](#)

[Synthesis of copper sulfide nanotube in the hydrogel system](#)

[TiO₂-based composite nanotube arrays prepared via layer-by-layer assembly](#)

[The effect of electrolyte composition on the fabrication of self-organized titanium oxide nanotube arrays by anodic oxidation](#)

[Large-scale synthesis of amorphous phosphorus nitride imide nanotubes with high luminescent properties](#)

[Structural characterization of the fullerene nanotubes prepared by the liquid-liquid interfacial precipitation method](#)

[Synthesis of Au nanoclusters supported upon a TiO₂ nanotube array](#)

Cluster Metrics

Authors

bando, y 13
schmuki, p 10
macak, jm 10
golberg, d 10
tsuchiya, h 9
shimizu, t 7
matsui, h 7
ivanovskii, al 7
guo, xy 7
du, zl 7
zhang, zt 6
taveira, l 6
tang, zl 6
martin, cr 6
li, jr 6

Sources

journal of the american chemical society 31
nanotechnology 23
physical review b 22
advanced materials 19
chemistry of materials 17
journal of physical chemistry b 16
chemical physics letters 13
applied physics letters 13
angewandte chemie-international edition 12
nano letters 11
journal of nanoscience and nanotechnology 11
chemical communications 11
physica e-low-dimensional systems & nanostructures 10
electrochemistry communications 10
solid state communications 8

Keywords

chemistry, multidisciplinary 105
materials science, multidisciplinary 80

materials science, multidisciplinary 78
chemistry, physical 64
nanowires 58
nanotubes 54
growth 54
carbon nanotubes 52
physics, applied 50
physics, condensed matter 47
films 47
fabrication 43
arrays 42
nanotube 40
nanostructures 33

Publication Year

2005 468
2004 45
2006 4

Country

peoples r china 174
usa 130
japan 61
germany 37
south korea 27
russia 25
france 18
italy 14
england 14
canada 11
taiwan 10
singapore 10
india 9
israel 7
sweden 6

Institution

chinese acad sci 35
russian acad sci 19
tsing hua univ 18
nanjing univ 17
natl inst mat sci 15
univ sci & technol china 14
henan univ 14
nankai univ 12
univ erlangen nurnberg 10

peking univ 10
univ tokyo 9
natl inst adv ind sci & technol 9
cuny hunter coll 9
univ florida 8
shandong univ 8

DataBase
science citation index 517

• CLUSTER 5

Boron nitride nanotubes (BNNTs) and nanohorns, emphasizing electronic properties (59 Records)

(Countries: USA, China, Japan. Institutions: Osaka University, University S&T China, UCB, National Institute of Materials Science. Other USA include University of Illinois, Clemson University.).

Cluster Syntax Features

Descriptive Terms

boron 18.7%, boron.nitride 17.9%, nanotub 14.2%, nitrid 10.8%, nitride.nanotubes 9.7%, boron.nitride.nanotubes 7.5%, bnnt 2.7%, nanohorn 0.9%, boron.nitride.nanotube 0.7%, nitride.nanotube 0.6%, tube 0.4%, carbon 0.4%, wall 0.4%, multiwal 0.3%, carbon.nitride.nanotubes 0.3%

Discriminating Terms

boron.nitride 11.0%, boron 11.0%, nitride.nanotubes 6.0%, nitrid 5.9%, nanotub 5.2%, boron.nitride.nanotubes 4.7%, film 1.8%, bnnt 1.7%, surfac 0.8%, nanoparticl 0.6%,

nanohorn 0.5%, particl 0.5%, layer 0.5%, temperatur 0.4%, boron.nitride.nanotube 0.4%

Single Word Terms

nanotub 57, boron 56, nitrid 55, structur 33, electron 32, carbon 24, energi 19, wall 16, synthes 16, mechan 15, properti 15, atom 14, high 14, two 13, powder 13

Double Word Terms

boron.nitride 52, nitride.nanotubes 34, nitride.nanotube 12, electron.microscopy 12, carbon.nanotubes 8, resolution.electron 8, high.resolution 8, electronic.properties 8, nanotubes.boron 7, transmission.electron 7, structure.models 6, walled.boron 6, nanotubes.bnnts 6, single.wall 6, density.functional 6

Triple Word Terms

boron.nitride.nanotubes 31, boron.nitride.nanotube 12, high.resolution.electron 8, resolution.electron.microscopy 7, nanotubes.boron.nitride 7, nitride.nanotubes.bnnts 6, transmission.electron.microscopy 6, walled.boron.nitride 6, synthesized.arc.melting 5, chemical.vapor.deposition 4, boron.nitride.nanohorns 4, atomic.structure.models 4, wall.carbon.nanotubes 3, single.wall.nanotubes 3, single.walled.boron 3

Term Cliques

51.19% nanotub nitrid tube carbon carbon.nitride.nanotubes
54.58% nanotub nitrid nitride.nanotubes tube carbon.nitride.nanotubes
47.83% boron nanotub nitrid bnnt boron.nitride.nanotube nitride.nanotube tube carbon wall
55.08% boron boron.nitride nitrid nanohorn wall multiwal
56.99% boron boron.nitride nanotub nitrid bnnt tube wall multiwal
53.11% boron boron.nitride nanotub nitrid bnnt boron.nitride.nanotube nitride.nanotube tube wall
59.89% boron boron.nitride nanotub nitrid nitride.nanotubes boron.nitride.nanotubes bnnt tube multiwal

Sample Cluster Record Titles

[Synthesis, atomic structures, and electronic states of boron nitride nanocage clusters and nanotubes](#)

[Formation and atomic structures of boron nitride nanohorns](#)

[Synthesis of carbon nitride nanotubes via a catalytic-assembly solvothermal route](#)

[Electronic, structural, and thermal properties of a nanocable consisting of carbon and BN nanotubes](#)

[Constricted boron nanotubes](#)

[Bulk quantity and physical properties of boron nitride nanocapsules with a narrow size distribution](#)

[Optical transitions in single-wall boron nitride nanotubes](#)

[Formation and structure of boron nitride nanotubes](#)

[A theoretical study on the conductivity of carbon doped BNNT](#)

Cluster Metrics

Authors

oku, t 8
nishiwaki, a 6
bando, y 6
tang, cc 4
golberg, d 4
zhang, j 3
zettl, a 3
han, wq 3
zuo, jm 2
zhu, qs 2
zhi, cy 2
zhao, jx 2
yang, jl 2
xie, rg 2
xiang, hj 2

Sources

applied physics letters 6
solid state communications 5
physical review b 4
journal of chemical physics 3
physical review letters 2
journal of the american chemical society 2
diamond and related materials 2
chemistry of materials 2
chemical physics letters 2
synthetic metals 1
small 1
science and technology of advanced materials 1
revista de chimie 1
proceedings of the national academy of sciences of the united states of america 1
physical chemistry chemical physics 1

Keywords

carbon nanotubes 11
physics, condensed matter 10
nanotubes 10
materials science, multidisciplinary 9
chemistry, physical 9
carbon nanotubes 8
physics, atomic, molecular & chemical 7
physics, applied 7
growth 7
c-60 7
bn nanotubes 7
chemistry, multidisciplinary 6
boron nitride 6
bn nanotubes 6
nanowires 6

Publication Year

2005 56
2004 3

Country

usa 16
peoples r china 16
japan 15
germany 6
south korea 4
russia 3
australia 3
poland 2
england 2
singapore 1
romania 1
israel 1
india 1
france 1

Institution

osaka univ 8
univ sci & technol china 4
univ calif berkeley 4
natl inst mat sci 4
russian acad sci 3
zhejiang univ 2
univ sydney 2

univ illinois 2
univ greifswald 2
tech univ szczecin 2
tech univ dresden 2
natl inst res inorgan mat 2
korea res inst stand & sci 2
harbin normal univ 2
clermson univ 2

DataBase

science citation index 59

- **CLUSTER 32**

Multi-walled carbon nanotubes (MWCNTs), focusing on electronic, mechanical, and structural properties (140 Records)

(Countries: China, USA. Institutions: CAS dominant, Tsing Hua University, Sungyunkwan University, National University of Singapore. Other USA include UNC, RPI, ORNL, MIT).

Cluster Syntax Features

Descriptive Terms

mwcnt 26.3%, multiwal 12.9%, nanotub 12.7%, multiwalled.carbon 8.8%, multiwalled.carbon.nanotubes 6.6%, carbon 6.5%, carbon.nanotubes 6.5%, nanotubes.mwcnts 1.1%, carbon.nanotubes.mwcnts 1.1%, multiwall.carbon 0.8%, carbon.nanotube 0.8%, wall 0.6%, multiwall.carbon.nanotubes 0.5%, multi 0.4%, multi.walled.carbon 0.3%

Discriminating Terms

mwcnt 18.1%, multiwal 8.6%, multiwalled.carbon 6.0%, nanotub 5.0%, multiwalled.carbon.nanotubes 4.4%, carbon.nanotubes 3.2%, carbon 1.8%, film 1.7%, nanotubes.mwcnts 0.8%, surfac 0.8%, carbon.nanotubes.mwcnts 0.7%, particl 0.6%, structur 0.6%, multiwall.carbon 0.5%, crystal 0.5%

Single Word Terms

carbon 140, nanotub 140, multiwal 110, mwcnt 76, electron 53, wall 51, temperatur 35, multi 31, mechan 30, chemic 29, surfac 29, high 29, microscopi 29, structur 28, properti 27

Double Word Terms

carbon.nanotubes 130, multiwalled.carbon 87, nanotubes.mwcnts 55, carbon.nanotube 53, walled.carbon 25, multiwall.carbon 25, electron.microscopy 23, transmission.electron 21, multi.walled 20, vapor.deposition 15, chemical.vapor 15, carbon.electrode 10, multi.wall 10, wall.carbon 9, room.temperature 9

Triple Word Terms

multiwalled.carbon.nanotubes 84, carbon.nanotubes.mwcnts 55, multiwalled.carbon.nanotube 20, multi.walled.carbon 20, multiwall.carbon.nanotubes 20, walled.carbon.nanotubes 19, transmission.electron.microscopy 18, chemical.vapor.deposition 15, walled.carbon.nanotube 12, multi.wall.carbon 9, glassy.carbon.electrode 8, wall.carbon.nanotubes 8, electron.microscopy.tem 8, van.der.waals 8, carbon.nanotube.mwcnt 8

Term Cliques

57.65% nanotub carbon carbon.nanotubes nanotubes.mwcnts carbon.nanotubes.mwcnts multiwall.carbon multiwall.carbon.nanotubes

58.10% multiwal nanotub carbon multiwall.carbon carbon.nanotube multiwall.carbon.nanotubes

67.26% multiwal nanotub carbon carbon.nanotubes multiwall.carbon multiwall.carbon.nanotubes

82.26% multiwal nanotub multiwalled.carbon multiwalled.carbon.nanotubes carbon carbon.nanotubes

61.29% mwcnt nanotub carbon carbon.nanotube multiwall.carbon.nanotubes

52.14% mwcnt nanotub carbon carbon.nanotube wall multi multi.walled.carbon

62.86% mwcnt nanotub carbon carbon.nanotubes nanotubes.mwcnts
carbon.nanotubes.mwcnts multiwall.carbon.nanotubes
55.40% mwcnt nanotub carbon carbon.nanotubes nanotubes.mwcnts
carbon.nanotubes.mwcnts wall multi multi.walled.carbon

Sample Cluster Record Titles

[Small-scale effects on buckling of multiwalled carbon nanotubes under axial compression](#)

[Mossbauer transmission and back scattered conversion electron study of Fe nanowires encapsulated in multiwalled carbon nanotubes](#)

[Collective phenomena in multiwall carbon nanotubes](#)

[Multi-walled carbon nanotubes experiencing electrical breakdown as gas sensors](#)

[Caged multiwalled carbon nanotubes as the adsorbents for affinity-based elimination of ionic dyes](#)

[A study of field emission of an array of multi-walled carbon nanotubes](#)

[Carbon-nanotube-reinforced polymer-derived ceramic composites](#)

[A mediatorless biosensor for putrescine using multiwalled carbon nanotubes](#)

[Breakdown of 2mm symmetry in electron diffraction from multiwalled carbon nanotubes](#)

Cluster Metrics

Authors

kim, hs 5

wildgoose, gg 4

lee, yh 4

jones, tgj 4

compton, rg 4

wang, y 3

qin, lc 3

potschke, p 3

liu, zj 3

li, j 3

lee, jy 3

kang, jk 3

jiang, l 3

huang, y 3
han, ks 3

Sources

applied physics letters 17
physical review b 9
nanotechnology 7
carbon 7
journal of applied physics 6
physical review letters 4
journal of physical chemistry b 4
chemical physics letters 4
advanced materials 4
sensors and actuators b-chemical 3
polymer 3
electroanalysis 3
chemical communications 3
analytical biochemistry 3
acta physica sinica 3

Keywords

physics, applied 33
materials science, multidisciplinary 20
chemistry, physical 19
chemistry, analytical 16
carbon nanotubes 16
materials science, multidisciplinary 14
chemistry, multidisciplinary 11
physics, multidisciplinary 10
growth 10
electrochemistry 10
physics, condensed matter 9
carbon nanotubes 9
chemical-vapor-deposition 8
functionalization 8
films 8

Publication Year

2005 131
2004 9

Country

peoples r china 45
usa 37
japan 12
south korea 11

germany 8
england 7
singapore 6
switzerland 5
poland 5
france 5
taiwan 4
spain 3
italy 3
israel 2
iran 2

Institution

chinese acad sci 11
tsing hua univ 5
sungkyunkwan univ 5
natl univ singapore 5
univ oxford 4
schlumberger cambridge res ltd 4
nanjing univ aeronaut & astronaut 4
ecole polytech fed lausanne 4
cent china normal univ 4
univ n carolina 3
samsung adv inst technol 3
rensselaer polytech inst 3
peking univ 3
oak ridge natl lab 3
mit 3

DataBase

science citation index 140

• CLUSTER 96

Carbon nanotubes, including composites, nanotube bundles, conductance, and application to electrodes and transistors (283 Records)

(Countries: USA dominant, China, South Korea. Institutions: CAS dominant, Tsing Hua University, RPI, Osaka University, NASA, Chung Ang University. Other USA include UCSD, Georgia Institute of Technology, University of Texas.).

Cluster Syntax Features

Descriptive Terms

nanotub 43.5%, carbon.nanotube 21.1%, carbon 15.7%, carbon.nanotubes 1.6%, wall 0.5%, composit 0.4%, bundl 0.4%, conduct 0.3%, field 0.3%, electr 0.2%, align 0.2%, electrode 0.2%, transistor 0.2%, tube 0.2%, wall.carbon 0.2%

Discriminating Terms

nanotub 25.7%, carbon.nanotube 15.2%, carbon 7.1%, film 1.7%, surfac 0.6%, particl 0.6%, nanoparticl 0.6%, layer 0.6%, carbon.nanotubes 0.6%, magnet 0.6%, crystal 0.5%, structur 0.5%, phase 0.5%, temperatur 0.5%, oxid 0.5%

Single Word Terms

carbon 283, nanotub 283, wall 90, electron 82, properti 77, structur 77, singl 75, high 65, surfac 65, conduct 58, field 58, electr 57, mechan 54, composit 54, function 52

Double Word Terms

carbon.nanotube 272, carbon.nanotubes 155, walled.carbon 39, wall.carbon 36, single.walled 34, single.wall 27, properties.carbon 23, chemical.vapor 20, nanotube.bundles 19, nanotube.field 18, molecular.dynamics 18, vapor.deposition 18, electron.microscopy 17, nanotube.composites 15, transmission.electron 14

Triple Word Terms

single.walled.carbon 29, single.wall.carbon 26, walled.carbon.nanotube 23, wall.carbon.nanotube 22, wall.carbon.nanotubes 18, chemical.vapor.deposition 18, walled.carbon.nanotubes 17, carbon.nanotube.field 17, carbon.nanotube.bundles 15, properties.carbon.nanotube 14, carbon.nanotube.composites 14, transmission.electron.microscopy 12, carbon.nanotube.arrays 12, molecular.dynamics.simulations 10, nanotube.field.transistors 10

Term Cliques

52.92% nanotub carbon.nanotube carbon carbon.nanotubes wall field transistor tube
 48.65% nanotub carbon.nanotube carbon carbon.nanotubes wall field align tube
 wall.carbon
 49.39% nanotub carbon.nanotube carbon carbon.nanotubes wall field electr electro
 transistor
 49.59% nanotub carbon.nanotube carbon carbon.nanotubes wall field electr align electro
 50.22% nanotub carbon.nanotube carbon carbon.nanotubes wall conduct field electr
 transistor
 46.64% nanotub carbon.nanotube carbon carbon.nanotubes wall conduct field electr align
 wall.carbon
 51.77% nanotub carbon.nanotube carbon carbon.nanotubes wall bundl align tube
 46.50% nanotub carbon.nanotube carbon carbon.nanotubes wall composit conduct electr
 align wall.carbon
 49.04% nanotub carbon.nanotube carbon carbon.nanotubes wall composit bundl electr
 align

Sample Cluster Record Titles

[Neon adsorbed in carbon nanotube bundles](#)

[Polyaniline/carbon nanotube composites: starting with phenylamino functionalized carbon nanotubes](#)

[Raman spectral imaging of a carbon nanotube intramolecular junction](#)

[Carbon nanotube thin films with ordered structures](#)

[Supported coordination polymerization: a unique way to potent polyolefin carbon nanotube nanocomposites](#)

[Chemical optimization of self-assembled carbon nanotube transistors](#)

[Photocurrent imaging of charge transport barriers in carbon nanotube devices](#)

[Carbon nanotube inner phase chemistry: The Cl⁻ exchange S\(N\)2 reaction](#)

[A self-supporting electrode for supercapacitors prepared by one-step pyrolysis of carbon nanotube/polyacrylonitrile blends](#)

Cluster Metrics

Authors

kang, jw 6

hwang, hj 6
matsumoto, k 5
kiricsi, i 5
biro, lp 5
qin, lc 4
konya, z 4
fan, ss 4
zhang, q 3
wang, j 3
sandler, si 3
sainz, r 3
poulin, p 3
maser, wk 3
martinez, mt 3

Sources

applied physics letters 25
physical review b 20
nano letters 16
journal of the american chemical society 14
physical review letters 10
nanotechnology 10
journal of applied physics 8
carbon 7
journal of physical chemistry b 6
chemical communications 6
physica e-low-dimensional systems & nanostructures 5
langmuir 4
journal of chemical physics 4
japanese journal of applied physics part 1-regular papers short notes & review papers 4
chemistry of materials 4

Keywords

physics, applied 53
chemistry, multidisciplinary 50
materials science, multidisciplinary 50
chemistry, physical 36
carbon nanotubes 30
physics, condensed matter 27
carbon nanotube 26
physics, multidisciplinary 21
materials science, multidisciplinary 21
carbon nanotube 19
growth 17
films 16
composites 14

field-effect transistors 13
engineering, multidisciplinary 13

Publication Year

2005 252
2004 28
2006 3

Country

usa 117
peoples r china 48
south korea 28
japan 20
germany 17
france 17
england 14
italy 9
hungary 9
spain 7
singapore 7
australia 7
russia 5
belgium 5
taiwan 4

Institution

chinese acad sci 14
tsing hua univ 7
rensselaer polytech inst 6
osaka univ 6
nasa 6
chung ang univ 6
univ szeged 5
univ calif san diego 5
seoul natl univ 5
samsung adv inst technol 5
georgia inst technol 5
csic 5
cnrs 5
zhejiang univ 4
univ texas 4

DataBase

science citation index 283

- **CLUSTER 105**

Carbon nanotubes (CNTs), including single-walled and multi-walled CNTs and emphasizing electronic and structural properties (637 Records)

(Countries: USA, followed by China. Institutions: CAS, RAS, Tsing Hua University. USA include University of Illinois, NASA, ORNL, MIT.).

Cluster Syntax Features

Descriptive Terms

nanotub 42.0%, carbon.nanotubes 22.1%, carbon 17.6%, wall 1.4%, wall.carbon 0.5%, wall.carbon.nanotubes 0.4%, tube 0.4%, single.wall 0.4%, single.wall.carbon 0.3%, walled.carbon 0.3%, walled.carbon.nanotubes 0.2%, electron 0.2%, singl 0.2%, multi 0.2%, carbon.nanotube 0.2%

Discriminating Terms

nanotub 25.9%, carbon.nanotubes 15.2%, carbon 8.8%, film 2.0%, surfac 0.7%, particl 0.6%, wall 0.6%, crystal 0.5%, layer 0.5%, structur 0.5%, magnet 0.5%, temperatur 0.5%, quantum 0.4%, phase 0.4%, si 0.4%

Single Word Terms

carbon 637, nanotub 637, wall 273, electron 239, singl 208, structur 191, properti 165, surfac 153, high 151, function 143, energi 130, chemic 116, diamet 115, mechan 109, temperatur 109

Double Word Terms

carbon.nanotubes 615, carbon.nanotube 122, wall.carbon 118, single.wall 105, walled.carbon 101, single.walled 63, multi.walled 60, electron.microscopy 56, transmission.electron 55, nanotubes.carbon 47, chemical.vapor 42, vapor.deposition 41,

density.functional 34, molecular.dynamics 33, one dimensional 33

Triple Word Terms

wall.carbon.nanotubes 111, walled.carbon.nanotubes 98, single.wall.carbon 86, multi.walled.carbon 53, single.walled.carbon 42, chemical.vapor.deposition 41, transmission.electron.microscopy 40, carbon.nanotubes.carbon 34, nanotubes.carbon.nanotubes 28, properties.carbon.nanotubes 28, multi.wall.carbon 26, growth.carbon.nanotubes 25, multiwalled.carbon.nanotubes 25, synthesis.carbon.nanotubes 23, density.functional.theory 20

Term Cliques

45.20% nanotub carbon.nanotubes carbon wall tube walled.carbon
walled.carbon.nanotubes singl multi carbon.nanotube
45.67% nanotub carbon.nanotubes carbon wall wall.carbon wall.carbon.nanotubes tube
singl multi carbon.nanotube
42.46% nanotub carbon.nanotubes carbon wall wall.carbon wall.carbon.nanotubes tube
single.wall single.wall.carbon electron singl carbon.nanotube

Sample Cluster Record Titles

[The preparation of nitrogen-doped carbon nanotubes from pyridine](#)

[Nickel formate route to the growth of carbon nanotubes](#)

[Grow your own carbon nanotubes](#)

[Biomimetic engineering of carbon nanotubes by using cell surface mucin mimics](#)

[Progress in preparation methods and applications of aligned carbon nanotubes](#)

[Electromagnetic wave propagation in single-wall carbon nanotubes](#)

[The morphology of pyrolytic carbon nanotubes with a small number of walls](#)

[Measurement of the elastic moduli of dense layers of oriented carbon nanotubes by a scanning force microscope](#)

[Finite-size effect and wall polarization in a carbon nanotube channel](#)

Cluster Metrics

Authors

terrone, m 6
liang, j 6
qian, yt 5
nagy, jb 5
li, y 5
kyotani, t 5
krashennikov, av 5
ihm, j 5
hayashi, t 5
fonseca, a 5
endo, m 5
dresselhaus, ms 5
dai, lm 5
wang, y 4
wang, x 4

Sources

physical review b 72
carbon 34
journal of physical chemistry b 22
physical review letters 20
nanotechnology 17
applied physics letters 17
nano letters 15
chemical physics letters 15
journal of nanoscience and nanotechnology 13
fullerenes nanotubes and carbon nanostructures 13
journal of the american chemical society 12
advanced materials 10
journal of applied physics 9
diamond and related materials 9
physica e-low-dimensional systems & nanostructures 7

Keywords

carbon nanotubes 121
chemistry, physical 111
materials science, multidisciplinary 106
physics, condensed matter 96
chemistry, multidisciplinary 76
growth 72
materials science, multidisciplinary 70
physics, applied 63
physics, multidisciplinary 40
carbon nanotubes 38
chemical-vapor-deposition 33
physics, atomic, molecular & chemical 32

films 32
composites 31
carbon nanotube 27

Publication Year

2005 574
2004 57
2006 6

Country

usa 188
peoples r china 128
japan 55
france 46
germany 42
england 38
russia 33
south korea 25
italy 23
spain 21
belgium 20
india 19
brazil 16
taiwan 13
mexico 11

Institution

chinese acad sci 30
russian acad sci 20
tsing hua univ 18
univ cambridge 13
tohoku univ 12
univ illinois 11
nasa 11
cnrs 11
fac univ notre dame paix 10
zhejiang univ 9
seoul natl univ 9
peking univ 9
univ sci & technol china 8
oak ridge natl lab 7
mit 7

DataBase

science citation index 637

CATEGORY 11 - 509A2a (2 leaf clusters)

Single and Double-walled Nanotubes (447 REC)

THRUST

()

- Single-walled carbon nanotubes (SWCNTs), including surface/ structural properties and Raman studies (139 Records) Cluster 30
- Single- and double-walled carbon nanotubes, including nanotube films, integration of nanoparticles into nanotubes, and electronic/ structural properties (308 Records) Cluster 31

- **CLUSTER 30**

Single-walled carbon nanotubes (SWCNTs), including surface/ structural properties and Raman studies (139 Records)

(Countries: USA, Japan. Institutions: University of Vienna, Tohoku University. USA include University of Notre Dame, University of Texas, New Jersey Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

swcnt 31.5%, nanotub 6.9%, wall 6.5%, wall.carbon 6.0%, single.wall.carbon 5.3%, single.wall 5.2%, carbon 4.9%, carbon.nanotubes 3.8%, tube 3.4%, wall.carbon.nanotubes 2.8%, singl 2.1%, single.walled.carbon 1.5%, single.walled 1.4%, walled.carbon 1.3%, walled.carbon.nanotubes 0.9%

Discriminating Terms

swcnt 21.5%, wall.carbon 3.9%, single.wall.carbon 3.5%, single.wall 3.4%, wall 3.3%, nanotub 2.1%, tube 1.9%, film 1.9%, wall.carbon.nanotubes 1.8%, carbon.nanotubes 1.7%, carbon 1.1%, single.walled.carbon 0.8%, single.walled 0.8%, surfac 0.7%, walled.carbon 0.7%

Single Word Terms

wall 136, carbon 135, singl 128, nanotub 127, swcnt 80, tube 40, structur 37, raman 35, diamet 33, electron 31, function 29, surfac 28, on 27, energi 26, two 25

Double Word Terms

carbon.nanotubes 109, wall.carbon 77, single.wall 70, walled.carbon 62, single.walled 60, nanotubes.swcnts 48, carbon.nanotube 40, radial.breathing 13, electron.microscopy 13, raman.spectroscopy 12, nanotube.swcnt 11, double.wall 11, raman.spectra 10, nanotubes.swcnt 10, scanning.electron 9

Triple Word Terms

single.wall.carbon 69, single.walled.carbon 60, wall.carbon.nanotubes 57, walled.carbon.nanotubes 53, carbon.nanotubes.swcnts 48, wall.carbon.nanotube 17, walled.carbon.nanotube 17, carbon.nanotube.swcnt 11, double.wall.carbon 11, carbon.nanotubes.swcnt 10, scanning.electron.microscopy 8, radial.breathing.mode 7, radial.breathing.modes 7, transmission.electron.microscopy 6, wall.carbon.nanohorns 5

Term Cliques

72.58% nanotub wall wall.carbon single.wall.carbon single.wall carbon carbon.nanotubes wall.carbon.nanotubes singl
65.55% nanotub wall wall.carbon single.wall.carbon single.wall carbon carbon.nanotubes tube wall.carbon.nanotubes
68.35% swcnt nanotub wall carbon carbon.nanotubes singl single.walled.carbon single.walled walled.carbon walled.carbon.nanotubes

Sample Cluster Record Titles

[Atomic-step-templated formation of single wall carbon nanotube patterns](#)

[Family behavior of the optical transition energies in single-wall carbon nanotubes of smaller diameters](#)

[Electrochemical and conductivity measurements of single-wall carbon nanotube network electrodes](#)

[Theoretical study of atomic chemisorption, on single-walled carbon nanotubes. Application of Anderson-Newns model](#)

[Ab initio study of magnetic and electronic properties of Fe-filled single-walled carbon nanotubes](#)

[Chirality dependence of the radial breathing mode: a simple model](#)

[Fundamental properties of single-wall carbon nanotubes](#)

[Spontaneous dissolution of a single-wall carbon nanotube salt](#)

[Systematic inclusion of defects in pure carbon single-wall nanotubes and their effect on the Raman D-band](#)

Cluster Metrics

Authors

kuzmany, h 8

simon, f 7

iiijima, s 7

yudasaka, m 6

pfeiffer, r 6

kataura, h 6

lee, yh 5

yang, cm 4

tohji, k 4

takahashi, t 4

sauvajol, jl 4

sato, y 4

sano, m 4

miyawaki, j 4

an, kh 4

Sources

physical review b 13
journal of physical chemistry b 10
journal of the american chemical society 8
chemical physics letters 7
physical review letters 6
nanotechnology 6
langmuir 5
nano letters 4
carbon 4
applied physics letters 4
journal of nanoscience and nanotechnology 3
advanced materials 3
acta physica sinica 3
synthetic metals 2
sensors and actuators b-chemical 2

Keywords

chemistry, physical 26
materials science, multidisciplinary 24
chemistry, multidisciplinary 20
physics, condensed matter 18
physics, multidisciplinary 15
carbon nanotubes 15
physics, applied 14
physics, atomic, molecular & chemical 12
materials science, multidisciplinary 11
adsorption 9
purification 8
growth 8
graphite 8
bundles 8
engineering, multidisciplinary 7

Publication Year

2005 125
2004 10
2006 4

Country

usa 41
japan 38
peoples r china 14
germany 14
italy 12

france 12
austria 9
south korea 6
russia 5
england 5
hungary 4
singapore 3
czech republic 3
taiwan 2
sweden 2

Institution

univ vienna 8
tohoku univ 8
univ montpellier 2 6
nec corp ltd 6
meijo univ 6
univ notre dame 5
sungkyunkwan univ 5
yamagata univ 4
osaka univ 4
enea 4
univ toulouse 3 3
univ texas 3
univ szeged 3
univ roma tor vergata 3
new jersey inst technol 3

DataBase

science citation index 139

• CLUSTER 31

Single- and double-walled carbon nanotubes, including nanotube films, integration of nanoparticles into nanotubes, and electronic/structural properties (308 Records)

(Countries: USA dominant, China, followed by Japan. Institutions: Rice University, University of Montpellier, University of Illinois. Other USA include University of Pennsylvania, University of Delaware, MIT.).

Cluster Syntax Features

Descriptive Terms

nanotub 15.4%, walled.carbon 12.9%, single.walled 11.9%, single.walled.carbon 10.9%, wall 10.7%, walled.carbon.nanotubes 7.5%, carbon 6.5%, carbon.nanotubes 5.6%, singl 2.5%, tube 1.2%, walled.carbon.nanotube 1.0%, carbon.nanotube 0.8%, double.walled.carbon 0.7%, double.walled 0.7%, swnt 0.5%

Discriminating Terms

walled.carbon 8.5%, single.walled 8.0%, single.walled.carbon 7.3%, nanotub 6.8%, wall 6.1%, walled.carbon.nanotubes 5.0%, carbon.nanotubes 2.8%, carbon 1.9%, film 1.8%, surfac 0.8%, walled.carbon.nanotube 0.7%, singl 0.6%, nanoparticl 0.6%, tube 0.6%, particl 0.6%

Single Word Terms

wall 308, nanotub 299, carbon 293, singl 272, electron 99, tube 90, structur 89, diamet 76, function 74, swnt 71, high 71, two 67, temperatur 64, spectroscopi 63, properti 62

Double Word Terms

walled.carbon 288, single.walled 269, carbon.nanotubes 245, carbon.nanotube 95, double.walled 44, nanotubes.swnts 34, raman.spectroscopy 30, electron.microscopy 28, transmission.electron 22, density.functional 17, properties.single 17, molecular.dynamics 15, radial.breathing 15, walled.nanotubes 14, raman.scattering 14

Triple Word Terms

single.walled.carbon 254, walled.carbon.nanotubes 240, walled.carbon.nanotube 82, double.walled.carbon 42, carbon.nanotubes.swnts 32, transmission.electron.microscopy 17, properties.single.walled 16, van.der.waals 13, semiconducting.single.walled 13, density.functional.theory 13, carbon.nanotubes.dwnts 13, single.walled.nanotubes 12, carbon.nanotube.swnt 12, scanning.electron.microscopy 11, carbon.nanotubes.swnts 11

Term Cliques

58.89% nanotub walled.carbon wall carbon walled.carbon.nanotube carbon.nanotube double.walled.carbon double.walled
59.21% nanotub walled.carbon wall carbon tube carbon.nanotube double.walled.carbon double.walled
66.70% nanotub walled.carbon wall walled.carbon.nanotubes carbon carbon.nanotubes tube double.walled.carbon double.walled
77.68% nanotub walled.carbon single.walled wall carbon singl tube carbon.nanotube
83.12% nanotub walled.carbon single.walled wall walled.carbon.nanotubes carbon carbon.nanotubes singl tube
72.44% nanotub walled.carbon single.walled single.walled.carbon wall carbon singl walled.carbon.nanotube carbon.nanotube swnt
82.44% nanotub walled.carbon single.walled single.walled.carbon wall walled.carbon.nanotubes carbon carbon.nanotubes singl swnt

Sample Cluster Record Titles

[Ultrafast carrier dynamics in purified and as-grown single-walled carbon nanotube films](#)

[Electronic structures of semiconducting double-walled carbon nanotubes: Important effect of interlay interaction](#)

[Pore structure and oxidation stability of double-walled carbon nanotube-derived bucky paper](#)

[Absorption spectrum of highly pure and soluble single-walled carbon nanotubes](#)

[Effect of the van der Waals interaction on analysis of double-walled carbon nanotubes](#)

[Effects of silver films with different nano-particle sizes on SERS of single-walled carbon nanotubes](#)

[Endohedral condensation and higher exohedral coverage of Kr on open single-walled carbon nanotubes at 77 K](#)

[Atomic-resolution imaging of the nucleation points of single-walled carbon nanotubes](#)

[Chirality dependence of mechanical properties of single-walled carbon nanotubes under axial tensile strain](#)

Cluster Metrics

Authors

strano, ms 7
thomsen, c 6
kataura, h 6
sauvajol, jl 5
lee, yh 5
iijima, s 5
wang, l 4
terrone, m 4
suzuki, s 4
smalley, re 4
nicholas, rj 4
li, lj 4
li, cy 4
kim, ya 4
johnson, at 4

Sources

physical review b 38
journal of physical chemistry b 24
nano letters 17
carbon 17
chemical physics letters 15
applied physics letters 14
physical review letters 13
journal of the american chemical society 12
nanotechnology 8
journal of nanoscience and nanotechnology 6
chemistry of materials 6
chemical communications 6
langmuir 5
advanced materials 5
small 4

Keywords

chemistry, physical 74
materials science, multidisciplinary 64
physics, condensed matter 49
chemistry, multidisciplinary 47
carbon nanotubes 32
physics, applied 31
physics, multidisciplinary 25
materials science, multidisciplinary 22
physics, atomic, molecular & chemical 20
scattering 18
films 16
bundles 16

growth 14
physics, condensed matter 13
adsorption 13

Publication Year

2005 271
2004 35
2006 2

Country

usa 125
peoples r china 51
japan 39
germany 25
england 22
france 21
south korea 19
italy 10
poland 9
singapore 8
canada 7
spain 6
taiwan 5
mexico 5
sweden 4

Institution

rice univ 14
univ montpellier 2 11
univ illinois 11
chinese acad sci 8
tsing hua univ 7
peking univ 7
univ penn 6
univ oxford 6
univ delaware 6
tech univ berlin 6
shinshu univ 6
osaka univ 6
nanjing univ 6
mit 6
aist 6

DataBase

science citation index 308

CATEGORY 12 - 509A2b (2 leaf clusters)

Single-walled Nanotubes (414 REC)

THRUST

()

- Single-walled (carbon) nanotubes (SWNTs), including nanotube thin films, surface and structural properties, and interaction of nanoparticles with nanotubes (274 Records) Cluster 6
- Single-walled (carbon) nanotubes (SWNTs), emphasizing electrode applications, nanotube films, and surface/ structural properties (140 Records) Cluster 9

• CLUSTER 6

Single-walled (carbon) nanotubes (SWNTs), including nanotube thin films, surface and structural properties, and interaction of nanoparticles with nanotubes (274 Records)

(Countries: USA dominant, China, Japan. Institutions: CAS, Rice University, UCR, Peking University. Other USA include Penn State University, USN, NASA, University of Pennsylvania.).

Cluster Syntax Features

Descriptive Terms

swnt 51.5%, nanotub 6.5%, single.walled 6.0%, single.walled.carbon 5.7%, walled.carbon 5.0%, wall 3.3%, carbon 3.1%, walled.carbon.nanotubes 3.1%, carbon.nanotubes 2.5%, nanotubes.swnts 1.4%, singl 1.3%, carbon.nanotubes.swnts 1.3%, carbon.nanotube 0.5%, walled.carbon.nanotube 0.5%, raman 0.2%

Discriminating Terms

swnt 33.5%, single.walled 3.7%, single.walled.carbon 3.5%, walled.carbon 3.0%, nanotub 1.9%, walled.carbon.nanotubes 1.8%, film 1.5%, wall 1.4%, carbon.nanotubes 1.0%, nanotubes.swnts 0.9%, carbon.nanotubes.swnts 0.8%, surfac 0.7%, particl 0.6%, structur 0.6%, nanoparticl 0.5%

Single Word Terms

swnt 274, nanotub 270, carbon 269, wall 268, singl 267, electron 86, high 82, function 77, properti 72, chemic 68, raman 67, structur 66, spectroscopi 65, surfac 59, form 56

Double Word Terms

single.walled 267, walled.carbon 257, carbon.nanotubes 225, nanotubes.swnts 172, carbon.nanotube 102, nanotube.swnt 54, raman.spectroscopy 32, electron.microscopy 29, swnts.swnts 23, chemical.vapor 22, vapor.deposition 21, transmission.electron 19, atomic.force 19, room.temperature 17, force.microscopy 17

Triple Word Terms

single.walled.carbon 256, walled.carbon.nanotubes 209, carbon.nanotubes.swnts 162, walled.carbon.nanotube 78, carbon.nanotube.swnt 50, chemical.vapor.deposition 21, transmission.electron.microscopy 18, atomic.force.microscopy 17, functionalization.single.walled 15, single.walled.nanotubes 15, properties.single.walled 14, growth.single.walled 13, functionalized.single.walled 11, carbon.nanotubes.single 11, carbon.nanotubes.swnt 11

Term Cliques

84.23% swnt nanotub single.walled single.walled.carbon walled.carbon wall carbon singl
carbon.nanotube walled.carbon.nanotube

83.18% swnt nanotub single.walled single.walled.carbon walled.carbon wall carbon
walled.carbon.nanotubes carbon.nanotubes nanotubes.swnts singl
carbon.nanotubes.swnts raman

Sample Cluster Record Titles

[Separation of single-walled carbon nanotubes on silica gel. Materials morphology and Raman excitation wavelength affect data interpretation](#)

[Chemical detection with a single-walled carbon nanotube capacitor](#)

[Electric-field-enhanced assembly of single-walled carbon nanotubes on a solid surface](#)

[Enhancement of hydrogen physisorption on single-walled carbon nanotubes resulting from defects created by carbon bombardment](#)

[Photoluminescence intermittency in an individual single-walled carbon nanotube at room temperature](#)

[Diffusion and condensation of lithium atoms in single-walled carbon nanotubes](#)

[Low temperature synthesis of extremely dense, and vertically aligned single-walled carbon nanotubes](#)

[Vertical growth of individual single-walled carbon nanotubes on silicon and SiO₂ substrates](#)

[Position-controlled growth of single-walled carbon nanotubes by laser-irradiated chemical vapor deposition](#)

Cluster Metrics

Authors

li, f 11
haddon, rc 9
cheng, hm 9
zhao, b 8

zhao, mw 7
xia, yy 7
smalley, re 7
lu, gq 7
sun, ch 6
song, c 6
liu, xd 6
lefrant, s 6
itkis, me 6
huang, bd 6
wang, q 5

Sources

journal of physical chemistry b 24
journal of the american chemical society 18
applied physics letters 17
physical review b 16
nanotechnology 11
nano letters 10
carbon 10
japanese journal of applied physics part 1-regular papers short notes & review papers 9
chemical physics letters 9
advanced materials 9
langmuir 8
journal of nanoscience and nanotechnology 8
chemistry of materials 8
polymer 6
physical review letters 6

Keywords

chemistry, physical 66
materials science, multidisciplinary 61
physics, applied 45
chemistry, multidisciplinary 42
carbon nanotubes 27
materials science, multidisciplinary 25
physics, condensed matter 21
composites 21
polymer science 17
spectroscopy 15
functionalization 15
spectra 14
scattering 14
purification 14
physics, atomic, molecular & chemical 13

Publication Year

2005 250

2004 23

2006 1

Country

usa 124

peoples r china 58

japan 43

south korea 16

germany 13

england 11

france 9

italy 8

australia 8

canada 6

brazil 6

romania 5

spain 4

sweden 3

taiwan 2

Institution

chinese acad sci 20

rice univ 16

univ calif riverside 11

peking univ 11

osaka univ 8

univ queensland 7

tohoku univ 7

shandong univ 7

penn state univ 7

usn 6

univ tokyo 6

natl inst adv ind sci & technol 6

nasa 6

zhejiang univ 5

univ penn 5

DataBase

science citation index 274

• CLUSTER 9

Single-walled (carbon) nanotubes (SWNTs), emphasizing electrode applications, nanotube films, and surface/ structural properties (140 Records)

Countries: USA very dominant, Japan, China. Institutions: Rice University, MIT, Tohoku University, Peking University, NASA, Georgia Institute of Technology. Other USA include Yale, Rochester Institute of Technology, University of Pennsylvania, University of Illinois, NREL, University of Texas.).

Cluster Syntax Features

Descriptive Terms

swnt 41.4%, single.wall 8.3%, single.wall.carbon 7.8%, wall.carbon 7.4%, nanotub 6.3%, wall.carbon.nanotubes 4.3%, wall 3.6%, carbon 3.0%, carbon.nanotubes 2.5%, singl 1.5%, nanotubes.swnts 1.0%, carbon.nanotubes.swnts 0.8%, wall.carbon.nanotube 0.8%, carbon.nanotube 0.5%, electrode 0.2%

Discriminating Terms

swnt 26.1%, single.wall 5.3%, single.wall.carbon 5.0%, wall.carbon 4.7%, wall.carbon.nanotubes 2.8%, nanotub 1.8%, wall 1.6%, film 1.5%, carbon.nanotubes 1.0%, surfac 0.8%, nanotubes.swnts 0.6%, structur 0.6%, particl 0.5%, layer 0.5%, crystal 0.5%

Single Word Terms

nanotub 140, swnt 140, singl 140, wall 140, carbon 137, electron 50, function 36, raman 36, properti 36, spectroscopi 35, metal 35, structur 31, diamet 30, conduct 28, high 28

Double Word Terms

single.wall 139, wall.carbon 134, carbon.nanotubes 119, nanotubes.swnts 72, carbon.nanotube 55, nanotube.swnt 27, nanotubes.swnt 24, raman.spectroscopy 18, electron.microscopy 13, transmission.electron 12, radial.breathing 10, metallic.swnts 9, swnt.bundles 9, arc.discharge 9, semiconducting.swnts 9

Triple Word Terms

single.wall.carbon 133, wall.carbon.nanotubes 113, carbon.nanotubes.swnts 67, wall.carbon.nanotube 46, carbon.nanotube.swnt 24, carbon.nanotubes.swnt 22, transmission.electron.microscopy 9, radial.breathing.mode 8, single.wall.nanotubes 8, properties.single.wall 8, scanning.electron.microscopy 6, chemical.vapor.deposition 6, wall.nanotubes.swnts 5, synthesis.single.wall 5, atomic.force.microscopy 5

Term Cliques

79.74% swnt single.wall single.wall.carbon wall.carbon nanotub wall carbon singl
wall.carbon.nanotube carbon.nanotube electro
82.31% swnt single.wall single.wall.carbon wall.carbon nanotub wall.carbon.nanotubes
wall carbon carbon.nanotubes singl nanotubes.swnts carbon.nanotubes.swnts electro

Sample Cluster Record Titles

[Purification of single-wall carbon nanotubes by electrochemical oxidation](#)

[Persistent photoconductivity in chemically modified single-wall carbon nanotubes](#)

[Effect of Co-MCM-41 conversion to cobalt silicate for catalytic growth of single wall carbon nanotubes](#)

[Reconstructing the radial breathing mode resonance Raman spectra for HiPco single-wall carbon nanotubes](#)

[Calculations on cyclopyranoses as co-solvents of single-wall carbon nanotubes](#)

[Incorporation of single-wall carbon nanotubes into an organic polymer monolithic stationary phase for mu-HPLC and capillary electrochromatography](#)

[Highly polarized absorption and photoluminescence of stretch-aligned single-wall carbon nanotubes dispersed in gelatin films](#)

[Single-wall carbon nanotube-polymer solar cells](#)

[Functionalization and extraction of large fullerenes and carbon-coated metal formed](#)

[during the synthesis of single wall carbon nanotubes by laser oven, direct current arc, and high-pressure carbon monoxide production methods](#)

Cluster Metrics

Authors

dresselhaus, ms 9
kumar, s 6
samsonidze, gg 5
saito, r 5
landi, bj 5
dresselhaus, g 5
chen, y 5
raffaella, rp 4
lim, s 4
jorio, a 4
hauge, rh 4
haller, gl 4
ciuparu, d 4
billups, we 4
wang, yb 3

Sources

journal of physical chemistry b 13
physical review b 11
chemical physics letters 10
carbon 9
applied physics letters 8
nanotechnology 7
polymer 4
chemistry of materials 4
journal of the american chemical society 3
journal of nanoscience and nanotechnology 3
diamond and related materials 3
synthetic metals 2
physical review letters 2
physica status solidi b-basic research 2
molecular simulation 2

Keywords

chemistry, physical 29
materials science, multidisciplinary 26
physics, applied 20
carbon nanotubes 16
physics, condensed matter 15

physics, atomic, molecular & chemical 15
films 14
materials science, multidisciplinary 13
chemistry, multidisciplinary 13
composites 13
polymer science 11
growth 10
scattering 9
functionalization 9
spectroscopy 8

Publication Year

2005 122
2004 16
2006 2

Country

usa 74
japan 24
peoples r china 20
brazil 11
germany 6
spain 5
south korea 4
russia 4
netherlands 4
italy 4
singapore 3
france 3
sweden 2
israel 2
canada 2

Institution

rice univ 9
mit 9
tohoku univ 6
peking univ 6
nasa 6
georgia inst technol 6
yale univ 5
rochester inst technol 5
jst 5
univ penn 4
univ illinois 4
univ fed minas gerais 4

natl renewable energy lab 4
chinese acad sci 4
univ texas 3

DataBase
science citation index 140

CATEGORY 13 - 509B1a (58 leaf clusters)

Nanomaterials and Nanoparticles (14263 REC)

THRUST

()

- Adsorption, focusing on removal of material from solution, measuring adsorption capacity, and adsorption by bentonites (65 Records)
Cluster 94
- Applications of activated carbon, porous carbon, and carbon aerogels, especially for adsorption and as capacitors (182 Records) Cluster 106
- Graphite, carbon black, fullerenes, carbon fibers, and other carbon-containing materials, emphasizing their magnetic/optical/surface properties and electrochemical applications (444 Records) Cluster 221
- Growth, catalytic applications, and properties of carbon nanofibers (CNFs) and carbon supports (110 Records) Cluster 25
- Preparation of materials, especially nanofibers, by electrospinning (91 Records) Cluster 71
- Fibers, emphasizing electrospun fibers, cellulose, and morphology and strength of fibers (164 Records) Cluster 46
- Lithium-ion (especially LiCoO₂ and lithium-nickel) batteries, with emphasis on enhancement of capacity and cyclability (345 Records)
Cluster 129
- Electrochemical studies and applications, focusing on electrode/electrolyte properties and applications, capacitors, and hydrogen storage (216 Records) Cluster 204

- Electrode (especially gold) behavior and applications to biosensors (especially glucose and enzyme) and immunosensors (227 Records) Cluster 184
- Nano silica particles, emphasizing coating applications, effects of particle size, dispersion, and aggregation (130 Records) Cluster 103
- Characteristics and synthesis of silica-containing materials, with focus on gels, films, surfaces, monoliths, and porous silica (153 Records) Cluster 121
- Mesoporous silica materials, emphasizing methods of synthesis, as well as adsorption properties (262 Records) Cluster 90
- SBA-15, SBA-1, and other mesoporous silica materials, focusing on adsorption properties and functionalization of SBA-15 with acid (90 Records) Cluster 20
- Nanoporous, mesoporous, and porous materials, with emphasis on determination and control of pore size, evaluation of surface area, alumina and silica materials, and adsorption properties (292 Records) Cluster 185
- Synthesis and characterization of MCM mesoporous silicas and use as molecular sieves and catalysts (147 Records) Cluster 19
- Zeolites (especially ZSM-5, silicalite-1, and MFI), with emphasis on ion exchange, adsorption and acid properties, and synthesis, particularly hydrothermally (145 Records) Cluster 29
- Oxidation and reduction reactions, emphasizing the catalysts involved (particularly CeO₂) and their catalytic activity (470 Records) Cluster 237
- Catalysts (especially MCM-incorporated, palladium, and heterogeneous catalysts), especially studies on catalytic activity/selectivity, surface area, and hydrogenation/dehydrogenation reactions (554 Records) Cluster 153
- Catalysts (especially gamma-Al₂O₃, nickel, and cobalt catalysts), emphasizing activity, structure, and formation of catalysts; steam reforming of methanol; and hydrogenation reactions (222 Records) Cluster 102
- Platinum (Pt) and platinum-ruthenium (PtRu) catalysts, emphasizing their electrochemical applications, including methanol and other fuel cells, methanol electro-oxidation, and reduction reactions (270 Records) Cluster 87
- Platinum (Pt) and iron-platinum (FePt) nanoparticles, focusing on electrocatalytic activity (especially for oxygen reduction), size-

- dependent effects/processes, and synthesis (especially by polyol process) of nanoparticles (109 Records) Cluster 80
- Titanium dioxide (TiO₂) films, including sol-gel derived and nanocrystalline films, use in dye-sensitized solar cells, photocatalytic activity, and preparation by deposition (141 Records) Cluster 124
 - Preparation of titanium dioxide (TiO₂) thin films by sol-gel process or deposition, photocatalytic activity of TiO₂ films, and doped TiO₂ films (105 Records) Cluster 24
 - Anatase and rutile titanium dioxide (TiO₂), emphasizing photocatalytic use and characterization of TiO₂ nanoparticles (379 Records) Cluster 107
 - Studies on photocatalytic activity, such as photocatalytic degradation, of titanium dioxide (TiO₂), primarily under visible light irradiation (224 Records) Cluster 65
 - Preparation of materials (including powders, silica (SiO₂), and particles) by sol-gel synthesis and subsequent characterization, especially using x-ray diffraction (XRD) (429 Records) Cluster 199
 - Preparation and characterization of powders, emphasizing studies of particle size, synthesis by combustion process or co-precipitation method, and x-ray diffraction (XRD) analyses (491 Records) Cluster 208
 - High-energy ball milling, focusing on production of materials (especially nanocrystalline powders), phase formation/transformation, and studies on magnesium hydride (MgH₂) (200 Records) Cluster 49
 - Sintering (especially spark plasma sintering) to produce and modify materials, including ceramics and magnesium diboride (MgB₂) materials (143 Records) Cluster 198
 - Sintering (including spark plasma and liquid phase sintering) of powders, ceramics, nanocomposites, and alumina-based materials, with emphasis on densification and microstructure of products (200 Records) Cluster 101
 - Ceramics made of zirconia (ZrO₂) and yttrium stabilized zirconia (YSZ), alumina (Al₂O₃), and silicon carbide (SiC), focusing on mechanical properties and microstructural characterization (255 Records) Cluster 211
 - Dielectric (especially ferroelectric and piezoelectric) properties of ceramics, emphasizing glass and barium-titanate (BaTiO₃) based materials (192 Records) Cluster 155

- Glass ceramics, including cordierite and various ceramic oxides (Na_2O , SiO_2 , and CaO), focusing on crystallization, nucleation, and heat treatment (78 Records) Cluster 59
- Synthesis of nanorods (especially cadmium-sulfide [CdS]), with focus on hydrothermal fabrication, transmission electron microscopy (TEM) studies, and characterization of length and diameter (132 Records) Cluster 68
- Zinc oxide (ZnO), as well as gallium nitride (GaN), nanorods, emphasizing growth, nanorod arrays, and field emission properties (123 Records) Cluster 12
- Nanobelts (especially gallium oxide [Ga_2O_3], zinc oxide [ZnO], and silicon nitride [Si_3N_4]) and nanoribbons, emphasizing growth, fabrication by thermal evaporation, and photoluminescence and emission properties (49 Records) Cluster 13
- Synthesis (especially hydrothermally) of nanostructures and subsequent analysis using transmission electron microscopy (TEM) and x-ray diffraction (XRD) (270 Records) Cluster 218
- Hydrothermal/solvothermal synthesis and morphology of nanocrystals, crystalline materials, and nanowires (302 Records) Cluster 249
- Reaction, surface, phase, and temperature dynamics/behavior of oxides, systems affected by water, and aqueous solutions (648 Records) Cluster 255
- Ferrous substances (especially ferrihydrites and iron oxides, namely goethite and hematite), characterized by Mossbauer spectroscopy and used for dechlorination, arsenic removal, and chemical reduction (162 Records) Cluster 173
- Studies on minerals (especially calcite, smectite, illite, and fly ash), emphasizing leaching/sorption behavior and weathering (260 Records) Cluster 233
- Biofilms and other biological systems at the nanoscale, focusing on adhesive behavior, applications of/to bacteria, biofilm formation, surface properties, and electron microscopy studies (182 Records) Cluster 226
- Phosphate and calcium compounds (especially calcium phosphates, such as apatite and hydroxyapatite [HAP]), emphasizing studies on cements, bone and bone-like material, and enamel (226 Records) Cluster 194

- Soot, flame-synthesized particles, and humic substances, emphasizing aggregation, particle size, analysis using fractionation (125 Records) Cluster 186
- Aerosols and other fine/ultrafine particles, with emphasis on nucleation and measuring particle size, mass, and concentration, especially in the atmosphere (251 Records) Cluster 126
- Investigations on particle size, focusing on determination of particle size distribution, particles prepared by precipitation method, dispersion of particles, and barium titanate (BaTiO_3) particles and powders (380 Records) Cluster 212
- Studies on nano-sized particles, characterized by size, surface characteristics, shape, and morphology (580 Records) Cluster 238
- Nanoparticles (especially silica [SiO_2] and titanium dioxide [TiO_2]), emphasizing preparation, surface modification, and core/shell composites (125 Records) Cluster 164
- Colloidal particles, spheres, suspensions, and crystals, emphasizing particle size, hollow spheres, stabilization, dispersion, and latex materials (258 Records) Cluster 228
- Magnetic particles, focusing on ferrites (such as Fe_3O_4 and Fe_2O_3) and ferrofluids, superparamagnetic particles, particle size, and Mossbauer spectroscopy (178 Records) Cluster 179
- Magnetic properties of nanoparticles, emphasizing iron oxide (especially magnetite [Fe_3O_4] and hematite [Fe_2O_3]) nanoparticles and superparamagnetic particles (237 Records) Cluster 175
- Core-shell nanostructures and hollow nanospheres, made of silver (Ag), bimetallic material, and silica (211 Records) Cluster 70
- Titanium dioxide (TiO_2), cadmium sulfide (CdS), cadmium selenide (CdSe), and solid lipid nanoparticles and nanocrystals (138 Records) Cluster 147
- Nanoparticles, including particle size, synthesis, metal and silica nanoparticles, surface properties, dispersion, reactions, and stabilization (930 Records) Cluster 239
- Gold nanoparticles and nanorods, emphasizing plasmon and surface properties, stabilization, synthesis, and application to electrodes (334 Records) Cluster 104
- Gold nanoparticles, focusing on surface properties studied by surface-enhanced Raman scattering (SERS), self-assembly of monolayers and other structures, and electrode applications (221 Records) Cluster 158

- Silver (Ag) nanoparticles, with emphasis on surface-enhanced Raman scattering (SERS) studies (122 Records) Cluster 75
- Silver (Ag), gold, and gold-silver nanoparticles, including surface-enhanced Raman scattering, reduction behavior, effect of ions, and surface properties (294 Records) Cluster 56

• CLUSTER 94

Adsorption, focusing on removal of material from solution, measuring adsorption capacity, and adsorption by bentonites (65 Records)

(Countries: China, USA. Institutions: CAS, University of Kerala, National University of Singapore.).

Cluster Syntax Features

Descriptive Terms

adsorpt 49.1%, adsorb 7.1%, isotherm 1.7%, remov 1.3%, adsorption.capacity 1.1%, capac 0.9%, acid 0.7%, bentonit 0.7%, solut 0.7%, freundlich 0.6%, langmuir 0.6%, sorption 0.5%, surfac 0.5%, equilibrium 0.4%, model 0.4%

Discriminating Terms

adsorpt 30.7%, adsorb 4.1%, film 1.9%, isotherm 1.0%, adsorption.capacity 0.8%, remov 0.6%, nanotub 0.6%, nanoparticl 0.5%, magnet 0.5%, structur 0.5%, deposit 0.5%, layer 0.5%, bentonit 0.5%, phase 0.5%, freundlich 0.4%

Single Word Terms

adsorpt 63, adsorb 46, surfac 39, isotherm 30, temperatur 28, solut 24, model 22, capac 21, concentr 21, rai 21, equilibrium 20, langmuir 19, high 19, acid 19, remov 18

Double Word Terms

adsorption.capacity 16, surface.area 13, ray.diffraction 11, scanning.electron 10, adsorption.desorption 9, activated.carbon 8, aqueous.solution 8, adsorption.isotherms 8, langmuir.friendly 8, ray.photoelectron 8, photoelectron.spectroscopy 8, adsorption.adsorption 8, adsorption.experiments 7, adsorption.data 7, room.temperature 7

Triple Word Terms

ray.photoelectron.spectroscopy 8, photoelectron.spectroscopy.xps 6, scanning.electron.microscopy 6, ray.diffraction.xrd 4, fourier.transform.infrared 4, maximum.adsorption.capacity 3, scanning.electron.microscope 3, isosteric.heat.adsorption 3, bet.surface.area 3, transform.infrared.spectroscopy 3, high.surface.area 3, metal.organic.framework 3, diffraction.nitrogen.adsorption 2, particle.size.surface 2, ray.diffraction.nitrogen 2

Term Cliques

34.62% adsorpt remov adsorption.capacity capac acid bentonit solut freundlich langmuir sorption surfac model

35.62% adsorpt isotherm remov adsorption.capacity capac bentonit solut freundlich langmuir sorption surfac equilibrium model

39.87% adsorpt adsorb remov adsorption.capacity capac acid solut freundlich langmuir sorption surfac model

40.47% adsorpt adsorb isotherm remov adsorption.capacity capac solut freundlich langmuir sorption surfac equilibrium model

Sample Cluster Record Titles

[Adsorption of benzene and toluene on coronene nanolayers](#)

[Adsorption of malachite green by a magnetic nano-adsorbent](#)

[Adsorption of benzoic acid and hydroquinone by organically modified bentonites](#)

[Estimation of adsorption capacity for dissociating and non dissociating aromatic compounds on activated carbon with different models](#)

[Removal of vanadium\(IV\) from aqueous solutions by adsorption process with aluminum-pillared bentonite](#)

[Adsorption separation of carbon dioxide from flue gas of natural gas-fired boiler by a novel nanoporous "molecular basket" adsorbent](#)

[Adsorption from aqueous phenol and aniline solutions on activated carbons with different surface chemistry](#)

[Separation of CO₂ and N₂ by adsorption in C-168 schwarzite: A combination of quantum mechanics and molecular simulation study](#)

[Flexibility in metal-organic framework materials: Impact on sorption properties](#)

Cluster Metrics

Authors

hu, j 3
wu, cd 2
wang, y 2
noeline, bf 2
manohar, dm 2
gao, qm 2
anirudhan, ts 2
zieba, e 1
zhu, cy 1
zhou, an 1
zheng, lb 1
zhao, zg 1
zhao, xs 1
zhao, xr 1
zhao, h 1

Sources

journal of colloid and interface science 9
microporous and mesoporous materials 6
industrial & engineering chemistry research 3
water research 2
separation science and technology 2
journal of solid state chemistry 2
journal of hazardous materials 2
colloids and surfaces a-physicochemical and engineering aspects 2
applied clay science 2
adsorption-journal of the international adsorption society 2
adsorption science & technology 2
zeitschrift fur anorganische und allgemeine chemie 1
synthetic metals 1
surface science 1
separation and purification technology 1

Keywords

adsorption 21
chemistry, physical 18
adsorption 12
chemistry, applied 11
chemistry, physical 11
sorption 10
removal 10
engineering, chemical 9
water 8

chemistry, multidisciplinary 7
activated carbon 7
multidisciplinary 6
engineering, chemical 6
silica 6
materials science, 6

Publication Year

2005 57
2004 7
2006 1

Country

peoples r china 14
usa 11
turkey 5
japan 5
india 4
spain 3
england 3
australia 3
taiwan 2
south korea 2
singapore 2
iran 2
france 2
thailand 1
switzerland 1

Institution

chinese acad sci 3
univ kerala 2
natl univ singapore 2
zhejiang univ technol 1
zhejiang univ 1
yuzuncu yil univ 1
yamaso micron inc 1
xian univ sci & technol 1
westinghouse savannah river co 1
vanderbilt univ 1
urmia univ 1
univ utrecht 1
univ utah 1
univ tecn lisbon 1
univ surrey 1

- **CLUSTER 106**

Applications of activated carbon, porous carbon, and carbon aerogels, especially for adsorption and as capacitors (182 Records)

(Countries: China, Japan, USA, followed by France, South Korea.
Institutions: CSIC, National Institute of Materials Science, CNRS. USA includes ORNL.).

Cluster Syntax Features

Descriptive Terms

carbon 34.6%, activated.carbon 6.3%, mesopor 4.8%, adsorpt 4.7%, pore 3.9%, activ 3.1%, mesoporous.carbon 2.2%, aerogel 1.8%, templat 1.4%, micropor 1.4%, activated.carbons 1.2%, surface.area 0.9%, capacit 0.9%, area 0.9%, carbon.aerogels 0.8%

Discriminating Terms

carbon 18.4%, activated.carbon 4.6%, mesopor 2.8%, adsorpt 2.3%, film 2.0%, pore 2.0%, mesoporous.carbon 1.6%, aerogel 1.2%, activ 1.1%, micropor 0.9%, activated.carbons 0.9%, nanoparticl 0.6%, carbon.aerogels 0.6%, templat 0.6%, magnet 0.6%

Single Word Terms

carbon 182, surfac 111, pore 105, activ 96, adsorpt 95, structur 87, area 81, mesopor 72,

materi 69, high 67, size 63, templat 55, order 54, synthes 48, temperatur 47

Double Word Terms

surface.area 68, activated.carbon 63, mesoporous.carbon 37, pore.size 35, activated.carbons 26, carbon.materials 26, high.surface 25, nitrogen.adsorption 24, ordered.mesoporous 23, double.layer 23, electron.microscopy 23, pore.volume 21, mesoporous.carbons 19, ray.diffraction 19, surface.areas 19

Triple Word Terms

high.surface.area 20, surface.area.pore 16, ordered.mesoporous.carbon 15, transmission.electron.microscopy 14, pore.size.distribution 14, scanning.electron.microscopy 11, ordered.mesoporous.carbons 11, electrical.double.layer 10, area.pore.volume 10, bet.surface.area 9, double.layer.capacitors 9, double.layer.capacitance 8, carbon.molecular.sieves 8, electric.double.layer 8, chemical.vapor.deposition 8

Term Cliques

35.81% carbon aerogel surface.area capacit area carbon.aerogels
45.88% carbon activ micropor surface.area capacit area
51.92% carbon adsorpt activ micropor surface.area area
46.89% carbon adsorpt activ micropor activated.carbons surface.area
47.71% carbon adsorpt pore micropor activated.carbons surface.area
44.30% carbon mesopor pore mesoporous.carbon templat micropor surface.area area
50.86% carbon mesopor adsorpt pore micropor surface.area area
43.54% carbon mesopor adsorpt pore aerogel surface.area area carbon.aerogels
47.53% carbon activated.carbon activ surface.area capacit area
53.57% carbon activated.carbon adsorpt activ surface.area area
48.53% carbon activated.carbon adsorpt activ activated.carbons surface.area

Sample Cluster Record Titles

[Carbon molecular sieve cloths prepared by chemical vapour deposition of methane for separation of gas mixtures](#)

[Carbon aerogels for catalysis applications: An overview](#)

[Improved activated carbon by thermal treatment in methane and steam: Physicochemical influences on MIB sorption capacity](#)

[Improvement of mesoporosity of carbon cryogels by ultrasonic irradiation](#)

[Carbon nanofibres and activated carbon nanofibres as electrodes in supercapacitors](#)

[A simplified preparation of mesoporous carbon and the examination of the carbon accessibility for electric double layer formation](#)

[Effect of acid pretreatment on the metal loading of activated carbon](#)

[Adsorption of vitamin B12 on ordered mesoporous carbons coated with PMMA](#)

[Preparation of titanium dioxide/activated carbon composites using supercritical carbon dioxide](#)

Cluster Metrics

Authors

vinu, a 7
vix-guterl, c 5
ariga, k 5
xia, yd 4
tascon, jmd 4
setoyama, n 4
parmentier, j 4
mokaya, r 4
miyahara, m 4
martinez-alonso, a 4
fu, rw 4
zhao, xs 3
yang, zx 3
yang, ys 3
yamazaki, t 3

Sources

carbon 22
nanoporous materials iv 11
microporous and mesoporous materials 11
chemistry of materials 10
journal of physical chemistry b 8
journal of non-crystalline solids 7
journal of colloid and interface science 7
journal of power sources 6
new carbon materials 5
langmuir 5
journal of materials chemistry 5
adsorption-journal of the international adsorption society 5
chemistry letters 4
chemical communications 4
korean journal of chemical engineering 3

Keywords

chemistry, physical 71
materials science, multidisciplinary 47
adsorption 35
activated carbon 26
molecular-sieves 22
nanotubes 20
chemistry, multidisciplinary 17
chemistry, applied 15
storage 15
chemistry, physical 15
materials science, multidisciplinary 14
adsorption 14
silica 14
engineering, chemical 13
multidisciplinary 12

Publication Year

2005 160
2004 18
2006 4

Country

peoples r china 36
japan 30
usa 29
france 21
south korea 19
spain 13
poland 10
england 10
germany 9
taiwan 6
india 5
australia 5
thailand 3
singapore 3
hungary 3

Institution

csic 8
natl inst mat sci 7
cnrs 7
tsing hua univ 6
chinese acad sci 6
korea adv inst sci & technol 5
zhongshan univ 4

univ nottingham 4
univ aix marseille 1 4
oak ridge natl lab 4
harbin inst technol 4
univ queensland 3
univ alicante 3
toyota cent res & dev labs inc 3
tohoku univ 3

DataBase
science citation index 182

- **CLUSTER 221**

Graphite, carbon black, fullerenes, carbon fibers, and other carbon-containing materials, emphasizing their magnetic/optical/surface properties and electrochemical applications (444 Records)

(Countries: China, USA, Japan. Institutions: CAS, National University of Singapore, CNRS. USA includes University of Texas.).

Cluster Syntax Features

Descriptive Terms

carbon 59.4%, graphit 3.0%, fiber 1.2%, black 1.0%, catalyst 0.9%, carbon.black 0.8%, composit 0.8%, electrod 0.8%, materi 0.4%, fulleren 0.4%, carbon.fibers 0.4%, hydrogen 0.4%, nanostructur 0.4%, surfac 0.3%, electrochem 0.3%

Discriminating Terms

carbon 43.3%, graphit 2.2%, film 2.1%, black 0.8%, carbon.black 0.7%, fiber 0.6%,

magnet 0.6%, quantum 0.5%, optic 0.4%, crystal 0.4%, si 0.4%, phase 0.4%, layer 0.4%, surfac 0.4%, dot 0.4%

Single Word Terms

carbon 442, structur 142, electron 140, surfac 135, high 125, materi 113, graphit 112, temperatur 112, composit 104, properti 99, microscopi 95, particl 85, form 80, rai 78, mechan 77

Double Word Terms

electron.microscopy 76, transmission.electron 55, scanning.electron 48, carbon.nanotubes 47, ray.diffraction 42, carbon.carbon 37, carbon.black 34, carbon.fibers 27, carbon.fiber 27, carbon.materials 25, raman.spectroscopy 23, ray.photoelectron 22, amorphous.carbon 20, cyclic.voltammetry 20, surface.area 20

Triple Word Terms

transmission.electron.microscopy 43, scanning.electron.microscopy 38, ray.photoelectron.spectroscopy 19, electron.microscopy.tem 17, electron.microscopy.sem 15, chemical.vapor.deposition 15, carbon.carbon.composites 13, transmission.electron.microscope 11, ray.diffraction.xrd 11, photoelectron.spectroscopy.xps 11, atomic.force.microscopy 10, glassy.carbon.electrode 10, high.resolution.transmission 9, resolution.transmission.electron 9, microscopy.transmission.electron 8

Term Cliques

36.98% carbon composit materi carbon.fibers surfac
33.20% carbon composit materi carbon.fibers nanostructur
32.51% carbon black electrod materi surfac electrochem
33.90% carbon black composit materi surfac electrochem
31.38% carbon black carbon.black electrod materi surfac
32.77% carbon black carbon.black composit materi surfac
29.62% carbon black carbon.black composit materi nanostructur
34.19% carbon fiber composit carbon.fibers surfac
32.84% carbon graphit catalyst hydrogen electrochem
32.25% carbon graphit catalyst hydrogen nanostructur
28.51% carbon graphit black electrod materi hydrogen electrochem
24.47% carbon graphit black carbon.black materi fulleren hydrogen nanostructur
27.54% carbon graphit black carbon.black electrod materi hydrogen

Sample Cluster Record Titles

[Boron-substituted fullerenes - Can they be one of the options for hydrogen storage?](#)

[Preparation of platinum electrocatalysts using carbon supports for oxygen reduction at a gas-diffusion electrode](#)

[n-Diamond nanocrystal from catalyzed carbon black in a high magnetic field](#)

[Diamagnetism of natural fullerene-like carbon](#)

[Production of hydrogen and carbon nanotubes from methane](#)

[Preparation of carbon-coated magnetic iron nanoparticles from composite rods made from coal and iron powders](#)

[Synthesis and characterization of carbon-enriched silicon oxycarbides](#)

[Catalyst consumption during growth of carbon nanofilaments on Pd seeds](#)

[Carbon microstructures synthesized utilizing the RF microplasma jet at atmospheric pressure](#)

Cluster Metrics

Authors

compton, rg 6

jiang, w 5

huczko, a 5

zhao, xs 4

su, ds 4

schlogl, r 4

okada, s 4

motojima, s 4

li, hj 4

lee, jy 4

kim, j 4

huang, y 4

bystrzejewski, m 4

banks, ce 4

zhou, zc 3

Sources

carbon 27

fullerenes nanotubes and carbon nanostructures 15

journal of power sources 9

physical review b 8

nanotechnology 8

journal of physical chemistry b 8

chemistry of materials 7

rare metal materials and engineering 6

langmuir 6
electrochemical and solid state letters 6
chemical physics letters 6
catalysis today 6
journal of inorganic materials 5
journal of electroanalytical chemistry 5
chemical communications 5

Keywords

chemistry, physical 89
materials science, multidisciplinary 77
materials science, multidisciplinary 69
nanotubes 58
chemistry, multidisciplinary 39
graphite 37
growth 34
nanotubes 28
chemistry, analytical 25
physics, applied 23
physics, 23
nanoparticles 22
films 22
adsorption 22
electrochemistry 21

Publication Year

2005 393
2004 42
2006 9

Country

peoples r china 105
usa 85
japan 64
germany 37
france 30
south korea 22
poland 19
england 19
australia 18
russia 15
italy 13
canada 12
spain 10
singapore 10
turkey 9

Institution

chinese acad sci 28
natl univ singapore 9
cnrs 9
univ tokyo 7
univ oxford 7
russian acad sci 7
kyoto univ 7
univ sci & technol china 6
tsing hua univ 6
zhejiang univ 5
univ tsukuba 5
univ texas 5
univ cambridge 5
seoul natl univ 5
northwestern polytech univ 5

DataBase

science citation index 444

• CLUSTER 25

Growth, catalytic applications, and properties of carbon nanofibers (CNFs) and carbon supports (110 Records)

(Countries: USA, Japan, Korea, China. Institutions: Shinshu University, University Utrecht, University of Strasbourg, Norwegian University of Science and Technology. USA include ORNL, University of Texas, University of Tennessee, University of Pennsylvania, University of Akron.).

Cluster Syntax Features

Descriptive Terms

nanofib 31.8%, cnf 19.0%, carbon.nanofibers 14.2%, carbon 10.8%, carbon.nanofiber 3.4%, catalyst 1.4%, fiber 1.0%, composit 0.8%, support 0.6%, catalyt 0.4%, graphit 0.3%, ni 0.3%, grown.carbon 0.3%, decomposit 0.2%, vgc 0.2%

Discriminating Terms

nanofib 20.2%, cnf 12.6%, carbon.nanofibers 9.4%, carbon 3.7%, carbon.nanofiber 2.3%, film 1.8%, surfac 0.6%, magnet 0.5%, nanoparticl 0.5%, temperatur 0.4%, layer 0.4%, particl 0.4%, quantum 0.4%, structur 0.4%, si 0.4%

Single Word Terms

carbon 108, nanofib 102, composit 46, surfac 41, catalyst 40, cnf 38, high 36, materi 35, structur 33, fiber 33, catalyt 29, properti 29, support 28, activ 27, grown 27

Double Word Terms

carbon.nanofibers 82, carbon.nanofiber 43, grown.carbon 16, electron.microscopy 15, nanofibers.cnfs 14, scanning.electron 13, chemical.vapor 13, vapor.deposition 13, transmission.electron 12, surface.area 11, catalytic.decomposition 11, carbon.nanotubes 10, vapor.grown 10, nanofibers.cnf 9, nanofiber.composites 9

Triple Word Terms

carbon.nanofibers.cnfs 14, chemical.vapor.deposition 12, grown.carbon.nanofibers 12, vapor.grown.carbon 10, transmission.electron.microscopy 10, scanning.electron.microscopy 10, carbon.nanofibers.cnf 9, carbon.nanofiber.composites 8, supported.carbon.nanofibers 7, carbon.nanofiber.cnf 5, catalytically.grown.carbon 5, vertically.aligned.carbon 4, high.surface.area 4, growth.carbon.nanofibers 4, carbon.nano.fiber 4

Term Cliques

47.12% nanofib carbon fiber composit decomposit vgc
46.67% nanofib carbon fiber composit grown.carbon vgc
50.61% nanofib carbon fiber composit catalyt grown.carbon
48.64% nanofib carbon carbon.nanofiber composit decomposit vgc
48.18% nanofib carbon carbon.nanofiber composit grown.carbon vgc
52.58% nanofib carbon.nanofibers carbon fiber decomposit vgc
52.12% nanofib carbon.nanofibers carbon fiber grown.carbon vgc
56.06% nanofib carbon.nanofibers carbon fiber catalyt grown.carbon
48.05% nanofib cnf carbon composit support catalyt decomposit
48.70% nanofib cnf carbon fiber composit catalyt decomposit
49.87% nanofib cnf carbon carbon.nanofiber composit support decomposit
49.09% nanofib cnf carbon carbon.nanofiber catalyst support decomposit
45.56% nanofib cnf carbon.nanofibers carbon fiber catalyt graphit ni decomposit

44.18% nanofib cnf carbon.nanofibers carbon catalyst support catalyt graphit ni
decomposit

Sample Cluster Record Titles

[Low-temperature synthesis of graphitized nanofibers for reversible lithium-ion insertion/extraction](#)

[Various carbon nanofiber-copper composite films prepared by electrodeposition](#)

[Tensile behavior of carbon nano-fiber-reinforced Cu composite using the liquid infiltration process](#)

[Effect of carbon nanofibers on the anisotropy of an aromatic thermotropic liquid crystalline polymer](#)

[Electromagnetic interference shielding effectiveness of carbon nanofiber/LCP composites](#)

[Carbon nanofiber-based active layers for fuel cell cathodes - preparation and characterization](#)

[Polycarbonate carbon nanofiber composites](#)

[Macroscopic carbon nanofibers for use as photocatalyst support](#)

[Carbon nanostructures with macroscopic shaping for catalytic applications](#)

Cluster Metrics

Authors

ledoux, mj 6

endo, m 6

vieira, r 5

holmen, a 5

de jong, kp 5

chen, d 5

yu, zx 4

van dillen, aj 4

totdal, b 4

sui, zj 4

pham-huu, c 4

lee, s 4

dai, yc 4

zhou, jh 3
zhao, tj 3

Sources

catalysis today 11
carbon 11
journal of physical chemistry b 6
electrochemistry communications 4
journal of applied physics 3
chemical physics letters 3
applied physics letters 3
russian journal of applied chemistry 2
polymer 2
nano letters 2
materials letters 2
journal of the american chemical society 2
journal of catalysis 2
journal of applied polymer science 2
european polymer journal 2

Keywords

nanotubes 36
chemistry, physical 27
fibers 18
materials science, multidisciplinary 17
materials science, multidisciplinary 15
carbon nanofibers 15
engineering, chemical 15
carbon nanofibers 15
chemistry, applied 14
nanotubes 13
growth 13
chemistry, multidisciplinary 12
chemistry, physical 12
polymer science 9
hydrogenation 8

Publication Year

2005 99
2004 10
2006 1

Country

usa 28
japan 20
south korea 15

peoples r china 14
netherlands 8
france 8
germany 6
norway 5
england 5
spain 4
ukraine 3
brazil 3
switzerland 2
italy 2
israel 2

Institution

shinshu univ 6
univ utrecht 5
univ strasbourg 1 5
norwegian univ sci & technol 5
e china univ sci & technol 4
tokyo inst technol 3
oak ridge natl lab 3
kyushu univ 3
inst nacl pesquisas espaciais 3
univ texas 2
univ tennessee 2
univ penn 2
univ cambridge 2
univ bath 2
univ akron 2

DataBase

science citation index 110

• CLUSTER 71

Preparation of materials, especially nanofibers, by electrospinning (91 Records)

(Countries: USA, followed by South Korea, China. Institutions: National University of Singapore, University of Washington, University of Akron, Seoul National University. Other USA include Penn State University, Ohio State University, University of Florida.).

Cluster Syntax Features

Descriptive Terms

nanofib 38.2%, electrospin 11.1%, electrospun 9.9%, fiber 4.6%, fibr 2.6%, wood 2.3%, nanofibr 2.0%, nonwoven 1.3%, polym 0.9%, diamet 0.8%, mat 0.7%, polyanilin 0.5%, poli 0.5%, cellulose 0.5%, solut 0.4%

Discriminating Terms

nanofib 23.7%, electrospin 7.1%, electrospun 6.3%, fiber 2.2%, film 1.5%, fibr 1.5%, wood 1.4%, nanofibr 1.3%, nonwoven 0.8%, particl 0.6%, carbon 0.5%, magnet 0.5%, nanotub 0.5%, nanoparticl 0.5%, temperatur 0.5%

Single Word Terms

nanofib 60, electrospin 57, fiber 50, solut 44, diamet 43, polym 43, electrospun 43, morpholog 32, poli 31, structur 30, properti 30, surfac 29, composit 26, concentr 25, electron 25

Double Word Terms

electron.microscopy 21, scanning.electron 20, nanofibers.electrospinning 12, average.diameter 11, electrospun.nanofibers 10, polymer.nanofibers 10, microscopy.sem 9, mechanical.properties 9, electric.field 8, poly.vinyl 8, polymer.solution 8, morphology.electrospun 8, electrospinning.nanofibers 8, ray.diffraction 8, surface.area 8

Triple Word Terms

scanning.electron.microscopy 18, electron.microscopy.sem 9, poly.vinyl.alcohol 6, vinyl.alcohol.pva 5, transmission.electron.microscopy 5, atomic.force.microscopy 5, wide.angle.ray 5, fourier.transform.infrared 5, differential.scanning.calorimetry 5, transform.infrared.spectroscopy 4, angle.ray.diffraction 4, electron.microscopy.tem 3, high.surface.area 3, electron.microscopy.esem 3, water.contact.angle 3

Term Cliques

36.54% nanofibr diamet poli solut
23.81% nanofibr diamet polyanilin
27.47% fibr nanofibr solut
12.82% fibr wood cellulos
25.27% fiber mat cellulos
41.13% electrospin electrospun fiber nonwoven polym mat solut
40.29% nanofib diamet polyanilin
46.64% nanofib electrospin electrospun fiber polym diamet mat poli solute

Sample Cluster Record Titles

[Nanofibril formation of electrospun TiO₂ fibers and its application to dye-sensitized solar cells](#)

[Poly\[bis\(2,2,2-trifluoroethoxy\)phosphazene\] superhydrophobic nanofibers](#)

[Encapsulation of self-assembled FePt magnetic nanoparticles in PCL nanofibers by coaxial electrospinning](#)

[Optically transparent bionanofiber composites with low sensitivity to refractive index of the polymer matrix](#)

[In vitro and in vivo degradation of non-woven materials made of poly\(epsilon-caprolactone\) nanofibers prepared by electrospinning under different conditions](#)

[Electrospinning of collagen and elastin for tissue engineering applications](#)

[Application of electrospun silk fibroin nanofibers as an immobilization support of enzyme](#)

[Deformation behavior of electrospun poly\(L-lactide-co-epsilon-caprolactone\) nonwoven membranes under uniaxial tensile loading](#)

[Fabrication of electrically conducting polypyrrole-poly\(ethylene oxide\) composite nanofibers](#)

Cluster Metrics

Authors

ramakrishna, s 9

xia, yn 5

li, d 5

zhang, yz 4
reneker, dh 4
lee, kh 4
kotaki, m 4
kim, sh 4
kim, hy 4
inai, r 4
chase, gg 4
yano, h 3
shin, c 3
mccann, jt 3
lim, ct 3

Sources

journal of applied polymer science 6
synthetic metals 4
polymer 3
materials letters 3
holzforschung 3
advanced materials 3
thin solid films 2
nanotechnology 2
macromolecular research 2
journal of polymer science part b-polymer physics 2
journal of materials chemistry 2
iawa journal 2
filtration & separation 2
fibers and polymers 2
e-polymers 2

Keywords

polymer science 31
fibers 27
nanofibers 21
materials science, multidisciplinary 19
electrospinning 17
electrospinning 14
polymer 11
fibers 10
polymer nanofibers 9
chemistry, physical 9
nanofibers 8
nanofiber 7
morphology 7
membranes 7
materials science, multidisciplinary 7

Publication Year

2005 79

2004 10

2006 2

Country

usa 28

south korea 17

peoples r china 15

singapore 11

japan 7

germany 6

sweden 3

australia 3

poland 2

netherlands 2

finland 2

turkey 1

scotland 1

israel 1

czech republic 1

Institution

natl univ singapore 11

univ washington 5

univ akron 5

seoul natl univ 5

tongji univ 4

penn state univ 4

ohio state univ 3

kyoto univ 3

hanyang univ 3

chonbuk natl univ 3

univ twente 2

univ marburg 2

univ florida 2

so yangtze univ 2

riken 2

DataBase

science citation index 91

• CLUSTER 46

Fibers, emphasizing electrospun fibers, cellulose, and morphology and strength of fibers (164 Records)

(Countries: China, USA, followed by Japan, South Korea. Institutions: CAS, Inha University, Donghua University, Chulalongkorn University. USA include Drexel University, VPI, University of Nebraska, University of Massachusetts.).

Cluster Syntax Features

Descriptive Terms

fiber 77.6%, electrospun 1.9%, electrospin 1.0%, cellulose 1.0%, hollow 0.3%, morphology 0.3%, polym 0.3%, electrospun.fibers 0.3%, diameter 0.3%, solute 0.3%, composite 0.2%, solvent 0.2%, poly 0.2%, strength 0.2%, spun 0.2%

Discriminating Terms

fiber 47.9%, film 1.7%, electrospun 1.2%, electrospin 0.6%, nanoparticle 0.6%, particle 0.6%, cellulose 0.6%, magnet 0.6%, nanotube 0.5%, deposit 0.4%, layer 0.4%, carbon 0.4%, quantum 0.4%, temperature 0.4%, surface 0.4%

Single Word Terms

fiber 161, structure 74, surface 63, properties 59, electron 55, scan 54, microscopy 51, solute 51, SEM 49, diameter 47, morphology 47, polym 47, composite 45, ratio 42, mechanical 42

Double Word Terms

scanning.electron 47, electron.microscopy 39, ray.diffraction 28, mechanical.properties 24, microscopy.sem 20, fiber.diameter 17, electrospun.fibers 17, tensile.strength 16, molecular.weight 16, fiber.surface 15, force.microscopy 12, fibers.electrospinning 11,

atomic.force 11, electron.microscope 11, angle.ray 11

Triple Word Terms

scanning.electron.microscopy 33, electron.microscopy.sem 20, atomic.force.microscopy 11, ray.photoelectron.spectroscopy 10, wide.angle.ray 10, scanning.electron.microscope 10, angle.ray.diffraction 9, average.fiber.diameter 7, photoelectron.spectroscopy.xps 7, transmission.electron.microscopy 6, force.microscopy.afm 6, fibers.scanning.electron 6, poly.vinyl.alcohol 5, hollow.fiber.membranes 5, spectroscopy.ray.diffraction 5

Term Cliques

49.59% fiber composit strength
43.09% fiber hollow strength
34.65% fiber hollow morpholog diamet solut spun
33.23% fiber cellulos polym diamet solvent spun
35.57% fiber cellulos polym diamet composit solvent
33.23% fiber cellulos morpholog diamet solvent spun
35.57% fiber cellulos morpholog diamet composit solvent
31.71% fiber cellulos hollow morpholog diamet spun
30.06% fiber electrospun electrospin polym electrospun.fibers diamet solut solvent poli spun
30.06% fiber electrospun electrospin morpholog electrospun.fibers diamet solut solvent poli spun

Sample Cluster Record Titles

[Formation of nematic ordered cellulose and chitin](#)

[Biodegradation of electrospun poly\(epsilon-caprolactone\) non-woven fabrics by pure-cultured soil filamentous fungi](#)

[Fiber bias in nanoindentation of polymer matrix composites](#)

[Influence of amination on the structure of a PAN nascent filament during wet spinning](#)

[Nanoscale mechanical characterization of polymeric fibers](#)

[A room temperature self-sacrificing template route to Ag₂Te fibers](#)

[Fabrication of high-strength continuous zirconia fibers and their formation mechanism study](#)

[Nano-porous ultra-high specific surface ultrafine fibers](#)

[Study on morphology of electrospun poly\(vinyl alcohol\) mats](#)

Cluster Metrics

Authors

supaphol, p 5
zhang, ln 4
wang, c 4
zeng, j 3
youk, jh 3
yang, mc 3
nithitanakul, m 3
mit-uppatham, c 3
lu, xf 3
long, te 3
fan, lh 3
du, ym 3
chou, wl 3
zhou, jp 2
zhao, yy 2

Sources

polymer 14
journal of applied polymer science 7
journal of polymer science part b-polymer physics 5
journal of membrane science 5
sen-i gakkaiishi 4
macromolecules 4
macromolecular materials and engineering 4
fibers and polymers 4
macromolecular symposia 3
macromolecular rapid communications 3
macromolecular bioscience 3
korean journal of chemical engineering 3
journal of colloid and interface science 3
composites science and technology 3
composite interfaces 3

Keywords

polymer science 56
polymer science 28
morphology 28
nanofibers 25
fibers 23
electrospinning 20
materials science, multidisciplinary 16
electrospinning 15
fibers 14

membranes 14
polymer 12
nanofibers 11
materials science, composites 11
chemistry, physical 11
chemistry, multidisciplinary 11

Publication Year

2005 145
2004 19

Country

peoples r china 44
usa 40
japan 21
south korea 16
germany 6
france 6
thailand 5
switzerland 5
taiwan 4
spain 4
singapore 4
australia 4
russia 3
poland 3
netherlands 3

Institution

chinese acad sci 9
inha univ 5
donghua univ 5
chulalongkorn univ 5
wuhan univ 4
kyoto univ 4
drexel univ 4
virginia polytech inst & state univ 3
univ nebraska 3
univ massachusetts 3
tokyo inst technol 3
shinshu univ 3
riken 3
natl univ singapore 3
jilin univ 3

• CLUSTER 129

Lithium-ion (especially LiCoO₂ and lithium-nickel) batteries, with emphasis on enhancement of capacity and cyclability (345 Records)

(Countries: China dominant, Japan, USA. Institutions: Hanyang University, Wuhan University, CAS, Zhejiang University.).

Cluster Syntax Features

Descriptive Terms

li 11.6%, lithium 9.7%, capac 7.3%, cycl 5.5%, batteri 5.4%, electrochem 3.8%, discharg 3.0%, cathod 2.9%, materi 2.3%, mah 2.1%, spinel 1.7%, lithium.ion 1.5%, ion 1.3%, licoo2 1.3%, ion.batteries 1.2%

Discriminating Terms

li 7.9%, lithium 6.6%, capac 4.8%, batteri 3.8%, cycl 3.5%, discharg 1.9%, electrochem 1.9%, film 1.8%, cathod 1.8%, mah 1.5%, spinel 1.1%, lithium.ion 1.1%, licoo2 0.9%, ion.batteries 0.9%, lini0 0.7%

Single Word Terms

lithium 231, electrochem 226, materi 225, capac 221, li 199, batteri 193, structur 189, cycl 189, ion 188, rai 175, discharg 159, diffract 155, cathod 149, charg 139, xrd 132

Double Word Terms

ray.diffraction 144, lithium.ion 105, ion.batteries 91, charge.discharge 88, electrochemical.properties 75, discharge.capacity 74, scanning.electron 73, electron.microscopy 72, cathode.material 65, diffraction.xrd 62, li.ion 60, solid.state 53, cathode.materials 52, material.lithium 51, particle.size 48

Triple Word Terms

lithium.ion.batteries 63, ray.diffraction.xrd 59, scanning.electron.microscopy 54, solid.state.reaction 35, li.ion.batteries 32, material.lithium.ion 31, cathode.material.lithium 29, ray.photoelectron.spectroscopy 24, powder.ray.diffraction 24, electron.microscopy.sem 22, lithium.ion.battery 21, initial.discharge.capacity 20, transmission.electron.microscopy 20, charge.discharge.cycling 20, materials.lithium.ion 19

Term Cliques

48.03% lithium capac electrochem discharg cathod materi spinel lithium.ion ion ion.batteries
48.74% lithium capac cycl batteri electrochem discharg cathod materi lithium.ion ion licoo2 ion.batteries
50.41% lithium capac cycl batteri electrochem discharg cathod materi mah lithium.ion ion ion.batteries
51.01% li lithium capac cycl batteri electrochem discharg cathod materi ion licoo2 ion.batteries
52.68% li lithium capac cycl batteri electrochem discharg cathod materi mah ion ion.batteries

Sample Cluster Record Titles

[Electrochemistry and local structure of nano-sized \$\text{Li}_4/3\text{Me}_5/3\text{O}_4\$ \(Me=Mn, Ti\) spinels](#)

[Synthesis and electrochemical properties of 5 V spinel \$\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4\$ cathode materials prepared by ultrasonic spray pyrolysis method](#)

[Preparation and properties of spherical \$\text{LiNi}_{0.75}\text{Co}_{0.25}\text{O}_2\$ as a cathode for lithium-ion batteries](#)

[New preparation method and electrochemical property of \$\text{LiMn}_2\text{O}_4\$ electrode](#)

[Effects of the Li : \(Mn+ Co+Ni\) molar ratio on the electrochemical properties of](#)

[LiMn_{1/3}Co_{1/3}Ni_{1/3}O₂ cathode material](#)

[Characterization of nanocrystalline HT-LiCoO₂ cathode materials for secondary lithium batteries](#)

[Electrochemical characteristics of tin-coated MCMB graphite as anode in lithium-ion cells](#)

[Surface characterization of emulsified lithium powder electrode](#)

[Fluorine doping of LiNi_{3/8}Co_{2/8}Mn_{3/8}O₂ cathode material for lithium-ion batteries](#)

Cluster Metrics

Authors

sun, yk 14
wang, zx 10
myung, st 10
zhao, xb 8
fey, gtk 8
cao, gs 8
kumar, tp 7
kumagai, n 7
komaba, s 7
chen, lq 7
zhou, yh 6
tarascon, jm 6
tang, zy 6
rao, gvs 6
li, xh 6

Sources

journal of power sources 54
journal of the electrochemical society 30
electrochemical and solid state letters 25
electrochimica acta 22
solid state ionics 21
chinese journal of inorganic chemistry 16
chemistry of materials 12
journal of physical chemistry b 10
materials chemistry and physics 9
journal of solid state chemistry 6
carbon 5
acta chimica sinica 5
transactions of nonferrous metals society of china 4

materials research bulletin 4
journal of inorganic materials 4

Keywords

electrochemistry 90
chemistry, physical 65
electrochemistry 63
materials science, multidisciplinary 61
energy & fuels 54
cathode material 41
performance 40
lithium-ion batteries 39
cells 38
cathode materials 36
cathode 36
materials science, coatings & films 32
batteries 31
physics, condensed matter 29
oxides 29

Publication Year

2005 301
2004 40
2006 4

Country

peoples r china 114
japan 53
usa 47
south korea 35
taiwan 28
france 25
germany 16
australia 12
india 11
spain 10
singapore 9
russia 7
italy 7
switzerland 5
israel 4

Institution

hanyang univ 15
wuhan univ 14
chinese acad sci 13

zhejiang univ 11
tokyo inst technol 10
iwate univ 9
univ sci & technol china 8
natl cent univ 8
vk corp 7
tsing hua univ 7
tianjin univ 7
natl univ singapore 7
cnrs 7
cent s univ technol 7
univ wollongong 6

DataBase

science citation index 345

- **CLUSTER 204**

Electrochemical studies and applications, focusing on electrode/
electrolyte properties and applications, capacitors, and hydrogen
storage (216 Records)

(Countries: China dominant, Japan, USA. Institutions: CAS, Zhejiang
University, Nankai University, Tsing Hua University, Harbin Institute of
Technology.)

Cluster Syntax Features

Descriptive Terms

electrochem 16.1%, electrod 15.7%, ni 4.8%, hydrogen 2.8%, discharg 2.5%, alloy 2.3%, hydrogen.storage 1.7%, capac 1.6%, electrolyt 1.4%, storag 1.3%, oxid 1.2%, cathod 1.0%, cyclic 0.9%, anod 0.9%, composit 0.9%

Discriminating Terms

electrochem 11.5%, electrod 10.6%, ni 2.7%, discharg 1.8%, film 1.7%, hydrogen.storage 1.4%, hydrogen 1.3%, capac 1.1%, alloy 0.9%, electrolyt 0.8%, storag 0.8%, magnet 0.7%, nanotub 0.7%, nanoparticl 0.6%, cathod 0.6%

Single Word Terms

electrochem 164, electrod 138, surfac 88, structur 86, oxid 75, electron 71, high 71, rai 71, properti 71, materi 68, composit 65, cyclic 63, solut 62, discharg 62, scan 61

Double Word Terms

scanning.electron 48, ray.diffraction 44, electron.microscopy 43, cyclic.voltammetry 41, hydrogen.storage 36, electrochemical.properties 32, charge.discharge 31, electrochemical.impedance 29, discharge.capacity 28, diffraction.xrd 26, impedance.spectroscopy 23, ray.photoelectron 21, photoelectron.spectroscopy 20, structure.electrochemical 19, surface.area 18

Triple Word Terms

scanning.electron.microscopy 37, ray.diffraction.xrd 22, electrochemical.impedance.spectroscopy 22, ray.photoelectron.spectroscopy 20, electron.microscopy.sem 15, photoelectron.spectroscopy.xps 12, impedance.spectroscopy.eis 11, hydrogen.storage.alloys 11, cyclic.voltammetry.electrochemical 11, structure.electrochemical.properties 10, solid.oxide.fuel 10, oxide.fuel.cells 10, diffraction.xrd.scanning 9, xrd.scanning.electron 9, transmission.electron.microscopy 8

Term Cliques

24.48% ni hydrogen discharg alloy hydrogen.storage capac storag composit
33.18% electrochem electrolyt oxid cathod anod composit
36.30% electrochem discharg alloy capac cyclic
34.88% electrochem ni discharg alloy capac composit
38.81% electrochem electrod electrolyt oxid cathod anod
40.90% electrochem electrod electrolyt oxid cathod cyclic
45.19% electrochem electrod discharg capac cyclic
44.72% electrochem electrod ni discharg capac

Sample Cluster Record Titles

[Electrochemical behavior of carbon electrodes in organic liquid electrolytes containing tetrafluoroborate and hexafluorophosphate anionic species in different non-aqueous solvent systems](#)

[Hydrogen storage in magnesium clusters: Quantum chemical study](#)

[Preparation of nano-scale Ni\(OH\)\(2\) based on controlled crystallization](#)

[Electrocatalytic reduction of nitrate at polypyrrole modified electrode](#)

[Solution-phase synthesis and electrochemical hydrogen storage of ultra-long single-crystal selenium submicrotubes](#)

[Characterization and application-for glucose detection of Co-doped PbO₂ films in alkaline media](#)

[Effects of rare-earth content on the properties of co-free Mm\(x\)Ml\(1-x\)\(NiCuAlZn\)\(5\) hydrogen storage alloys](#)

[Electrochemical etching of aluminum foil for electrolytic capacitors](#)

[Electroseparation of actinides from lanthanides on solid aluminum electrode in LiCl-KCl eutectic melts](#)

Cluster Metrics

Authors

pan, hg 6
zhang, jq 5
wang, w 5
wang, jm 5
lei, yq 5
wang, y 4
jiang, sp 4
hu, wk 4
gao, xp 4
gao, mx 4
cao, cn 4
zhou, hy 3
yuan, ht 3
wang, qd 3
shen, pw 3

Sources

journal of the electrochemical society 18

electrochimica acta 16
journal of alloys and compounds 15
electrochemical and solid state letters 12
journal of power sources 9
rare metal materials and engineering 7
journal of physical chemistry b 7
journal of electroanalytical chemistry 6
transactions of nonferrous metals society of china 5
journal of new materials for electrochemical systems 5
solid state ionics 4
materials chemistry and physics 4
electrochemistry communications 4
acta physico-chimica sinica 4
physical chemistry chemical physics 3

Keywords

electrochemistry 47
chemistry, physical 45
materials science, multidisciplinary 42
electrochemistry 36
materials science, multidisciplinary 24
behavior 22
materials science, coatings & films 20
metallurgical engineering 16
metallurgy & 16
oxidation 14
batteries 14
chemistry, multidisciplinary 13
chemistry, analytical 13
films 13
electrodes 13

Publication Year

2005 199
2004 16
2006 1

Country

peoples r china 93
japan 23
usa 21
england 9
germany 8
taiwan 7
sweden 7
india 7

france 7
south korea 6
brazil 6
singapore 4
netherlands 4
italy 4
iran 4

Institution

chinese acad sci 18
zhejiang univ 12
nankai univ 9
tsing hua univ 8
harbin inst technol 8
wuhan univ 5
univ sci & technol china 4
nanyang technol univ 4
kyoto univ 4
tianjin univ 3
stockholm univ 3
st jude med ab 3
royal inst technol 3
riso natl lab 3
guilin univ elect technol 3

DataBase

science citation index 216

• CLUSTER 184

Electrode (especially gold) behavior and applications to biosensors (especially glucose and enzyme) and immunosensors (227 Records)

(Countries: China dominant, USA, followed by Japan. Institutions: SW China Normal University, Nanjing University, Hunan University, CAS. USA include PNNL, Arizona State University, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

electrod 21.6%, gold 3.9%, biosensor 3.6%, immobil 3.6%, enzym 3.5%, electrochem 3.3%, glucos 3.3%, detect 2.7%, sensor 2.2%, monolay 1.5%, hrp 1.4%, gold.electrode 1.2%, immunosensor 1.1%, assembl 0.9%, redox 0.9%

Discriminating Terms

electrod 13.9%, biosensor 2.5%, glucos 2.4%, enzym 2.4%, immobil 2.3%, gold 1.8%, electrochem 1.7%, detect 1.3%, sensor 1.1%, hrp 1.1%, film 0.9%, gold.electrode 0.9%, immunosensor 0.9%, structur 0.7%, particl 0.7%

Single Word Terms

electrod 175, surfac 137, electrochem 118, gold 115, detect 113, immobil 94, monolay 92, assembl 91, self 86, limit 86, sensit 85, solut 79, concentr 78, potenti 70, linear 70

Double Word Terms

detection.limit 67, self.assembled 63, electrode.surface 50, gold.electrode 46, electron.transfer 43, cyclic.voltammetry 42, assembled.monolayer 32, atomic.force 27, gold.electrodes 26, glucose.oxidase 26, horseradish.peroxidase 25, impedance.spectroscopy 25, electrochemical.impedance 24, force.microscopy 23, quartz.crystal 20

Triple Word Terms

self.assembled.monolayer 32, electrochemical.impedance.spectroscopy 23, atomic.force.microscopy 23, horseradish.peroxidase.hrp 16, force.microscopy.afm 15, impedance.spectroscopy.eis 15, self.assembled.monolayers 15, quartz.crystal.microbalance 14, glucose.oxidase.gox 13, direct.electron.transfer 12, glassy.carbon.electrode 10, assembled.monolayer.sam 10, ray.photoelectron.spectroscopy 10, electron.transfer.rate 9, fourier.transform.infrared 8

Term Cliques

32.82% enzym monolay assembl redox
33.98% immobil enzym detect sensor monolay hrp assembl
29.41% biosensor enzym assembl redox
23.13% biosensor enzym glucos redox

32.03% biosensor immobil enzym detect sensor hrp assembl
 28.45% biosensor immobil enzym glucos detect sensor hrp
 36.89% electrode immobil detect sensor monolay hrp immunosensor assembl
 38.96% electrode biosensor immobil detect sensor hrp assembl
 35.37% electrode biosensor immobil glucos detect sensor hrp
 43.23% electrode gold electrochem monolay gold.electrode assembl redox
 42.29% electrode gold immobil electrochem detect monolay gold.electrode immunosensor
 assembl
 38.33% electrode gold biosensor glucos redox
 44.79% electrode gold biosensor electrochem assembl redox
 43.47% electrode gold biosensor immobil glucos detect
 48.27% electrode gold biosensor immobil electrochem detect assembl

Sample Cluster Record Titles

[Recognition and detection of dsDNA at a thionilid self-assembled monolayer modified gold electrode](#)

[Amperometric glucose biosensor based on immobilization of glucose oxidase in electropolymerized o-aminophenol film at copper-modified gold electrode](#)

[Preparation and application on a kind of immobilization method of anti-diphtheria for potentiometric immunosensor modified colloidal Au and polyvinyl butyral as matrixes](#)

[Polyaniline biosensor for choline determination](#)

[Determination of trace metals by underpotential deposition-stripping voltammetry at solid electrodes](#)

[Hydrogen peroxide sensor based on horseradish peroxidase immobilized on a silver nanoparticles/cysteamine/gold electrode](#)

[Intramolecular ion-channel sensors using gold electrodes immobilized with macrocyclic polyamines for voltammetric detection of adenine nucleotides](#)

[A novel regenerative capacitive immunosensor based on electrostatic attraction for direct detection of the complement III \(C-3\)](#)

[A reagentless amperometric immunosensor based on gold nanoparticles/thionine/Nafion-membrane-modified gold electrode for determination of alpha-1-fetoprotein](#)

Cluster Metrics

Authors

chai, yq 13
yuan, r 12
tang, dp 10
zhong, x 9
liu, y 9
dai, jy 9
yu, rq 7
shen, gl 7
xu, jj 5
gooding, jj 5
chen, hy 5
zhang, ly 4
wang, n 4
lin, yh 4
li, qf 4

Sources

biosensors & bioelectronics 22
sensors and actuators b-chemical 17
analytica chimica acta 13
electroanalysis 12
langmuir 10
electrochimica acta 10
talanta 9
analytical chemistry 9
electrochemistry communications 8
journal of electroanalytical chemistry 5
analytical and bioanalytical chemistry 5
nano letters 4
journal of the american chemical society 4
frontiers in bioscience 4
chinese chemical letters 4

Keywords

chemistry, analytical 92
self-assembled monolayers 48
films 28
electrochemistry 28
surface 27
chemistry, multidisciplinary 26
electrochemistry 25
chemistry, physical 24
biotechnology & applied microbiology 24
biophysics 23
adsorption 21

biosensors 19
instruments & instrumentation 18
immobilization 17
sensor 16

Publication Year

2005 208
2004 17
2006 2

Country

peoples r china 83
usa 35
japan 19
germany 13
italy 10
france 10
south korea 9
england 8
spain 7
australia 7
sweden 6
singapore 5
czech republic 5
canada 5
russia 4

Institution

sw china normal univ 12
nanjing univ 12
hunan univ 12
chinese acad sci 10
univ new s wales 5
pacific nw natl lab 5
jilin univ 5
arizona state univ 4
zhuzhou inst technol 3
xiamen univ 3
wuhan univ 3
univ tokyo 3
univ lecce 3
univ illinois 3
univ complutense madrid 3

DataBase

science citation index 227

• CLUSTER 103

Nano silica particles, emphasizing coating applications, effects of particle size, dispersion, and aggregation (130 Records)

(Countries: USA, China, Japan. Institutions: Fudan University, Tokyo University Agriculture and Technology, CAS. USA include University of Kentucky, Clarkson University, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

silica 39.3%, particl 16.1%, silica.particles 13.6%, nano.silica 0.8%, size 0.8%, coat 0.8%, dispers 0.5%, colloid 0.5%, concentr 0.4%, nano 0.4%, surfac 0.4%, sphere 0.3%, spheric 0.3%, aggreg 0.3%, particle.size 0.3%

Discriminating Terms

silica 26.0%, silica.particles 10.3%, particl 7.2%, film 1.9%, carbon 0.6%, nano.silica 0.6%, nanotub 0.6%, temperatur 0.5%, magnet 0.5%, quantum 0.4%, oxid 0.4%, structur 0.4%, crystal 0.4%, properti 0.4%, cell 0.4%

Single Word Terms

silica 129, particl 125, surfac 70, size 68, structur 48, microscopi 42, dispers 40, concentr 40, electron 38, water 35, layer 34, solut 33, coat 33, control 32, nanoparticl 31

Double Word Terms

silica.particles 79, electron.microscopy 32, particle.size 30, transmission.electron 22, scanning.electron 16, silica.nanoparticles 15, nano.silica 11, core.shell 11, size.distribution 11, colloidal.silica 11, fourier.transform 10, spherical.silica 10, sol.gel 10, silica.particle 10, silica.surface 10

Triple Word Terms

transmission.electron.microscopy 21, scanning.electron.microscopy 13, colloidal.silica.particles 8, nano.silica.particles 8, spherical.silica.particles 7, electron.microscopy.tem 7, fourier.transform.infrared 7, dynamic.light.scattering 6, sized.silica.particles 5, van.der.waals 5, energy.dispersive.ray 5, size.silica.particles 5, core.shell.particles 5, mesoporous.silica.particles 5, pore.size.distribution 4

Term Cliques

48.46% silica particl sphere spheric aggreg
50.00% silica particl coat dispers colloid surfac particle.size
46.70% silica particl coat dispers colloid concentr particle.size
47.25% silica particl size concentr sphere aggreg particle.size
54.40% silica particl size coat dispers surfac particle.size
46.54% silica particl size coat dispers concentr sphere particle.size
57.69% silica particl silica.particles spheric aggreg
52.75% silica particl silica.particles colloid surfac aggreg particle.size
49.45% silica particl silica.particles colloid concentr aggreg particle.size
55.05% silica particl silica.particles dispers colloid surfac particle.size
51.76% silica particl silica.particles dispers colloid concentr particle.size
51.92% silica particl silica.particles size nano surfac aggreg particle.size
49.04% silica particl silica.particles size concentr nano aggreg particle.size
51.06% silica particl silica.particles size dispers concentr nano particle.size
48.89% silica particl silica.particles nano.silica size dispers nano surfac particle.size

Sample Cluster Record Titles

[Modification and dispersion of nanosilica](#)

[Creation of asymmetric bilayer membrane on monodispersed colloidal silica particles](#)

[E-coli adhesion to silica in the presence of humic acid](#)

[Synthesis of monodisperse high-aspect-ratio colloidal silicon and silica rods](#)

[Controlled deposition of nanoparticle clusters by electrohydrodynamic atomization](#)

[Silica particles: A novel drug-delivery system](#)

[Interfacial alignment mechanism of forming spherical silica with radially oriented nanopores](#)

[Particle size and morphology of poly\[styrene-co-\(butyl acrylate\)\]/nano-silica composite latex](#)

[Preparation of the core/shell dispersion composite particles](#)

Cluster Metrics

Authors

wu, lm 9
zhou, sx 8
you, b 4
gu, gx 4
yuan, jj 3
tan, b 3
takahara, yk 3
rankin, se 3
ohtani, b 3
matsumura, m 3
ikeda, s 3
binks, bp 3
yonemochi, y 2
yamada, t 2
wang, dz 2

Sources

langmuir 17
journal of colloid and interface science 11
colloids and surfaces a-physicochemical and engineering aspects 7
journal of physical chemistry b 5
chemistry of materials 5
journal of the american chemical society 3
journal of dispersion science and technology 3
colloids and surfaces b-biointerfaces 3
chemistry letters 3
chemical communications 3
advanced powder technology 3
nanotechnology 2
nano letters 2
microporous and mesoporous materials 2
journal of non-crystalline solids 2

Keywords

chemistry, physical 52
nanoparticles 20
chemistry, multidisciplinary 16
silica 16
spheres 15
size 14
materials science, multidisciplinary 14
growth 14
materials science, multidisciplinary 12
particles 12
nanoparticles 11
water 10

nanocomposites 9
adsorption 9
silica 8

Publication Year

2005 111
2004 16
2006 3

Country

usa 27
peoples r china 24
japan 22
germany 13
england 10
south korea 6
netherlands 6
australia 6
taiwan 4
switzerland 4
india 4
sweden 3
spain 3
france 3
portugal 2

Institution

fudan univ 9
tokyo univ agr & technol 4
chinese acad sci 4
univ kentucky 3
univ hull 3
osaka univ 3
natl chiao tung univ 3
kobe univ 3
japan sci & technol agcy 3
hokkaido univ 3
hanyang univ 3
clarkson univ 3
yamagata univ 2
univ queensland 2
univ illinois 2

DataBase

science citation index 130

- **CLUSTER 121**

Characteristics and synthesis of silica-containing materials, with focus on gels, films, surfaces, monoliths, and porous silica (153 Records)

(Countries: USA, China, Japan. Institutions: CAS, Fudan University. USA includes USAF.).

Cluster Syntax Features

Descriptive Terms

silica 63.4%, gel 2.3%, sol 1.3%, templat 1.0%, surfac 0.9%, silica.gel 0.8%, sol.gel 0.6%, adsorpt 0.6%, monolith 0.6%, acid 0.6%, macropor 0.4%, mesopor 0.4%, synthesi 0.4%, silica.surface 0.4%, porou 0.4%

Discriminating Terms

silica 43.2%, film 1.8%, gel 1.0%, magnet 0.7%, nanoparticl 0.6%, silica.gel 0.6%, sol 0.6%, nanotub 0.6%, carbon 0.5%, electron 0.5%, quantum 0.4%, layer 0.4%, crystal 0.4%, templat 0.4%, particl 0.4%

Single Word Terms

silica 153, surfac 94, structur 63, gel 56, materi 54, high 49, sol 46, temperatur 45, adsorpt 44, reaction 44, area 40, templat 40, synthesi 39, size 39, format 37

Double Word Terms

sol.gel 35, surface.area 30, silica.surface 24, silica.gel 17, electron.microscopy 15, pore.size 15, porous.silica 15, scanning.electron 14, high.surface 12, ray.diffraction 12, nitrogen.adsorption 11, silica.sol 11, surface.areas 11, amorphous.silica 10, silica.particles 9

Triple Word Terms

scanning.electron.microscopy 10, high.surface.area 10, chemical.vapor.deposition 7, sol.gel.processing 7, tetraethyl.orthosilicate.teos 5, transmission.electron.microscopy 5, pore.size.distribution 5, atomic.force.microscopy 5, sol.gel.silica 5, ray.diffraction.xrd 4, bet.surface.area 4, fourier.transform.infrared 4, adsorption.desorption.isotherms 4, si.mas.nmr 3, particle.size.silica 3

Term Cliques

52.78% silica templat surfac acid
43.27% silica templat surfac monolith porou
37.80% silica sol templat acid mesopor synthesi
30.91% silica sol templat monolith macropor mesopor porou
31.65% silica sol templat monolith macropor mesopor synthesi
36.17% silica gel adsorpt macropor mesopor porou
34.64% silica gel silica.gel adsorpt macropor mesopor
36.93% silica gel silica.gel adsorpt acid mesopor
45.36% silica gel surfac monolith porou
49.41% silica gel surfac adsorpt porou
48.89% silica gel surfac sol.gel acid
45.88% silica gel surfac sol.gel monolith
42.27% silica gel surfac silica.gel adsorpt silica.surface
43.57% silica gel surfac silica.gel adsorpt acid
32.40% silica gel sol monolith macropor mesopor porou
33.15% silica gel sol monolith macropor mesopor synthesi
37.16% silica gel sol sol.gel acid mesopor synthesi
35.01% silica gel sol sol.gel monolith mesopor synthesi

Sample Cluster Record Titles

[Application of a high-pressure electro-osmotic pump using nanometer silica in capillary liquid chromatography](#)

[Ordered macroporous silica by ice templating](#)

[Optically transparent superhydrophobic silica-based films](#)

[Synthesis and characterization of nanoporous silica using dendrimer molecules](#)

[Preparation approach of monolithic silica column](#)

[Study of evaporative drying of treated silica gels](#)

[Kinetics of silica oligomerization and nanocolloid formation as a function of pH and ionic strength at 25 degrees C](#)

[Controlled silica synthesis inspired by diatom silicon biomineralization](#)

[Evidence of aluminum oxide monolayer formation on a silica gel surface using grafting reactions.](#)

Cluster Metrics

Authors

yang, h 3
yamakita, s 3
wang, y 3
niwa, m 3
katada, n 3
benvenutti, ev 3
zhao, d 2
zhang, yh 2
woldegiorgis, a 2
wang, j 2
wang, b 2
tu, b 2
tang, y 2
stone, mo 2
song, sx 2

Sources

langmuir 12
journal of non-crystalline solids 8
journal of colloid and interface science 8
microporous and mesoporous materials 7
recent advances in the science and technology of zeolites and related materials, pts a - c 6
chemistry of materials 6
journal of physical chemistry b 5
journal of sol-gel science and technology 4
journal of materials chemistry 4
rare metal materials and engineering 3
nanoporous materials iv 3
journal of the american chemical society 3
bulletin of the chemical society of japan 3
materials science and engineering b-solid state materials for advanced technology 2
journal of nanoscience and nanotechnology 2

Keywords

chemistry, physical 48
materials science, multidisciplinary 22
chemistry, multidisciplinary 20
silica 19

materials science, ceramics 17
adsorption 16
materials science, multidisciplinary 15
chemistry, applied 11
sol-gel 11
chemistry, physical 10
mesoporous molecular-sieves 9
mechanism 9
physics, condensed matter 8
nanoparticles 8
morphology 8

Publication Year

2005 127
2004 24
2006 2

Country

usa 32
peoples r china 26
japan 25
france 12
germany 10
england 10
south korea 9
australia 7
italy 6
india 6
brazil 6
spain 4
ukraine 3
sweden 3
russia 3

Institution

chinese acad sci 12
fudan univ 4
univ montpellier 2 3
tottori univ 3
natl chem lab 3
natl acad sci ukraine 3
csic 3
chiba univ 3
usaf 2
univ vienna 2
univ valencia 2

univ sydney 2
univ s australia 2
univ paris 06 2
univ milan 2

DataBase
science citation index 153

• CLUSTER 90

Mesoporous silica materials, emphasizing methods of synthesis, as well as adsorption properties (262 Records)

(Countries: China, followed by Japan, USA. Institutions: CAS, Jilin University, Fudan University. USA include Iowa State University, University of Akron.).

Cluster Syntax Features

Descriptive Terms

mesopor 45.5%, silica 10.9%, mesoporous.silica 10.4%, pore 2.8%, materi 1.4%, surfact 1.3%, templat 1.2%, mesostructur 0.9%, adsorpt 0.6%, ordered.mesoporous 0.6%, mesoporous.materials 0.6%, synthesi 0.5%, order 0.5%, mcm 0.3%, hexagon 0.3%

Discriminating Terms

mesopor 30.9%, mesoporous.silica 7.3%, silica 5.8%, film 1.5%, pore 1.3%, mesostructur 0.6%, surfact 0.6%, nanotub 0.6%, nanoparticl 0.6%, layer 0.5%, magnet 0.5%, deposit 0.5%, templat 0.5%, carbon 0.4%, surfac 0.4%

Single Word Terms

mesopor 262, silica 185, structur 149, pore 149, materi 139, surfac 113, synthesi 112, templat 100, synthes 100, order 99, adsorpt 94, size 92, surfact 91, high 84, rai 79

Double Word Terms

mesoporous.silica 141, ray.diffraction 65, electron.microscopy 58, surface.area 51, transmission.electron 50, ordered.mesoporous 47, pore.size 46, mesoporous.materials 41, adsorption.desorption 34, nitrogen.adsorption 31, scanning.electron 28, synthesis.mesoporous 27, structure.directing 26, sol.gel 24, mesoporous.structure 24

Triple Word Terms

transmission.electron.microscopy 46, ordered.mesoporous.silica 28, ray.diffraction.xrd 23, scanning.electron.microscopy 21, powder.ray.diffraction 21, electron.microscopy.tem 20, high.surface.area 17, mesoporous.silica.materials 16, si.mas.nmr 15, nitrogen.adsorption.desorption 14, structure.directing.agent 14, bet.surface.area 13, periodic.mesoporous.organosilicas 11, synthesis.mesoporous.silica 11, hexagonal.mesoporous.silica 10

Term Cliques

42.24% mesopor pore materi adsorpt mesoporous.materials synthesi order mcm hexagon
44.91% mesopor pore materi templat adsorpt mesoporous.materials synthesi order hexagon
39.69% mesopor pore materi surfact ordered.mesoporous mesoporous.materials synthesi order mcm hexagon
42.10% mesopor pore materi surfact templat ordered.mesoporous mesoporous.materials synthesi order hexagon
48.35% mesopor silica pore materi adsorpt synthesi order mcm hexagon
51.02% mesopor silica pore materi templat adsorpt synthesi order hexagon
43.06% mesopor silica pore materi surfact mesostructur ordered.mesoporous synthesi order mcm hexagon
45.25% mesopor silica pore materi surfact templat mesostructur ordered.mesoporous synthesi order hexagon
44.07% mesopor silica mesoporous.silica pore materi surfact mesostructur ordered.mesoporous order mcm hexagon
46.25% mesopor silica mesoporous.silica pore materi surfact templat mesostructur ordered.mesoporous order hexagon

Sample Cluster Record Titles

[Structural control of mesoporous silica nanowire arrays in porous alumina membranes](#)

[Synthesis of periodic mesoporous organosilica from bis\(triethoxysilyl\)methane and their pyrolytic conversion into porous SiCO glasses](#)

[High-temperature synthesis of stable ordered mesoporous silica materials by using fluorocarbon-hydrocarbon surfactant mixtures](#)

[Synthesis of high-quality MCM-48 mesoporous silica using cationic Gemini surfactant C12-2-12](#)

[Synthesis and sensitivity properties of Pd-doped tin oxide nanoparticles dispersed in mesoporous silica](#)

[Synthesis, characterization, and catalytic activity of sulfonic acid-functionalized periodic mesoporous organosilicas](#)

[Mesostructured hollow spheres of graphitic N-doped carbon nanocast from spherical mesoporous silica](#)

[Periodic mesoporous organosilicas with phenylene bridging groups, 1,4-\(CH₂\)_nC₆H₄ \(n=0-2\)](#)

[Semi-fluorinated surfactant syntheses of ordered porous materials with tailorable pore sizes](#)

Cluster Metrics

Authors

zhao, dy 8
yang, qh 8
shi, jl 7
xiao, fs 6
terasaki, o 6
yu, cz 5
yang, j 5
wu, d 5
qiu, sl 5
lin, vsy 5
zhu, gs 4
zhao, l 4
zhang, l 4
yan, y 4
tu, b 4

Sources

microporous and mesoporous materials 24
chemistry of materials 24
journal of materials chemistry 19
nanoporous materials iv 12
journal of physical chemistry b 11
recent advances in the science and technology of zeolites and related materials, pts a - c 10
langmuir 8
journal of the american chemical society 7
chemical communications 7

chemistry letters 6
angewandte chemie-international edition 6
small 4
journal of colloid and interface science 4
comptes rendus chimie 4
thin solid films 3

Keywords

chemistry, physical 93
materials science, multidisciplinary 54
molecular-sieves 47
mcm-41 47
chemistry, multidisciplinary 43
silica 42
chemistry, physical 33
chemistry, applied 31
molecular-sieves 28
copolymer 28
multidisciplinary 27
materials science, 27
adsorption 26
mesoporous silica 23
materials science, multidisciplinary 19

Publication Year

2005 234
2004 25
2006 3

Country

peoples r china 78
japan 46
usa 44
south korea 20
france 20
germany 13
england 11
spain 10
taiwan 9
sweden 8
scotland 7
australia 7
canada 6
russia 5
netherlands 4

Institution

chinese acad sci 26
jilin univ 15
fudan univ 14
univ st andrews 7
yokohama natl univ 6
toyota cent res & dev labs inc 6
univ tokyo 5
univ paris 06 5
stockholm univ 5
iowa state univ 5
yonsei univ 4
univ akron 4
tokyo inst technol 4
shanghai jiao tong univ 4
seoul natl univ 4

DataBase

science citation index 262

• CLUSTER 20

SBA-15, SBA-1, and other mesoporous silica materials, focusing on adsorption properties and functionalization of SBA-15 with acid (90 Records)

(Countries: China dominant, USA. Institutions: CAS, Fudan University, Ben Gurion University Negev. USA include UCLA, UCB.).

Cluster Syntax Features

Descriptive Terms

sba 54.3%, mesopor 10.8%, silica 4.3%, mesoporous.silica 2.0%, adsorpt 1.3%, pore 1.3%, materi 1.1%, sba.materials 0.7%, acid 0.7%, sba.mesoporous 0.6%, silica.sba 0.5%, mesoporous.silica.sba 0.4%, micropor 0.4%, tpa 0.4%, mesoporous.materials 0.4%

Discriminating Terms

sba 35.3%, mesopor 6.0%, film 1.8%, silica 1.7%, mesoporous.silica 1.2%, layer 0.5%, nanotub 0.5%, particl 0.5%, magnet 0.5%, sba.materials 0.5%, surfac 0.4%, pore 0.4%, temperatur 0.4%, quantum 0.4%, carbon 0.4%

Single Word Terms

sba 90, mesopor 86, materi 65, silica 65, adsorpt 54, surfac 45, pore 45, structur 43, high 39, xrd 39, order 37, size 36, acid 30, rai 30, synthesi 30

Double Word Terms

mesoporous.silica 43, ray.diffraction 23, adsorption.desorption 22, sba.mesoporous 21, silica.sba 20, surface.area 19, mesoporous.materials 18, transmission.electron 18, sba.materials 18, electron.microscopy 17, pore.size 16, ordered.mesoporous 16, nitrogen.adsorption 15, mesoporous.sba 14, sba.silica 11

Triple Word Terms

mesoporous.silica.sba 18, transmission.electron.microscopy 15, sba.mesoporous.silica 10, ray.diffraction.xrd 9, electron.microscopy.tem 8, mesoporous.materials.sba 7, xrd.adsorption.desorption 7, si.mas.nmr 6, sba.mesoporous.materials 6, powder.ray.diffraction 6, nitrogen.adsorption.desorption 5, surface.area.pore 5, mesoporous.molecular.sieves 4, ordered.mesoporous.silica 4, functionalized.mesoporous.silica 4

Term Cliques

51.11% sba mesopor adsorpt materi acid sba.mesoporous tpa mesoporous.materials
53.06% sba mesopor adsorpt materi sba.materials acid sba.mesoporous
mesoporous.materials
53.19% sba mesopor adsorpt pore materi sba.mesoporous tpa mesoporous.materials
50.00% sba mesopor mesoporous.silica adsorpt silica.sba mesoporous.silica.sba tpa
52.06% sba mesopor mesoporous.silica adsorpt acid sba.mesoporous tpa
62.70% sba mesopor silica adsorpt materi sba.materials micropor
59.58% sba mesopor silica adsorpt materi sba.materials acid sba.mesoporous
66.98% sba mesopor silica adsorpt pore materi micropor
67.62% sba mesopor silica adsorpt pore materi sba.mesoporous
59.68% sba mesopor silica mesoporous.silica adsorpt silica.sba mesoporous.silica.sba
59.68% sba mesopor silica mesoporous.silica adsorpt sba.materials silica.sba
56.53% sba mesopor silica mesoporous.silica adsorpt sba.materials acid sba.mesoporous

Sample Cluster Record Titles

[Behaviour of NiO and Ni-o phases at high loadings in SBA-15 and SBA-16 mesoporous silica matrices](#)

[Functionalized mesoporous SBA-15 silica with propylsulfonic groups as catalysts for](#)

[esterification of salicylic acid with dimethyl carbonate](#)

[Effect of nanoporous ZrO₂ crystal size on the surface sulphur capacity and performance of sulfated zirconia as an acidic catalytic material](#)

[Fabrication and porosity control of mesoporous polycarbosilane from SBA-15 templated polymethylsilane](#)

[Adsorption of amino acid on mesoporous molecular sieves](#)

[Famotidine drug adsorption on carboxylic acid functionalized ordered SBA-15 mesoporous silica](#)

[Photoluminescence property of \[Eu\(bpy\)₂\]\(³⁺\) dispersed in mesoporous materials SBA-15](#)

[Synthesis and characterization of mesoporous silicas functionalized by thiol groups, and application as sorbents for mercury \(II\)](#)

[Quasi-solid-state dye-sensitized solar cells based on mesoporous silica SBA-15 framework materials](#)

Cluster Metrics

Authors

vradman, l 4
shi, jl 4
landau, mv 4
zhu, k 3
zhang, lx 3
yue, b 3
li, wj 3
li, l 3
he, ny 3
coppens, mo 3
chen, hr 3
zhou, yp 2
zhou, l 2
yang, lm 2
yang, c 2

Sources

nanoporous materials iv 15
microporous and mesoporous materials 15
recent advances in the science and technology of zeolites and related materials, pts a - c 7

journal of physical chemistry b 7
langmuir 6
journal of materials chemistry 4
chemistry of materials 4
journal of molecular catalysis a-chemical 3
applied catalysis a-general 3
physical chemistry chemical physics 2
journal of materials research 2
comptes rendus chimie 2
chemistry-a european journal 2
chemical physics letters 2
solid state sciences 1

Keywords

chemistry, physical 30
mcm-41 22
chemistry, applied 19
sba-15 19
chemistry, physical 18
multidisciplinary 15
materials science, 15
molecular-sieves 14
copolymer 13
triblock 10
silica 10
molecular-sieves 9
chemistry, multidisciplinary 9
surface 9
materials science, multidisciplinary 9

Publication Year

2005 80
2004 10

Country

peoples r china 33
usa 13
taiwan 7
france 7
japan 6
germany 6
israel 5
south korea 4
england 4
netherlands 3
india 3

belgium 3
scotland 2
hungary 2
spain 1

Institution

chinese acad sci 12
fudan univ 6
ben gurion univ negev 5
zhuzhou inst technol 4
sami shamoon coll engn 3
natl taiwan univ 3
natl inst mat sci 3
nanjing univ 3
univ st andrews 2
univ paris 06 2
univ calif los angeles 2
univ calif berkeley 2
umist 2
tsing hua univ 2
tianjin univ 2

DataBase

science citation index 90

• CLUSTER 185

Nanoporous, mesoporous, and porous materials, with emphasis on determination and control of pore size, evaluation of surface area, alumina and silica materials, and adsorption properties (292 Records)

(Countries: China, USA, followed by Japan. Institutions: CAS, University of Queensland, Kent State University, Beijing University of

Chemical Technology. Other USA include University of Kentucky, University of Iowa, UCB.).

Cluster Syntax Features

Descriptive Terms

pore 39.9%, pore.size 4.3%, mesopor 2.7%, surface.area 2.0%, porou 1.9%, area 1.7%, adsorpt 1.5%, size 1.4%, membran 1.3%, nanopor 1.3%, materi 1.1%, silica 1.1%, surfac 1.1%, alumina 1.1%, surfact 0.8%

Discriminating Terms

pore 30.6%, pore.size 3.4%, film 1.7%, mesopor 1.6%, surface.area 1.3%, porou 1.0%, nanopor 0.8%, area 0.8%, nanoparticl 0.7%, nanotub 0.6%, magnet 0.6%, adsorpt 0.6%, alumina 0.6%, pore.size.distribution 0.6%, pore.diameter 0.5%

Single Word Terms

pore 265, surfac 187, size 181, structur 147, area 137, materi 123, distribut 112, adsorpt 111, diamet 105, high 100, mesopor 97, porou 91, order 83, temperatur 82, volum 80

Double Word Terms

pore.size 147, surface.area 113, size.distribution 68, pore.volume 53, pore.diameter 52, pore.structure 46, high.surface 43, nitrogen.adsorption 42, electron.microscopy 38, sol.gel 38, ray.diffraction 36, narrow.pore 33, scanning.electron 31, bet.surface 30, average.pore 29

Triple Word Terms

pore.size.distribution 62, high.surface.area 38, narrow.pore.size 28, bet.surface.area 28, surface.area.pore 25, scanning.electron.microscopy 24, transmission.electron.microscopy 19, pore.size.distributions 16, nitrogen.adsorption.desorption 15, average.pore.diameter 14, adsorption.desorption.isotherms 14, area.pore.volume 14, ray.diffraction.xrd 13, pore.size.pore 12, electron.microscopy.sem 10

Term Cliques

44.52% pore nanopor materi silica
46.23% pore porou nanopor materi
39.38% pore porou membran nanopor
44.01% pore pore.size porou size membran alumina
54.06% pore pore.size porou adsorpt size materi surfac
43.84% pore pore.size mesopor surface.area area size alumina surfact
46.61% pore pore.size mesopor surface.area area size materi silica surfac surfact
49.04% pore pore.size mesopor surface.area area adsorpt size materi silica surface

Sample Cluster Record Titles

[Mesoporous activated alumina layers deposited on FeCrAl metallic substrates by an in situ hydrothermal method](#)

[Effect of metal oxides on the pyrolysis residues of poly\(ethylene terephthalate\): Formation of carbonaceous submicron, nano-scale filaments and mesoporous compounds](#)

[Design of highly stable, ordered cage mesostructured monoliths with controllable pore geometries and sizes](#)

[Characterization of the pore structure of ceramics via propagation of light and infrared radiation](#)

[Sol-gel synthesis of mesostructured aluminas from chemically modified aluminum sec-butoxide using non-ionic surfactant templating](#)

[Pore structure modification of pitch-based activated carbon by NaOCl and air oxidation/pyrolysis cycles](#)

[Characterization and adsorption properties of polymer-based microporous carbons with different surface chemistry](#)

[Preparation of three-dimensional ordered macroporous SiCN ceramic using sacrificing template method](#)

[Mechanism of guided self-organization producing quasi-monodomain porous alumina](#)

Cluster Metrics

Authors

jaroniec, m 7

do, dd 5

wei, q 4

ustinov, ea 4

schmuki, p 4

rankin, se 4

lu, gq 4

lehmler, hj 4

knutson, bl 4

donatti, da 4

zou, jx 3

zhang, lx 3

xia, yd 3

wang, lj 3

wang, h 3

Sources

microporous and mesoporous materials 21
journal of physical chemistry b 15
chemistry of materials 12
langmuir 9
nanoporous materials iv 6
journal of non-crystalline solids 6
journal of colloid and interface science 6
applied surface science 6
recent advances in the science and technology of zeolites and related materials, pts a - c 5
materials letters 5
journal of the american chemical society 5
journal of sol-gel science and technology 5
journal of materials chemistry 5
acta chimica sinica 5
journal of porous materials 4

Keywords

chemistry, physical 78
materials science, multidisciplinary 35
adsorption 33
materials science, multidisciplinary 30
chemistry, multidisciplinary 30
chemistry, physical 30
chemistry, applied 29
multidisciplinary 26
materials science, 26
silica 24
catalysts 23
materials science, ceramics 18
engineering, chemical 17
adsorption 16
water 14

Publication Year

2005 251
2004 36
2006 5

Country

peoples r china 65
usa 59
japan 33
germany 25
france 22

england 14
south korea 13
australia 13
poland 12
spain 9
taiwan 7
canada 7
russia 6
brazil 6
italy 5

Institution

chinese acad sci 15
univ queensland 9
kent state univ 6
beijing univ chem technol 6
univ kentucky 5
natl inst adv ind sci & technol 5
cnrs 5
univ nottingham 4
univ iowa 4
univ erlangen nurnberg 4
univ calif berkeley 4
seoul natl univ 4
nanjing univ 4
fudan univ 4
beijing univ technol 4

DataBase

science citation index 292

• CLUSTER 19

Synthesis and characterization of MCM mesoporous silicas and use as molecular sieves and catalysts (147 Records)

(Countries: China dominant, USA, Germany, India, France. Institutions: CAS, National Taiwan University, Jilin University. USA includes Yale University.).

Cluster Syntax Features

Descriptive Terms

mcm 66.3%, mesopor 4.7%, siev 1.7%, pore 1.3%, materi 1.0%, adsorpt 0.7%, molecular.sieves 0.7%, zeolit 0.6%, silica 0.6%, hydrotherm 0.5%, mesoporous.mcm 0.4%, mesoporous.molecular 0.4%, mcm.mcm 0.4%, mcm.materials 0.4%, mcm.mesoporous 0.4%

Discriminating Terms

mcm 41.5%, mesopor 2.3%, film 1.8%, siev 1.0%, nanoparticl 0.6%, magnet 0.6%, layer 0.5%, nanotub 0.5%, particl 0.5%, carbon 0.5%, surfac 0.5%, deposit 0.5%, temperatur 0.4%, electron 0.4%, molecular.sieves 0.4%

Single Word Terms

mcm 139, mesopor 104, materi 92, xrd 92, adsorpt 83, synthesi 76, synthes 75, structur 68, pore 67, surfac 65, si 55, molecular 54, silica 52, siev 50, order 49

Double Word Terms

molecular.sieves 36, mesoporous.mcm 32, surface.area 31, mas.nmr 31, mcm.materials 29, ray.diffraction 28, adsorption.desorption 27, mesoporous.molecular 27, mcm.mesoporous 27, pore.size 25, nitrogen.adsorption 25, si.mas 24, catalytic.activity 24, mcm.mcm 23, xrd.adsorption 22

Triple Word Terms

si.mas.nmr 23, mesoporous.molecular.sieves 19, ray.diffraction.xrd 16, surface.area.pore 15, xrd.adsorption.desorption 13, mesoporous.molecular.sieve 12, mcm.mesoporous.molecular 12, mcm.molecular.sieves 12, area.pore.volume 10, powder.ray.diffraction 9, transmission.electron.microscopy 9, molecular.sieve.mcm 8, high.surface.area 8, nitrogen.adsorption.desorption 8, pore.size.distribution 7

Term Cliques

48.19% mcm mesopor adsorpt zeolit hydrotherm mcm.mcm
48.72% mcm mesopor materi adsorpt silica hydrotherm mcm.materials mcm.mesoporous
47.36% mcm mesopor materi adsorpt molecular.sieves hydrotherm mcm.materials mcm.mesoporous
50.92% mcm mesopor materi adsorpt molecular.sieves hydrotherm mcm.mcm

47.19% mcm mesopor materi adsorpt molecular.sieves hydrotherm
mesoporous.molecular mcm.mesoporous
53.06% mcm mesopor pore materi adsorpt mesoporous.mcm mcm.materials
52.48% mcm mesopor pore materi adsorpt mesoporous.mcm mcm.mcm
50.43% mcm mesopor pore materi adsorpt silica mcm.materials mcm.mesoporous
49.06% mcm mesopor pore materi adsorpt molecular.sieves mcm.materials
mcm.mesoporous
52.87% mcm mesopor pore materi adsorpt molecular.sieves mcm.mcm
43.03% mcm mesopor siev adsorpt zeolit hydrotherm mesoporous.molecular
mcm.mesoporous
43.62% mcm mesopor siev adsorpt molecular.sieves hydrotherm mesoporous.molecular
mcm.mesoporous

Sample Cluster Record Titles

[Novel synthesis of ordered MCM-41 titanosilicates with very high titanium content via ultrasound radiation](#)

[Characterization of hydrothermally treated MCM-41 and Ti-MCM-41 molecular sieves](#)

[CuCl₂ immobilized on amino-functionalized MCM-41 and MCM-48 and their catalytic performance toward the vapor-phase oxy-carbonylation of methanol to dimethylcarbonate](#)

[Synthesis of Ti-containing MCM-41 mesoporous molecular sieve in the presence of ammonia](#)

[Are mesoporous silicas and aluminosilicas assembled from zeolite seeds inherently hydrothermally stable? Comparative evaluation of MCM-48 materials assembled from zeolite seeds](#)

[A novel method for the preparation of MOR/MCM-41 composite molecular sieve](#)

[Esterification of acetic acid over mesoporous Al-MCM-41 molecular sieves](#)

[Preparation, characterization of MCM-56 and catalytic activity in one-step synthesis of MIBK from acetone](#)

[Catalytic reduction of methyl viologen by sulfide ion within MCM-41](#)

Cluster Metrics

Authors

zhang, y 4
wu, th 4
sakthivel, a 4
mou, cy 4
liu, s 4
hartmann, m 4
haller, gl 4
dou, t 4
ziolek, m 3
zhao, j 3
zhang, jl 3
yan, zc 3
yan, xw 3
wu, d 3
wang, s 3

Sources

microporous and mesoporous materials 15
nanoporous materials iv 14
recent advances in the science and technology of zeolites and related materials, pts a - c
12
journal of physical chemistry b 8
catalysis communications 5
applied catalysis a-general 5
solid state sciences 4
materials letters 4
journal of molecular catalysis a-chemical 4
journal of catalysis 4
journal of thermal analysis and calorimetry 3
journal of colloid and interface science 3
industrial & engineering chemistry research 3
chinese journal of catalysis 3
rare metal materials and engineering 2

Keywords

chemistry, physical 44
mcm-41 37
mesoporous molecular-sieves 32
chemistry, physical 31
chemistry, applied 25
silica 19
adsorption 18
multidisciplinary 16
materials science, 16
molecular-sieves 15
chemistry, multidisciplinary 14

catalysts 14
mcm-41 13
surface 13
engineering, chemical 13

Publication Year

2005 126
2004 21

Country

peoples r china 46
usa 16
germany 14
india 13
france 13
japan 9
taiwan 8
spain 8
south korea 8
england 6
brazil 6
poland 5
italy 4
hungary 4
australia 4

Institution

chinese acad sci 12
natl taiwan univ 5
jilin univ 5
yonsei univ 4
yale univ 4
tech univ munich 4
taiyuan univ technol 4
natl chem lab 4
fudan univ 4
univ szeged 3
univ petr 3
univ osaka prefecture 3
univ kaiserslautern 3
univ fed rio grande norte 3
ruhr univ bochum 3

DataBase

science citation index 147

• CLUSTER 29

Zeolites (especially ZSM-5, silicalite-1, and MFI), with emphasis on ion exchange, adsorption and acid properties, and synthesis, particularly hydrothermally (145 Records)

(Countries: China dominant, USA, Germany, Japan. Institutions: Fudan University, University of Stuttgart, University of Iowa, Jilin University. Other USA includes UCR.).

Cluster Syntax Features

Descriptive Terms

zeolit 73.2%, zsm 3.1%, adsorpt 0.8%, exchang 0.7%, mesopor 0.7%, silicalit 0.5%, framework 0.5%, si 0.4%, acid 0.4%, mfi 0.4%, pore 0.4%, zsm.zeolite 0.3%, ma 0.3%, crystal 0.3%, hydrotherm 0.3%

Discriminating Terms

zeolit 46.4%, zsm 1.9%, film 1.8%, nanoparticl 0.6%, carbon 0.5%, nanotub 0.5%, surfac 0.5%, layer 0.5%, electron 0.4%, deposit 0.4%, magnet 0.4%, particl 0.4%, quantum 0.4%, oxid 0.4%, structur 0.4%

Single Word Terms

zeolit 145, structur 60, xrd 58, adsorpt 58, crystal 52, sampl 48, surfac 47, synthesi 47, high 46, synthes 45, si 43, materi 42, temperatur 42, acid 40, form 38

Double Word Terms

mas.nmr 22, ray.diffraction 20, zsm.zeolite 18, surface.area 18, solid.state 15, ion.exchange 15, electron.microscopy 13, temperature.programmed 11, type.zeolite 11, nitrogen.adsorption 11, acid.sites 10, xrd.sem 9, si.ratios 9, scanning.electron 9, hydrothermal.treatment 9

Triple Word Terms

si.mas.nmr 9, scanning.electron.microscopy 8, ray.diffraction.xrd 8, fourier.transform.infrared 6, magic.angle.spinning 6, solid.state.nmr 6, nuclear.magnetic.resonance 6, dynamic.light.scattering 5, extra.framework.aluminum 5, transmission.electron.microscopy 5, temperature.programmed.desorption 5, external.surface.area 5, bronsted.acid.sites 5, powder.ray.diffraction 4, structure.directing.agent 4

Term Cliques

39.72% zeolit framework acid mfi crystal
35.29% zeolit mesopor si acid zsm.zeolite hydrotherm
35.75% zeolit mesopor si acid pore zsm.zeolite
38.39% zeolit mesopor framework acid crystal hydrotherm
34.38% zeolit mesopor framework si acid ma hydrotherm
37.82% zeolit mesopor framework si acid pore
36.00% zeolit mesopor silicalit zsm.zeolite crystal
38.51% zeolit adsorpt si acid zsm.zeolite hydrotherm
37.14% zeolit adsorpt framework si acid ma hydrotherm
35.57% zeolit adsorpt framework si acid mfi ma
36.65% zeolit adsorpt framework si acid mfi pore
36.35% zeolit adsorpt exchange si acid pore zsm.zeolite
38.13% zeolit adsorpt exchange framework si acid pore
39.45% zeolit zsm acid mfi crystal
34.48% zeolit zsm mesopor acid zsm.zeolite crystal hydrotherm
34.71% zeolit zsm mesopor acid pore zsm.zeolite
37.47% zeolit zsm adsorpt acid zsm.zeolite hydrotherm
37.93% zeolit zsm adsorpt acid pore zsm.zeolite
37.59% zeolit zsm adsorpt acid mfi pore

Sample Cluster Record Titles

[Gas sensors based on nanosized-zeolite films to identify dimethylmethylphosphonate](#)

[Local structures of Ag \(I\) clusters prepared within zeolites by ion-exchange method and their photochemical properties](#)

[Studies on structure and acid-base properties of high silica MFI-type zeolite modified with methylamine](#)

[Studies on crystallography, stability, acidity and skeletal isomerization of C-5 olefins of THF-FER zeolite](#)

[Standardization of catalyst preparation using reference catalyst: ion exchange of mordenite type zeolite - 1. Remarkable dealumination accompanying ion exchange](#)

[Hydrothermal transformation of porous glass beads into porous glass beads containing zeolite beta \(BEA\)](#)

[Chemical and mechanical supported crystallization \(CMSC\) of MFI-type zeolite on different reactive substrate materials](#)

[Effect of alkali treatment on the structure and catalytic properties of ZSM-5 zeolite](#)

[Synthesis and characterization of the nanocrystalline zeolite ZSM-35](#)

Cluster Metrics

Authors

long, yc 7
larsen, sc 5
guo, j 5
grassian, vh 5
zhu, gs 4
weitkamp, j 4
qiu, sl 4
mintova, s 4
cheng, xw 4
bein, t 4
zhong, y 3
wang, rw 3
wang, lj 3
wang, j 3
sun, xy 3

Sources

recent advances in the science and technology of zeolites and related materials, pts a - c 19
microporous and mesoporous materials 14
journal of inorganic materials 6
applied catalysis a-general 6
nanoporous materials iv 5
langmuir 4
journal of the american chemical society 4
chemistry of materials 4
catalysis today 4
journal of physical chemistry b 3
journal of materials chemistry 3
journal of catalysis 3
chinese journal of inorganic chemistry 3
chemistry-a european journal 3

progress in chemistry 2

Keywords

chemistry, multidisciplinary 31
chemistry, physical 30
chemistry, physical 24
chemistry, applied 22
zsm-5 20
zeolite 17
multidisciplinary 16
zeolites 16
materials science, 16
adsorption 16
engineering, chemical 11
mechanism 10
materials science, multidisciplinary 9
environmental sciences 9
mcm-41 8

Publication Year

2005 116
2004 29

Country

peoples r china 41
usa 20
germany 18
japan 14
france 10
india 9
spain 5
england 5
belgium 5
taiwan 4
south korea 4
netherlands 4
norway 3
hungary 3
canada 3

Institution

fudan univ 10
univ stuttgart 5
univ iowa 5
jilin univ 5
taiyuan univ technol 4

delft univ technol 4
zhaotong teachers coll 3
univ tokyo 3
univ petr 3
univ munich 3
univ haute alsace 3
univ erlangen nurnberg 3
univ calif riverside 3
sinopec 3
nanjing univ sci & technol 3

DataBase

science citation index 145

• CLUSTER 237

Oxidation and reduction reactions, emphasizing the catalysts involved, oxide catalysts (particularly CeO₂), and their catalytic activity (470 Records)

(Countries: USA, China, followed by Italy, Japan, Germany. Institutions: CAS, University of Trieste, Nankai University. USA includes UCB.).

Cluster Syntax Features

Descriptive Terms

oxid 11.6%, catalyt 9.4%, catalyst 6.0%, activ 5.3%, reaction 4.2%, ceo2 2.8%, support 2.2%, oxygen 1.9%, select 1.8%, surfac 1.3%, catalytic.activity 1.3%, speci 1.2%, reduct 1.0%, acid 0.9%, site 0.8%

Discriminating Terms

catalyt 7.9%, oxid 6.5%, catalyst 3.7%, activ 2.9%, film 2.5%, ceo2 2.5%, reaction 2.1%, support 1.3%, catalytic.activity 1.1%, oxygen 1.0%, select 1.0%, magnet 0.8%, nanotub 0.8%, speci 0.7%, layer 0.6%

Single Word Terms

oxid 308, activ 280, surfac 268, catalyst 260, catalyt 257, reaction 243, temperatur 220, structur 165, high 145, xrd 133, spectroscopi 131, select 131, support 130, oxygen 126, format 126

Double Word Terms

catalytic.activity 108, temperature.programmed 82, surface.area 79, ray.diffraction 74, ray.photoelectron 54, photoelectron.spectroscopy 50, electron.microscopy 44, programmed.reduction 44, programmed.desorption 38, diffraction.xrd 34, spectroscopy.xps 33, catalytic.properties 32, reduction.tpr 30, gas.phase 30, oxidation.reaction 27

Triple Word Terms

ray.photoelectron.spectroscopy 49, temperature.programmed.reduction 44, temperature.programmed.desorption 38, photoelectron.spectroscopy.xps 32, ray.diffraction.xrd 31, programmed.reduction.tpr 29, transmission.electron.microscopy 23, high.surface.area 21, scanning.electron.microscopy 18, programmed.desorption.tpd 18, bet.surface.area 16, catalytic.activity.oxidation 12, selective.catalytic.reduction 12, diffraction.xrd.temperature 10, chemical.vapor.deposition 10

Term Cliques

41.09% oxid catalyt catalyst activ surfac catalytic.activity speci reduct acid site
38.17% oxid catalyt catalyst activ select catalytic.activity speci reduct acid site
43.90% oxid catalyt catalyst activ support surfac catalytic.activity speci reduct
40.66% oxid catalyt catalyst activ support select catalytic.activity speci reduct
44.33% oxid catalyt catalyst activ support oxygen surfac speci reduct
41.09% oxid catalyt catalyst activ support oxygen select speci reduct
41.47% oxid catalyt catalyst activ ceo2 surfac catalytic.activity reduct site
41.89% oxid catalyt catalyst activ ceo2 oxygen surfac reduct site
42.13% oxid catalyt catalyst activ ceo2 support surfac catalytic.activity reduct
42.55% oxid catalyt catalyst activ ceo2 support oxygen surfac reduct
44.09% oxid catalyt catalyst activ reaction surfac catalytic.activity speci reduct site
41.17% oxid catalyt catalyst activ reaction select catalytic.activity speci reduct site
44.47% oxid catalyt catalyst activ reaction oxygen surfac speci reduct site
41.55% oxid catalyt catalyst activ reaction oxygen select speci reduct site

Sample Cluster Record Titles

[Gas phase catalysis by metal nanoparticles in nanoporous alumina membranes](#)

[Catalytic and FT-IR study on the reaction pathway for oxidation of propane and propylene on V- or Mo-V-based catalysts](#)

[Dendrimer-mediated formation of Cu-CuOx nanoparticles on silica and their physical and catalytic characterization](#)

[Dehydrocondensation of alcohols to form ethers over mesoporous SBA-15 catalyst](#)

[Effect of La₂O₃ in CeO₂-ZrO₂ on catalytic performance of Pd-only three-way catalyst](#)

[Characterization and catalytic activity of zirconium dioxide prepared by sol-gel](#)

[Structural characterization of nanosized CeO₂-SiO₂, CeO₂-TiO₂, and CeO₂-ZrO₂ catalysts by XRD, raman, and HREM techniques](#)

[Decomposition of hydrogen peroxide at water-ceramic oxide interfaces](#)

[Activity and stability of low-content gold-cerium oxide catalysts for the water-gas shift reaction](#)

Cluster Metrics

Authors

wu, sh 7
wang, xy 7
zheng, xc 6
wang, sr 6
wang, y 5
wang, x 5
kaliaguine, s 5
corma, a 5
bell, at 5
wang, sp 4
vinod, cp 4
van santen, ra 4
schlogl, r 4
nieuwenhuys, be 4
li, yd 4

Sources

journal of physical chemistry b 46
journal of catalysis 40
applied catalysis a-general 28
catalysis today 27
journal of molecular catalysis a-chemical 17
applied catalysis b-environmental 15
catalysis letters 13
journal of the american chemical society 12
chemistry of materials 10
microporous and mesoporous materials 9
chinese journal of inorganic chemistry 8
surface science 7
applied surface science 7
angewandte chemie-international edition 7

industrial & engineering chemistry research 6

Keywords

chemistry, physical 230
engineering, chemical 81
chemistry, multidisciplinary 55
oxidation 54
chemistry, applied 50
chemistry, physical 49
adsorption 43
surface 37
environmental sciences 31
co oxidation 31
catalysts 31
carbon-monoxide 31
oxidation 30
oxygen 30
materials science, multidisciplinary 30

Publication Year

2005 439
2004 29
2006 2

Country

usa 88
peoples r china 67
italy 38
japan 36
germany 35
france 29
india 24
spain 23
netherlands 22
south korea 20
russia 17
england 15
brazil 14
taiwan 11
mexico 11

Institution

chinese acad sci 14
univ trieste 9
nankai univ 9
tsing hua univ 8

russian acad sci 8
natl inst adv ind sci & technol 8
nanjing univ 8
eindhoven univ technol 8
csic 8
cnr 8
cnrs 7
univ padua 6
univ fed sao carlos 6
univ calif berkeley 6
leiden univ 6

DataBase

science citation index 470

- **CLUSTER 153**

Catalysts (especially MCM-incorporated, palladium, and heterogeneous catalysts), especially studies on catalytic activity/selectivity, surface area, and hydrogenation/dehydrogenation reactions (554 Records)

(Countries: China dominant, USA, India, Germany. Institutions: CAS, SIC, National Chemistry Lab.).

Cluster Syntax Features

Descriptive Terms

catalyst 58.5%, catalyt 3.0%, activ 2.8%, support 2.7%, reaction 1.6%, select 1.5%, oxid 1.0%, hydrogen 0.9%, acid 0.7%, mcm 0.6%, catalytic.activity 0.5%, metal 0.5%, convers 0.3%, palladium 0.3%, heterogen 0.3%

Discriminating Terms

catalyst 40.4%, film 2.1%, catalyt 1.8%, support 1.4%, activ 1.0%, select 0.7%, magnet 0.6%, layer 0.6%, nanotub 0.6%, structur 0.5%, crystal 0.5%, quantum 0.5%, electron 0.4%, reaction 0.4%, optic 0.4%

Single Word Terms

catalyst 554, activ 351, catalyt 308, reaction 303, surfac 245, support 226, temperatur 224, xrd 214, oxid 207, select 207, high 194, structur 164, metal 158, acid 148, adsorpt 144

Double Word Terms

catalytic.activity 138, surface.area 105, ray.diffraction 89, electron.microscopy 62, diffraction.xrd 52, temperature.programmed 45, particle.size 42, activity.selectivity 39, ray.photoelectron 38, bet.surface 38, low.temperature 37, photoelectron.spectroscopy 36, reaction.temperature 36, transmission.electron 35, reaction.conditions 34

Triple Word Terms

ray.diffraction.xrd 41, ray.photoelectron.spectroscopy 36, bet.surface.area 35, transmission.electron.microscopy 31, scanning.electron.microscopy 26, photoelectron.spectroscopy.xps 22, temperature.programmed.reduction 21, high.surface.area 19, surface.area.pore 15, temperature.programmed.desorption 15, programmed.reduction.tpr 13, fourier.transform.infrared 13, water.gas.shift 12, electron.microscopy.tem 12, ray.powder.diffraction 12

Term Cliques

42.99% catalyst catalyt reaction acid mcm heterogen
40.61% catalyst catalyt reaction hydrogen metal palladium heterogen
42.44% catalyst catalyt reaction oxid mcm metal heterogen
44.42% catalyst catalyt activ support reaction hydrogen catalytic.activity metal palladium
43.27% catalyst catalyt activ support reaction select acid mcm catalytic.activity convers
47.77% catalyst catalyt activ support reaction select hydrogen catalytic.activity metal
42.89% catalyst catalyt activ support reaction select oxid mcm catalytic.activity metal convers

Sample Cluster Record Titles

[The surface properties of iron catalyst for ammonia synthesis](#)

[Catalytic performance of metal-substituted ZSM-5 zeolites for vapor phase Bechmann rearrangement of cyclohexanone oxime](#)

[Supported foam-copper catalysts for methanol selective oxidation](#)

[Pd colloid-catalyzed methoxycarbonylation of iodobenzene in ionic liquids](#)

[Copolymerization of ethene with styrene using CGC catalysts: the effect of the cyclopentadienyl ligand substitution on the catalyst activity and copolymer structure](#)

[Catalytic activity of the M/\(3ZnO center dot ZrO₂\) system \(M = Cu, Ag, Au\) in the hydrogenation of CO₂ to methanol](#)

[FeF₃/MgF₂: novel Lewis acidic catalyst systems](#)

[Synthesis, characterization, and catalytic activity of vanadium-incorporated, -grafted, and -immobilized mesoporous MCM-41 in the oxidation, of aromatics](#)

[Selective oxidation of propane to acrylic acid on K-doped MoVSbO catalysts: catalyst characterization and catalytic performance](#)

Cluster Metrics

Authors

fierro, jlg 11
xu, bq 7
thomas, jm 7
pandurangan, a 7
halligudi, sb 7
wang, y 6
reyes, p 6
raja, r 6
fan, kn 6
zhang, x 5
wang, h 5
finke, rg 5
devassy, bm 5
bao, xh 5
zhang, qh 4

Sources

applied catalysis a-general 51
journal of catalysis 39
catalysis today 38
journal of molecular catalysis a-chemical 36
chinese journal of catalysis 29
catalysis letters 21
nanoporous materials iv 14
industrial & engineering chemistry research 14
chemical communications 13
applied catalysis b-environmental 13
topics in catalysis 11

journal of physical chemistry b 11
advanced synthesis & catalysis 11
recent advances in the science and technology of zeolites and related materials, pts a - c
10
catalysis communications 10

Keywords

chemistry, physical 223
engineering, chemical 114
chemistry, applied 97
chemistry, physical 90
environmental sciences 60
oxidation 56
chemistry, multidisciplinary 55
catalysts 47
nanoparticles 36
silica 32
hydrogenation 32
engineering, chemical 30
surface 27
nanoparticles 25
selective oxidation 25

Publication Year

2005 501
2004 51
2006 2

Country

peoples r china 122
usa 62
india 52
germany 44
spain 39
france 37
japan 34
south korea 27
italy 25
england 21
netherlands 20
brazil 13
poland 12
taiwan 11
romania 11

Institution

chinese acad sci 33
csic 21
natl chem lab 17
indian inst chem technol 10
anna univ 10
inst rech catalyse 9
tsing hua univ 8
max planck gesell 8
fudan univ 8
dalian univ technol 8
univ utrecht 7
univ cambridge 7
royal inst great britain 7
natl inst adv ind sci & technol 7
cnrs 7

DataBase

science citation index 554

- **CLUSTER 102**

Catalysts (especially gamma-Al₂O₃, nickel, and cobalt catalysts), emphasizing activity, structure, and formation of catalysts; steam reforming of methanol; and hydrogenation reactions (222 Records)

(Countries: China dominant, USA, Japan, Spain, France. Institutions: CAS, Tsing Hua University, CSIC. USA includes VPI.).

Cluster Syntax Features

Descriptive Terms

catalyst 30.7%, al2o3 7.9%, ni 5.5%, support 3.6%, reform 3.5%, co 2.6%, activ 2.2%, gamma.al2o3 1.8%, catalyt 1.6%, methan 1.4%, nickel 1.2%, steam 1.1%, hydrogen 1.0%, steam.reforming 1.0%, gamma 0.9%

Discriminating Terms

catalyst 18.7%, al2o3 4.9%, ni 2.8%, reform 2.5%, film 2.0%, support 1.8%, gamma.al2o3 1.3%, co 1.2%, methan 0.9%, steam 0.8%, catalyt 0.8%, steam.reforming 0.7%, nickel 0.6%, activ 0.6%, nanotub 0.6%

Single Word Terms

catalyst 219, activ 152, support 121, surfac 119, catalyt 118, al2o3 114, reaction 112, temperatur 103, xrd 102, oxid 96, high 88, structur 85, rai 80, hydrogen 79, reduct 79

Double Word Terms

ray.diffraction 65, gamma.al2o3 45, catalytic.activity 43, surface.area 43, temperature.programmed 42, al2o3.catalysts 41, al2o3.catalyst 36, electron.microscopy 35, diffraction.xrd 34, steam.reforming 33, programmed.reduction 32, transmission.electron 25, ni.catalysts 22, fischer.tropsch 21, reduction.tpr 19

Triple Word Terms

ray.diffraction.xrd 33, temperature.programmed.reduction 31, transmission.electron.microscopy 25, programmed.reduction.tpr 19, fischer.tropsch.synthesis 18, gamma.al2o3.catalyst 14, ray.photoelectron.spectroscopy 13, bet.surface.area 12, electron.microscopy.tem 12, gamma.al2o3.catalysts 11, photoelectron.spectroscopy.xps 11, scanning.electron.microscopy 10, catalysts.ray.diffraction 9, incipient.wetness.impregnation 9, co2.reforming.methane 8

Term Cliques

50.00% catalyst support gamma.al2o3 catalyt gamma
60.09% catalyst support co activ catalyt
41.44% catalyst ni reform activ catalyt nickel steam hydrogen steam.reforming
43.02% catalyst ni reform activ catalyt methan nickel steam
52.77% catalyst ni support activ catalyt nickel hydrogen
49.64% catalyst al2o3 support gamma.al2o3 gamma
68.24% catalyst al2o3 support active

Sample Cluster Record Titles

[Influence of catalyst treatments on the adsorption properties of gamma-Al₂O₃ supported Pt, Rh and Ru catalysts](#)

[In-situ XRD and Raman spectroscopic study on the solid state reaction of CuO/Al₂O₃ catalysts at high temperature](#)

[Development of cobalt catalysts for the steam reforming of naphthalene as a model compound of tar derived from biomass gasification](#)

[Comparison of Co/MgO and Ni/MgO catalysts for the steam reforming of naphthalene as a model compound of tar derived from biomass gasification](#)

[Preparation, solid-state characteristics, and catalytic properties of promoted vanadium phosphate materials](#)

[The effect of cerium, lanthanum and zirconium on nickel/alumina catalysts for the hydrogenation of carbon oxides](#)

[Structure and activity of RuO₂/Y-Al₂O₃ catalyst doped with CeO₂ in wet air oxidation degradation of phenol](#)

[Preparation of copper catalyst washcoats for methanol steam reforming in microchannels based on nanoparticles](#)

[Hydrogenation catalysts formation in the system AlEt₃-Co\(acac\)₃](#)

Cluster Metrics

Authors

fierro, jlg 6
okamoto, y 4
kubota, t 4
zhu, wp 3
zheng, xm 3
yang, ws 3
yang, sx 3
yan, sr 3
xu, bq 3
xiong, w 3
wang, yh 3
wan, jf 3
szanyi, j 3
shu, yy 3
ressler, t 3

Sources

journal of catalysis 30

applied catalysis a-general 25
catalysis today 22
chinese journal of catalysis 18
journal of molecular catalysis a-chemical 16
journal of physical chemistry b 10
catalysis letters 8
chemistry of materials 5
industrial & engineering chemistry research 4
catalysis communications 4
applied surface science 4
applied catalysis b-environmental 4
nanoporous materials iv 3
microporous and mesoporous materials 3
acta chimica sinica 3

Keywords

chemistry, physical 118
engineering, chemical 73
chemistry, physical 47
chemistry, applied 45
alumina 27
environmental sciences 25
hydrogenation 21
catalysts 20
co 20
hydrogen 19
reduction 18
nickel 17
ch4 17
chemistry, multidisciplinary 16
support 16

Publication Year

2005 204
2004 18

Country

peoples r china 63
usa 25
japan 22
spain 18
france 18
mexico 12
england 9
brazil 8
germany 7

venezuela 6
south korea 6
russia 5
poland 5
india 5
scotland 4

Institution

chinese acad sci 16
tsing hua univ 10
csic 10
univ autonoma metropolitana iztapalapa 6
inst mexicano petr 6
univ paris 06 4
shimane univ 4
fudan univ 4
zhejiang univ 3
zhejiang normal univ 3
xichang coll 3
virginia polytech inst & state univ 3
univ tokyo 3
univ st andrews 3
univ sci & tech lille flandres artois 3

DataBase

science citation index 222

- **CLUSTER 87**

Platinum (Pt) and platinum-ruthenium (PtRu) catalysts, emphasizing their electrochemical applications, including methanol and other fuel

cells, methanol electro-oxidation, and reduction reactions (270 Records)

(Countries: USA, China, followed by Japan. Institutions: CAS dominant, University of Illinois, Tsing Hua University. Other USA include University of Texas, University of Wisconsin, BNL.).

Cluster Syntax Features

Descriptive Terms

pt 45.7%, catalyst 8.3%, methanol 3.5%, ru 3.5%, platinum 1.9%, pt.ru 1.7%, support 1.4%, fuel 1.4%, electroded 1.3%, oxid 1.3%, activ 1.1%, electrocatalyst 1.0%, reduct 0.7%, catalyt 0.5%, cell 0.5%

Discriminating Terms

pt 30.6%, catalyst 4.2%, methanol 2.3%, ru 2.1%, film 1.7%, pt.ru 1.3%, platinum 1.2%, fuel 0.9%, electrocatalyst 0.7%, magnet 0.6%, nanotub 0.6%, support 0.6%, crystal 0.5%, structur 0.5%, quantum 0.4%

Single Word Terms

pt 230, catalyst 162, surfac 142, activ 142, oxid 136, support 117, temperatur 100, electron 99, reduct 98, metal 97, reaction 97, structur 97, cell 95, rai 93, platinum 93

Double Word Terms

electron.microscopy 58, fuel.cell 55, fuel.cells 54, cyclic.voltammetry 49, pt.ru 47, ray.diffraction 43, transmission.electron 43, methanol.fuel 42, photoelectron.spectroscopy 40, direct.methanol 40, supported.pt 40, ray.photoelectron 40, methanol.oxidation 38, catalytic.activity 38, carbon.supported 34

Triple Word Terms

transmission.electron.microscopy 40, direct.methanol.fuel 40, ray.photoelectron.spectroscopy 39, methanol.fuel.cell 27, carbon.supported.pt 25, methanol.fuel.cells 21, photoelectron.spectroscopy.xps 20, scanning.electron.microscopy 18, oxygen.reduction.reaction 17, ray.diffraction.xrd 16, electron.microscopy.ray 13, temperature.programmed.desorption 12, cyclic.voltammetry.chronoamperometry 11, electron.microscopy.tem 11, proton.exchange.membrane 11

Term Cliques

44.03% pt catalyst fuel electroded activ electrocatalyst reduct cell
43.91% pt catalyst support fuel activ electrocatalyst reduct catalyt cell
45.45% pt catalyst platinum electroded activ electrocatalyst reduct
46.93% pt catalyst platinum support activ electrocatalyst reduct
43.70% pt catalyst platinum pt.ru electroded oxid activ electrocatalyst
45.00% pt catalyst platinum pt.ru support oxid activ electrocatalyst

40.81% pt catalyst ru pt.ru support fuel oxid activ electrocatalyst catalyt cell
39.80% pt catalyst methanol ru pt.ru fuel electrood oxid activ electrocatalyst cell
40.74% pt catalyst methanol ru pt.ru support fuel oxid activ electrocatalyst cell

Sample Cluster Record Titles

[Electro-oxidation of methanol diffused through proton exchange membrane on Pt surface: crossover rate of methanol](#)

[Methanol electro-oxidation and direct methanol fuel cell using Pt/Rh and Pt/Ru/Rh alloy catalysts](#)

[Preparation and characterization of carbon supported Pt and PtRu alloy catalysts reduced by alcohol for polymer electrolyte fuel cell](#)

[AB\(5\)-type hydrogen storage alloys as catalysts in hydrogen-diffusion electrodes for novel H-2/hydride//perovskite/O-2 alkaline fuel cells](#)

[Growth of RuO₂ by electrochemical and gas-phase oxidation of an Ru\(0001\) surface](#)

[Monodispersed hard carbon spherules as a catalyst support for the electrooxidation of methanol](#)

[Methanol electrochemical oxidation at nanometer-scale PtRu materials](#)

[Electrooxidation of methanol on platinum-ruthenium catalysts applied to a cation-exchange membrane](#)

[Ethanol electrooxidation on a carbon-supported Pt catalyst: Reaction kinetics and product yields](#)

Cluster Metrics

Authors

sun, gq 12

xin, q 11

zhou, zh 6

zhou, wj 5

zhou, b 5

song, sq 5

jiang, lh 5

yin, gp 4

xiong, l 4

wieckowski, a 4
wang, zb 4
wang, gx 4
viswanathan, b 4
tsiakaras, p 4
tang, sh 4

Sources

journal of physical chemistry b 34
electrochimica acta 22
journal of power sources 16
journal of the electrochemical society 13
surface science 10
journal of catalysis 10
langmuir 9
electrochemistry communications 9
journal of electroanalytical chemistry 8
electrochemical and solid state letters 8
catalysis today 7
applied catalysis b-environmental 7
applied catalysis a-general 7
journal of molecular catalysis a-chemical 6
journal of the american chemical society 5

Keywords

chemistry, physical 111
platinum 79
electrochemistry 54
oxidation 54
electrooxidation 38
electrochemistry 38
catalysts 32
co 30
adsorption 30
methanol 29
electrodes 27
chemistry, multidisciplinary 25
nanoparticles 24
engineering, chemical 22
catalysts 21

Publication Year

2005 238
2004 29
2006 3

Country

usa 73
peoples r china 56
japan 32
germany 16
south korea 14
spain 11
france 11
taiwan 10
netherlands 8
india 8
russia 7
singapore 6
greece 6
brazil 6
switzerland 5

Institution

chinese acad sci 19
univ illinois 9
tsing hua univ 7
seoul natl univ 6
natl inst adv ind sci & technol 6
univ texas 5
univ poitiers 5
csic 5
xiamen univ 4
univ wisconsin 4
univ belgrade 4
natl synchrotron radiat res ctr 4
indian inst technol 4
harbin inst technol 4
brookhaven natl lab 4

DataBase

science citation index 270

• CLUSTER 80

Platinum (Pt) and iron-platinum (FePt) nanoparticles, focusing on electrocatalytic activity (especially for oxygen reduction), size-dependent effects/processes, and synthesis (especially by polyol process) of nanoparticles (109 Records)

(Countries: USA, Japan, China. Institutions: CAS, Tokyo Institute of Technology, Osaka University. USA include UCB, LANL, USC, UCD.).

Cluster Syntax Features

Descriptive Terms

pt 34.0%, nanoparticl 16.1%, pt.nanoparticles 8.5%, fept 4.8%, platinum 4.6%, fept.nanoparticles 2.3%, platinum.nanoparticles 1.8%, particl 0.8%, fe.pt 0.7%, reduct 0.6%, size 0.5%, electrocatalyt 0.4%, polyol 0.4%, metal 0.4%, fe.pt.nanoparticles 0.3%

Discriminating Terms

pt 22.3%, nanoparticl 6.8%, pt.nanoparticles 6.2%, fept 3.3%, platinum 3.1%, fept.nanoparticles 1.7%, film 1.5%, platinum.nanoparticles 1.3%, nanotub 0.6%, crystal 0.5%, fe.pt 0.5%, quantum 0.4%, temperatur 0.4%, si 0.4%, optic 0.4%

Single Word Terms

nanoparticl 107, pt 89, particl 54, platinum 51, size 49, surfac 46, structur 41, metal 35, reduct 34, electron 30, high 30, reaction 29, synthesi 29, activ 28, microscopi 27

Double Word Terms

pt.nanoparticles 56, platinum.nanoparticles 29, electron.microscopy 23, particle.size 21, transmission.electron 20, fept.nanoparticles 19, catalytic.activity 12, room.temperature 12, fe.pt 11, absorption.spectroscopy 10, ray.diffraction 10, size.distribution 9, glassy.carbon 9, magnetic.properties 8, microscopy.tem 8

Triple Word Terms

transmission.electron.microscopy 20, electron.microscopy.tem 8, ray.photoelectron.spectroscopy 7, fe.pt.nanoparticles 6, resolution.transmission.electron 5, pt.nanoparticles.supported 5, high.resolution.transmission 5, narrow.size.distribution 5, glassy.carbon.electrode 4, anisotropy.field.koe 4, nanoparticles.catalytic.activity 4, stabilized.pt.nanoparticles 4, monte.carlo.simulations 3, poly.vinylpyrrolidone.pvp 3, synthesized.chemical.reduction 3

Term Cliques

28.26% nanoparticl fept.nanoparticles fe.pt polyol fe.pt.nanoparticles
36.15% nanoparticl fept.nanoparticles particl fe.pt fe.pt.nanoparticles
37.98% nanoparticl fept fept.nanoparticles size polyol
31.01% nanoparticl fept fept.nanoparticles fe.pt polyol
45.87% nanoparticl fept fept.nanoparticles particl size
38.90% nanoparticl fept fept.nanoparticles particl fe.pt
49.91% pt nanoparticl size electrocatalyt polyol
47.16% pt nanoparticl reduct electrocatalyt polyol
39.45% pt nanoparticl fe.pt reduct polyol fe.pt.nanoparticles
52.56% pt nanoparticl platinum particl size electrocatalyt metal
51.77% pt nanoparticl platinum platinum.nanoparticles particl size electrocatalyt
46.79% pt nanoparticl pt.nanoparticles particl fe.pt reduct fe.pt.nanoparticles
50.69% pt nanoparticl pt.nanoparticles platinum particl reduct electrocatalyt metal
50.00% pt nanoparticl pt.nanoparticles platinum platinum.nanoparticles particl reduct electrocatalyt

Sample Cluster Record Titles

[Preparation of Pt-Ru-Co trimetallic nanoparticles and their electrocatalytic properties](#)

[Polyol synthesis of platinum nanoparticles: Control of morphology with sodium nitrate](#)

[Influence of particle agglomeration on the catalytic activity of carbon-supported Pt nanoparticles in CO monolayer oxidation](#)

[Preparation of FePt nanoparticle monolayer by Langmuir-Blogett method](#)

[Platinum-nanoparticles on different types of carbon supports: Correlation of electrocatalytic activity with carrier morphology](#)

[Small-angle X-ray scattering of carbon-supported Pt nanoparticles for fuel cell](#)

[Preparation of tetrahedral Pt nanoparticles having {111} facet on their surface](#)

[Platinum nanoparticles from the hydrosilylation reaction: Capping agents, physical characterizations, and electrochemical properties](#)

[Crystal structure and compressibility of FePt nanoparticles under high pressures and high temperatures](#)

Cluster Metrics

Authors

ross, pn 4
yang, p 3
sato, k 3
kitamoto, y 3
jeyadevan, b 3
hua, np 3
du, yk 3
chan, ky 3
zhong, cj 2
xu, jz 2
xie, h 2
wang, ly 2
wang, gf 2
van hove, ma 2
tohji, k 2

Sources

electrochimica acta 9
journal of applied physics 7
journal of physical chemistry b 6
recent advances in the science and technology of zeolites and related materials, pts a - c 4
langmuir 4
journal of colloid and interface science 4
chemistry of materials 4
journal of the american chemical society 3
chemistry letters 3
scripta materialia 2
physical chemistry chemical physics 2
nanotechnology 2
journal of nanoscience and nanotechnology 2
journal of materials chemistry 2
journal of magnetism and magnetic materials 2

Keywords

chemistry, physical 30
chemistry, multidisciplinary 17
platinum 17
electrochemistry 12
nanoparticles 11
materials science, multidisciplinary 11
films 11
physics, applied 10
materials science, multidisciplinary 10

surface 10
particles 9
nanoparticles 9
clusters 9
reduction 8
oxidation 8

Publication Year

2005 97
2004 11
2006 1

Country

usa 25
japan 25
peoples r china 22
germany 7
singapore 4
england 4
sweden 3
spain 3
south korea 3
russia 3
canada 3
taiwan 2
switzerland 2
romania 2
italy 2

Institution

chinese acad sci 7
tokyo inst technol 6
osaka univ 5
univ calif berkeley 4
tohoku univ 4
univ hong kong 3
suzhou univ 3
los alamos natl lab 3
vienna tech univ 2
univ szeged 2
univ s carolina 2
univ erlangen nurnberg 2
univ durham 2
univ calif davis 2
univ alicante 2

• CLUSTER 124

Titanium dioxide (TiO₂) films, including sol-gel derived and nanocrystalline films, use in dye-sensitized solar cells, photocatalytic activity, and preparation by deposition (141 Records)

Countries: China, followed by Japan. Institutions: CAS, Zhejiang University, Institute of Fundamental Studies.).

Cluster Syntax Features

Descriptive Terms

tio2 34.8%, film 15.2%, tio2.films 9.9%, anatas 1.3%, sol 1.0%, photocatalyt 0.9%, dye 0.8%, solar 0.8%, deposit 0.7%, tio2.film 0.7%, dye.sensitized 0.7%, sol.gel 0.7%, gel 0.6%, nanocrystallin 0.6%, sensit 0.6%

Discriminating Terms

tio2 24.6%, tio2.films 8.1%, film 4.1%, anatas 0.8%, magnet 0.7%, nanotub 0.7%, carbon 0.7%, particl 0.6%, surfac 0.6%, photocatalyt 0.6%, tio2.film 0.6%, nanoparticl 0.5%, structur 0.5%, dye.sensitized 0.5%, sol 0.5%

Single Word Terms

film 139, tio2 130, deposit 63, substrat 60, electron 56, structur 50, properti 49, glass 43, temperatur 41, gel 41, surfac 40, sol 39, anatas 38, thin 38, nanocrystallin 37

Double Word Terms

tio2.films 74, sol.gel 39, tio2.film 25, electron.microscopy 23, ray.diffraction 22, thin.films 22, films.deposited 20, titanium.dioxide 18, scanning.electron 18, nanocrystalline.tio2 18, glass.substrates 18, dye.sensitized 18, solar.cells 15, photocatalytic.activity 14, sensitized.solar 14

Triple Word Terms

dye.sensitized.solar 14, scanning.electron.microscopy 13, atomic.force.microscopy 12,

sensitized.solar.cells 11, force.microscopy.afm 10, nanocrystalline.tio2.films 10, transmission.electron.microscopy 10, ray.diffraction.xrd 9, sol.gel.derived 8, films.sol.gel 8, ray.photoelectron.spectroscopy 8, tio2.thin.films 7, anatase.tio2.films 6, tio2.films.deposited 6, titanium.dioxide.films 6

Term Cliques

32.15% film dye solar dye.sensitized nanocrystallin sensit
30.73% film dye solar tio2.film dye.sensitized sensit
37.47% film dye solar deposit nanocrystallin sensit
44.44% tio2 film dye dye.sensitized nanocrystallin sensit
43.03% tio2 film dye tio2.film dye.sensitized sensit
49.76% tio2 film dye deposit nanocrystallin sensit
42.46% tio2 film anatas sol photocatalyt tio2.film sol.gel gel
56.86% tio2 film tio2.films anatas deposit nanocrystallin
53.19% tio2 film tio2.films anatas photocatalyt gel
55.79% tio2 film tio2.films anatas photocatalyt deposit

Sample Cluster Record Titles

[Atomic layer deposition of TiO₂-xN_x thin films for photocatalytic applications](#)

[Flexible metallic substrates for TiO₂ film of dye-sensitized solar cells](#)

[Epitaxial growth and characteristics of N-doped anatase TiO₂ films grown using a free-radical nitrogen oxide source](#)

[Epitaxial growth of tin oxide films on \(001\)TiO₂ substrates by KrF and XeCl excimer laser annealing](#)

[Improvement of piezoelectric crystal sensor for the detection of organic vapors using nanocrystalline TiO₂ films](#)

[Challenges of producing TiO₂ films by microwave heating](#)

[HAP/TiO₂ composite films: Preparation, characterisation and their behaviors in simulated body fluid](#)

[Growth of anatase films on vicinal and flat LaAlO₃ \(110\) substrates by oxygen plasma assisted molecular beam epitaxy](#)

[Effect of Ar plasma treatment on the photo-electrical properties of nanocrystal TiO₂ films](#)

Cluster Metrics

Authors

zhao, xj 4
zhao, qn 4
zhang, jy 4
verma, a 4
liu, bs 4
he, x 4
bakhshi, ak 4
agnihotry, sa 4
yang, h 3
vigil, e 3
tennakone, k 3
perera, vps 3
domenech, x 3
ding, xg 3
ayllon, ja 3

Sources

thin solid films 11
solar energy materials and solar cells 8
rare metal materials and engineering 8
journal of physical chemistry b 7
journal of sol-gel science and technology 5
sensors and actuators b-chemical 4
journal of applied physics 4
applied surface science 4
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 3
langmuir 3
journal of the electrochemical society 3
journal of photochemistry and photobiology a-chemistry 3
journal of non-crystalline solids 3
journal of electroanalytical chemistry 3
chemistry letters 3

Keywords

materials science, multidisciplinary 46
chemistry, physical 23
tio2 22
physics, applied 21
thin-films 20
physics, 17
thin-films 14
condensed matter 13
photocatalysis 13
materials science, ceramics 11

engineering 11
titanium-dioxide 11
surface 11
physics, condensed matter 11
metallurgy & metallurgical 11

Publication Year

2005 121
2004 14
2006 6

Country

peoples r china 39
japan 24
usa 12
south korea 10
england 9
italy 7
india 6
germany 6
sri lanka 5
spain 5
taiwan 4
switzerland 3
ireland 3
cuba 3
australia 3

Institution

chinese acad sci 7
zhejiang univ 5
inst fundamental studies 5
wuhan univ technol 4
wuhan univ 4
univ london imperial coll sci technol & med 4
univ delhi 4
natl phys lab 4
univ autonoma barcelona 3
kobe univ 3
hong kong polytech univ 3
univ tokyo 2
univ sci & technol china 2
univ nottingham 2
univ milan 2

- **CLUSTER 24**

Preparation of titanium dioxide (TiO₂) thin films by sol-gel process or deposition, photocatalytic activity of TiO₂ films, and doped TiO₂ films (105 Records)

(Countries: China, followed by South Korea. Institutions: CAS dominant, Zhejiang University, Seoul National University, UNAM.).

Cluster Syntax Features

Descriptive Terms

tio2 28.8%, tio2.thin 13.9%, tio2.thin.films 10.3%, film 8.6%, thin.films 6.2%, thin 5.7%, anatas 1.4%, photocatalyt 1.2%, sol 0.8%, dope 0.7%, tio2.films 0.7%, sol.gel 0.6%, gel 0.4%, doped.tio2 0.4%, deposit 0.4%

Discriminating Terms

tio2 17.7%, tio2.thin 10.2%, tio2.thin.films 7.6%, thin.films 3.1%, thin 2.2%, film 1.2%, anatas 0.9%, surfac 0.7%, photocatalyt 0.7%, carbon 0.7%, nanoparticl 0.7%, nanotub 0.6%, magnet 0.6%, particl 0.6%, structur 0.5%

Single Word Terms

film 104, thin 104, tio2 102, deposit 54, temperatur 50, substrat 50, rai 46, anatas 42, sol 41, structur 40, glass 40, electron 39, diffract 39, gel 38, properti 37

Double Word Terms

thin.films 102, tio2.thin 75, sol.gel 38, ray.diffraction 35, tio2.films 28, thin.film 25, films.deposited 20, atomic.force 18, force.microscopy 17, doped.tio2 17, glass.substrates 17, films.sol 17, scanning.electron 16, electron.microscopy 16, anatase.phase 15

Triple Word Terms

tio2.thin.films 69, tio2.thin.film 18, atomic.force.microscopy 16, films.sol.gel 16, thin.films.deposited 15, ray.diffraction.xrd 14, thin.films.sol 14, doped.tio2.thin 13, scanning.electron.microscopy 11, ray.photoelectron.spectroscopy 10, thin.films.tio2 10, transmission.electron.microscopy 9, activity.tio2.thin 8, films.ray.diffraction 8, atomic.layer.deposition 7

Term Cliques

63.39% tio2 film thin.films thin anatas sol tio2.films sol.gel gel
58.86% tio2 film thin.films thin anatas sol dope sol.gel gel doped.tio2
64.29% tio2 film thin.films thin anatas photocatalyt sol doped.tio2
65.60% tio2 film thin.films thin anatas photocatalyt sol tio2.films
71.96% tio2 tio2.thin tio2.thin.films film thin.films thin anatas tio2.films deposit
66.57% tio2 tio2.thin tio2.thin.films film thin.films thin anatas dope doped.tio2 deposit
68.04% tio2 tio2.thin tio2.thin.films film thin.films thin anatas photocatalyt doped.tio2
69.21% tio2 tio2.thin tio2.thin.films film thin.films thin anatas photocatalyt tio2.films

Sample Cluster Record Titles

[Synthesis and hydrophilicity of TiO₂ thin films from aqueous TiOSO₄ solution](#)

[Preparation of anatase TiO₂ thin films with \(\(OPr\)-Pr-i\)\(2\)Ti\(CH₃COCHCONEt₂\)\(2\) precursor by MOCVD](#)

[Direct photodeposition of nanostructured TiO₂ thin films from B-diketonate complexes, and their photocatalytic behaviour.](#)

[Very thin TiO₂ films prepared by plasma enhanced atomic layer deposition \(PEALD\)](#)

[Preparation of multi-nanocrystalline transition metal oxide \(TiO₂-NiTiO₃\) mesoporous thin films](#)

[Quantum confinement effects of CdTe nanocrystals sequestered in TiO₂matrix: effect of oxygen incorporation](#)

[Synthesis and characterization of anatase-TiO₂ thin films](#)

[Preparation of TiO₂ thin films at low temperature and characterization of their properties](#)

[Low-temperature preparation of photocatalytic TiO₂ thin films from anatase sols](#)

Cluster Metrics

Authors

hwang, cs 4
yu, jg 3
wang, j 3
lokhande, cd 3
kim, sk 3
kim, bh 3
joo, os 3
jeong, ds 3
jeon, ys 3
jeon, ko 3
hwang, ks 3
zhou, xw 2
zhou, f 2
yu, y 2
yu, hg 2

Sources

thin solid films 10
applied surface science 5
rare metal materials and engineering 4
surface & coatings technology 3
journal of the korean physical society 3
journal of inorganic materials 3
journal of crystal growth 3
topics in catalysis 2
materials letters 2
materials chemistry and physics 2
journal of sol-gel science and technology 2
journal of physical chemistry b 2
journal of optoelectronics and advanced materials 2
journal of materials research 2
high-performance ceramics iii, pts 1 and 2 2

Keywords

materials science, multidisciplinary 30
physics, applied 18
tio2 16
physics, 16
chemistry, physical 14
thin films 13
deposition 13

tio2 12
condensed matter 11
titanium-dioxide 10
photocatalytic activity 9
physics, condensed matter 8
physics, multidisciplinary 7
physics, applied 7
materials science, ceramics 7

Publication Year

2005 87
2004 12
2006 5
2003 1

Country

peoples r china 34
south korea 20
japan 10
india 8
france 7
germany 5
england 5
taiwan 4
mexico 4
turkey 3
spain 3
usa 2
singapore 2
italy 2
australia 2

Institution

chinese acad sci 9
zhejiang univ 4
seoul natl univ 4
wuhan univ technol 3
tsing hua univ 3
nambu univ 3
kyushu univ 3
korea inst sci & technol 3
chonnam natl univ 3
univ paris 06 2
univ nacl autonoma mexico 2
unam 2
sungkyunkwan univ 2

shivaji univ 2
royal inst great britain 2

DataBase
science citation index 105

- **CLUSTER 107**

Anatase and rutile titanium dioxide (TiO₂), emphasizing photocatalytic use and characterization of TiO₂ nanoparticles (379 Records)

China dominant, Japan, USA, South Korea. Institutions: CAS, Tianjin University, Kyoto University, Tsing Hua University. USA includes ORNL.).

Cluster Syntax Features

Descriptive Terms

tio2 69.7%, anatas 3.2%, rutil 0.9%, titanium 0.7%, photocatalyt 0.6%, sol 0.5%, anatase.tio2 0.5%, surfac 0.4%, oxid 0.4%, tio2.nanoparticles 0.3%, photocatalyst 0.3%, titania 0.3%, gel 0.3%, tio2.particles 0.3%, ti 0.3%

Discriminating Terms

tio2 47.3%, anatas 2.1%, film 1.3%, magnet 0.6%, nanotub 0.6%, rutil 0.6%, carbon 0.5%, structur 0.5%, quantum 0.4%, temperatur 0.4%, layer 0.4%, field 0.4%, photocatalyt 0.3%, deposit 0.3%, si 0.3%

Single Word Terms

tio2 376, surfac 200, anatas 158, structur 132, size 126, particl 119, oxid 116, electron 116, xrd 116, titanium 115, activ 109, phase 103, gel 102, properti 100, temperatur 98

Double Word Terms

sol.gel 89, titanium.dioxide 58, anatase.tio2 58, electron.microscopy 51, surface.area 51, tio2.nanoparticles 49, tio2.particles 48, ray.diffraction 48, transmission.electron 37, anatase.rutile 32, tio2.tio2 31, photocatalytic.activity 31, scanning.electron 29, pure.tio2 28, diffraction.xrd 27

Triple Word Terms

transmission.electron.microscopy 30, scanning.electron.microscopy 26, dye.sensitized.solar 25, ray.photoelectron.spectroscopy 23, ray.diffraction.xrd 21, titanium.dioxide.tio2 20, electron.microscopy.tem 17, photoelectron.spectroscopy.xps 17, sensitized.solar.cells 17, fourier.transform.infrared 15, tio2.sol.gel 15, electron.microscopy.sem 14, bet.surface.area 11, sensitized.solar.cell 11, photocatalytic.activity.tio2 10

Term Cliques

36.52% tio2 sol anatase.tio2 surfac oxid titania ti
39.45% tio2 photocatalyt surfac oxid tio2.particles ti
37.84% tio2 photocatalyt sol anatase.tio2 surfac oxid ti
37.20% tio2 titanium anatase.tio2 surfac oxid titania ti
37.04% tio2 anatas photocatalyt sol anatase.tio2 surfac photocatalyst gel
34.89% tio2 anatas rutil sol anatase.tio2 surfac titania gel ti
38.30% tio2 anatas rutil photocatalyt surfac tio2.particles ti
33.61% tio2 anatas rutil photocatalyt sol anatase.tio2 surfac tio2.nanoparticles gel ti
35.41% tio2 anatas rutil titanium anatase.tio2 surfac titania gel ti

Sample Cluster Record Titles

[Characterization of nanometer-sized Al/TiO₂ photocatalysts and the decomposition of benzene in plasma- and photo-types systems](#)

[Straightforward fabrication of highly ordered TiO₂ nanowire arrays in AAM on aluminum substrate](#)

[Preparation and characterization of mesoporous SBA-15 supported dye-sensitized TiO₂ photocatalyst](#)

[Predicting the energetics, phase stability, and morphology evolution of faceted and spherical anatase nanocrystals](#)

[Reactions of ammonia on stoichiometric and reduced TiO₂\(001\) single crystal surfaces](#)

[Catalytic activity of porous TiO₂ obtained by sol-gel process in the degradation of phenol](#)

[Photoinduced reactivity of titanium dioxide](#)

[Adsorption of poly\(acrylic acid\) onto the surface of titanium dioxide and the colloidal stability of aqueous suspension](#)

[The preparation of rutile TiO₂ nanopowders, phase transformation and their photocatalysed properties](#)

Cluster Metrics

Authors

zhong, sh 9

liu, y 7

yoshikawa, s 6

mei, cs 5

kiwi, j 5

adachi, m 5

zhang, xd 4

wu, y 4

wang, fm 4

overbury, sh 4

li, j 4

kang, m 4

kado, t 4

hayase, s 4

gao, l 4

Sources

journal of physical chemistry b 24

materials letters 13

journal of sol-gel science and technology 11

chemistry letters 11

rare metal materials and engineering 10

langmuir 10

journal of photochemistry and photobiology a-chemistry 9

chinese journal of inorganic chemistry 8

acta chimica sinica 8

sensors and actuators b-chemical 7

materials chemistry and physics 7

journal of solid state chemistry 7

journal of colloid and interface science 7

journal of the american chemical society 6
journal of inorganic materials 6

Keywords

chemistry, physical 95
tio2 69
materials science, multidisciplinary 64
chemistry, multidisciplinary 59
titania 46
water 40
oxidation 37
particles 31
tio2 30
photocatalysis 29
films 29
materials science, ceramics 28
oxide 28
nanoparticles 28
titanium-dioxide 25

Publication Year

2005 336
2004 37
2006 6

Country

peoples r china 157
japan 53
usa 45
south korea 38
germany 16
taiwan 11
italy 9
switzerland 8
france 8
england 8
spain 7
india 7
singapore 6
australia 6
mexico 5

Institution

chinese acad sci 30
tianjin univ 19
kyoto univ 15

tsing hua univ 11
zhejiang univ 9
seoul natl univ 8
jilin univ 8
kyushu inst technol 6
kyung hee univ 6
peking univ 5
osaka univ 5
oak ridge natl lab 5
fudan univ 5
e china univ sci & technol 5
xiamen univ 4

DataBase

science citation index 379

- **CLUSTER 65**

Studies on photocatalytic activity, such as photocatalytic degradation, of titanium dioxide (TiO₂), primarily under visible light irradiation (224 Records)

(Countries: China very dominant, Japan, South Korea. Institutions: CAS, University of Osaka Prefecture, Zhejiang University, Kyoto University.).

Cluster Syntax Features

Descriptive Terms

photocatalyt 29.9%, tio2 15.2%, photocatalytic.activity 6.8%, titania 3.8%, photocatalyst

2.9%, visible.light 2.4%, anatas 2.4%, activ 2.3%, degrad 2.2%, visibl 1.6%, light 1.2%, photocatalytic.degradation 0.9%, dope 0.7%, irradi 0.6%, dye 0.6%

Discriminating Terms

photocatalyt 20.2%, tio2 8.2%, photocatalytic.activity 4.6%, titania 2.3%, photocatalyst 1.9%, visible.light 1.6%, film 1.6%, anatas 1.5%, degrad 1.2%, visibl 0.9%, activ 0.6%, photocatalytic.degradation 0.6%, magnet 0.6%, nanotub 0.6%, carbon 0.5%

Single Word Terms

photocatalyt 202, tio2 166, activ 161, degrad 107, surfac 102, anatas 94, light 88, photocatalyst 88, xrd 86, structur 78, temperatur 77, oxid 74, irradi 73, high 71, visibl 71

Double Word Terms

photocatalytic.activity 140, visible.light 61, photocatalytic.degradation 57, sol.gel 53, surface.area 50, ray.diffraction 45, titanium.dioxide 37, light.irradiation 32, diffraction.xrd 31, anatase.rutile 30, activity.tio2 26, methyl.orange 26, doped.tio2 26, electron.microscopy 26, methylene.blue 25

Triple Word Terms

ray.diffraction.xrd 31, visible.light.irradiation 28, photocatalytic.activity.tio2 23, high.photocatalytic.activity 16, transmission.electron.microscopy 14, scanning.electron.microscopy 14, ray.photoelectron.spectroscopy 12, high.surface.area 12, photoelectron.spectroscopy.xps 11, electron.microscopy.tem 10, degradation.methyl.orange 10, photocatalytic.activity.degradation 9, size.surface.area 9, fourier.transform.infrared 9, bet.surface.area 9

Term Cliques

40.97% photocatalyt photocatalyst visible.light activ visibl light dope irradi dye
45.71% photocatalyt tio2 photocatalyst activ degrad light photocatalytic.degradation dope irradi dye
46.34% photocatalyt tio2 photocatalyst activ degrad visibl light dope irradi dye
54.61% photocatalyt tio2 titania activ light dope
50.45% photocatalyt tio2 photocatalytic.activity photocatalyst activ degrad visibl dope dye
55.41% photocatalyt tio2 photocatalytic.activity photocatalyst anatas activ degrad dye
58.48% photocatalyt tio2 photocatalytic.activity titania activ dope
61.98% photocatalyt tio2 photocatalytic.activity titania anatas active

Sample Cluster Record Titles

[Preparation of porous TiO₂ cryogel fibers through unidirectional freezing of hydrogel followed by freeze-drying](#)

[Synthesis and characterization of nano titania powder with high photoactivity for gas-](#)

[phase photo-oxidation of benzene from \$\text{TiOCl}_2\$ aqueous solution at low temperatures](#)

[Photooxidation of xylenol orange in the presence of palladium-modified \$\text{TiO}_2\$ catalysts](#)

[Preparation and photocatalytic activity of titanium oxide anchored on the channel surface of nanoporous material VSB-1](#)

[Discoloration and mineralization of Orange II by using \$\text{Fe}^{3+}\$ -doped \$\text{TiO}_2\$ and bentonite clay-based Fe nanocatalysts](#)

[Photocatalytic degradation of two selected dye derivatives, chromotrope 2B and amido black 10B, in aqueous suspensions of titanium dioxide](#)

[The preparation of \$\text{TiO}_2\$ nanoparticle photocatalysts by a flame method and their photocatalytic reactivity for the degradation of 2-propanol](#)

[Mesoporous spherical aggregates of anatase nanocrystals with wormhole-like framework structures: Their chemical fabrication, characterization, and photocatalytic performance](#)

[A kinetic model for distinguishing between direct and indirect interfacial hole transfer in the heterogeneous photooxidation of dissolved organics on \$\text{TiO}_2\$ nanoparticle suspensions](#)

Cluster Metrics

Authors

lee, gd 7
hong, ss 7
anpo, m 7
yu, jg 6
park, ss 5
jing, lq 5
fu, hg 5
amal, r 5
zhang, jl 4
yuan, cw 4
yu, y 4
yoshikawa, s 4
ju, cs 4
gao, l 4
fu, xz 4

Sources

journal of physical chemistry b 15
applied catalysis b-environmental 14

journal of molecular catalysis a-chemical 9
journal of photochemistry and photobiology a-chemistry 7
research on chemical intermediates 6
rare metal materials and engineering 6
journal of solid state chemistry 6
chemistry of materials 6
catalysis communications 6
langmuir 5
chinese journal of catalysis 5
catalysis today 5
solar energy materials and solar cells 4
materials letters 4
journal of the american ceramic society 4

Keywords

chemistry, physical 92
tio2 51
degradation 50
water 40
photocatalysis 34
photocatalysis 29
oxidation 29
tio2 28
materials science, multidisciplinary 27
anatase 26
chemistry, multidisciplinary 25
particles 25
titanium-dioxide 20
engineering, chemical 20
chemistry, physical 20

Publication Year

2005 195
2004 23
2006 6

Country

peoples r china 100
japan 35
south korea 23
usa 16
germany 10
india 9
australia 9
france 7
taiwan 5

italy 5
spain 4
thailand 3
singapore 2
russia 2
iran 2

Institution

chinese acad sci 21
univ osaka prefecture 9
zhejiang univ 8
kyoto univ 8
pukyong natl univ 7
wuhan univ technol 6
univ new s wales 6
wuhan univ 5
tsing hua univ 5
pohang univ sci & technol 5
ne normal univ 5
jilin univ 5
heilongjiang univ 5
nims 4
nanjing univ 4

DataBase

science citation index 224

- **CLUSTER 199**

Preparation of materials (including powders, silica (SiO₂), and particles) by sol-gel synthesis and subsequent characterization, especially using x-ray diffraction (XRD) (429 Records)

(Countries: China dominant, USA, India. Institutions: National Chemistry lab, CAS, Shandong University.).

Cluster Syntax Features

Descriptive Terms

gel 29.1%, sol 16.2%, sol.gel 13.0%, powder 2.3%, phase 1.0%, precursor 0.8%, calcin 0.6%, sio2 0.6%, materi 0.6%, xrd 0.6%, particl 0.5%, synthesi 0.5%, size 0.5%, temperatur 0.5%, silica 0.4%

Discriminating Terms

gel 21.9%, sol 12.2%, sol.gel 10.0%, film 1.8%, powder 0.9%, surfac 0.7%, nanotub 0.7%, carbon 0.5%, layer 0.5%, quantum 0.5%, deposit 0.5%, nanoparticl 0.5%, polym 0.4%, structur 0.4%, calcin 0.4%

Single Word Terms

gel 411, sol 340, temperatur 200, size 197, powder 182, rai 182, phase 176, xrd 172, structur 161, diffract 160, particl 158, synthesi 156, electron 142, materi 142, properti 127

Double Word Terms

sol.gel 328, ray.diffract 143, electron.microscopy 97, transmission.electron 73, particle.size 69, diffract.xrd 68, scanning.electron 57, synthesized.sol 45, citric.acid 42, gel.derived 34, surface.area 34, gel.synthesis 33, heat.treatment 32, gel.route 31, room.temperature 29

Triple Word Terms

ray.diffract.xrd 61, transmission.electron.microscopy 51, scanning.electron.microscopy 50, synthesized.sol.gel 44, sol.gel.synthesis 32, sol.gel.derived 30, sol.gel.route 27, electron.microscopy.sem 26, electron.microscopy.tem 23, powders.sol.gel 20, fourier.transform.infrared 17, average.particle.size 17, sol.gel.auto 16, diffract.xrd.transmission 16, powder.sol.gel 15

Term Cliques

51.25% gel sol sol.gel sio2 xrd particl silica
50.25% gel sol sol.gel sio2 materi particl silica
53.55% gel sol sol.gel precursor xrd particl silica
52.55% gel sol sol.gel precursor materi particl silica
53.67% gel sol sol.gel phase sio2 xrd particl temperatur
53.68% gel sol sol.gel phase sio2 materi particl
49.73% gel sol sol.gel phase precursor calcin materi particl synthesi
49.13% gel sol sol.gel powder phase precursor calcin xrd particl synthesi size temperature

Sample Cluster Record Titles

[Phase separation in sol-gel derived ZrO₂-SiO₂ nanostructured materials](#)

[Effect of drying temperature on the characteristics of the lead zirconium titanate powders prepared by sol-gel process](#)

[Effect of pH on the formation and combustion process of sol-gel auto-combustion derived NiZn ferrite/SiO₂ composites](#)

[Sol-gel synthesis of Zn-thiourea-SiO₂ thin films from \(EtO\)\(3\)Si\(CH₂\)\(3\)NHC\(=S\)NHPh as molecular precursor](#)

[Sol-gel synthesis and characterization of YBa₂\(Cu_{1-x}Cr_x\)\(4\)O-8 superconductor](#)

[Micro-Raman study of indium doped zirconia obtained by sol-gel](#)

[Effect of presence of an acid catalyst on structure and properties of iron-doped siloxane-polyoxyethylene nanocomposites prepared by sol-gel](#)

[Sol-gel preparation and characterization of CoFe₂O₄-SiO₂ nanocomposites](#)

[Synthesis of Ba\(Mg_{1/3}Ta_{2/3}\)O-3 microwave ceramics through a sol-gel route using acetate salts](#)

Cluster Metrics

Authors

ravi, v 12

pasricha, r 7

tondello, e 6

armelao, l 6

yang, h 5

wu, kh 5

ge, cc 5

yuan, dr 4

yan, qz 4

su, xt 4

liu, w 4

kareiva, a 4

dhage, sr 4

chen, ch 4

bottaro, g 4

Sources

journal of sol-gel science and technology 26
rare metal materials and engineering 22
journal of non-crystalline solids 19
materials letters 18
journal of the american ceramic society 15
chemistry of materials 15
high-performance ceramics iii, pts 1 and 2 14
journal of physical chemistry b 10
journal of inorganic materials 10
materials research bulletin 9
journal of materials chemistry 9
materials science and engineering b-solid state materials for advanced technology 8
materials chemistry and physics 8
journal of the european ceramic society 8
journal of rare earths 6

Keywords

materials science, multidisciplinary 109
materials science, ceramics 94
chemistry, physical 60
materials science, multidisciplinary 58
sol-gel 53
nanoparticles 31
engineering 29
metallurgy & metallurgical 29
sol-gel 26
powders 26
physics, applied 26
physics, condensed matter 24
oxides 24
chemistry, multidisciplinary 23
silica 22

Publication Year

2005 360
2004 61
2006 7
2003 1

Country

peoples r china 135
usa 33
india 30
italy 23

japan 22
taiwan 20
france 20
south korea 18
germany 17
poland 14
spain 13
mexico 13
england 13
brazil 10
portugal 9

Institution

natl chem lab 14
chinese acad sci 13
shandong univ 12
zhejiang univ 10
natl cheng kung univ 10
univ sci & technol beijing 9
tsing hua univ 9
univ autonoma metropolitana iztapalapa 8
xian jiaotong univ 7
univ padua 7
univ aveiro 6
polish acad sci 6
univ sci & technol china 5
tianjin univ 5
jilin univ 5

DataBase

science citation index 429

• CLUSTER 208

Preparation and characterization of powders, emphasizing studies of particle size, synthesis by combustion process or co-precipitation method, and x-ray diffraction (XRD) analyses (491 Records)

(Countries: China, South Korea, India, followed by USA, Japan.

Institutions: CAS, National Chemistry Lab, Tsing Hua University.).

Cluster Syntax Features

Descriptive Terms

powder 50.7%, particl 1.4%, combust 1.4%, synthesi 1.4%, size 1.3%, precipit 1.1%, calcin 1.0%, synthes 0.9%, precursor 0.8%, phase 0.8%, xrd 0.7%, temperatur 0.7%, nanocrystallin 0.6%, particle.size 0.6%, nano 0.6%

Discriminating Terms

powder 38.5%, film 2.3%, combust 1.1%, nanotub 0.7%, layer 0.7%, nanoparticl 0.7%, calcin 0.6%, precipit 0.6%, surfac 0.6%, quantum 0.5%, carbon 0.5%, deposit 0.5%, magnet 0.5%, structur 0.4%, si 0.4%

Single Word Terms

powder 486, size 282, particl 260, temperatur 241, synthesi 229, phase 204, rai 204, xrd 203, synthes 192, diffract 167, electron 160, structur 146, tem 130, microscopi 129, high 128

Double Word Terms

ray.diffraction 142, particle.size 132, electron.microscopy 119, diffraction.xrd 84, transmission.electron 81, scanning.electron 79, powders.synthesized 62, surface.area 56, solid.state 55, microscopy.sem 44, single.phase 40, microscopy.tem 38, low.temperature 34, xrd.tem 32, room.temperature 32

Triple Word Terms

ray.diffraction.xrd 74, transmission.electron.microscopy 65, scanning.electron.microscopy 64, electron.microscopy.sem 42, electron.microscopy.tem 38, solid.state.reaction 28, average.particle.size 27, powder.ray.diffraction 24, powders.ray.diffraction 23, xrd.transmission.electron 22, ray.powder.diffraction 18, xrd.scanning.electron 14, diffraction.xrd.transmission 14, scanning.electron.microscope 14, differential.thermal.dta 13

Term Cliques

42.33% powder particl size precipit calcin synthes phase xrd temperatur particle.size

nano

42.75% powder particle synthesis size precipitate calcination synthesis phase xrd temperature
nanocrystalline particle size

44.57% powder particle synthesis size precipitate calcination synthesis precursor phase xrd
temperature

44.03% powder particle combustion synthesis size calcination synthesis precursor phase xrd
temperature

Sample Cluster Record Titles

[X-ray diffraction analysis of quasi-crystalline AlCuFe powder oxidation at 500 degrees C](#)

[Preparation and electrochemical characterization of size controlled SnO₂-RuO₂
composite powder for monolithic hybrid battery](#)

[Direct synthesis of iron oxide nanopowders by the combustion approach: Reaction
mechanism and properties](#)

[Preparation of nano metal carbide powders by electric explosion of conductors in liquid
hydrocarbons](#)

[Fabrication and characterization of nano Fe-Al mixture powders by the simultaneous
pulsed wire evaporation method](#)

[Preparation and electromagnetic performance of Cu/T-ZnO whiskers composite powders
by electroless copper plating](#)

[Preparation and gas-sensing properties of zinc oxide nano-powders by microwave
hydrolysis](#)

[Synthesis and characterization of microwave-hydrothermally derived Ba_{1-x}Sr_xTiO₃
powders](#)

[Synthesis of nano-sized ceria powders by two-emulsion method using sodium hydroxide](#)

Cluster Metrics

Authors

ravi, v 15

zhao, xb 8

lee, jh 8

fu, yp 8
samuel, v 7
shi, jl 6
zhu, tj 5
tu, jp 5
pasricha, r 5
liu, h 5
lee, js 5
huang, by 5
dhage, sr 5
zhang, y 4
won, cw 4

Sources

rare metal materials and engineering 30
materials letters 30
journal of alloys and compounds 21
journal of the american ceramic society 19
high-performance ceramics iii, pts 1 and 2 17
ceramics international 17
chinese journal of inorganic chemistry 13
materials research bulletin 11
materials chemistry and physics 11
journal of the european ceramic society 10
journal of materials research 10
journal of the ceramic society of japan 8
transactions of nonferrous metals society of china 7
materials science and engineering b-solid state materials for advanced technology 7
materials science and engineering a-structural materials properties microstructure and processing 7

Keywords

materials science, multidisciplinary 164
materials science, ceramics 80
engineering 49
metallurgy & metallurgical 49
chemistry, physical 46
physics, applied 40
materials science, multidisciplinary 40
powders 38
particles 33
physics, condensed matter 25
nanoparticles 25
chemistry, inorganic & nuclear 24
oxides 23
metallurgical engineering 22

microstructure 22

Publication Year

2005 434

2004 49

2006 8

Country

peoples r china 177

south korea 52

india 51

usa 38

japan 38

france 29

taiwan 26

russia 17

italy 13

germany 13

brazil 10

australia 9

switzerland 8

england 8

poland 7

Institution

chinese acad sci 27

natl chem lab 20

tsing hua univ 17

zhejiang univ 13

hanyang univ 12

univ sci & technol china 8

russian acad sci 8

natl inst mat sci 8

wu feng inst technol 7

shandong univ 7

cent s univ 7

univ sci & technol beijing 6

jinan univ 6

natl taiwan univ 5

korea inst sci & technol 5

DataBase

science citation index 491

• CLUSTER 49

High-energy ball milling, focusing on production of materials (especially nanocrystalline powders), phase formation/transformation, and studies on magnesium hydride (MgH₂) (200 Records)

(Countries: China, followed by Japan, USA. Institutions: CAS, RAS. USA includes UCD.).

Cluster Syntax Features

Descriptive Terms

mill 51.3%, ball 7.9%, powder 6.5%, ball.milling 3.6%, alloy 1.2%, phase 1.0%, nanocrystalline 0.8%, mechan 0.8%, high.energy 0.8%, energy.ball 0.6%, high.energy.ball 0.6%, milling.time 0.6%, mgh₂ 0.6%, hydrogen 0.6%, mechanical.alloying 0.6%

Discriminating Terms

mill 34.0%, ball 5.1%, powder 2.9%, ball.milling 2.4%, film 1.9%, surfac 0.7%, layer 0.6%, nanoparticl 0.6%, nanotub 0.5%, deposit 0.5%, high.energy 0.5%, magnet 0.5%, quantum 0.4%, high.energy.ball 0.4%, energy.ball 0.4%

Single Word Terms

mill 195, powder 151, ball 135, mechan 108, high 103, rai 102, phase 100, size 98, diffract 96, temperatur 89, energi 86, structur 81, composit 72, particl 72, format 71

Double Word Terms

ball.milling 104, ray.diffraction 74, high.energy 69, energy.ball 48, milling.time 43, electron.microscopy 42, mechanical.alloying 36, ball.milled 32, particle.size 31, scanning.electron 30, ball.mill 30, diffraction.xrd 28, milled.powders 27, mechanical.milling 25, transmission.electron 25

Triple Word Terms

high.energy.ball 48, energy.ball.milling 44, transmission.electron.microscopy 24, scanning.electron.microscopy 23, ray.diffraction.xrd 22, differential.scanning.calorimetry 18, electron.microscopy.sem 16, ray.powder.diffraction 14, planetary.ball.mill 13, synthesized.high.energy 12, electron.microscopy.tem 11, high.energy.milling 11, solid.state.reaction 9, spark.plasma.sintering 7, diffraction.transmission.electron 7

Term Cliques

37.67% mill alloy mechan mgh2 hydrogen mechanical.alloying
47.50% mill powder alloy phase nanocrystallin mechan milling.time mechanical.alloying
48.70% mill ball ball.milling mgh2 hydrogen
54.00% mill ball powder ball.milling phase nanocrystallin high.energy milling.time
50.94% mill ball powder ball.milling phase nanocrystallin high.energy energy.ball
high.energy.ball

Sample Cluster Record Titles

[Controlled mechano-chemical synthesis of nanostructured ternary complex hydride Mg₂FeH₆ under low-energy impact mode with and without pre-milling](#)

[Characterisation of Mg-x wt.% FeTi \(x=5-30\) and Mg-40 wt.% FeTiMn hydrogen absorbing materials prepared by mechanical alloying](#)

[Mechanochemical synthesis of nanocomposite powder for ultrafine \(Ti, Mo\)C-Ni cermet without core-rim structure](#)

[Phase transformations in nanocrystalline TiO₂ milled in different milling atmospheres](#)

[Formation of an intermediate phase in the ball milling synthesis of the sillenite phase of BSO and BTO](#)

[Characteristics of nano-reactor and phenomena during mechanical milling of hematite-graphite mixture](#)

[Nanoparticles of ZnO obtained by mechanical milling](#)

[Nanocrystalline NiCrAlY powder synthesis by mechanical cryomilling](#)

[Controlled reduction of NiO using reactive ball milling under hydrogen atmosphere leading to Ni-NiO nanocomposites](#)

Cluster Metrics

Authors

pradhan, sk 8
zhou, t 4
varin, ra 4
petkov, v 4
jiang, w 4
ichikawa, t 4
calka, a 4
zhang, yf 3
wang, lj 3
spassov, t 3
schultz, l 3
oleszak, d 3
morozova, o 3
huot, j 3
grabias, a 3

Sources

journal of alloys and compounds 33
materials science and engineering a-structural materials properties microstructure and processing 9
rare metal materials and engineering 8
journal of the american ceramic society 7
reviews on advanced materials science 6
materials chemistry and physics 6
journal of materials processing technology 6
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 5
powder technology 5
materials science and engineering b-solid state materials for advanced technology 5
materials transactions 4
journal of materials science 4
transactions of nonferrous metals society of china 3
scripta materialia 3
journal of physical chemistry b 3

Keywords

materials science, multidisciplinary 67
materials science, multidisciplinary 45
chemistry, physical 43
metallurgical engineering 36
metallurgy & 36
engineering 20
metallurgy & metallurgical 20

materials science, ceramics 17
powders 17
kinetics 17
x-ray diffraction 15
mechanical alloying 15
system 13
ball milling 13
mechanical alloying 12

Publication Year

2005 169
2004 24
2006 7

Country

peoples r china 37
japan 22
usa 18
india 15
germany 15
poland 13
spain 12
france 12
canada 11
south korea 10
russia 10
italy 9
serbia monteneg 7
mexico 7
brazil 7

Institution

chinese acad sci 14
russian acad sci 6
univ wollongong 5
univ belgrade 5
xian jiaotong univ 4
warsaw univ technol 4
univ waterloo 4
univ calif davis 4
univ cagliari 4
univ burdwan golapbag 4
univ burdwan 4
tohoku univ 4
silesian tech univ 4
indian inst technol 4

- **CLUSTER 198**

Sintering (especially spark plasma sintering) to produce and modify materials, including ceramics and magnesium diboride (MgBr₂) materials (143 Records)

China, followed by USA, Japan. Institutions: CAS dominant, Polish Academy of Sciences, UCD, National Institute of Materials Science.).

Cluster Syntax Features

Descriptive Terms

sinter 17.2%, pressur 7.4%, grain 2.8%, gpa 2.6%, high.pressure 2.5%, phase 2.4%, mgb2 1.8%, sampl 1.7%, temperatur 1.7%, plasma.sintering 1.4%, spark.plasma 1.4%, ceram 1.4%, spark.plasma.sintering 1.4%, spark 1.2%, powder 1.1%

Discriminating Terms

sinter 13.1%, pressur 4.5%, film 2.2%, gpa 2.0%, high.pressure 1.9%, mgb2 1.5%, grain 1.2%, plasma.sintering 1.2%, spark.plasma 1.2%, spark.plasma.sintering 1.1%, spark 1.0%, surfac 0.9%, sp 0.8%, carbon 0.7%, nanoparticl 0.7%

Single Word Terms

temperatur 93, high 82, phase 77, grain 67, sinter 61, rai 61, size 61, pressur 59, diffract 58, powder 57, sampl 57, properti 55, structur 54, microstructur 49, electron 44

Double Word Terms

ray.diffraction 53, high.pressure 33, grain.size 33, room.temperature 24, plasma.sintering 22, electron.microscopy 21, spark.plasma 21, high.temperature 19, phase.transition 18, grain.growth 17, pressure.gpa 16, scanning.electron 15, sintering.sps 15, transmission.electron 14, mechanical.properties 13

Triple Word Terms

spark.plasma.sintering 21, plasma.sintering.sps 15, diamond.anvil.cell 11, transmission.electron.microscopy 11, scanning.electron.microscopy 10, average.grain.size 8, synchrotron.ray.diffraction 7, critical.current.density 7, gpa.room.temperature 6, high.pressure.gpa 6, ray.diffraction.xrd 6, dispersive.ray.diffraction 6, scanning.electron.microscope 5, pressure.high.temperature 5, energy.dispersive.ray 5

Term Cliques

45.45% high.pressure phase sampl temperatur
41.40% grain sampl temperatur plasma.sintering powder
46.68% grain phase temperatur ceram
42.66% grain phase mgb2 sampl temperatur
41.12% pressur gpa high.pressure phase temperatur
26.22% sinter grain plasma.sintering spark.plasma ceram spark.plasma.sintering spark powder
38.46% sinter grain temperatur plasma.sintering ceram powder

Sample Cluster Record Titles

[The effect of nano-powder additions on the superconducting properties of MgB₂](#)

[The effect of phosphorus additions on densification, grain growth and properties of nanocrystalline WC-Co composites](#)

[Sintering of nanophase WC-15vol.%Co hard metals by rapid sintering process](#)

[Mechanical properties and microstructure of silicon nitride ceramics by pressureless sintering](#)

[Rapid fabrication of nano-structured Ti₅Si₃-TiC composites by spark plasma sintering](#)

[Preparation and sintering of Ce_{1-x}Gd_xO_{2-x/2} nanopowders and their electrochemical and EPR characterization](#)

[Spark-plasma sintering of silicon carbide whiskers \(SiCw\) reinforced nanocrystalline alumina](#)

[Nanocrystalline WC-10%Co-0.8% VC cemented carbides prepared by spark plasma sintering](#)

[Machinable Ti\(3\)AlC\(2\) ceramics produced by spark plasma sintering](#)

Cluster Metrics

Authors

jin, cq 5
muller, e 4
mukherjee, ak 4
yuan, rz 3
yu, y 3
wu, mk 3
sundqvist, b 3
stiewe, c 3
shi, xl 3
shao, gq 3
liu, j 3
kuntz, jd 3
gierlotka, s 3
duan, xl 3
duan, rg 3

Sources

rare metal materials and engineering 8
journal of the american ceramic society 8
physical review b 7
superconductor science & technology 5
physica c-superconductivity and its applications 5
journal of applied physics 5
solid state ionics 4
journal of materials science 4
ieee transactions on applied superconductivity 4
materials science and engineering a-structural materials properties microstructure and processing 3
journal of the european ceramic society 3
journal of solid state chemistry 3
journal of physical chemistry b 3
journal of alloys and compounds 3
scripta materialia 2

Keywords

materials science, multidisciplinary 38
physics, applied 24

materials science, ceramics 19
microstructure 18
physics, condensed matter 15
physics, condensed matter 14
engineering 12
chemistry, physical 12
metallurgy & metallurgical 12
physics, applied 10
critical-current density 8
phase 8
microstructure 7
composites 7
ceramics 7

Publication Year

2005 121
2004 21
2006 1

Country

peoples r china 35
usa 21
japan 20
india 13
germany 11
france 10
russia 9
poland 8
south korea 6
italy 6
taiwan 5
sweden 5
spain 5
australia 5
ukraine 4

Institution

chinese acad sci 17
polish acad sci 6
univ calif davis 5
natl inst mat sci 5
shanghai univ 4
osaka univ 4
cnrs 4
wuhan univ technol 3
umea univ 3

russian acad sci 3
natl cheng kung univ 3
natl acad sci ukraine 3
australian nucl sci & technol org 3
acad sinica 3
warsaw univ technol 2

DataBase

science citation index 143

- **CLUSTER 101**

Sintering (including spark plasma and liquid phase sintering) of powders, ceramics, nanocomposites, and alumina-based materials, with emphasis on densification and microstructure of products (200 Records)

(Countries: China dominant, Japan, USA, South Korea. Institutions: CAS, Lehigh University, Hanyang University. Other USA includes Penn State University.).

Cluster Syntax Features

Descriptive Terms

sinter 57.0%, powder 6.3%, ceram 2.2%, densif 1.0%, sintering.temperature 0.9%,

composit 0.9%, grain 0.7%, alumina 0.7%, temperatur 0.7%, microstructur 0.6%, phase 0.6%, size 0.5%, particl 0.5%, densiti 0.5%, sampl 0.4%

Discriminating Terms

sinter 38.8%, powder 2.9%, film 1.9%, ceram 1.1%, surfac 0.8%, densif 0.7%, sintering.temperature 0.6%, magnet 0.6%, carbon 0.6%, nanoparticl 0.6%, layer 0.6%, nanotub 0.6%, structur 0.5%, deposit 0.5%, quantum 0.4%

Single Word Terms

sinter 199, powder 143, temperatur 121, size 102, phase 95, microstructur 82, particl 81, densiti 78, composit 76, grain 73, high 72, ceram 72, sampl 72, properti 68, materi 65

Double Word Terms

sintering.temperature 50, ray.diffraction 43, grain.size 37, electron.microscopy 32, particle.size 30, scanning.electron 30, mechanical.properties 25, spark.plasma 24, low.temperature 23, plasma.sintering 23, relative.density 22, diffraction.xrd 22, liquid.phase 17, pressureless.sintering 16, nano.sized 16

Triple Word Terms

spark.plasma.sintering 23, scanning.electron.microscopy 22, ray.diffraction.xrd 21, plasma.sintering.sps 13, transmission.electron.microscopy 12, average.grain.size 12, liquid.phase.sintering 11, electron.microscopy.sem 11, solid.oxide.fuel 8, sintering.low.temperature 6, scanning.electron.microscope 6, particle.size.distribution 6, oxide.fuel.cells 6, diffraction.xrd.scanning 5, low.sintering.temperature 5

Term Cliques

51.50% sinter composit grain temperatur size densiti sampl
52.71% sinter composit grain temperatur phase size sampl
44.57% sinter composit grain alumina size densiti sampl
45.21% sinter composit grain alumina size particl densiti
45.79% sinter composit grain alumina phase size sampl
46.43% sinter composit grain alumina phase size particl
49.64% sinter sintering.temperature grain temperatur size densiti sampl
49.63% sinter sintering.temperature grain temperatur microstructur phase size sampl
42.71% sinter sintering.temperature grain alumina size densiti sampl
43.36% sinter sintering.temperature grain alumina size particl densiti
43.56% sinter sintering.temperature grain alumina microstructur phase size sampl
44.12% sinter sintering.temperature grain alumina microstructur phase size particl
50.86% sinter densif temperatur microstructur phase size sampl
43.93% sinter densif alumina microstructur phase size sampl
44.57% sinter densif alumina microstructur phase size particl
49.21% sinter densif composit temperatur size densiti sampl
50.43% sinter densif composit temperatur phase size sampl
42.29% sinter densif composit alumina size densiti sampl
42.93% sinter densif composit alumina size particl densiti
43.50% sinter densif composit alumina phase size sampl

44.14% sinter densif composit alumina phase size particl
 44.57% sinter ceram composit grain alumina size densiti
 45.79% sinter ceram composit grain alumina phase size
 42.71% sinter ceram sintering.temperature grain alumina size densiti
 43.56% sinter ceram sintering.temperature grain alumina microstructur phase size
 43.93% sinter ceram densif alumina microstructur phase size
 42.29% sinter ceram densif composit alumina size densiti
 43.50% sinter ceram densif composit alumina phase size
 54.56% sinter powder composit grain temperatur size particl densiti
 55.62% sinter powder composit grain temperatur phase size particl
 52.94% sinter powder sintering.temperature grain temperatur size particl densiti
 52.56% sinter powder sintering.temperature grain temperatur microstructur phase size
 particl
 54.00% sinter powder densif temperatur microstructur phase size particl
 52.56% sinter powder densif composit temperatur size particl densiti
 53.62% sinter powder densif composit temperatur phase size particl
 54.00% sinter powder ceram composit grain temperatur size densiti
 55.06% sinter powder ceram composit grain temperatur phase size
 52.38% sinter powder ceram sintering.temperature grain temperatur size densiti
 52.06% sinter powder ceram sintering.temperature grain temperatur microstructur phase
 size
 53.44% sinter powder ceram densif temperatur microstructur phase size
 52.00% sinter powder ceram densif composit temperatur size densiti
 53.06% sinter powder ceram densif composit temperatur phase size

Sample Cluster Record Titles

[Microstructure of sol-gel synthesized \$\text{Al}_2\text{O}_3\text{-ZrO}_2\(\text{Y}_2\text{O}_3\)\$ nano-composites studied by transmission electron microscopy](#)

[Sintered glass-ceramic from municipal solid waste incinerator ashes](#)

[Solid solution formation at the sintering of hydroxyapatite-fluorapatite ceramics](#)

[Abrasive wear of steam-treated sintered iron](#)

[Effect of the dimensional factor on sintering composites of the system \$\text{W-Sc}_2\text{O}_3\$](#)

[Preparation, sintering, and water incorporation of proton conducting \$\text{Ba}_{0.99}\text{Zr}_{0.8}\text{Y}_{0.2}\text{O}_{3-\delta}\$: comparison between three different synthesis techniques](#)

[Influence of particle morphology on nanostructural feature and conducting property in Sm-doped \$\text{CeO}_2\$ sintered body](#)

[Spark plasma sintering of functionally graded material in the Ti-TiB₂-B system](#)

[Low-temperature, single step, reactive sintering of lead magnesium niobate using Mg\(OH\)₂-coated Nb₂O₅ powders](#)

Cluster Metrics

Authors

harmer, mp 6

li, jg 5

mori, t 4

lee, js 4

chen, ld 4

zyryanov, vv 3

khori, ka 3

ikegami, t 3

dong, wm 3

chan, hm 3

zhu, qs 2

zhang, kf 2

yang, h 2

xu, q 2

wang, yw 2

Sources

journal of the american ceramic society 21

rare metal materials and engineering 12

journal of the european ceramic society 12

high-performance ceramics iii, pts 1 and 2 11

solid state ionics 9

materials science and engineering a-structural materials properties microstructure and processing 7

science of sintering 5

pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 5

materials letters 5

journal of the ceramic society of japan 5

materials research bulletin 4

journal of inorganic materials 4

journal of alloys and compounds 4

powder metallurgy 3

international journal of refractory metals & hard materials 3

Keywords

materials science, ceramics 60

materials science, multidisciplinary 56
ceramics 26
microstructure 23
engineering 20
sintering 20
powders 20
metallurgy & metallurgical 20
chemistry, physical 16
behavior 16
sintering 15
physics, condensed matter 14
ceramics 13
composites 11
metallurgy & metallurgical engineering 10

Publication Year

2005 176
2004 18
2006 6

Country

peoples r china 61
japan 28
usa 23
south korea 19
india 10
spain 9
germany 9
france 8
taiwan 6
russia 6
italy 6
england 6
brazil 6
ukraine 4
poland 4

Institution

chinese acad sci 12
lehigh univ 7
hanyang univ 7
tsing hua univ 5
tianjin univ 5
natl inst mat sci 5
indian inst technol 5
wuhan univ technol 4

univ sci & technol beijing 4
harbin inst technol 4
cnrs 4
univ sci & technol china 3
seoul natl univ 3
ras 3
penn state univ 3

DataBase
science citation index 200

- **CLUSTER 211**

Ceramics made of zirconia (ZrO_2) and yttrium stabilized zirconia (YSZ), alumina (Al_2O_3), and silicon carbide (SiC), focusing on mechanical properties and microstructural characterization (255 Records)

(Countries: China dominant, USA, followed by Japan, France.
Institutions: CAS, RAS, Tsing Hua University.).

Cluster Syntax Features

Descriptive Terms

ceram 21.2%, zro2 5.8%, zirconia 5.5%, composit 5.4%, al2o3 5.1%, alumina 3.2%, nano 1.9%, powder 1.5%, phase 1.4%, ysz 1.2%, sinter 1.0%, coat 0.9%, microstructur 0.8%, materi 0.8%, sic 0.8%

Discriminating Terms

ceram 16.6%, zro2 4.5%, zirconia 4.4%, al2o3 3.6%, film 2.3%, composit 2.2%, alumina 2.2%, ysz 0.9%, nano 0.8%, nanotub 0.7%, magnet 0.7%, nanoparticl 0.6%, carbon 0.6%, surfac 0.5%, quantum 0.5%

Single Word Terms

composit 140, ceram 133, phase 118, properti 109, temperatur 106, materi 100, powder 99, size 89, particl 89, structur 84, surfac 79, mechan 78, high 77, electron 75, al2o3 71

Double Word Terms

electron.microscopy 53, scanning.electron 50, ray.diffraction 42, mechanical.properties 38, high.temperature 27, stabilized.zirconia 23, transmission.electron 22, fracture.toughness 21, heat.treatment 21, alpha.al2o3 20, diffraction.xrd 20, yttria.stabilized 19, grain.size 17, microscopy.sem 17, nano.sized 17

Triple Word Terms

scanning.electron.microscopy 42, ray.diffraction.xrd 18, transmission.electron.microscopy 17, electron.microscopy.sem 17, yttria.stabilized.zirconia 16, solid.oxide.fuel 15, strength.fracture.toughness 12, electron.microscopy.tem 11, oxide.fuel.cells 9, solid.state.reaction 9, al2o3.alpha.al2o3 7, xrd.scanning.electron 7, stabilized.zirconia.ysz 7, microstructure.mechanical.properties 7, diffraction.xrd.scanning 6

Term Cliques

32.10% composit al2o3 alumina phase microstructur materi sic
33.45% composit al2o3 alumina phase coat microstructur materi
30.31% composit al2o3 alumina phase sinter microstructur sic
30.25% composit al2o3 alumina nano coat microstructur materi
30.15% composit al2o3 alumina nano powder microstructur materi sic
28.58% composit al2o3 alumina nano powder sinter microstructur sic
33.14% zirconia alumina phase materi
30.00% zirconia alumina phase sinter
23.92% zro2 nano powder ysz sinter
30.00% zro2 al2o3 phase coat microstructur materi
30.04% zro2 al2o3 phase sinter microstructur

26.27% zro2 al2o3 nano coat microstructur materi
29.87% zro2 al2o3 nano powder microstructur materi
27.78% zro2 al2o3 nano powder sinter microstructur
33.33% zro2 zirconia phase materi
25.73% zro2 zirconia phase ysz sinter
40.08% ceram composit phase materi sic
37.57% ceram composit phase sinter sic
36.14% ceram composit nano powder materi sic
34.05% ceram composit nano powder sinter sic

Sample Cluster Record Titles

[Microstructure and mechanical properties of two kinds of Al₂O₃/SiC nanocomposites](#)

[A study on the microstructure of nano-scale ceramic tool materials](#)

[Hard, tough and strong ZrO₂-WC composites from nanosized powders](#)

[Formation and properties of the BSTN composite ceramics with perovskite and tungsten bronze phases](#)

[Hydrothermal synthesis of zirconia-based nanocrystals in the ZrO₂-In₂O₃ system](#)

[Gel casting and properties of porous silicon carbide/silicon nitride composite ceramics](#)

[Probing the effects of interfacial chemistry on the kinetics of phase transitions in amorphous and tetragonal zirconia nanocrystals](#)

[Effect of starting powders size on the Al₂O₃-TiC composites](#)

[Effect of polyethylene glycol on the microstructure and PTCR characteristics of n-BaTiO₃ ceramics](#)

Cluster Metrics

Authors

zhao, zm 4

zhang, xd 4

zhang, l 4

zhang, h 4

fantozzi, g 4

sekino, t 3

qi, lh 3

pezzotti, g 3
pan, w 3
niihara, k 3
li, xd 3
kim, yh 3
jin, zh 3
ivanov, vv 3
hirata, y 3

Sources

journal of the european ceramic society 18
journal of the american ceramic society 15
high-performance ceramics iii, pts 1 and 2 13
rare metal materials and engineering 10
surface & coatings technology 8
materials letters 8
glass physics and chemistry 7
advanced engineering materials 6
transactions of nonferrous metals society of china 5
solid state ionics 5
reviews on advanced materials science 5
journal of inorganic materials 5
ceramics international 5
journal of the ceramic society of japan 4
journal of materials science 4

Keywords

materials science, multidisciplinary 64
materials science, ceramics 61
microstructure 34
ceramics 21
behavior 21
engineering 20
metallurgy & metallurgical 20
zirconia 19
composites 19
alumina 18
chemistry, physical 16
materials science, multidisciplinary 16
system 15
ceramics 13
strength 12

Publication Year

2005 226
2004 23

2006 5
2003 1

Country

peoples r china 90
usa 36
japan 24
france 20
russia 14
italy 12
germany 12
south korea 11
poland 11
taiwan 6
spain 6
singapore 6
india 6
england 5
ukraine 4

Institution

chinese acad sci 12
russian acad sci 11
tsing hua univ 10
shanghai jiao tong univ 6
shandong univ 6
zhejiang univ 5
tianjin univ 5
natl univ singapore 5
huazhong univ sci & technol 5
xian jiaotong univ 4
wuhan univ technol 4
sichuan univ 4
osaka univ 4
inst natl sci appl 4
hefei univ technol 4

DataBase

science citation index 255

• CLUSTER 155

Dielectric (especially ferroelectric and piezoelectric) properties of ceramics, emphasizing glass and barium-titanate (BaTiO₃) based materials (192 Records)

(Countries: China, India, USA. Institutions: Indian Institute of Technology, CAS, Tsing Hua University.).

Cluster Syntax Features

Descriptive Terms

ceram 22.0%, dielectr 14.4%, ferroelectr 4.1%, dielectric.properties 2.2%, glass 2.2%, temperatur 2.0%, sinter 1.9%, phase 1.5%, dielectric.constant 1.5%, batio3 1.4%, properti 1.1%, grain 1.0%, constant 1.0%, piezoelectr 1.0%, dope 0.9%

Discriminating Terms

ceram 15.7%, dielectr 9.6%, ferroelectr 2.8%, film 2.2%, dielectric.properties 1.7%, sinter 1.1%, dielectric.constant 1.0%, batio3 1.0%, surfac 1.0%, glass 0.9%, nanoparticl 0.7%, carbon 0.7%, piezoelectr 0.7%, particl 0.6%, nanotub 0.6%

Single Word Terms

temperatur 143, ceram 139, dielectr 123, properti 118, phase 117, structur 117, rai 94, diffract 86, high 83, sampl 76, grain 73, constant 70, electron 67, materi 65, ferroelectr 64

Double Word Terms

ray.diffraction 74, dielectric.constant 59, dielectric.properties 57, electron.microscopy 45, solid.state 39, room.temperature 36, scanning.electron 35, high.temperature 27, state.reaction 26, electrical.properties 26, grain.size 25, transmission.electron 25, phase.transition 22, diffraction.xrd 21, temperature.coefficient 19

Triple Word Terms

solid.state.reaction 26, scanning.electron.microscopy 25, transmission.electron.microscopy 22, ray.diffraction.xrd 17, conventional.solid.state 16, microwave.dielectric.properties 15, dielectric.constant.epsilon 13, electron.microscopy.sem 10, morphotropic.phase.boundary 9, temperature.coefficient.resonant 9, high.dielectric.constant 8, diffraction.scanning.electron 8, electron.microscopy.tem 8, ceramics.polycrystalline.samples 8, ray.diffraction.scanning 8

Term Cliques

38.80% glass phase

44.43% ceram dielectr temperatur sinter dielectric.constant properti grain constant

piezoelectr dope
 43.33% ceram dielectr temperatur sinter dielectric.constant batio3 properti grain constant piezoelectr
 46.70% ceram dielectr dielectric.properties temperatur sinter dielectric.constant properti constant dope
 45.49% ceram dielectr dielectric.properties temperatur sinter dielectric.constant batio3 properti constant
 43.85% ceram dielectr ferroelectr temperatur dielectric.constant batio3 properti grain constant piezoelectr
 46.40% ceram dielectr ferroelectr temperatur phase dielectric.constant properti grain constant piezoelectr dope
 46.06% ceram dielectr ferroelectr dielectric.properties temperatur dielectric.constant batio3 properti constant
 48.65% ceram dielectr ferroelectr dielectric.properties temperatur phase dielectric.constant properti constant dope

Sample Cluster Record Titles

[The structure, electrical and ethanol-sensing properties of \$\text{La}_{1-x}\text{Pb}_x\text{FeO}_3\$ perovskite ceramics with \$x \leq 0.3\$](#)

[Tunability and relaxor properties of ferroelectric barium stannate titanate ceramics](#)

[Conductivity and superconductivity of \$\(\text{Bi,Pb}\)_4\text{Sr}_3\text{Ca}_3\text{Cu}_4\text{O}_x\$ glass-ceramics](#)

[Microstructure and dielectric properties of \$\text{Ba}\(\text{Cd}_{1/3}\text{Ta}_{2/3}\)\text{O}_3\$ microwave ceramics synthesized with a boron oxide sintering aid](#)

[Structure of nanocrystalline titania ceramics studied by x-ray diffraction, atomic force microscopy, and thermal phonon kinetics](#)

[Dielectric properties of \$\text{LiNbO}_3\$ glass mixed with strong glass former \$\text{SiO}_2\$](#)

[Crystallization and dielectric properties of \$2\text{SrTiO}_3\text{--SiO}_2\$ glass](#)

[Dielectric properties of LTNO ceramics and LTNO/PVDF composites](#)

[Ferroelectric and optic properties of the translucent \$\text{BaTiO}_3\$ ceramics derived from nanocrystalline monolith](#)

Cluster Metrics

Authors

yin, qr 9
li, gr 9
choudhary, rnp 9
zheng, ly 6
sebastian, mt 6
li, lt 5
gui, zl 5
chen, w 5
bijumon, pv 5
zhou, j 4
zhao, sc 4
zhang, l 4
xu, q 4
thakur, ak 4
sharma, s 4

Sources

high-performance ceramics iii, pts 1 and 2 16
materials letters 9
journal of applied physics 8
journal of the american ceramic society 7
applied physics letters 7
materials science and engineering b-solid state materials for advanced technology 6
journal of the european ceramic society 6
journal of materials science 6
journal of electroceramics 6
physical review b 5
journal of non-crystalline solids 5
physica b-condensed matter 4
materials chemistry and physics 4
journal of materials research 4
japanese journal of applied physics part 1-regular papers brief communications & review papers 4

Keywords

materials science, multidisciplinary 46
materials science, ceramics 31
physics, applied 26
ceramics 24
physics, applied 22
physics, condensed matter 19
ceramics 17
microstructure 17
system 14
physics, condensed matter 14
temperature 12

physics, multidisciplinary 11
engineering, electrical & electronic 11
materials science, multidisciplinary 11
dielectric properties 11

Publication Year

2005 153
2004 37
2006 2

Country

peoples r china 51
india 35
usa 29
japan 15
germany 11
france 11
taiwan 9
russia 9
england 9
south korea 8
italy 7
brazil 5
romania 4
mexico 4
canada 4

Institution

indian inst technol 14
chinese acad sci 14
tsing hua univ 8
russian acad sci 6
penn state univ 6
wuhan univ technol 5
univ sheffield 5
natl cheng kung univ 5
jingdezhen ceram inst 4
csir 4
univ aveiro 3
solid state phys lab 3
pusan natl univ 3
kfa julich gmbh 3
european synchrotron radiat facil 3

DataBase

science citation index 192

• CLUSTER 59

Glass ceramics, including cordierite and various ceramic oxides (Na₂O, SiO₂, and CaO), focusing on crystallization, nucleation, and heat treatment (78 Records)

(Countries: China, followed by France, Russia. Institutions: CAS, Tsing Hua University. USA includes UCD.).

Cluster Syntax Features

Descriptive Terms

glass 39.9%, glass.ceramics 10.3%, ceram 6.4%, crystal 3.4%, cordierit 1.9%, heat 1.1%, phase 0.8%, nucleat 0.8%, na2o 0.8%, sio2 0.7%, glass.ceramic 0.7%, heat.treatment 0.6%, composit 0.6%, cao 0.6%, treatment 0.6%

Discriminating Terms

glass 24.5%, glass.ceramics 7.1%, ceram 3.6%, film 2.0%, cordierit 1.3%, surfac 0.7%, carbon 0.6%, nanoparticl 0.6%, crystal 0.6%, layer 0.6%, nanotub 0.6%, magnet 0.6%, na2o 0.5%, deposit 0.5%, particl 0.5%

Single Word Terms

glass 72, crystal 54, phase 43, rai 42, ceram 41, temperatur 40, heat 38, diffract 38, composit 36, xrd 35, structur 34, treatment 29, size 29, thermal 29, sampl 28

Double Word Terms

ray.diffraction 33, glass.ceramics 32, heat.treatment 23, electron.microscopy 17, diffraction.xrd 16, glass.ceramic 15, scanning.electron 14, crystalline.phases 12, al2o3.sio2 11, differential.thermal 11, energy.dispersive 9, thermal.dta 9, xrd.sem 9, glass.composition 9, phase.separation 8

Triple Word Terms

ray.diffraction.xrd 14, scanning.electron.microscopy 11, differential.thermal.dta 8, energy.dispersive.ray 7, transmission.electron.microscopy 7, electron.microscopy.sem 6, angle.ray.scattering 6, oxyfluoride.glass.ceramics 5, powder.ray.diffraction 5,

activation.energy.crystallization 5, small.angle.ray 5, al2o3.sio2.system 4,
diffraction.xrd.transmission 4, ray.powder.diffraction 4, electron.microscopy.tem 4

Term Cliques

40.00% ceram crystal cordierit phase cao
47.25% glass crystal phase na2o glass.ceramic heat.treatment composit
43.75% glass crystal phase na2o sio2 glass.ceramic composit cao
44.87% glass crystal phase nucleat na2o glass.ceramic heat.treatment
41.67% glass crystal phase nucleat na2o sio2 glass.ceramic cao
50.64% glass ceram crystal phase sio2 glass.ceramic composit treatment
47.92% glass ceram crystal phase sio2 glass.ceramic composit cao
48.56% glass ceram crystal phase nucleat sio2 glass.ceramic treatment
45.83% glass ceram crystal phase nucleat sio2 glass.ceramic cao
50.00% glass ceram crystal heat phase glass.ceramic heat.treatment composit treatment
46.79% glass glass.ceramics ceram crystal phase nucleat glass.ceramic cao
47.29% glass glass.ceramics ceram crystal phase nucleat glass.ceramic heat.treatment
treatment
49.43% glass glass.ceramics ceram crystal heat phase glass.ceramic heat.treatment
treatment

Sample Cluster Record Titles

[Crystallization behavior of PbF₂-SiO₂ based bulk xerogels](#)

[Silicate glasses obtained from fine silica powder modified with galvanic waste addition](#)

[In situ high-temperature X-ray study of ZnO-TeO₂ glass crystallization under ultrasonic treatment](#)

[The influence of NiO on phase separation and crystallization of glasses of the MgO-Al₂O₃-SiO₂-TiO₂ system](#)

[Silicon oxynitride glasses produced by ammonolysis from colloidal silica](#)

[Effect of alumina concentration on thermal and structural properties of MAS glass and glass-ceramics](#)

[CaO-Al₂O₃-SiO₂ glass-ceramics of the composition based on inorganic waste](#)

[Pyroxene-based glass-ceramics as glazes for floor tiles](#)

[Nucleation and crystallization of glass-ceramics from coal fly ash](#)

Cluster Metrics

Authors

wang, ys 5
peng, f 4
bao, f 4
zhilin, aa 3
sigae, vn 3
reaney, im 3
luo, wq 3
liang, km 3
hu, zj 3
golubkov, vv 3
dymshits, os 3
champagnon, b 3
capoen, b 3
califano, v 3
bouazaoui, m 3

Sources

journal of non-crystalline solids 16
physics and chemistry of glasses 5
journal of the american ceramic society 4
journal of the ceramic society of japan 3
journal of applied physics 3
glass technology 3
chinese journal of structural chemistry 3
ceramics international 3
materials science and engineering b-solid state materials for advanced technology 2
journal of thermal analysis and calorimetry 2
journal of the european ceramic society 2
journal of materials research 2
high-performance ceramics iii, pts 1 and 2 2
bioceramics 17 2
thin solid films 1

Keywords

materials science, ceramics 34
materials science, multidisciplinary 17
ceramics 10
crystallization 9
materials science, multidisciplinary 8
chemistry, physical 8
system 7
nucleation 6
glass-ceramics 5

materials science, ceramics 5
glass-ceramic 5
films 5
er3+ 5
spectroscopy 4
physics, applied 4

Publication Year

2005 63
2004 14
2006 1

Country

peoples r china 18
france 12
russia 9
japan 8
england 8
usa 7
italy 5
germany 5
spain 3
south korea 3
new zealand 3
egypt 3
brazil 3
serbia monteneg 2
poland 2

Institution

chinese acad sci 6
tsing hua univ 5
univ sheffield 4
si vavilov state opt inst 4
cnrs 4
victoria univ wellington 3
univ lyon 1 3
univ london imperial coll sci technol & med 3
univ valencia 2
univ sci & technol lille 2
univ rennes 1 2
univ naples federico ii 2
univ clermont ferrand 2
univ calif davis 2
russian acad sci 2

- **CLUSTER 68**

Synthesis of nanorods (especially cadmium-sulfide [CdS]), with focus on hydrothermal fabrication, transmission electron microscopy (TEM) studies, and characterization of length and diameter (132 Records)

(Countries: China very dominant, USA. Institutions: University S&T China, CAS, Zhejiang University, Nanjing University.).

Cluster Syntax Features

Descriptive Terms

nanorod 65.9%, hydrotherm 1.6%, synthesi 1.1%, synthes 0.8%, nanorods.synthesized 0.5%, rout 0.5%, length 0.5%, product 0.5%, diamet 0.4%, surfact 0.4%, single.crystalline 0.4%, cds.nanorods 0.4%, tem 0.4%, reaction 0.4%, electron.microscopy 0.4%

Discriminating Terms

nanorod 42.2%, film 1.9%, hydrotherm 0.8%, surfac 0.8%, carbon 0.6%, layer 0.6%, particl 0.5%, nanotub 0.5%, nanoparticl 0.5%, magnet 0.5%, deposit 0.4%, quantum 0.4%, structur 0.4%, si 0.4%, nanorods.synthesized 0.3%

Single Word Terms

nanorod 132, synthesi 85, synthes 79, electron 67, xrd 59, rai 58, microscopi 56, transmiss 56, diffract 56, tem 55, diamet 53, mechan 52, structur 51, length 50, format 50

Double Word Terms

transmission.electron 55, electron.microscopy 55, ray.diffraction 42, diffraction.xrd 33, microscopy.tem 28, nanorods.synthesized 27, single.crystalline 20, electron.diffraction 20, scanning.electron 20, area.electron 17, solid.state 15, xrd.transmission 14, high.resolution 14, large.scale 13, growth.mechanism 13

Triple Word Terms

transmission.electron.microscopy 49, electron.microscopy.tem 27, ray.diffraction.xrd 26, scanning.electron.microscopy 18, area.electron.diffraction 17, xrd.transmission.electron 13, diffraction.xrd.transmission 13, high.resolution.transmission 12, resolution.transmission.electron 12, ray.photoelectron.spectroscopy 10, solid.state.reaction 10, ray.powder.diffraction 10, electron.diffraction.saed 8, powder.ray.diffraction 8, electron.microscopy.sem 8

Term Cliques

41.06% nanorod synthesi nanorods.synthesized single.crystalline cds.nanorods
50.95% nanorod synthesi synthes rout length tem reaction electron.microscopy
51.33% nanorod synthesi synthes rout length diamet tem electron.microscopy
48.01% nanorod synthesi synthes rout length diamet single.crystalline
electron.microscopy
47.44% nanorod synthesi synthes nanorods.synthesized length diamet single.crystalline
electron.microscopy
46.06% nanorod synthesi synthes nanorods.synthesized length product surfact tem
reaction electron.microscopy
46.36% nanorod synthesi synthes nanorods.synthesized length product diamet surfact tem
electron.microscopy
42.73% nanorod hydrotherm synthesi single.crystalline cds.nanorods
52.71% nanorod hydrotherm synthesi synthes length product tem
51.08% nanorod hydrotherm synthesi synthes rout length tem
47.29% nanorod hydrotherm synthesi synthes rout length single.crystalline

Sample Cluster Record Titles

[Monodentate ligand-assisted hydrothermal synthesis of CdS nanorods](#)

[Photochemical synthesis of Bi₂Se₃ nanosphere and nanorods](#)

[Characteristics and optical properties of Cd_{1-x}MnxS nanorods prepared through hydrothermal route](#)

[A co-reduction synthesis of superconducting NbC nanorods](#)

[Templateless hydrothermal synthesis of aligned ZnO nanorods](#)

[Preparation and characterization of MnOOH nanorods in reverse micelles](#)

[A simple method to synthesize single-crystalline lanthanide orthovanadate nanorods](#)

[One-step synthesis of single-crystalline CdSe nanorods via gamma-ray irradiation](#)

[Cadmium sulfide nanorods formed in microemulsions](#)

Cluster Metrics

Authors

qian, yt 12

liu, l 8

jia, dz 8

cao, yl 6

zhang, h 5

xiao, dq 5

wang, x 5

yang, zh 4

xu, zd 4

li, yd 4

zhu, jj 3

zhang, zd 3

yang, dr 3

xin, xq 3

shi, l 3

Sources

materials letters 15

chemistry letters 8

materials chemistry and physics 7

nanotechnology 6

journal of solid state chemistry 6

chinese journal of inorganic chemistry 6

journal of crystal growth 5

materials research bulletin 4

journal of the american chemical society 4

chemical journal of chinese universities-chinese 4

chemical communications 4

journal of physical chemistry b 3

journal of materials chemistry 3

inorganic chemistry 3

applied physics letters 3

Keywords

nanowires 52

materials science, multidisciplinary 41

growth 41

chemistry, multidisciplinary 32
nanorods 28
nanoparticles 27
nanotubes 21
nanowires 19
physics, applied 18
nanostructures 17
chemistry, inorganic & nuclear 16
nanocrystals 16
materials science, multidisciplinary 16
route 13
chemistry, physical 12

Publication Year

2005 116
2004 11
2006 5

Country

peoples r china 97
usa 13
south korea 6
japan 5
india 3
taiwan 2
mexico 2
germany 2
belgium 2
thailand 1
singapore 1
russia 1
portugal 1
norway 1
israel 1

Institution

univ sci & technol china 18
chinese acad sci 17
zhejiang univ 15
nanjing univ 12
xinjiang univ 8
sichuan univ 5
tsing hua univ 4
shandong univ 3
korea adv inst sci & technol 3
henan univ 3

beijing inst technol 3
univ texas 2
univ tennessee 2
univ sci & technol beijing 2
univ nacl autonoma mexico 2

DataBase
science citation index 132

• CLUSTER 12

Zinc oxide (ZnO), as well as gallium nitride (GaN), nanorods, emphasizing growth, nanorod arrays, and field emission properties (123 Records)

(Countries: China dominant, South korea, USA, followed by Taiwan, Japan. Institutions: CAS, Zhejiang University, National Tsing Hua University. USA includes University of Florida.).

Cluster Syntax Features

Descriptive Terms

nanorod 53.4%, zno 15.3%, zno.nanorods 11.4%, nanorod.arrays 1.1%, arrai 1.1%, growth 1.0%, zno.nanorod 0.9%, align 0.8%, substrat 0.4%, gan.nanorods 0.3%, emiss 0.3%, aligned.zno 0.3%, zn 0.2%, grown 0.2%, nanorods.grown 0.2%

Discriminating Terms

nanorod 32.9%, zno 8.0%, zno.nanorods 7.4%, film 1.4%, nanorod.arrays 0.7%, surfac 0.6%, zno.nanorod 0.6%, particl 0.5%, nanoparticl 0.5%, carbon 0.5%, magnet 0.5%, structur 0.5%, nanotub 0.5%, layer 0.4%, quantum 0.4%

Single Word Terms

nanorod 123, zno 78, growth 65, substrat 60, temperatur 55, high 54, electron 49, diamet 48, align 45, synthes 42, arrai 41, structur 40, deposit 40, grown 39, emiss 36

Double Word Terms

zno.nanorods 67, transmission.electron 33, electron.microscopy 33, zno.nanorod 26, ray.diffraction 26, nanorod.arrays 23, room.temperature 20, scanning.electron 20, growth.zno 20, aligned.zno 20, nanorods.grown 18, nanorods.synthesized 18, high.resolution 15, single.crystal 14, single.crystalline 13

Triple Word Terms

transmission.electron.microscopy 27, scanning.electron.microscopy 15, growth.zno.nanorods 14, electron.microscopy.tem 13, high.resolution.transmission 12, ray.diffraction.xrd 12, zno.nanorod.arrays 12, resolution.transmission.electron 12, aligned.zno.nanorods 12, zno.nanorods.grown 11, chemical.vapor.deposition 11, aligned.zno.nanorod 8, zno.nanorods.zno 8, area.electron.diffraction 8, zno.nanorods.synthesized 8

Term Cliques

44.23% nanorod growth substrat gan.nanorods nanorods.grown
38.31% nanorod nanorod.arrays arrai zno.nanorod align substrat aligned.zno grown
39.43% nanorod zno.nanorods growth zno.nanorod align substrat aligned.zno zn grown nanorods.grown
40.98% nanorod zno.nanorods arrai growth zno.nanorod align substrat aligned.zno grown nanorods.grown
41.39% nanorod zno zno.nanorods growth zno.nanorod align substrat emiss aligned.zno zn nanorods.grown
44.15% nanorod zno zno.nanorods arrai growth zno.nanorod align substrat aligned.zno nanorods.grown

Sample Cluster Record Titles

[In situ study of the ZnO-NaCl system during the growth of ZnO nanorods](#)

[High-density, uniform gallium nitride nanorods grown on Au-coated silicon substrate](#)

[Directed spatial organization of zinc oxide nanorods](#)

[Well-aligned zinc oxide nanorods and nanowires prepared without catalyst](#)

[Self-assembly ZnO nanorods by pulsed laser deposition under argon atmosphere](#)

[Field emission behavior of cuboid zinc oxide nanorods on zinc-filled porous silicon](#)

[Large hexagonal arrays of aligned ZnO nanorods](#)

[Preparation and photocatalytic property of ZnO nanorods with uniform morphology](#)

[Synthesis and optical properties of well-aligned ZnO nanorod array on an undoped ZnO film](#)

Cluster Metrics

Authors

tien, lc 4
ren, f 4
pearton, sj 4
park, jg 4
norton, dp 4
kang, bs 4
chen, sy 4
zhu, lp 3
ye, zz 3
xue, cs 3
wang, th 3
wang, gz 3
wang, fz 3
tak, y 3
park, jy 3

Sources

applied physics letters 17
journal of crystal growth 11
nanotechnology 10
applied physics a-materials science & processing 7
journal of physical chemistry b 6
solid state communications 5
chemical physics letters 5
thin solid films 4
journal of vacuum science & technology b 3
journal of nanoscience and nanotechnology 3
japanese journal of applied physics part 1-regular papers brief communications & review papers 3
physica e-low-dimensional systems & nanostructures 2
nano letters 2
materials letters 2
materials chemistry and physics 2

Keywords

nanowires 40
growth 36
physics, applied 32
materials science, multidisciplinary 27
physics, applied 18
materials science, multidisciplinary 18
films 18
arrays 18
photoluminescence 17
thin-films 16
nanostructures 13
room-temperature 12
nanobelts 12
crystallography 11
chemical-vapor-deposition 11

Publication Year

2005 116
2004 5
2006 2

Country

peoples r china 48
south korea 21
usa 18
taiwan 13
japan 13
singapore 3
india 3
germany 3
france 3
russia 2
italy 2
belgium 2
thailand 1
sweden 1
poland 1

Institution

chinese acad sci 14
zhejiang univ 6
natl tsing hua univ 6
pohang univ sci & technol 5
peking univ 5
korea inst sci & technol 5
univ florida 4

natl chiao tung univ 4
univ sci & technol china 3
univ sci & technol beijing 3
shandong univ 3
shandong normal univ 3
natl univ singapore 3
natl inst mat sci 3
nanjing univ 3

DataBase

science citation index 123

- **CLUSTER 13**

Nanobelts (especially gallium oxide [Ga₂O₃], zinc oxide [ZnO], and silicon nitride [Si₃N₄]) and nanoribbons, emphasizing growth, fabrication by thermal evaporation, and photoluminescence and emission properties (49 Records)

Countries: China dominant, USA, South Korea. Institutions: CAS, Inha University, Georgia Institute of Technology. Other USA include UCF, University of Texas, University of Pittsburgh.).

Cluster Syntax Features

Descriptive Terms

nanobelt 62.3%, nanoribbon 1.5%, growth 1.3%, ga2o3 1.0%, zno.nanobelts 1.0%, zno 1.0%, nanostructur 0.9%, ga2o3.nanobelts 0.8%, zn 0.7%, single.crystalline 0.6%, thermal.evaporation 0.6%, photoluminesc 0.5%, emiss 0.5%, width 0.5%, si3n4.nanobelts 0.4%

Discriminating Terms

nanobelt 39.0%, film 1.8%, nanoribbon 0.9%, zno.nanobelts 0.6%, ga2o3 0.6%, nanoparticl 0.6%, surfac 0.6%, particl 0.6%, carbon 0.6%, layer 0.5%, ga2o3.nanobelts 0.5%, magnet 0.5%, nanotub 0.5%, quantum 0.4%, deposit 0.3%

Single Word Terms

nanobelt 40, growth 37, structur 31, synthes 31, singl 30, electron 27, emiss 23, photoluminesc 23, microscopi 22, mechan 21, width 21, transmiss 21, direct 21, oxid 21, thick 20

Double Word Terms

electron.microscopy 22, transmission.electron 21, single.crystalline 19, scanning.electron 14, ray.diffraction 14, high.resolution 12, thermal.evaporation 11, nanobelts.synthesized 11, growth.mechanism 11, resolution.transmission 10, photoluminescence.spectrum 10, room.temperature 10, single.crystal 9, nanobelts.single 9, vapor.solid 8

Triple Word Terms

transmission.electron.microscopy 19, scanning.electron.microscopy 13, high.resolution.transmission 10, resolution.transmission.electron 10, electron.microscopy.sem 7, electron.microscopy.tem 7, nanobelts.single.crystalline 7, ray.diffraction.xrd 6, chemical.vapor.deposition 6, sem.transmission.electron 4, microscopy.sem.transmission 4, area.electron.diffraction 4, nanobelts.synthesized.thermal 4, vapor.solid.growth 4, room.temperature.photoluminescence 4

Term Cliques

35.92% nanostructur ga2o3.nanobelts single.crystalline photoluminesc emiss
34.69% ga2o3 thermal.evaporation photoluminesc emiss width
33.47% ga2o3 nanostructur thermal.evaporation photoluminesc emiss
31.02% ga2o3 nanostructur ga2o3.nanobelts photoluminesc emiss
45.58% growth single.crystalline thermal.evaporation photoluminesc emiss width
44.56% growth nanostructur single.crystalline thermal.evaporation photoluminesc emiss
40.48% growth nanostructur zn thermal.evaporation photoluminesc emiss
42.86% growth zno.nanobelts nanostructur single.crystalline photoluminesc emiss
38.78% growth zno.nanobelts nanostructur zn photoluminesc emiss
36.73% growth zno.nanobelts zno nanostructur single.crystalline
31.84% growth zno.nanobelts zno nanostructur zn
41.50% nanoribbon growth single.crystalline

33.33% nanoribbon growth zn
44.56% nanobelt ga2o3.nanobelts single.crystalline photoluminesc emiss width
40.48% nanobelt ga2o3 ga2o3.nanobelts photoluminesc emiss width
49.39% nanobelt growth single.crystalline width si3n4.nanobelts
55.44% nanobelt growth single.crystalline photoluminesc emiss width
50.34% nanobelt growth zno.nanobelts single.crystalline photoluminesc emiss
45.71% nanobelt growth zno.nanobelts zno single.crystalline

Sample Cluster Record Titles

[Structure and luminescence properties of CdS nanobelts](#)

[Growth of beta-Ga2O3 nanobelts on Ir-coated substrates](#)

[Catalyst-assisted vapor-liquid-solid growth of single-crystal CdS nanobelts and their luminescence properties](#)

[Lithium-assisted synthesis and characterization of crystalline 3C-SiC nanobelts](#)

[Rapid synthesis and visible photoluminescence of ZnS nanobelts](#)

[Study of Ga2O3 nanobelts synthesized by the thermal annealing of GaN powders](#)

[Integration of metal oxide nanobelts with microsystems for nerve agent detection](#)

[Structure control of CdS nanobelts and their luminescence properties](#)

[High sensitivity of CuO modified SnO2 nanoribbons to H2S at room temperature](#)

Cluster Metrics

Authors

wang, zl 6

kim, nh 6

kim, hw 6

zhou, wy 3

zhao, xw 3

zhang, zx 3

zhang, r 3

zhang, ld 3

ye, ch 3

xie, ss 3

xiang, yj 3

song, l 3

luo, sd 3
liu, lf 3
liu, df 3

Sources

journal of physical chemistry b 7
journal of crystal growth 4
applied physics letters 4
applied physics a-materials science & processing 4
sensors and actuators b-chemical 2
journal of the american chemical society 2
journal of applied physics 2
chemical physics letters 2
science 1
scanning 1
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 1
physical review b 1
physica status solidi a-applications and materials science 1
physica e-low-dimensional systems & nanostructures 1
nanotechnology 1

Keywords

nanowires 18
growth 16
photoluminescence 14
nanobelts 14
chemistry, physical 10
nanorods 9
physics, applied 8
nanoribbons 8
films 8
fabrication 8
nanotubes 7
thermal evaporation 6
nanowires 6
nanotubes 6
materials science, multidisciplinary 6

Publication Year

2005 45
2004 4

Country

peoples r china 33
usa 12

south korea 8
thailand 1
taiwan 1
singapore 1
italy 1
india 1

Institution

chinese acad sci 13
inha univ 6
georgia inst technol 6
nanjing univ 5
tsing hua univ 4
univ cent florida 3
wuhan univ technol 2
univ sci & technol china 2
peking univ 2
e china normal univ 2
chinese univ hong kong 2
zhongshan univ 1
univ texas 1
univ sci & technol beijing 1
univ pittsburgh 1

DataBase

science citation index 49

• CLUSTER 218

Synthesis (especially hydrothermally) of nanostructures and

subsequent analysis using transmission electron microscopy (TEM) and x-ray diffraction (XRD) (270 Records)

(Countries: China very dominant, USA, Japan. Institutions: CAS, University S&T China, followed by Shandong University, Nanjing University.).

Cluster Syntax Features

Descriptive Terms

electron.microscopy 3.9%, transmission.electron 3.3%, transmission.electron.microscopy 3.0%, transmiss 3.0%, electron 2.7%, microscopi 2.6%, tem 2.4%, diffract 2.4%, product 2.1%, microscopy.tem 1.9%, diffraction.xrd 1.9%, electron.microscopy.tem 1.8%, rai 1.8%, hydrotherm 1.7%, xrd 1.7%

Discriminating Terms

film 2.5%, electron.microscopy 2.3%, transmission.electron 2.1%, transmission.electron.microscopy 2.0%, transmiss 1.7%, microscopy.tem 1.5%, tem 1.5%, electron.microscopy.tem 1.4%, diffraction.xrd 1.4%, hydrotherm 1.3%, product 1.2%, diffract 1.0%, microscopi 0.9%, surfac 0.9%, xrd 0.9%

Single Word Terms

electron 252, microscopi 231, rai 227, diffract 224, transmiss 222, xrd 164, tem 159, structur 144, synthes 138, synthesi 132, product 128, scan 125, temperatur 100, powder 100, sem 96

Double Word Terms

electron.microscopy 224, transmission.electron 216, ray.diffraction 161, diffraction.xrd 143, microscopy.tem 130, scanning.electron 107, microscopy.sem 67, xrd.transmission 61, high.resolution 60, electron.diffraction 54, powder.diffraction 52, ray.powder 50, resolution.transmission 49, area.electron 38, sem.transmission 36

Triple Word Terms

transmission.electron.microscopy 198, electron.microscopy.tem 127, ray.diffraction.xrd 108, scanning.electron.microscopy 95, electron.microscopy.sem 67, xrd.transmission.electron 60, diffraction.xrd.transmission 57, high.resolution.transmission 49, ray.powder.diffraction 49, resolution.transmission.electron 46, area.electron.diffraction 36, sem.transmission.electron 35, powder.diffraction.xrd 32, microscopy.sem.transmission 30, ray.photoelectron.spectroscopy 27

Term Cliques

66.72% electron.microscopy transmission.electron transmission.electron.microscopy

transmiss electron microscopi tem diffract product microscopy.tem diffraction.xrd
electron.microscopy.tem rai hydrotherm xrd

Sample Cluster Record Titles

[Shape-controlled synthesis of yttria nanocrystals under hydrothermal conditions](#)

[Surprising arching sheet-like dendrites growing from BaF₂ nanocubes](#)

[SnO₂ nanowhiskers and their ethanol sensing characteristics](#)

[Controllable syntheses of hexagonal and lamellar mesostructured lanthanum oxide](#)

[Synthesis of nanocomposite, \(Cd_xZn_{1-x}\)S by gamma-irradiation in an aqueous system](#)

[Hydrothermal synthesis of precursors of neodymium oxide nanoparticles](#)

[Co-templating synthesis of highly dispersed 1D ZnO nanostructures in amorphous SiO₂ under hydrothermal condition](#)

[Synthesis of hexagonal close-packed nanocrystalline nickel by a thermal reduction process](#)

[Novel polymer-inorganic solid-state reaction for the synthesis of CdS nanocrystallites](#)

Cluster Metrics

Authors

qian, yt 8

liu, yl 6

li, hl 5

hong, jm 5

zhang, yc 4

zhang, jx 4

yuan, ds 4

yang, q 4

tang, kb 4

liu, zm 4

liu, y 4

huang, y 4

hu, xy 4

zou, gf 3

zhu, zk 3

Sources

materials letters 34

journal of physical chemistry b 11

journal of crystal growth 11

journal of solid state chemistry 10

materials chemistry and physics 9

chinese journal of inorganic chemistry 9

nanotechnology 8

chemistry letters 7

materials research bulletin 6

chemistry of materials 6

solid state sciences 5

journal of dispersion science and technology 4

journal of alloys and compounds 4

crystal growth & design 4

solid state communications 3

Keywords

materials science, multidisciplinary 76

growth 48

nanoparticles 46

nanowires 43

chemistry, physical 42

physics, applied 38

nanorods 38

chemistry, inorganic & nuclear 31

nanocrystals 31

materials science, multidisciplinary 30

chemistry, multidisciplinary 28

route 25

nanostructures 24

particles 23

nanotubes 21

Publication Year

2005 231

2004 29

2006 10

Country

peoples r china 184

usa 20

japan 18

france 9
germany 8
taiwan 5
south korea 5
poland 4
israel 4
india 4
brazil 4
switzerland 3
mexico 3
venezuela 2
turkey 2

Institution

chinese acad sci 32
univ sci & technol china 23
shandong univ 12
nanjing univ 11
zhejiang univ 8
lanzhou univ 6
yangzhou univ 5
shanghai jiao tong univ 5
peking univ 5
e china univ sci & technol 5
beijing inst technol 5
ne normal univ 4
nankai univ 4
jinan univ 4
xinjiang univ 3

DataBase

science citation index 270

• CLUSTER 249

Hydrothermal/solvothermal synthesis and morphology of nanocrystals, crystalline materials, and nanowires (302 Records)

(Countries: China very dominant, USA, followed by Japan, India.
Institutions: University S&T China, CAS. USA includes University of Texas.).

Cluster Syntax Features

Descriptive Terms

synthesi 7.8%, nanocryst 7.6%, hydrotherm 4.3%, crystal 4.0%, nanowir 3.4%, reaction 2.7%, synthes 2.4%, rout 2.2%, single.crystalline 1.2%, morpholog 1.2%, crystallin 1.1%, solvotherm 1.1%, surfact 1.1%, product 1.1%, singl 1.1%

Discriminating Terms

nanocryst 5.5%, synthesi 5.0%, hydrotherm 3.5%, film 2.6%, rout 1.6%, nanowir 1.6%, crystal 1.2%, synthes 1.1%, reaction 1.1%, single.crystalline 1.0%, solvotherm 1.0%, surfac 1.0%, carbon 0.8%, nanotub 0.7%, nanobelt 0.7%

Single Word Terms

synthesi 198, synthes 145, crystal 125, temperatur 115, reaction 115, format 98, structur 97, xrd 92, morpholog 85, singl 81, solut 80, product 80, hydrotherm 76, size 74, mechan 73

Double Word Terms

ray.diffraction 47, electron.microscopy 36, single.crystalline 32, hydrothermal.synthesis 28, room.temperature 27, single.crystal 24, transmission.electron 22, reaction.time 20, low.temperature 19, formation.mechanism 19, diffraction.xrd 19, scanning.electron 18, single.crystals 17, reaction.temperature 16, controlled.synthesis 16

Triple Word Terms

ray.diffraction.xrd 18, transmission.electron.microscopy 16, scanning.electron.microscopy 15, fourier.transform.infrared 10, powder.ray.diffraction 10, synthesis.single.crystalline 9, ray.powder.diffraction 8, electron.microscopy.sem 7, temperature.reaction.time 7, verlag.gmbh.co 7, gmbh.co.kgaa 7, energy.dispersive.ray 7,

synthesized.hydrothermal.treatment 6, high.aspect.ratio 6, vch.verlag.gmbh 6

Term Cliques

14.16% single.crystalline solvotherm surfact singl
24.60% nanowir synthes rout morpholog crystallin solvotherm product
22.89% nanowir synthes rout single.crystalline morpholog crystallin solvotherm singl
26.92% nanowir reaction synthes rout morpholog solvotherm product
18.29% hydrotherm single.crystalline surfact singl
26.96% hydrotherm nanowir synthes rout morpholog crystallin product
24.96% hydrotherm nanowir synthes rout single.crystalline morpholog crystallin singl
31.60% synthesi synthes rout morpholog crystallin solvotherm product
29.01% synthesi synthes rout single.crystalline morpholog crystallin solvotherm singl
33.92% synthesi reaction synthes rout morpholog solvotherm product
36.42% synthesi crystal synthes morpholog solvotherm singl
36.61% synthesi crystal reaction synthes morpholog solvotherm product
33.96% synthesi hydrotherm synthes rout morpholog crystallin product
31.08% synthesi hydrotherm synthes rout single.crystalline morpholog crystallin singl
39.18% synthesi hydrotherm crystal synthes morpholog singl
39.13% synthesi hydrotherm crystal synthes morpholog product
33.07% synthesi nanocryst reaction synthes rout solvotherm product

Sample Cluster Record Titles

[Synthesis of single-crystalline beta-Ga₂O₃ nanoribbons](#)

[The effects of synthesis pH and hydrothermal treatment on the formation of zinc aluminum hydrotalcites](#)

[Preparation of Mn₃O₄ nanocrystallites by low-temperature solvothermal treatment of gamma-MnOOH nanowires](#)

[A simple method to synthesize nanowires titanium dioxide from layered titanate particles](#)

[Synthesis, characterization, and catalytic applications of manganese oxide octahedral molecular sieve \(OMS\) nanowires with a 2 x 3 tunnel structure](#)

[Hydrothermal synthesis of a novel sodium vanadium bronze with single-crystalline nanobelt-like morphology](#)

[Shape-controlled synthesis of PbS microcrystals in large yields via a solvothermal process](#)

[A green hydrothermal route to copper nanocrystallites](#)

[Size-controllable growth of single crystal In\(OH\)\(3\) and In₂O₃ nanocubes](#)

Cluster Metrics

Authors

qian, yt 17
wang, zh 6
korgel, ba 6
gao, l 5
zheng, hg 4
zhang, yc 4
zhang, h 4
yu, wc 4
yu, jc 4
wang, x 4
wang, wz 4
jhung, sh 4
hu, xy 4
gorai, s 4
chaudhuri, s 4

Sources

chemistry letters 18
journal of the american chemical society 15
journal of physical chemistry b 13
journal of crystal growth 13
materials letters 12
materials chemistry and physics 10
crystal growth & design 10
chinese journal of inorganic chemistry 10
chemistry of materials 9
chemical communications 8
angewandte chemie-international edition 8
materials research bulletin 7
langmuir 7
journal of solid state chemistry 7
journal of materials chemistry 7

Keywords

chemistry, multidisciplinary 72
growth 56
materials science, multidisciplinary 48
chemistry, physical 48
nanorods 47
nanoparticles 42
nanowires 40

materials science, multidisciplinary 39
nanotubes 31
chemistry, inorganic & nuclear 30
nanocrystals 29
nanostructures 27
route 25
crystallography 24
films 24

Publication Year

2005 261
2004 35
2006 6

Country

peoples r china 155
usa 42
japan 22
india 18
germany 13
south korea 12
france 10
england 9
italy 7
australia 6
switzerland 4
russia 4
sweden 3
spain 3
mexico 3

Institution

univ sci & technol china 33
chinese acad sci 28
shandong univ 8
zhejiang univ 7
univ texas 7
tsing hua univ 7
nanjing univ 6
fudan univ 6
jilin univ 5
yangzhou univ 4
peking univ 4
ne normal univ 4
natl inst mat sci 4
korea res inst chem technol 4

indian assoc cultivat sci 4

DataBase

science citation index 302

• CLUSTER 255

Reaction, surface, phase, and temperature dynamics/behavior of oxides, systems affected by water, and aqueous solutions (648 Records)

(Countries: USA, China, followed by Japan, France, Germany.

Institutions: RAS, CSIC, CAS, CNRS. USA include University of Illinois, UCLA, University of Wisconsin.).

Cluster Syntax Features

Descriptive Terms

oxid 3.3%, water 3.1%, reaction 2.5%, solid 2.0%, product 1.8%, surfac 1.8%, solut 1.7%, phase 1.5%, sampl 1.3%, liquid 1.3%, materi 1.2%, temperatur 1.1%, rai 1.1%, acid 1.0%, hydrat 0.8%

Discriminating Terms

film 3.5%, water 2.9%, reaction 1.8%, product 1.8%, solid 1.7%, oxid 1.6%, nanotub 1.3%, nanoparticl 1.3%, magnet 1.2%, hydrat 1.2%, liquid 1.0%, quantum 0.9%, deposit 0.9%, solut 0.8%, polym 0.7%

Single Word Terms

rai 283, surfac 263, structur 249, temperatur 241, electron 211, diffract 206, oxid 204, reaction 202, high 189, solut 184, spectroscopi 183, materi 182, phase 182, form 171, solid 169

Double Word Terms

ray.diffract 184, electron.microscopy 131, scanning.electron 109, ray.photoelectron 66, photoelectron.spectroscopy 62, diffract.xrd 60, transmission.electron 55, solid.state 50, microscopy.sem 45, spectroscopy.xps 42, high.temperature 40, powder.ray

38, energy.dispersive 38, surface.area 37, room.temperature 36

Triple Word Terms

scanning.electron.microscopy 94, ray.photoelectron.spectroscopy 60, ray.diffraction.xrd 54, electron.microscopy.sem 44, transmission.electron.microscopy 41, photoelectron.spectroscopy.xps 40, powder.ray.diffraction 37, fourier.transform.infrared 30, energy.dispersive.ray 27, atomic.force.microscopy 23, solid.state.reaction 18, force.microscopy.afm 16, transform.infrared.spectroscopy 16, ray.powder.diffraction 15, diffraction.scanning.electron 14

Term Cliques

25.80% reaction product surfac liquid acid
25.77% reaction solid solut phase liquid
28.27% reaction solid surfac solut liquid
31.02% reaction solid product sampl materi temperatur rai
27.16% reaction solid product phase liquid temperatur
31.02% reaction solid product phase sampl temperatur rai
27.65% reaction solid product surfac liquid
24.10% water solut rai acid hydrat
18.40% water solut liquid acid hydrat
27.41% water reaction phase liquid temperatur
31.87% water reaction phase sampl temperatur rai
25.65% water reaction solut phase liquid
30.40% water reaction solut phase sampl rai
26.26% water reaction surfac solut liquid acid
30.25% water reaction surfac solut sampl rai acid
31.11% oxid reaction surfac solut sampl rai acid
30.67% oxid reaction product surfac sampl rai acid
30.64% oxid reaction solid solut phase sampl rai
31.89% oxid reaction solid surfac solut sampl materi rai
30.20% oxid reaction solid product phase sampl rai
31.50% oxid reaction solid product surfac sampl materi rai

Sample Cluster Record Titles

[Chemistry of rare earth containing oxide-fluoride compounds](#)

[Study of wear behavior of MoSi₂ under water lubrication](#)

[Transient liquid phase bonding of alumina to alumina via boron oxide interlayer](#)

[Suggested oxidation state dependence for the activity of submicron structures prepared from tin/tin oxide mixtures](#)

[Electrical-bridge model on the self-organized growth of nanopores in, anodized, aluminum oxide](#)

[Coupled cation and oxygen-isotope exchange between alkali feldspar and aqueous chloride solution](#)

[Solution phase synthesis of magnesium hydroxide sulfate hydrate nanoribbons](#)

[Influence of insoluble elements on the nanostructure of water altered glasses](#)

[Investigation of the state of water in hydrating layered sodium disilicate in crystalline and amorphous forms by quasi-elastic neutron scattering](#)

Cluster Metrics

Authors

tebo, bm 4
kaner, rb 4
fernandez-garcia, m 4
zou, zg 3
zhang, l 3
webb, sm 3
thompson, ge 3
stadermann, fj 3
rinnert, e 3
ren, th 3
navrotsky, a 3
liu, zp 3
liu, y 3
liang, ym 3
lanson, b 3

Sources

chemistry of materials 22
journal of physical chemistry b 21
langmuir 12
thermochimica acta 8
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 8
journal of alloys and compounds 8
analytical chemistry 8
journal of solid state chemistry 7
journal of materials chemistry 7
journal of chemical physics 7
colloids and surfaces a-physicochemical and engineering aspects 7

materials chemistry and physics 6
geochimica et cosmochimica acta 6
fullerenes nanotubes and carbon nanostructures 6
applied surface science 6

Keywords

chemistry, physical 130
materials science, multidisciplinary 67
materials science, multidisciplinary 60
chemistry, analytical 50
chemistry, multidisciplinary 35
engineering, chemical 34
spectroscopy 33
films 32
water 29
kinetics 29
chemistry, physical 28
surface 26
chemistry, inorganic & nuclear 25
oxidation 25
adsorption 24

Publication Year

2005 576
2004 68
2006 3
2003 1

Country

usa 131
peoples r china 98
japan 74
france 58
germany 48
russia 33
italy 33
spain 30
england 25
india 21
canada 21
south korea 20
australia 15
taiwan 13
switzerland 11

Institution

russian acad sci 17
 csic 15
 chinese acad sci 15
 cnrs 14
 natl inst adv ind sci & technol 9
 univ tokyo 8
 univ illinois 8
 shanghai jiao tong univ 8
 cnr 8
 beijing univ chem technol 7
 wuhan univ 6
 univ paris 06 6
 univ calif los angeles 6
 univ wisconsin 5
 univ sevilla 5

DataBase

science citation index 648

• CLUSTER 173

Ferrous substances (especially ferrihydrites and iron oxides, namely goethite and hematite), characterized by Mossbauer spectroscopy and used for dechlorination, arsenic removal, and chemical reduction (162 Records)

(Countries: USA, followed by China, France, Germany, Canada.

Institutions: CAS, University of New South Wales, RAS, CSIC, CNRS, CNR. USA include UCB, NASA.).

Cluster Syntax Features

Descriptive Terms

iron 34.6%, fe 16.8%, oxid 2.3%, goethit 1.2%, hematit 1.2%, iii 1.0%, ferrihydrit 0.9%, iron.oxides 0.9%, fe.iii 0.7%, dechlorin 0.6%, mossbauer 0.6%, fe2 0.5%, arsen 0.5%, reduct 0.5%, reaction 0.5%

Discriminating Terms

iron 25.0%, fe 10.6%, film 2.1%, goethit 1.0%, hematit 0.9%, ferrihydrit 0.7%,

iron.oxides 0.7%, nanoparticl 0.7%, nanotub 0.6%, fe.iii 0.5%, iii 0.5%, carbon 0.5%, dechlorin 0.5%, quantum 0.5%, deposit 0.4%

Single Word Terms

iron 127, fe 94, rai 85, surfac 84, oxid 74, electron 69, diffract 59, spectroscopi 57, phase 56, concentr 56, structur 54, reaction 53, solut 51, form 49, sampl 47

Double Word Terms

ray.diffraction 49, electron.microscopy 41, scanning.electron 30, mossbauer.spectroscopy 22, diffraction.xrd 21, surface.area 20, ray.photoelectron 20, iron.oxide 19, photoelectron.spectroscopy 19, fe.iii 19, iron.oxides 16, fe.fe 15, powder.ray 14, transmission.electron 13, first.order 12

Triple Word Terms

scanning.electron.microscopy 25, ray.photoelectron.spectroscopy 19, ray.diffraction.xrd 18, powder.ray.diffraction 14, transmission.electron.microscopy 11, energy.dispersive.ray 10, photoelectron.spectroscopy.xps 9, electron.microscopy.sem 9, zero.valent.iron 8, ray.powder.diffraction 8, fourier.transform.infrared 8, pseudo.first.order 7, spectroscopy.ray.diffraction 6, first.order.rate 6, inductively.coupled.plasma 5

Term Cliques

23.46% oxid fe2 arsen reaction
20.37% oxid mossbauer fe2 arsen
20.37% oxid iron.oxides mossbauer arsen
18.64% oxid iii fe.iii fe2 arsen
18.64% oxid iii iron.oxides fe.iii arsen
33.46% fe oxid fe2 reduct reaction
32.22% fe oxid dechlorin reduct reaction
29.51% fe oxid hematit iron.oxides mossbauer
26.13% fe oxid hematit ferrihydrit mossbauer fe2
25.10% fe oxid goethit ferrihydrit dechlorin reduct
25.66% fe oxid goethit iii iron.oxides fe.iii reduct
23.61% fe oxid goethit iii ferrihydrit fe.iii fe2 reduct
25.31% fe oxid goethit hematit iron.oxides fe.iii
23.02% fe oxid goethit hematit ferrihydrit fe.iii fe2
36.30% iron oxid dechlorin reduct reaction
28.50% iron oxid goethit ferrihydrit dechlorin reduct
28.57% iron oxid goethit iii iron.oxides fe.iii reduct
28.48% iron oxid goethit iii ferrihydrit fe.iii reduct
28.70% iron oxid goethit hematit iron.oxides fe.iii
28.60% iron oxid goethit hematit ferrihydrit fe.iii

Sample Cluster Record Titles

[XRD and Mossbauer studies of crystallographic and magnetic transformations in synthesized Zn-substituted Cu-Ga-Fe compound](#)

[Synthesis of active goethite and maghemite from scrap iron sources](#)

[Mossbauer-effect study of local atomic order in bcc Fe_{100-x}Ti_x alloys with \$x \leq 12\$](#)

[Reaction of zinc, copper and iron in air and chlorine mixtures](#)

[Removal of arsenic\(III\) from groundwater by nanoscale zero-valent iron](#)

[A new method to produce nanoscale iron for nitrate removal](#)

[Chemical reduction of nitrate by nanosized iron: Kinetics and pathways](#)

[Ferrihydrite-humic associations: Magnetic hyperfine interactions](#)

[Influence of Ni-dopant on the properties of synthetic goethite](#)

Cluster Metrics

Authors

zhang, b 3
pattek-janczyk, a 3
iezzi, g 3
hawthorne, fc 3
doong, ra 3
della ventura, g 3
zheng, mh 2
zhang, y 2
weng, sc 2
weir, m 2
waite, td 2
tsuda, a 2
tee, jks 2
shabashov, va 2
seetharaman, s 2

Sources

environmental science & technology 17
american mineralogist 8
journal of hazardous materials 4
journal of nanoparticle research 3
journal of materials research 3
journal of colloid and interface science 3

geochimica et cosmochimica acta 3
clays and clay minerals 3
chemical geology 3
zeitschrift fur anorganische und allgemeine chemie 2
water research 2
progress in oceanography 2
physical review letters 2
marine chemistry 2
journal of the american chemical society 2

Keywords

iron 25
environmental sciences 25
materials science, multidisciplinary 19
engineering, environmental 19
geochemistry & geophysics 18
chemistry, physical 16
chemistry, multidisciplinary 15
mineralogy 15
kinetics 14
metallurgy & metallurgical engineering 10
materials science, multidisciplinary 10
goethite 10
zero-valent iron 9
spectroscopy 9
reduction 9

Publication Year

2005 137
2004 24
2006 1

Country

usa 36
peoples r china 20
france 17
germany 16
canada 15
japan 11
italy 10
taiwan 9
russia 9
england 8
australia 8
spain 7
sweden 5

poland 4
india 4

Institution

chinese acad sci 5
univ new s wales 4
russian acad sci 4
csic 4
cnrs 4
cnr 4
univ roma tre 3
univ ottawa 3
univ manitoba 3
univ cambridge 3
univ calif berkeley 3
tsing hua univ 3
royal inst technol 3
natl tsing hua univ 3
nasa 3

DataBase

science citation index 162

• CLUSTER 233

Studies on minerals (especially calcite, smectite, illitite, and fly ash),
emphasizing leaching/sorption behavior and weathering (260
Records)

(Countries: USA dom, Germany, France, followed by China, Spain,
Japan, Canada. Institutions: Stanford, RAS, CNRS, CAS. Other USA
include USGS, UCB, University of New Mexico, Washington State
University, University of Michigan.).

Cluster Syntax Features

Descriptive Terms

miner 16.9%, soil 8.0%, sediment 4.9%, ash 2.7%, calcit 1.2%, leach 1.2%, sorption 1.1%, rock 1.1%, smectit 1.0%, speci 1.0%, sem 0.8%, weather 0.7%, illit 0.7%, fly.ash 0.6%, sampl 0.6%

Discriminating Terms

miner 13.2%, soil 6.4%, sediment 3.9%, film 2.2%, ash 2.2%, calcit 1.0%, leach 0.9%, rock 0.9%, sorption 0.8%, smectit 0.8%, nanoparticl 0.8%, magnet 0.7%, nanotub 0.7%, weather 0.6%, illit 0.5%

Single Word Terms

electron 137, miner 122, microscopi 122, scan 113, surfac 104, rai 102, sampl 92, sem 87, structur 82, form 81, high 79, composit 78, diffract 71, format 69, phase 68

Double Word Terms

electron.microscopy 110, scanning.electron 107, ray.diffractio 60, microscopy.sem 36, energy.dispersive 32, diffractio.xrd 25, dispersive.ray 23, transmission.electron 21, organic.matter 20, electron.microscope 20, surface.area 13, infrared.spectroscopy 13, fly.ash 13, microscopy.energy 13, fourier.transform 13

Triple Word Terms

scanning.electron.microscopy 89, electron.microscopy.sem 36, energy.dispersive.ray 22, transmission.electron.microscopy 21, ray.diffractio.xrd 20, scanning.electron.microscope 19, microscopy.energy.dispersive 13, fourier.transform.infrared 12, electron.microscopy.energy 12, electron.microscopy.tem 12, inductively.coupled.plasma 9, electron.microscopy.ray 9, powder.ray.diffractio 9, spectroscopy.scanning.electron 8, ray.powder.diffractio 8

Term Cliques

15.92% leach rock weather illit sampl
15.38% leach rock smectit illit sampl
15.77% leach sorption rock illit sampl
18.23% ash sem illit fly.ash sampl
13.46% ash leach illit fly.ash sampl
14.08% ash leach smectit illit sampl
23.08% sediment speci sem
11.92% soil leach weather
13.97% soil leach speci
11.03% soil leach smectit
11.67% soil leach sorption
17.05% soil sediment speci
25.06% miner rock sem weather illit sampl
20.77% miner calcit rock smectit illit sampl

21.09% miner calcit sorption rock illit sampl
26.62% miner ash sem illit sampl
21.54% miner ash smectit illit sampl
28.38% miner sediment sem illit sampl
23.31% miner sediment smectit illit sampl
23.69% miner sediment sorption illit sampl
24.36% miner soil weather
22.31% miner soil sediment smectit
22.79% miner soil sediment sorption

Sample Cluster Record Titles

[Mineralogical characterization and genesis of hydrothermal Mn oxides from the flank of the Juan the Fuca Ridge](#)

[Structural conformation and leaching from in vitro aged and retrieved Invisalign appliances](#)

[Contribution of minerals to the sorption of U\(VI\) on granite](#)

[Scanning electron microscope and energy dispersive X-ray spectrometry studies on the material surface of extruded Polycel\(\(R\)\) ossicular prostheses](#)

[Microscopic scale characterization of ancient building sandstones from Saxony \(Germany\)](#)

[Crystal growth and dissolution processes at the calcite-water interface in the presence of zinc ions](#)

[Vitrification of municipal solid waste incinerator fly ash using Brown's gas](#)

[Low-temperature illitization of smectite in the late eocene and early oligocene of the Isle of Wight \(Hampshire basin\), UK](#)

[Observation of nano-clustered calcite growth via a transient phase mediated by organic polyanions: A close match for biomineralization](#)

Cluster Metrics

Authors

putnis, a 4

xu, hf 3

marcus, ma 3

manceau, a 3
lee, js 3
balaz, p 3
achimovicova, m 3
tazaki, k 2
tamura, n 2
short, sa 2
shahwan, t 2
sekine, y 2
scott, ja 2
savage, ks 2
reeder, rj 2

Sources

geochimica et cosmochimica acta 9
american mineralogist 8
environmental science & technology 7
journal of hazardous materials 6
clays and clay minerals 6
chemical geology 5
journal of colloid and interface science 4
energy & fuels 4
earth and planetary science letters 4
applied clay science 4
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 3
meteoritics & planetary science 3
journal of the american ceramic society 3
hydrometallurgy 3
geoderma 3

Keywords

geochemistry & geophysics 36
mineralogy 25
agriculture, soil science 20
environmental sciences 20
geosciences, multidisciplinary 17
adsorption 14
geosciences, multidisciplinary 13
mineralogy 12
engineering, chemical 12
chemistry, physical 12
energy & fuels 12
engineering, environmental 11
spectroscopy 9
surface 9

sorption 9

Publication Year

2005 230

2004 27

2006 3

Country

usa 86

germany 29

france 29

peoples r china 18

spain 17

japan 16

canada 15

south korea 12

england 11

australia 10

taiwan 9

russia 9

poland 7

italy 7

brazil 7

Institution

stanford univ 7

russian acad sci 7

cnrs 7

chinese acad sci 6

us geol survey 5

univ munster 5

univ calif berkeley 5

univ tokyo 4

univ new mexico 4

nanjing univ 4

csic 4

washington state univ 3

univ paris 06 3

univ new s wales 3

univ michigan 3

DataBase

science citation index 260

• CLUSTER 226

Biofilms and other biological systems at the nanoscale, focusing on adhesive behavior, applications of/to bacteria, biofilm formation, surface properties, and electron microscopy studies (182 Records)

(Countries: USA dominant, Germany, Japan, England. Institutions: University of Toronto, CAS. USA include USDA ARC, University of Minnesota, University of Massachusetts, Montana State University, Medical College of Wisconsin, Case Western Reserve, USDA, University of Texas.).

Cluster Syntax Features

Descriptive Terms

biofilm 19.4%, adhes 5.0%, bacteria 4.1%, bacteri 3.4%, speci 2.9%, cell 1.5%, muscl 1.5%, isol 1.4%, plant 1.3%, biofilm.formation 1.1%, root 1.0%, microscopi 0.9%, surfac 0.8%, infect 0.8%, ultrastructur 0.8%

Discriminating Terms

biofilm 14.7%, adhes 3.0%, bacteria 3.0%, bacteri 2.4%, film 2.2%, speci 1.7%, muscl 1.1%, plant 0.9%, biofilm.formation 0.8%, isol 0.8%, root 0.7%, nanoparticl 0.7%, temperatur 0.6%, nanotub 0.6%, carbon 0.6%

Single Word Terms

electron 119, microscopi 118, cell 91, scan 86, surfac 83, structur 79, two 53, form 52, speci 49, format 46, transmiss 45, morpholog 41, bacteria 40, bacteri 39, adhes 38

Double Word Terms

electron.microscopy 94, scanning.electron 73, transmission.electron 37, atomic.force 21, force.microscopy 20, biofilm.formation 19, microscopy.sem 14, microscopy.tem 14, electron.microscope 13, first.time 10, microscopy.afm 9, electron.microscopic 9, cell.wall 9, high.resolution 9, electron.dense 8

Triple Word Terms

scanning.electron.microscopy 58, transmission.electron.microscopy 35, atomic.force.microscopy 20, electron.microscopy.sem 14, electron.microscopy.tem 14, scanning.electron.microscope 11, force.microscopy.afm 9, scanning.transmission.electron 7, scanning.electron.microscopic 6, electron.microscope.sem 5, confocal.laser.scanning 5, electron.dense.material 4, self.etch.adhesives 3, sem.transmission.electron 3, extracellular.polymeric.substances 3

Term Cliques

24.84% speci muscl microscopi infect ultrastructur

35.44% speci cell microscopi surfac infect ultrastructur
 39.01% speci cell root microscopi surfac
 31.98% speci cell plant root microscopi
 28.11% bacteria cell isol plant root microscopi
 35.16% adhes bacteria cell root microscopi surfac
 35.81% biofilm bacteria cell microscopi surfac infect
 30.49% biofilm bacteria cell isol microscopi infect
 25.98% biofilm bacteria bacteri cell biofilm.formation surfac infect
 21.43% biofilm bacteria bacteri cell isol biofilm.formation infect
 37.27% biofilm adhes bacteria cell microscopi surfac
 27.24% biofilm adhes bacteria bacteri cell biofilm.formation surface

Sample Cluster Record Titles

[Electron tomography of biological samples](#)

[Adherence and biofilm formation of Staphylococcus epidermidis and Mycobacterium tuberculosis on various spinal implants](#)

[Ultrastructure of the cell wall of unbeaten Norway spruce pulp fibre surfaces](#)

[The high-resolution architecture and structural dynamics of Bacillus spores](#)

[The essential role of exopolymers \(EPS\) in aquatic systems](#)

[Formation of biofilms by Listeria monocytogenes under various growth conditions](#)

[Adhesion at calcium oxalate crystal surfaces and the effect of urinary constituents](#)

[Role of biopolymers on bacterial adhesion and mineral beneficiation](#)

[Isolation and identification of bacteria from marine biofilms](#)

Cluster Metrics

Authors

wesson, ja 3

ward, md 3

sheng, xx 3

tay, fr 2

spolenak, r 2

schreiber, l 2

prati, c 2

poddubnaya, lg 2

pashley, dh 2
morbelli, ma 2
marchand, b 2
koike, k 2
kobayashi, k 2
huber, g 2
grandini, s 2

Sources

journal of morphology 5
microscopy research and technique 4
journal of nanoscience and nanotechnology 3
journal of dental research 3
infection and immunity 3
water science and technology 2
veterinary pathology 2
scanning 2
review of palaeobotany and palynology 2
proceedings of the national academy of sciences of the united states of america 2
polymer 2
laryngoscope 2
journal of the american society of nephrology 2
journal of biomaterials science-polymer edition 2
journal of bacteriology 2

Keywords

microbiology 12
atomic-force microscopy 11
anatomy & morphology 11
ultrastructure 11
microscopy 11
plant sciences 10
microscopy 9
surfaces 9
sem 9
cell biology 8
dentistry, oral surgery & medicine 7
biotechnology & applied microbiology 7
biochemistry & molecular biology 7
plant sciences 7
biofilm 7

Publication Year

2005 161
2004 20
2006 1

Country

usa 60
germany 24
japan 15
england 15
italy 11
canada 11
peoples r china 10
france 10
russia 5
brazil 5
australia 5
sweden 4
spain 4
india 4
austria 4

Institution

univ toronto 4
chinese acad sci 4
usda ars 3
univ minnesota 3
univ massachusetts 3
russian acad sci 3
natl univ la plata 3
montana state univ 3
med coll wisconsin 3
case western reserve univ 3
usda 2
univ texas 2
univ siena 2
univ saarland 2
univ roma la sapienza 2

DataBase

science citation index 182

- **CLUSTER 194**

Phosphate and calcium compounds (especially calcium phosphates, such as apatite and hydroxyapatite [HAP]), emphasizing studies on cements, bone and bone-like material, and enamel (226 Records)

(Countries: China, followed by USA, Japan, Germany, England.
Institutions: Sichuan University, CAS, University of Bristol. USA includes NIST.).

Cluster Syntax Features

Descriptive Terms

phosphat 18.2%, calcium 15.2%, apatit 5.5%, cement 4.1%, calcium.phosphate 3.6%, bone 3.2%, hydroxyapatit 2.5%, coat 2.2%, enamel 1.5%, hap 1.1%, fluid 0.8%, composit 0.8%, surfac 0.8%, precipit 0.6%, solut 0.6%

Discriminating Terms

phosphat 13.6%, calcium 11.3%, apatit 4.2%, cement 3.1%, calcium.phosphate 2.7%, bone 2.3%, film 2.0%, hydroxyapatit 1.8%, enamel 1.2%, hap 0.9%, nanoparticl 0.7%, nanotub 0.6%, magnet 0.6%, coat 0.6%, quantum 0.5%

Single Word Terms

phosphat 121, calcium 120, surfac 115, rai 101, electron 98, scan 88, microscopi 86, solut 83, composit 82, diffract 81, structur 80, sem 78, form 77, format 74, phase 69

Double Word Terms

scanning.electron 78, electron.microscopy 77, ray.diffraction 68, calcium.phosphate 62, microscopy.sem 35, diffraction.xrd 31, body.fluid 28, simulated.body 28, energy.dispersive 25, fourier.transform 23, transmission.electron 21, infrared.spectroscopy 19, transform.infrared 19, chemical.composition 17, powder.ray 17

Triple Word Terms

scanning.electron.microscopy 65, electron.microscopy.sem 35, ray.diffraction.xrd 27, simulated.body.fluid 26, fourier.transform.infrared 19, transmission.electron.microscopy 18, body.fluid.sbf 16, energy.dispersive.ray 15, powder.ray.diffraction 15,

ray.photoelectron.spectroscopy 13, transform.infrared.spectroscopy 12,
microscopy.energy.dispersive 11, electron.microscopy.energy 11,
scanning.electron.microscope 10, amorphous.calcium.phosphate 9

Term Cliques

31.27% calcium.phosphate hydroxyapatit enamel composit surfac solut
22.12% calcium.phosphate bone hydroxyapatit coat hap fluid composit precipit
21.50% cement bone hydroxyapatit hap composit
24.39% apatit calcium.phosphate bone hydroxyapatit coat fluid composit precipit
28.32% apatit calcium.phosphate bone hydroxyapatit coat fluid composit surfac
25.94% calcium calcium.phosphate hydroxyapatit coat hap fluid composit precipit
27.61% calcium cement hydroxyapatit hap composit
28.21% calcium apatit calcium.phosphate hydroxyapatit coat fluid composit precipit
32.13% calcium apatit calcium.phosphate hydroxyapatit coat fluid composit surfac
38.05% phosphat calcium calcium.phosphate hydroxyapatit coat composit surfac solut
31.02% phosphat calcium calcium.phosphate hydroxyapatit coat hap composit precipit
solut
32.58% phosphat calcium apatit calcium.phosphate hydroxyapatit coat composit precipit
36.50% phosphat calcium apatit calcium.phosphate hydroxyapatit coat composit surface

Sample Cluster Record Titles

[Ultrastructural study of calculus-enamel and calculus-root interfaces](#)

[Morphology and physical properties of calcium zincate](#)

[Nanocrystalline tetracalcium phosphate cement](#)

[Effect of thermohydraulic conditions on fouling of calcium oxalate and silica](#)

[Microwave accelerated synthesis of nanosized calcium deficient hydroxyapatite](#)

[Preparation and characterization of a novel bioactive bone cement: Glass based nanoscale hydroxyapatite bone cement](#)

[Properties of nanostructured hydroxyapatite prepared by a spray drying technique](#)

[Preparation and comprehensive characterization of a calcium hydroxyapatite reference material](#)

[Setting behavior of fast-setting calcium phosphate cement with mineral phase of bone](#)

Cluster Metrics

Authors

zhang, xd 6
ding, cx 4
barralet, je 4
zhou, n 3
zhang, ly 3
wang, dp 3
rey, c 3
parker, dm 3
liu, xy 3
leng, y 3
huang, wh 3
gbureck, u 3
eichert, d 3
drouet, c 3
combes, c 3

Sources

bioceramics 17 16
biomaterials 12
journal of materials science-materials in medicine 10
cement and concrete research 9
high-performance ceramics iii, pts 1 and 2 8
journal of crystal growth 7
journal of biomedical materials research part a 7
journal of non-crystalline solids 4
chemistry of materials 4
materials science & engineering c-biomimetic and supramolecular systems 3
journal of physical chemistry b 3
journal of materials science 3
journal of materials chemistry 3
journal of dental research 3
journal of colloid and interface science 3

Keywords

hydroxyapatite 38
materials science, biomaterials 35
materials science, multidisciplinary 34
engineering, biomedical 31
chemistry, physical 24
dentistry, oral surgery & medicine 17
bone 16
materials science, multidisciplinary 14
apatite 14

materials science, ceramics 12
behavior 12
hydroxyapatite 11
crystallography 11
construction & building technology 11
adsorption 11

Publication Year

2005 201
2004 25

Country

peoples r china 42
usa 30
japan 28
germany 24
england 24
france 14
india 13
brazil 11
south korea 9
spain 7
poland 7
canada 7
australia 7
italy 6
taiwan 5

Institution

sichuan univ 8
chinese acad sci 7
univ bristol 6
univ birmingham 5
tsing hua univ 5
zhejiang univ 4
univ tokyo 4
univ jena 4
nanyang technol univ 4
mcgill univ 4
kyoto univ 4
univ wurzburg 3
tongji univ 3
seoul natl univ 3
natl inst stand & technol 3

- **CLUSTER 186**

Soot, flame-synthesized particles, and humic substances, emphasizing aggregation, particle size, analysis using fractionation (125 Records)

(Countries: USA dominant, Germany. Institutions: University of Kentucky, University of Naples Federico, University of Delaware, Technical University of Munich, ETH. Other USA include University of Minnesota, ANL, University of Washington, University of Utah.).

Cluster Syntax Features

Descriptive Terms

soot 17.1%, flame 12.4%, particl 8.6%, aggreg 3.4%, fraction 2.0%, size 1.7%, colloid 1.6%, soot.particles 1.4%, flow 1.3%, diesel 1.1%, combust 0.9%, soil 0.9%, concentr 0.8%, matter 0.7%, humic 0.7%

Discriminating Terms

soot 13.6%, flame 9.6%, particl 3.1%, film 2.3%, aggreg 2.0%, fraction 1.2%, soot.particles 1.2%, diesel 0.8%, colloid 0.8%, magnet 0.7%, layer 0.7%, nanotub 0.6%, soil 0.6%, flow 0.6%, structur 0.6%

Single Word Terms

particl 102, size 89, concentr 45, surfac 41, soot 38, sampl 36, fraction 36, aggreg 36, high 35, two 34, model 34, flame 34, experiment 34, electron 33, nanoparticl 33

Double Word Terms

particle.size 32, electron.microscopy 24, transmission.electron 24, soot.particles 23, size.distribution 20, primary.particle 12, organic.matter 11, size.distributions 11, scanning.electron 10, electron.microscope 10, primary.particles 9, diffusion.flame 9, energy.dispersive 9, flow.fractionation 9, field.flow 9

Triple Word Terms

transmission.electron.microscopy 15, scanning.electron.microscopy 9, field.flow.fractionation 9, transmission.electron.microscope 8, energy.dispersive.ray 7, dissolved.organic.matter 7, electron.microscopy.tem 6, electron.microscope.tem 6, primary.particle.size 6, dispersive.ray.spectroscopy 5, flow.field.flow 5, spherical.primary.particles 4, electron.energy.loss 4, resolution.transmission.electron 4, electron.microscopy.sem 4

Term Cliques

12.80% colloid soil matter
16.80% fraction colloid soil
33.60% fraction size flow concentr humic
20.64% aggreg colloid concentr matter humic
23.04% aggreg fraction colloid concentr humic
34.08% aggreg fraction size concentr humic
34.67% particl soil matter
39.40% particl combust concentr matter
33.00% particl diesel combust matter
40.80% particl aggreg concentr matter
34.40% particl aggreg diesel matter
41.37% flame particl fraction size soot.particles flow concentr
32.96% soot particl fraction soot.particles soil
46.13% soot particl aggreg fraction size concentr
41.87% soot particl aggreg fraction size diesel
39.60% soot flame particl fraction size soot.particles combust concentr
36.40% soot flame particl fraction size soot.particles diesel combust

Sample Cluster Record Titles

[Synthesis of oxide nanopowders in NanoSpray\(SM\) diffusion flames](#)

[Growth of zirconia particles made by flame spray pyrolysis](#)

[Nanoparticle production by UV irradiation of combustion generated soot particles](#)

[Effect of ferrocene addition on sooting limits in laminar premixed ethylene-oxygen-argon flames](#)

[Morphology, size distribution, and oxidation of diesel soot](#)

[Laser-optical characterization of air-borne nanoparticles by time-resolved laser-induced incandescence \(TIRE-LII\)](#)

[A lattice chain model for the thermal restructuring of nanoparticle chain aggregates](#)

[Inverted co-flow diffusion flame for producing soot](#)

[Transmission electron microscopy investigation of ultrafine coal fly ash particles](#)

Cluster Metrics

Authors

shah, n 4
minutolo, p 4
huggins, fe 4
huffman, gp 4
zachariah, mr 3
wang, h 3
chen, yz 3
zhao, b 2
wiggers, h 2
vital, a 2
stipe, cb 2
schmid, hj 2
sawyer, rf 2
roth, p 2
pratsinis, se 2

Sources

environmental science & technology 8
proceedings of the combustion institute 7
journal of nanoparticle research 6
combustion and flame 5
chromatographia 4
marine chemistry 3
langmuir 3
journal of physical chemistry b 3
journal of chromatography a 3
colloids and surfaces a-physicochemical and engineering aspects 3
chemical engineering science 3
atmospheric environment 3
analytica chimica acta 3
water research 2
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 2

Keywords

engineering, chemical 25
particles 24
nanoparticles 19
chemistry, analytical 16
growth 15
energy & fuels 15
thermodynamics 13
environmental sciences 13
chemistry, physical 12
chemistry, multidisciplinary 12
engineering, environmental 11
biochemical research methods 11
materials science, multidisciplinary 10
combustion 10
soot 8

Publication Year

2005 100
2004 19
2006 6

Country

usa 46
germany 22
switzerland 9
italy 8
france 8
india 6
england 6
south korea 5
finland 5
canada 5
japan 4
spain 3
peoples r china 3
australia 3
taiwan 2

Institution

univ kentucky 5
univ naples federico ii 4
univ delaware 4
tech univ munich 4
eth 4

univ minnesota 3
univ erlangen nurnberg 3
univ alberta 3
indian inst technol 3
forschungszentrum karlsruhe 3
cnr 3
argonne natl lab 3
univ washington 2
univ utah 2
univ tokyo 2

DataBase

science citation index 125

- **CLUSTER 126**

Aerosols and other fine/ultrafine particles, with emphasis on nucleation and measuring particle size, mass, and concentration, especially in the atmosphere (251 Records)

(Countries: USA dominant, Germany, followed by Finland, Japan.

Institutions: University of Helsinki, followed by University of Minnesota.

Other USA include USC, University of Colorado, UCLA, UCD, PNNL.).

Cluster Syntax Features

Descriptive Terms

particl 25.9%, aerosol 23.7%, size 1.8%, mass 1.7%, concentr 1.4%, dust 1.2%, number 1.1%, aerosol.particles 1.1%, atmospher 1.1%, distribut 0.9%, mobil 0.8%, nucleat 0.7%, particle.number 0.6%, ultrafin 0.6%, size.distributions 0.5%

Discriminating Terms

aerosol 17.4%, particl 12.9%, film 2.1%, dust 0.8%, aerosol.particles 0.8%, mass 0.8%,

structur 0.7%, surfac 0.7%, magnet 0.6%, nanotub 0.6%, atmospher 0.6%, layer 0.5%, crystal 0.5%, temperatur 0.5%, number 0.5%

Single Word Terms

particl 236, size 177, aerosol 165, concentr 124, measur 109, distribut 108, number 101, diamet 98, high 95, mass 93, sampl 88, two 80, atmospher 77, composit 69, time 69

Double Word Terms

particle.size 65, size.distributions 58, aerosol.particles 56, size.distribution 48, particle.number 36, electron.microscopy 34, differential.mobility 33, scanning.electron 32, number.concentrations 28, particulate.matter 25, mobility.analyzer 25, mobility.particle 25, particle.mass 25, number.concentration 25, mass.spectrometer 24

Triple Word Terms

particle.size.distributions 26, differential.mobility.analyzer 25, scanning.electron.microscopy 22, scanning.mobility.particle 21, mobility.particle.sizer 18, particle.number.concentrations 16, energy.dispersive.ray 15, particle.size.distribution 15, tandem.differential.mobility 13, transmission.electron.microscopy 13, particle.number.concentration 12, scanning.electron.microscope 11, number.size.distribution 10, microscopy.energy.dispersive 10, electron.microscopy.energy 10

Term Cliques

45.26% particl aerosol dust aerosol.particles atmospher
43.48% particl aerosol size concentr aerosol.particles nucleat particle.number ultrafin
44.87% particl aerosol size concentr aerosol.particles mobil nucleat ultrafin
49.86% particl aerosol size concentr aerosol.particles atmospher nucleat
50.85% particl aerosol size mass concentr atmospher distribut nucleat
42.63% particl aerosol size mass concentr number distribut nucleat particle.number ultrafin size.distributions
43.64% particl aerosol size mass concentr number distribut mobil nucleat ultrafin size.distributions

Sample Cluster Record Titles

[Coagulation in bipolar, aerosol chargers](#)

[A method for measuring the density of irregularly shaped biological aerosols such as pollen](#)

[Generation of aluminum nanoparticles using an atmospheric pressure plasma torch](#)

[Aerosol number to volume ratios in Southwest Portugal during ACE-2](#)

[Particulates of the surface microlayer of open water in the central Arctic Ocean in summer](#)

[Comparison of aerosol chemistry transport model simulations with lidar and Sun photometer observations at a site near Paris](#)

[Measurement of ultrafine particle size distributions from coal-, oil-, and gas-fired stationary combustion sources](#)

[Atmospheric mineral particles collected at Qira in the Taklamakan desert, China](#)

[Size diffusion for the growth of newly nucleated aerosol](#)

Cluster Metrics

Authors

kulmala, m 14
sioutas, c 8
wiedensohler, a 7
sakurai, h 6
fine, pm 6
mcmurry, ph 5
kuhn, t 5
hameri, k 5
weingartner, e 4
okuyama, k 4
massling, a 4
lehtinen, kej 4
laaksonen, a 4
kittelson, db 4
kim, cs 4

Sources

aerosol science and technology 31
atmospheric environment 30
journal of geophysical research-atmospheres 19
journal of aerosol science 18
atmospheric chemistry and physics 13
environmental science & technology 9
geophysical research letters 7
journal of environmental monitoring 6
science of the total environment 5
tellus series b-chemical and physical meteorology 4
journal of analytical atomic spectrometry 4
analytical chemistry 4
nature 3
industrial & engineering chemistry research 3

boreal environment research 3

Keywords

environmental sciences 63
meteorology & atmospheric sciences 58
environmental sciences 48
particles 37
engineering, mechanical 34
meteorology & atmospheric sciences 32
engineering, chemical 26
size 24
aerosol 22
particles 18
nanoparticles 18
engineering, mechanical 18
aerosols 17
ultrafine particles 16
chemistry, analytical 15

Publication Year

2005 226
2004 22
2006 3

Country

usa 90
germany 46
finland 30
japan 29
sweden 16
switzerland 13
england 13
italy 12
peoples r china 11
spain 9
south korea 9
france 9
russia 8
canada 7
norway 6

Institution

univ helsinki 19
univ minnesota 12
univ so calif 8
univ kuopio 7

paul scherrer inst 7
max planck inst chem 7
hiroshima univ 7
finnish meteorol inst 7
univ colorado 5
univ calif los angeles 5
univ calif davis 5
stockholm univ 5
pacific nw natl lab 5
finnish inst occupat hlth 5
univ mainz 4

DataBase

science citation index 251

- **CLUSTER 212**

Investigations on particle size, focusing on determination of particle size distribution, particles prepared by precipitation method, dispersion of particles, and barium titanate (BaTiO₃) particles and powders (380 Records)

(Countries: USA, China, followed by Japan, Germany, followed by South Korea, Taiwan. Institutions: CAS, Zhejiang University, University

Erlangen Nurnberg. USA include University of Connecticut, Rutgers State University.).

Cluster Syntax Features

Descriptive Terms

particl 28.3%, particle.size 15.0%, size 13.9%, nanoparticl 2.2%, distribut 1.4%, size.distribution 1.3%, particle.size.distribution 1.1%, precipit 1.0%, nanofluid 0.9%, dispers 0.6%, concentr 0.5%, particle.sizes 0.5%, powder 0.5%, solut 0.4%, batio3 0.4%

Discriminating Terms

particl 18.0%, particle.size 12.8%, size 8.3%, film 2.5%, size.distribution 1.0%, particle.size.distribution 1.0%, nanofluid 0.8%, nanotub 0.7%, layer 0.7%, magnet 0.7%, structur 0.6%, surfac 0.6%, precipit 0.5%, carbon 0.5%, distribut 0.5%

Single Word Terms

size 374, particl 372, nanoparticl 175, distribut 153, electron 121, temperatur 111, surfac 100, concentr 100, solut 91, properti 91, high 89, microscopi 84, condit 84, mean 82, control 81

Double Word Terms

particle.size 309, size.distribution 116, electron.microscopy 75, transmission.electron 68, particle.sizes 58, ray.diffraction 47, average.particle 37, scanning.electron 37, mean.particle 35, size.particle 28, microscopy.tem 26, size.size 21, size.distributions 21, particles.size 21, surface.area 18

Triple Word Terms

particle.size.distribution 81, transmission.electron.microscopy 50, average.particle.size 31, mean.particle.size 26, electron.microscopy.tem 25, scanning.electron.microscopy 23, particle.size.particle 20, ray.diffraction.xrd 17, size.particle.size 17, particle.size.distributions 17, narrow.particle.size 16, temperature.particle.size 13, particle.size.size 12, dynamic.light.scattering 12, narrow.size.distribution 11

Term Cliques

38.95% particl nanoparticl nanofluid dispers concentr
42.19% particl size dispers particle.sizes powder batio3
51.74% particl size distribut powder batio3
46.80% particl size nanoparticl dispers particle.sizes batio3
50.83% particl particle.size size precipit dispers powder solut
49.59% particl particle.size size precipit dispers particle.sizes powder
50.89% particl particle.size size distribut size.distribution precipit powder solut
51.88% particl particle.size size distribut size.distribution precipit concentr solut
51.51% particl particle.size size distribut size.distribution particle.size.distribution powder solut
52.50% particl particle.size size distribut size.distribution particle.size.distribution

concentr solut

53.53% particl particle.size size nanoparticl precipit dispers particle.sizes

51.22% particl particle.size size nanoparticl precipit dispers concentr solute

Sample Cluster Record Titles

[Mechanical activation of aluminum: 2. Size, shape, and structure of particles](#)

[The influence of size scale on the performance of fuel cells](#)

[Synthesis and nanodomain patterns of BaTiO₃ nanoparticles](#)

[Analysis of particle size distribution by particle tracking](#)

[Particle size distribution analysis for nano-SiO₂ powder by ultra-small angle X-ray scattering \(USAXS\) using synchrotron radiation](#)

[Comparison of micro- and nano-size particle depositions in a human upper airway model](#)

[Preparation and characterization of solid lipid nanoparticles \(SLN\) made of cacao butter and curdlan](#)

[Preparation of MgAl₂O₄ nanopowder by homogeneous precipitation method](#)

[Size effects in ultradisperse powders of nickel](#)

Cluster Metrics

Authors

peukert, w 6

kim, cs 4

zhou, jg 3

zhao, fy 3

wang, zh 3

tsung, tt 3

sundmacher, k 3

stenger, f 3

schwarzer, hc 3

okuyama, k 3

lo, ch 3

li, zq 3

kim, ms 3

hong, gy 3

gao, sy 3

Sources

journal of physical chemistry b 11
international journal of pharmaceutics 11
chemical engineering science 9
rare metal materials and engineering 8
colloids and surfaces a-physicochemical and engineering aspects 8
industrial & engineering chemistry research 6
powder technology 5
materials letters 5
langmuir 5
journal of the american ceramic society 5
journal of crystal growth 5
journal of applied physics 5
chinese journal of inorganic chemistry 5
ceramics international 5
solid state ionics 4

Keywords

chemistry, physical 59
nanoparticles 57
materials science, multidisciplinary 50
engineering, chemical 45
particles 42
materials science, multidisciplinary 29
nanoparticles 27
size 27
chemistry, multidisciplinary 25
materials science, ceramics 22
physics, applied 20
particles 20
powders 19
growth 19
nanoparticle 18

Publication Year

2005 324
2004 48
2006 8

Country

usa 75
peoples r china 65
japan 41
germany 38

south korea 25
taiwan 23
india 18
france 18
england 16
spain 12
italy 11
russia 10
switzerland 8
canada 7
ukraine 6

Institution

chinese acad sci 13
zhejiang univ 7
univ erlangen nurnberg 7
tech univ munich 6
natl inst adv ind sci & technol 6
univ connecticut 5
russian acad sci 5
natl cheng kung univ 5
indian inst technol 5
hanyang univ 5
univ magdeburg 4
rutgers state univ 4
polish acad sci 4
natl chung cheng univ 4
korea inst machinery & mat 4

DataBase

science citation index 380

• CLUSTER 238

Studies on nano-sized particles, characterized by size, surface characteristics, shape, and morphology (580 Records)

(Countries: USA, followed by Japan, China, Germany, followed by Korea, France. Institutions: Osaka University, CAS. USA include University of Texas, University of Alabama, University of Maryland.).

Cluster Syntax Features

Descriptive Terms

particl 64.2%, size 1.2%, nanoparticl 0.9%, surfac 0.7%, shape 0.4%, spheric 0.4%, phase 0.3%, metal 0.3%, diamet 0.3%, dispers 0.3%, solut 0.3%, morpholog 0.3%, composit 0.2%, forc 0.2%, water 0.2%

Discriminating Terms

particl 51.7%, film 2.5%, nanotub 0.8%, magnet 0.7%, carbon 0.6%, quantum 0.6%, structur 0.6%, layer 0.6%, si 0.5%, deposit 0.5%, crystal 0.4%, thin 0.4%, dot 0.4%, cell 0.3%, temperatur 0.3%

Single Word Terms

particl 580, size 304, surfac 233, electron 184, nanoparticl 165, microscopi 144, structur 138, temperatur 127, form 127, diamet 124, phase 123, two 122, properti 117, high 115, solut 115

Double Word Terms

electron.microscopy 122, particle.size 96, scanning.electron 86, transmission.electron 82, ray.diffraction 44, microscopy.sem 37, particle.surface 33, surface.area 32, size.distribution 28, size.particles 27, electron.microscope 27, microscopy.tem 26, particles.size 25, particle.morphology 25, particles.formed 24

Triple Word Terms

transmission.electron.microscopy 70, scanning.electron.microscopy 65, electron.microscopy.sem 36, electron.microscopy.tem 26, ray.photoelectron.spectroscopy 18, ray.diffraction.xrd 17, atomic.force.microscopy 17, scanning.electron.microscope 17, energy.dispersive.ray 13, resolution.transmission.electron 12, force.microscopy.afm 12, high.resolution.transmission 11, photoelectron.spectroscopy.xps 11, van.der.waals 10, scanning.transmission.electron 9

Term Cliques

35.46% particl nanoparticl surfac dispers composit forc
36.29% particl nanoparticl surfac diamet dispers forc
35.17% particl nanoparticl surfac spheric composit forc
30.42% particl size shape phase dispers solut morpholog composit water

32.37% particl size shape phase diamet dispers morpholog water
 30.23% particl size shape spheric phase solut morpholog composit water
 30.79% particl size surfac shape metal dispers solut morpholog composit water
 32.57% particl size surfac shape metal diamet dispers morpholog water
 32.34% particl size surfac shape spheric solut morpholog composit water
 31.44% particl size nanoparticl shape phase dispers solut composit water
 33.51% particl size nanoparticl shape phase diamet dispers water
 31.25% particl size nanoparticl shape spheric phase solut composit water
 31.71% particl size nanoparticl surfac shape metal dispers solut composit water
 33.58% particl size nanoparticl surfac shape metal diamet dispers water
 33.35% particl size nanoparticl surfac shape spheric solut composit water

Sample Cluster Record Titles

[Description of morphological changes of particles along spray drying](#)

[Dielectrophoresis of nanoparticles](#)

[Thermal stability of Au nanoparticles in O-2 and air on fully oxidized TiO₂\(110\) substrates at elevated pressures. An AFM/XPS study of Au/TiO₂ model systems](#)

[Combustion synthesis and characterization of nanocrystalline tin and tin oxide \(SnO_x, x=0-2\) particles](#)

[On Mo-Ru-Tc-Pd-Rh-Te alloy particles extracted from spent fuel and their leaching behavior under Ar and H-2 atmospheres](#)

[Synthesis of hollow nanoparticles by plasma polymerization](#)

[Aggregation of paramagnetic particles in the presence of a hydrodynamic shear](#)

[Tough and heat resistant: New silicone particles for thermosets](#)

[Size-dependent melting of Bi nanoparticles](#)

Cluster Metrics

Authors

roth, p 7

kang, yc 6

yokoyama, h 5

rellinghaus, b 5

okuyama, k 5

nikles, de 5
lee, j 5
jung, ky 5
harrell, jw 5
wiggers, h 4
suzuki, h 4
stark, h 4
mori, h 4
mangeney, c 4
lenggoro, iw 4

Sources

langmuir 19
journal of physical chemistry b 17
journal of colloid and interface science 16
physical review b 14
materials letters 11
journal of applied physics 11
applied physics letters 9
powder technology 8
journal of nanoparticle research 8
colloids and surfaces a-physicochemical and engineering aspects 8
nanotechnology 7
journal of materials science 7
journal of alloys and compounds 7
scripta materialia 6
journal of materials research 6

Keywords

chemistry, physical 92
materials science, multidisciplinary 79
nanoparticles 61
particles 54
physics, applied 45
materials science, multidisciplinary 43
chemistry, multidisciplinary 38
engineering, chemical 35
nanoparticles 30
size 30
growth 27
particles 25
engineering 25
physics, applied 25
metallurgy & metallurgical 25

Publication Year

2005 515

2004 57

2006 8

Country

usa 152

japan 95

peoples r china 82

germany 78

south korea 43

france 34

england 25

russia 16

spain 12

india 12

austria 12

australia 12

switzerland 11

denmark 11

sweden 10

Institution

osaka univ 10

chinese acad sci 10

univ texas 8

tsing hua univ 8

tohoku univ 8

russian acad sci 8

univ duisburg essen 7

korea res inst chem technol 7

konkuk univ 7

univ alabama 6

hiroshima univ 6

zhejiang univ 5

univ tokyo 5

univ sci & technol china 5

univ maryland 5

DataBase

science citation index 580

• CLUSTER 164

Nanoparticles (especially silica [SiO₂] and titanium dioxide [TiO₂]), emphasizing preparation, surface modification, and core/shell composites (125 Records)

(Countries: China dominant, USA, South Korea. Institutions: CAS, Zhejiang University, Tsing Hua University. USA include US Army, University of New Orleans, University of Maryland, University of Kentucky.).

Cluster Syntax Features

Descriptive Terms

nano 29.2%, particl 17.4%, nano.particles 9.9%, coat 2.8%, sio2 1.9%, size 1.5%, shell 1.5%, core 1.2%, nano.sized 1.0%, nano.particle 1.0%, core.shell 0.8%, tio2 0.8%, composit 0.6%, nano.sio2 0.5%, sio2.particles 0.5%

Discriminating Terms

nano 20.1%, particl 8.3%, nano.particles 7.8%, film 1.9%, sio2 0.9%, coat 0.8%, nano.particle 0.8%, shell 0.7%, nano.sized 0.7%, nanotub 0.6%, carbon 0.6%, structur 0.5%, core 0.5%, crystal 0.5%, core.shell 0.5%

Single Word Terms

particl 121, nano 104, size 72, surfac 49, composit 38, coat 36, properti 36, temperatur 29, structur 29, dispers 28, nanoparticl 28, materi 27, core 27, high 26, mechan 24

Double Word Terms

nano.particles 49, nano.sized 26, particle.size 22, nano.particle 18, core.shell 18, sio2.particles 12, electron.microscopy 10, nano.scale 10, size.distribution 10, ray.diffraction 10, scanning.electron 10, particles.nano 9, sol.gel 9, transmission.electron 9, sized.particles 9

Triple Word Terms

transmission.electron.microscopy 8, nano.sized.particles 8, core.shell.particles 8, core.shell.structure 7, scanning.electron.microscopy 6, electron.microscopy.tem 5,

gold.nano.particles 4, particle.size.distribution 4, particles.core.shell 4, scale.nano.scale 4, scanning.electron.microscope 3, ray.diffraction.xrd 3, electron.microscope.sem 3, nano.sio2.particles 3, core.shell.composite 3

Term Cliques

34.13% particl sio2 size nano.sized nano.sio2 sio2.particles
40.32% particl sio2 size core sio2.particles
30.93% particl coat sio2 composit nano.sio2 sio2.particles
29.33% particl coat sio2 nano.sized nano.sio2 sio2.particles
30.53% particl coat sio2 nano.sized tio2 sio2.particles
27.56% particl coat sio2 shell core core.shell tio2 composit sio2.particles
53.60% nano particl composit nano.sio2
47.20% nano particl nano.particle tio2 composit
53.00% nano particl nano.sized tio2
52.48% nano particl size nano.sized nano.sio2
52.80% nano particl nano.particles nano.particle composit

Sample Cluster Record Titles

[Self-organized nano-particles for enhanced wetting of hard surfaces](#)

[Growth mechanism of nano-sized Titania-coated silica particles prepared from metal alkoxide in a nonionic water-in-oil microemulsion](#)

[Preparation and characterization of SiO₂/TiO₂ core/shell composite particles using TiO₂ nanoparticles via heterocoagulation in a water system](#)

[The role of the Al₂O₃ passivation shell surrounding nano-Al particles in the combustion synthesis of NiAl](#)

[Preparation of nano-particle copper by chemical reduction](#)

[Preparation of polyaniline/nano-ZnO composites via a novel Pickering emulsion route](#)

[Synthesis and physical characteristics of ZnAl₂O₄ nanocrystalline and ZnAl₂O₄/Eu core-shell structure via hydrothermal route](#)

[Effects of nano-diamond particles on the structure and tribological property of Ni-matrix nanocomposite coatings](#)

[Removal of nano and microparticles by granular filter media coated with nanoporous aluminium oxide](#)

Cluster Metrics

Authors

xu, bs 4
chen, sy 4
wu, mk 3
chen, ig 3
yu, m 2
yang, h 2
wang, zy 2
wang, x 2
wang, m 2
wang, h 2
wang, cc 2
tu, wy 2
rong, y 2
pantoya, ml 2
lin, ys 2

Sources

rare metal materials and engineering 7
journal of industrial and engineering chemistry 5
polymer 3
materials letters 3
journal of inorganic materials 3
electrochimica acta 3
chinese journal of inorganic chemistry 3
tribology letters 2
surface & coatings technology 2
propellants explosives pyrotechnics 2
pricm 5: the fifth pacific rim international conference on advanced materials and processing, pts 1-5 2
powder technology 2
materials science and engineering a-structural materials properties microstructure and processing 2
materials chemistry and physics 2
journal of sol-gel science and technology 2

Keywords

materials science, multidisciplinary 22
chemistry, multidisciplinary 13
nanoparticles 11
films 11
engineering 10
metallurgy & metallurgical 10
nanoparticles 8

engineering, chemical 8
engineering, chemical 8
growth 7
polymer science 6
materials science, ceramics 6
electrochemistry 6
chemistry, physical 6
chemistry, inorganic & nuclear 6

Publication Year

2005 106
2004 17
2006 2

Country

peoples r china 59
usa 14
south korea 10
taiwan 8
japan 8
germany 8
australia 4
singapore 2
russia 2
poland 2
india 2
hungary 2
france 2
england 2
wales 1

Institution

chinese acad sci 9
zhejiang univ 6
tsing hua univ 5
shanghai jiao tong univ 3
natl cheng kung univ 3
hanyang univ 3
acad sinica 3
xian jiaotong univ 2
wuhan univ technol 2
usa 2
univ sci & technol china 2
univ paris 06 2
univ new orleans 2
univ maryland 2

- **CLUSTER 228**

Colloidal particles, spheres, suspensions, and crystals, emphasizing particle size, hollow spheres, stabilization, dispersion, and latex materials (258 Records)

(Countries: USA, China, followed by Germany, Japan, South Korea.
Institutions: CAS, Rice University, RAS. Other USA include University of Washington, Georgia Institute of Technology, Texas A&M.).

Cluster Syntax Features

Descriptive Terms

colloid 28.8%, particl 11.1%, sphere 4.3%, suspens 3.0%, nanocryst 3.0%, aggreg 1.8%, size 1.4%, hollow 1.1%, stabil 1.0%, dispers 0.9%, latex 0.9%, colloidal.particles 0.9%, solut 0.7%, aqueou 0.6%, concentr 0.6%

Discriminating Terms

colloid 25.1%, particl 5.3%, sphere 3.6%, suspens 2.5%, film 2.2%, nanocryst 1.8%, aggreg 1.1%, hollow 0.8%, colloidal.particles 0.8%, nanotub 0.7%, latex 0.7%, carbon 0.6%, quantum 0.5%, temperatur 0.5%, deposit 0.4%

Single Word Terms

particl 206, colloid 165, size 128, surfac 98, structur 83, form 79, solut 76, concentr 74, stabil 67, dispers 60, suspens 59, nanoparticl 59, system 57, format 56, sphere 54

Double Word Terms

electron.microscopy 35, particle.size 31, colloidal.particles 30, transmission.electron 29,

light.scattering 22, size.distribution 22, scanning.electron 19, zeta.potential 14, self.assembly 14, aqueous.solution 13, latex.particles 13, core.shell 12, colloidal.crystals 12, ray.diffraction 11, aqueous.solutions 10

Triple Word Terms

transmission.electron.microscopy 25, scanning.electron.microscopy 15, dynamic.light.scattering 9, atomic.force.microscopy 8, electron.microscopy.tem 7, angle.ray.scattering 6, small.angle.ray 6, force.microscopy.afm 5, van.der.waals 5, self.assembly.colloidal 5, particle.size.distribution 5, polystyrene.latex.particles 5, photon.correlation.spectroscopy 4, core.shell.spheres 4, electric.field.strength 4

Term Cliques

30.23% nanocryst size stabil solut
13.05% sphere hollow latex
18.41% sphere nanocryst
27.42% particl hollow latex colloidal.particles
31.01% particl hollow stabil latex
33.43% particl aggreg hollow stabil
34.54% particl aggreg size stabil dispers solut aqueou concentr
33.72% particl suspens aggreg size stabil dispers aqueou concentr
30.72% colloid sphere latex concentr
41.18% colloid particl latex colloidal.particles
51.26% colloid particl size colloidal.particles
38.44% colloid particl suspens stabil latex concentr
39.34% colloid particl suspens size stabil dispers aqueou concentr

Sample Cluster Record Titles

[Polystyrene/melamine-formaldehyde hollow microsphere composite by self-assembling of latex particles at emulsion droplet interface](#)

[Thermal convection in colloidal suspensions with negative separation ratio](#)

[Surface clusters of colloid particles produced by deposition on sites](#)

[A comparative study on the phase behaviour of highly charged colloidal spheres in a confining wedge geometry](#)

[Synthesis of polystyrene beads loaded with dual luminophors for self-referenced oxygen sensing](#)

[Isostatic ultra-high-pressure effects on supercooled melts in colloidal triglyceride dispersions](#)

[Fabrication of superhydrophobic surfaces from binary colloidal assembly](#)

[Colloidal nanocrystal synthesis and the organic-inorganic interface](#)

[Colloidal jamming at interfaces: A route to fluid-bicontinuous gels](#)

Cluster Metrics

Authors

mohwald, h 5
yu, zm 3
yang, sm 3
xia, yn 3
wang, dy 3
wang, bc 3
elaissari, a 3
colvin, vl 3
zhu, ym 2
zhao, l 2
zhang, jh 2
zhang, h 2
zhang, g 2
yoon, ts 2
yang, b 2

Sources

langmuir 20
journal of colloid and interface science 15
journal of physical chemistry b 14
chemistry of materials 12
journal of the american chemical society 9
colloids and surfaces a-physicochemical and engineering aspects 9
colloid and polymer science 5
chemical journal of chinese universities-chinese 5
advanced materials 5
nano letters 4
journal of magnetism and magnetic materials 4
chemical communications 4
talanta 3
physical review letters 3
physical review e 3

Keywords

chemistry, physical 93
chemistry, multidisciplinary 42
nanoparticles 42

particles 35
materials science, multidisciplinary 30
materials science, multidisciplinary 26
growth 21
spheres 19
films 16
silica 15
water 14
particles 13
adsorption 12
surface 11
physics, condensed matter 11

Publication Year

2005 227
2004 26
2006 5

Country

usa 58
peoples r china 51
germany 28
japan 23
south korea 22
france 19
england 14
russia 12
spain 6
singapore 6
netherlands 6
india 6
canada 6
australia 6
turkey 4

Institution

chinese acad sci 10
rice univ 7
russian acad sci 6
univ washington 5
seoul natl univ 5
max planck inst colloids & interfaces 5
korea adv inst sci & technol 5
univ utrecht 4
georgia inst technol 4
yonsei univ 3

univ toronto 3
univ munich 3
univ manchester 3
univ granada 3
texas a&m univ 3

DataBase
science citation index 258

- **CLUSTER 179**

Magnetic particles, focusing on ferrites (such as Fe₃O₄ and Fe₂O₃) and ferrofluids, superparamagnetic particles, particle size, and Mossbauer spectroscopy (178 Records)

(Countries: China, USA, Japan. Institutions: CAS, University of Sao Paulo, Indian Institute of Technology, Tohoku University. USA includes University of Alabama.).

Cluster Syntax Features

Descriptive Terms

particl 20.3%, magnet 18.3%, iron 5.1%, magnetit 3.4%, ferrit 2.1%, fe₃o₄ 1.9%, superparamagnet 1.8%, nanoparticl 1.7%, fe 1.5%, size 1.5%, fe₂o₃ 1.4%, fluid 1.1%, mossbauer 1.0%, particle.size 0.9%, ferrofluid 0.9%

Discriminating Terms

particl 10.7%, magnet 9.7%, iron 3.3%, magnetit 2.7%, film 2.2%, ferrit 1.5%, fe₃o₄ 1.5%, superparamagnet 1.4%, fe₂o₃ 1.0%, carbon 0.7%, mossbauer 0.7%, ferrofluid 0.7%, nanotub 0.7%, fluid 0.7%, surfac 0.6%

Single Word Terms

particl 174, magnet 142, size 116, nanoparticl 93, properti 76, temperatur 61, iron 58, structur 57, surfac 52, field 49, electron 48, superparamagnet 47, oxid 46, synthes 46, sampl 45

Double Word Terms

particle.size 53, magnetic.properties 44, transmission.electron 31, electron.microscopy 30, ray.diffraction 29, saturation.magnetization 26, magnetic.particles 25, room.temperature 20, iron.oxide 18, average.particle 18, magnetic.field 17, size.distribution 16, particles.magnetic 16, core.shell 15, sol.gel 15

Triple Word Terms

transmission.electron.microscopy 23, average.particle.size 16, ray.diffraction.xrd 12, electron.microscopy.tem 10, scanning.electron.microscopy 8, iron.oxide.particles 7, vibrating.sample.magnetometer 7, superparamagnetic.iron.oxide 6, electron.microscopy.sem 6, maghemite.gamma.fe2o3 5, fourier.transform.infrared 5, transform.infrared.spectroscopy 5, alpha.fe2o3.particles 5, transmission.electron.microscope 5, particle.size.distribution 5

Term Cliques

40.77% particl nanoparticl size fe2o3 mossbauer particle.size ferrofluid
39.49% particl magnetit nanoparticl size fe2o3 mossbauer ferrofluid
35.58% particl iron fe fe2o3 mossbauer particle.size
44.06% particl iron nanoparticl size fe2o3 mossbauer particle.size
45.75% particl iron superparamagnet nanoparticl size mossbauer particle.size
42.78% particl iron magnetit nanoparticl size fe2o3 mossbauer
44.46% particl iron magnetit superparamagnet nanoparticl size mossbauer
42.46% particl iron magnetit fe3o4 nanoparticl size fe2o3
44.14% particl iron magnetit fe3o4 superparamagnet nanoparticl size
49.21% particl magnet fe mossbauer particle.size
51.12% particl magnet nanoparticl fluid ferrofluid
47.12% particl magnet superparamagnet nanoparticl size mossbauer particle.size ferrofluid
52.02% particl magnet fe3o4 nanoparticl fluid
46.00% particl magnet ferrit nanoparticl size mossbauer particle.size ferrofluid
46.00% particl magnet magnetit superparamagnet nanoparticl size mossbauer ferrofluid
50.88% particl magnet magnetit fe3o4 superparamagnet nanoparticl size

Sample Cluster Record Titles

[Preparation of a Langmuir monolayer of CoFe2O4 nanoparticles at the air/water interface](#)

[Surface and magnetic interaction effects in Mn3O4 nanoparticles](#)

[Structure and magnetic properties of Ni_{0.7}Mn_{0.3}Fe₂O₄ nanoparticles doped with La₂O₃](#)

[Effect of capping and particle size on Raman laser-induced degradation of gamma-Fe₂O₃ nanoparticles](#)

[Formation of two-dimensional ordered magnetic nanolattices in opal structures](#)

[Magnetic properties of NiFe₂O₄ nanoparticles in SiO₂ matrix](#)

[Magnetic studies of iron\(III\) nanoparticles in alginate polymer for drug delivery applications](#)

[The role of non-collinear spins on the magnetic properties of uncoupled nanometer-size particles](#)

[Mechano-synthesis, characterization, and magnetic properties of nanoparticles of cobalt ferrite, CoFe₂O₄](#)

Cluster Metrics

Authors

bahadur, d 4

zhang, h 3

yu, jh 3

vaidyanathan, g 3

suzuki, s 3

sendhilnathan, s 3

rehnspringer, jl 3

pich, a 3

muramatsu, a 3

morales, mp 3

matsubara, e 3

lopez-lopez, mt 3

liu, hz 3

lee, dw 3

kwon, sk 3

Sources

journal of magnetism and magnetic materials 25

journal of applied physics 13

ieee transactions on magnetics 9

materials letters 5

physica b-condensed matter 4

langmuir 4

polymer 3

journal of solid state chemistry 3
journal of nanoparticle research 3
journal of materials research 3
journal of inorganic materials 3
journal of colloid and interface science 3
journal of thermal analysis and calorimetry 2
journal of physical chemistry b 2
journal of materials science 2

Keywords

materials science, multidisciplinary 54
nanoparticles 38
particles 36
physics, condensed matter 31
nanoparticles 21
chemistry, physical 20
physics, applied 19
physics, applied 15
particles 13
size 11
engineering, electrical & electronic 10
magnetite 9
magnetic properties 9
iron 9
chemistry, multidisciplinary 8

Publication Year

2005 156
2004 14
2006 8

Country

peoples r china 40
usa 31
japan 20
south korea 16
india 16
france 16
germany 14
brazil 13
spain 9
taiwan 4
czech republic 4
hungary 3
australia 3
ukraine 2

sweden 2

Institution

chinese acad sci 10
univ sao paulo 8
indian inst technol 8
tohoku univ 6
univ paris 06 5
csic 5
univ brasilia 4
acad sci czech republ 4
univ granada 3
univ fed goias 3
univ alabama 3
tokyo inst technol 3
sunmoon univ 3
sri manakula vinayagar engn coll 3
pukyong natl univ 3

DataBase

science citation index 178

• CLUSTER 175

Magnetic properties of nanoparticles, emphasizing iron oxide (especially magnetite [Fe₃O₄] and hematite [Fe₂O₃]) nanoparticles and superparamagnetic particles (237 Records)

(Countries: China, USA, followed by South Korea. Institutions: CAS, University of Brasilia, University S&T China, CNRS. USA includes University of New Orleans.).

Cluster Syntax Features

Descriptive Terms

nanoparticl 27.4%, magnet 16.2%, iron 4.2%, magnetic.nanoparticles 4.1%, magnetit 3.8%, fe3o4 2.8%, fe2o3 1.5%, iron.oxide 1.4%, superparamagnet 1.3%, fe3o4.nanoparticles 1.3%, magnetite.nanoparticles 1.3%, particl 1.2%, ferrit 1.0%, iron.oxide.nanoparticles 0.8%, magnetic.properties 0.8%

Discriminating Terms

nanoparticl 15.2%, magnet 8.1%, magnetic.nanoparticles 3.3%, magnetit 2.9%, iron 2.6%, film 2.3%, fe3o4 2.1%, iron.oxide 1.1%, fe2o3 1.1%, fe3o4.nanoparticles 1.1%, magnetite.nanoparticles 1.0%, superparamagnet 1.0%, ferrit 0.7%, nanotub 0.7%, iron.oxide.nanoparticles 0.7%

Single Word Terms

nanoparticl 236, magnet 192, particl 127, size 103, properti 102, iron 77, temperatur 76, surfac 74, electron 72, structur 71, synthesi 69, oxid 65, synthes 63, microscopi 57, coat 54

Double Word Terms

magnetic.nanoparticles 63, magnetic.properties 60, transmission.electron 52, electron.microscopy 47, iron.oxide 43, magnetite.nanoparticles 34, ray.diffraction 31, fe3o4.nanoparticles 30, oxide.nanoparticles 27, nanoparticles.magnetic 26, nanoparticles.synthesized 24, particle.size 22, magnetic.field 22, gamma.fe2o3 20, ferrite.nanoparticles 20

Triple Word Terms

transmission.electron.microscopy 43, iron.oxide.nanoparticles 24, electron.microscopy.tem 15, superconducting.quantum.interference 12, narrow.size.distribution 11, quantum.interference.device 11, gamma.fe2o3.nanoparticles 10, external.magnetic.field 10, superparamagnetic.iron.oxide 9, ray.diffraction.xrd 8, synthesis.magnetic.properties 8, zero.field.cooled 8, cobalt.ferrite.nanoparticles 7, nanoparticles.magnetic.properties 7, ray.photoelectron.spectroscopy 7

Term Cliques

36.46% nanoparticl iron iron.oxide superparamagnet iron.oxide.nanoparticles
39.94% nanoparticl iron fe2o3 iron.oxide superparamagnet particl
48.95% nanoparticl magnet superparamagnet particl ferrit magnetic.properties
49.23% nanoparticl magnet fe2o3 superparamagnet particl magnetic.properties
48.38% nanoparticl magnet fe3o4 magnetite.nanoparticles particl magnetic.properties
41.56% nanoparticl magnet fe3o4 fe3o4.nanoparticles magnetite.nanoparticles magnetic.properties
49.65% nanoparticl magnet fe3o4 superparamagnet particl magnetic.properties
42.83% nanoparticl magnet fe3o4 superparamagnet fe3o4.nanoparticles magnetic.properties
47.54% nanoparticl magnet magnetit fe3o4 magnetite.nanoparticles particl
40.72% nanoparticl magnet magnetit fe3o4 fe3o4.nanoparticles magnetite.nanoparticles
48.80% nanoparticl magnet magnetit fe3o4 superparamagnet particl

41.98% nanoparticl magnet magnetit fe3o4 superparamagnet fe3o4.nanoparticles
43.04% nanoparticl magnet magnetic.nanoparticles magnetit fe3o4
magnetite.nanoparticles

Sample Cluster Record Titles

[Scaling relations for magnetic nanoparticles](#)

[gamma-Fe₂O₃ oriented growth by surfactant molecules in microemulsion](#)

[Algal polysaccharide capsule-templated growth of magnetic nanoparticles](#)

[Synthesis and magnetic properties of CoO nanoparticles](#)

[Electronic structure of nanoscale iron oxide particles measured by scanning tunneling and photoelectron spectroscopies](#)

[Advances in magnetic nanoparticles for biotechnology applications](#)

[Magnetic properties of Co-Cu nanoparticles dispersed in silica matrix](#)

[Effects of biocompatible coating of nanoparticles on acoustics property of the magnetic fluid](#)

[Magnetic behavior of iron \(III\) oxyhydroxy nanoparticles in organic-inorganic hybrid matrices](#)

Cluster Metrics

Authors

morais, pc 10

azevedo, rb 6

lacava, zgm 5

zheng, hg 4

willner, i 4

serna, cj 4

katz, e 4

woo, k 3

soler, mag 3

silva, lp 3

shin, sc 3

sangregorio, c 3

park, j 3

oliveira, ac 3

ni, xm 3

Sources

journal of magnetism and magnetic materials 37
journal of applied physics 18
journal of physical chemistry b 9
ieee transactions on magnetics 9
nanotechnology 8
langmuir 8
chemistry of materials 8
physical review b 6
journal of colloid and interface science 5
chemical communications 5
journal of nanoparticle research 4
physica b-condensed matter 3
materials letters 3
materials chemistry and physics 3
journal of nanoscience and nanotechnology 3

Keywords

particles 64
materials science, multidisciplinary 52
nanoparticles 43
chemistry, physical 42
physics, condensed matter 42
physics, applied 31
chemistry, multidisciplinary 31
materials science, multidisciplinary 31
nanoparticles 25
particles 20
size 17
magnetic-properties 15
physics, applied 15
nanocrystals 12
physics, condensed matter 11

Publication Year

2005 219
2004 15
2006 3

Country

peoples r china 56
usa 52
south korea 21
france 17

japan 15
brazil 13
taiwan 10
india 10
spain 9
russia 9
israel 9
germany 8
poland 6
england 6
italy 5

Institution

chinese acad sci 13
univ brasilia 11
univ sci & technol china 7
cnrs 6
univ paris 06 5
tohoku univ 5
seoul natl univ 5
russian acad sci 5
lanzhou univ 5
korea inst sci & technol 5
korea adv inst sci & technol 5
jilin univ 5
hebrew univ jerusalem 5
univ new orleans 4
univ fed goias 4

DataBase

science citation index 237

• CLUSTER 70

Core-shell nanostructures and hollow nanospheres, made of silver (Ag), bimetallic material, and silica (211 Records)

(Countries: China, followed by USA. Institutions: CAS, followed by University S&T China, Nanjing University, National University of Singapore. USA include University of Notre Dame, University of Washington, UCSB, UCB, Northwestern University).

Cluster Syntax Features

Descriptive Terms

shell 34.6%, core 18.6%, core.shell 14.6%, nanoparticl 4.6%, hollow 1.9%, shell.nanoparticles 1.8%, ag 1.5%, core.shell.nanoparticles 1.5%, sphere 1.0%, bimetal 0.6%, silica 0.5%, shell.structure 0.4%, core.shell.structure 0.4%, hollow.spheres 0.3%, particl 0.3%

Discriminating Terms

shell 22.6%, core 11.6%, core.shell 9.8%, film 1.9%, shell.nanoparticles 1.2%, hollow 1.1%, core.shell.nanoparticles 1.0%, nanoparticl 1.0%, nanotub 0.6%, ag 0.5%, surfac 0.5%, carbon 0.5%, sphere 0.5%, temperatur 0.5%, crystal 0.5%

Single Word Terms

shell 197, core 189, nanoparticl 143, structur 108, electron 79, surfac 76, synthesi 70, size 69, particl 67, synthes 64, composit 63, properti 55, transmiss 54, form 53, tem 53

Double Word Terms

core.shell 164, shell.nanoparticles 62, transmission.electron 51, electron.microscopy 49, shell.structure 41, shell.thickness 24, ray.diffraction 22, shell.particles 20, shell.structures 19, microscopy.tem 18, hollow.spheres 17, optical.properties 16, scanning.electron 16, surface.plasmon 15, ag.shell 15

Triple Word Terms

core.shell.nanoparticles 59, transmission.electron.microscopy 45, core.shell.structure 38, electron.microscopy.tem 18, core.shell.particles 18, core.shell.structures 17, formation.core.shell 11, scanning.electron.microscopy 11, surface.plasmon.resonance 10, core.shell.structured 10, nanoparticles.core.shell 10, ray.diffraction.xrd 9, ray.photoelectron.spectroscopy 8, energy.dispersive.ray 8, resolution.transmission.electron 7

Term Cliques

14.57% hollow sphere silica hollow.spheres
28.32% nanoparticl shell.structure core.shell.structure hollow.spheres
27.61% nanoparticl sphere core.shell.structure hollow.spheres

27.37% nanoparticl sphere silica hollow.spheres
62.88% shell core core.shell nanoparticl silica particl
47.82% shell core core.shell nanoparticl shell.nanoparticles ag core.shell.nanoparticles
shell.structure core.shell.structure particl
46.07% shell core core.shell nanoparticl shell.nanoparticles ag core.shell.nanoparticles
bimetal shell.structure core.shell.structure

Sample Cluster Record Titles

[Spontaneous formation of core/shell bimetallic nanoparticles: A calorimetric study](#)

[Modification of gold nanoparticle composite nanostructures using thermosensitive core-shell particles as a template](#)

[One-pot synthesis of hollow superparamagnetic CoPt nanospheres](#)

[Synthesis and magnetic properties of FeNi₃/Al₂O₃ core-shell nanocomposites](#)

[A reactive core-shell nanoparticle approach to prepare hybrid nanocomposites: effects of processing variables](#)

[Synthesis and characterization of L1\(0\) FePt nanoparticles from Pt\(Au, Ag\)/gamma-Fe₂O₃ core-shell nanoparticles](#)

[Synthesis and characterization of copolymer\(core\)-silver\(shell\) composite microspheres](#)

[Fabrication of core-shell latex spheres with CdS/polyelectrolyte composite multilayers](#)

[High-magnetic-moment core-shell-type FeCo-Au/Ag nanoparticles](#)

Cluster Metrics

Authors

zhang, jh 5

morjan, i 5

farle, m 5

alexandrescu, r 5

zhang, js 4

yang, j 4

wang, zl 4

wang, y 4

wang, l 4

voicu, i 4

too, hp 4

schneeweiss, o 4

pizurova, n 4

liu, jb 4

lee, jy 4

Sources

journal of physical chemistry b 16

langmuir 11

journal of the american chemical society 9

chemistry of materials 9

nano letters 7

materials letters 6

journal of materials chemistry 6

physical review b 5

journal of colloid and interface science 5

journal of chemical physics 5

colloids and surfaces a-physicochemical and engineering aspects 5

chemistry letters 5

chemical physics letters 5

chemical journal of chinese universities-chinese 5

advanced materials 5

Keywords

chemistry, physical 63

particles 45

chemistry, multidisciplinary 44

nanoparticles 37

materials science, multidisciplinary 33

materials science, multidisciplinary 26

nanoparticles 25

nanocrystals 23

gold 23

growth 18

spheres 17

silver 17

films 17

core-shell 17

colloids 15

Publication Year

2005 192

2004 12

2006 7

Country

peoples r china 83

usa 54
germany 13
japan 12
south korea 8
india 8
france 8
taiwan 7
singapore 7
netherlands 6
romania 5
canada 5
israel 4
czech republic 4
spain 3

Institution

chinese acad sci 19
univ sci & technol china 10
nanjing univ 8
natl univ singapore 7
tsing hua univ 5
jilin univ 5
xiamen univ 4
univ notre dame 4
indian inst technol 4
univ washington 3
univ calif santa barbara 3
univ calif berkeley 3
univ british columbia 3
northwestern univ 3
natl tsing hua univ 3

DataBase

science citation index 211

• CLUSTER 147

Titanium dioxide (TiO₂), cadmium sulfide (CdS), cadmium selenide (CdSe), and solid lipid nanoparticles and nanocrystals (138 Records)

(Countries: China, followed by USA, followed by Japan, Germany.
Institutions: ANL, Zhejiang University, Tatung University, National Taipei University of Technology, Free University of Berlin. Other USA include UCB, Stanford University.).

Cluster Syntax Features

Descriptive Terms

nanoparticl 22.4%, cd 13.3%, tio2 11.3%, tio2.nanoparticles 8.1%, cds.nanoparticles 5.5%, sln 2.6%, cdse 1.6%, size 1.0%, cadmium 0.8%, nanocryst 0.8%, lipid 0.7%, particl 0.6%, titanium 0.6%, anatas 0.5%, solid.lipid 0.4%

Discriminating Terms

nanoparticl 11.2%, cd 9.6%, tio2 6.6%, tio2.nanoparticles 6.3%, cds.nanoparticles 4.4%, sln 2.1%, film 1.6%, cdse 1.0%, carbon 0.7%, magnet 0.7%, nanotub 0.6%, cadmium 0.6%, structur 0.5%, layer 0.5%, si 0.5%

Single Word Terms

nanoparticl 130, size 70, tio2 60, particl 57, cd 49, surfac 46, electron 46, properti 44, synthesi 41, structur 39, dispers 34, form 33, format 33, spectroscopi 33, absorpt 32

Double Word Terms

tio2.nanoparticles 46, cds.nanoparticles 32, transmission.electron 25, electron.microscopy 23, ray.diffraction 17, particle.size 17, solid.lipid 15, lipid.nanoparticles 14, nanoparticles.synthesized 13, optical.properties 13, titanium.dioxide 12, size.distribution 12, nanoparticles.sln 11, room.temperature 10, tio2.nanoparticle 10

Triple Word Terms

transmission.electron.microscopy 18, solid.lipid.nanoparticles 14, lipid.nanoparticles.sln 11, titanium.dioxide.nanoparticles 8, electron.microscopy.tem 7, high.resolution.transmission 7, resolution.transmission.electron 7, ray.photoelectron.spectroscopy 7, ray.diffraction.xrd 6, transmission.electron.microscope

5, synthesis.cds.nanoparticles 5, properties.cds.nanoparticles 5,
cds.nanoparticles.synthesized 5, energy.dispersive.ray 4, diffraction.transmission.electron
4

Term Cliques

24.28% size nanocryst titanium anatas
22.46% cdse cadmium particl
28.99% cd size cadmium nanocryst
19.20% cd cdse cadmium nanocryst
43.48% nanoparticl size particl titanium anatas
36.47% nanoparticl sln size lipid particl solid.lipid
44.78% nanoparticl cds.nanoparticles size cadmium particl
40.58% nanoparticl tio2 tio2.nanoparticles particl titanium anatas
43.62% nanoparticl cd cds.nanoparticles size cadmium

Sample Cluster Record Titles

[Preparation and pharmacokinetic evaluation of Tashinone IIA solid lipid nanoparticles](#)

[Interaction between CdS nanoparticles and cysteine](#)

[Synthesis and spectral studies of cysteine-capped CdS nanoparticles](#)

[The effects of organisation, embedding and surfactants on the properties of cadmium chalcogenide \(CdS, CdSe and CdS/CdSe\) semiconductor nanoparticles](#)

[Reactivity of methanol on TiO₂ nanoparticles supported on the Au\(111\) surface](#)

[Characterization and body distribution of beta-elemene solid lipid nanoparticles \(SLN\)](#)

[Photocatalytic preparation of encapsulated gold nanoparticles by jingle-bell-shaped cadmium sulfide-silica nanoparticles](#)

[Titanium dioxide nanoparticle absorbed by hepatoma cells in vitro](#)

[Synthesis of highly soluble TiO₂ nanoparticle with narrow size distribution](#)

Cluster Metrics

Authors

tsung, tt 4

saha, a 4

muller, rh 4

lin, hm 4

chen, lc 4
chang, h 4
zhang, zk 3
wissing, sa 3
vione, d 3
sapino, s 3
priyam, a 3
pelizzetti, e 3
lin, ck 3
jwo, cs 3
das, sk 3

Sources

langmuir 6
journal of dispersion science and technology 6
journal of physical chemistry b 5
journal of colloid and interface science 5
materials letters 4
journal of nanoscience and nanotechnology 4
nano letters 3
materials chemistry and physics 3
journal of materials chemistry 3
drug development and industrial pharmacy 3
colloids and surfaces a-physicochemical and engineering aspects 3
bulletin of the korean chemical society 3
acta physico-chimica sinica 3
thin solid films 2
rare metal materials and engineering 2

Keywords

chemistry, physical 39
chemistry, multidisciplinary 23
particles 23
materials science, multidisciplinary 22
nanoparticles 21
materials science, multidisciplinary 15
size 14
nanocrystals 14
nanoparticles 13
clusters 13
tio₂ 12
growth 12
films 10
quantum dots 9
stability 8

Publication Year

2005 120

2004 15

2006 3

Country

peoples r china 42

usa 25

japan 15

germany 14

italy 12

india 12

taiwan 8

south korea 7

france 4

england 4

switzerland 3

ukraine 2

turkey 2

spain 2

south africa 2

Institution

argonne natl lab 5

zhejiang univ 4

tatung univ 4

natl taipei univ technol 4

free univ berlin 4

univ turin 3

tohoku univ 3

nankai univ 3

chinese acad sci 3

wuhan univ 2

univ london imperial coll sci technol & med 2

univ calif berkeley 2

tongji univ 2

tech univ dresden 2

stanford univ 2

DataBase

science citation index 138

- **CLUSTER 239**

Nanoparticles, including particle size, synthesis, metal and silica nanoparticles, surface properties, dispersion, reactions, and stabilization (930 Records)

(Countries: USA, China, followed by Japan, followed by France, Germany. Institutions: CAS dominant, RAS, CNRS, Seoul National University, National University of Singapore. USA include Texas A&M University, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

nanoparticl 66.5%, size 1.5%, particl 1.3%, synthesi 0.6%, metal 0.6%, silica 0.5%, surfac 0.3%, solut 0.3%, dispers 0.3%, water 0.3%, reaction 0.3%, stabil 0.3%, coat 0.3%, metal.nanoparticles 0.2%, synthes 0.2%

Discriminating Terms

nanoparticl 52.9%, film 2.2%, nanotub 0.8%, magnet 0.6%, carbon 0.6%, layer 0.5%, structur 0.5%, quantum 0.5%, si 0.5%, crystal 0.4%, deposit 0.4%, surfac 0.4%, thin 0.3%, field 0.3%, dot 0.3%

Single Word Terms

nanoparticl 929, size 435, particl 406, surfac 280, synthesi 238, electron 225, structur 218, synthes 207, properti 201, solut 196, high 191, temperatur 191, form 189, format 185, metal 179

Double Word Terms

electron.microscopy 146, transmission.electron 146, particle.size 113, ray.diffraction 84, nanoparticles.synthesized 82, size.distribution 64, metal.nanoparticles 59, microscopy.tem 50, room.temperature 45, diffraction.xrd 42, nanoparticles.size 40, oxide.nanoparticles 35, scanning.electron 34, silica.nanoparticles 33, nanoparticle.size 32

Triple Word Terms

transmission.electron.microscopy 119, electron.microscopy.tem 50, ray.diffraction.xrd 36, scanning.electron.microscopy 29, narrow.size.distribution 21, particle.size.distribution 19, ray.photoelectron.spectroscopy 19, xrd.transmission.electron 18, transmission.electron.microscope 17, atomic.force.microscopy 16, diffraction.xrd.transmission 16, fourier.transform.infrared 16, average.particle.size 15, electron.microscopy.sem 13, resolution.transmission.electron 13

Term Cliques

26.53% nanoparticl silica surfac solut dispers water stabil coat
27.57% nanoparticl silica surfac solut dispers water reaction stabil
27.00% nanoparticl synthesi silica solut dispers water reaction stabil
30.81% nanoparticl particl surfac solut dispers water stabil coat
28.03% nanoparticl particl metal surfac solut dispers water reaction stabil
metal.nanoparticles
27.58% nanoparticl particl synthesi metal solut dispers water reaction stabil
metal.nanoparticles
32.38% nanoparticl size particl surfac solut dispers water reaction stabil synthes
32.08% nanoparticl size particl metal surfac solut dispers water reaction stabil
31.92% nanoparticl size particl synthesi solut dispers water reaction stabil synthes
31.62% nanoparticl size particl synthesi metal solut dispers water reaction stabil

Sample Cluster Record Titles

[Nanoparticles of the superconductor MgB₂: structural characterization and in situ study of synthesis kinetics](#)

[Increase in thermal stability induced by organic coatings on nanoparticles](#)

[Formation and optical properties of CuInSe₂xTe₂\(1-x\) nanoparticles in a silicate glass matrix](#)

[Investigations on the surface modification of ZnO nanoparticle photocatalyst by depositing Pd](#)

[Vitamin E nanoparticle for beverage applications](#)

[Flame synthesis of nanoparticles - Applications in catalysis and product/process engineering](#)

[Physicochemical properties and blood compatibility of acylated chitosan nanoparticles](#)

[AuPd metal nanoparticles as probes of nanoscale thermal transport in aqueous solution](#)

[Analysis of nanoparticles < 10 nm by analytical ultracentrifugation](#)

Cluster Metrics

Authors

zhang, j 8
wang, l 8
tenne, r 8
crooks, rm 8
zhang, zj 7
wang, ly 7
chaudret, b 7
wu, zs 6
qi, wh 6
li, y 6
zhang, l 5
yurkov, gy 5
yang, hm 5
wang, x 5
wang, mp 5

Sources

journal of physical chemistry b 43
langmuir 35
journal of the american chemical society 26
chemistry of materials 24
chemical communications 23
nanotechnology 21
advanced materials 20
materials letters 17
journal of colloid and interface science 17
applied physics letters 15
angewandte chemie-international edition 15
nano letters 13
journal of nanoscience and nanotechnology 12
journal of nanoparticle research 12
journal of materials chemistry 11

Keywords

chemistry, physical 200
chemistry, multidisciplinary 169
nanoparticles 143

materials science, multidisciplinary 128
particles 115
materials science, multidisciplinary 113
nanoparticles 93
films 63
physics, applied 61
growth 60
nanocrystals 59
clusters 57
size 54
surface 41
nanoparticle 41

Publication Year

2005 825
2004 98
2006 7

Country

usa 236
peoples r china 225
japan 84
france 63
germany 61
south korea 54
india 50
russia 37
taiwan 29
england 26
spain 23
italy 19
singapore 18
israel 18
canada 18

Institution

chinese acad sci 59
russian acad sci 20
cnrs 15
seoul natl univ 14
natl univ singapore 14
osaka univ 13
texas a&m univ 12
zhejiang univ 11
univ sci & technol china 11
fudan univ 11

peking univ 10
indian inst technol 10
weizmann inst sci 9
univ illinois 9
natl inst mat sci 9

DataBase
science citation index 930

• CLUSTER 104

Gold nanoparticles and nanorods, emphasizing plasmon and surface properties, stabilization, synthesis, and application to electrodes (334 Records)

(Countries: USA, China, Japan. Institutions: CAS dominant, University of Tokyo, University of Melbourne, Indian Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

gold 46.8%, gold.nanoparticles 18.6%, nanoparticl 14.2%, gold.nanoparticle 1.0%, particl 0.7%, size 0.5%, nanorod 0.4%, plasmon 0.3%, colloid 0.2%, stabil 0.2%, solut 0.2%, synthesi 0.2%, gold.nanorods 0.2%, electrode 0.2%, surfac 0.2%

Discriminating Terms

gold 30.9%, gold.nanoparticles 13.3%, nanoparticl 5.9%, film 1.5%, gold.nanoparticle 0.7%, structur 0.6%, magnet 0.6%, nanotub 0.6%, layer 0.5%, temperatur 0.5%, carbon 0.5%, crystal 0.5%, quantum 0.4%, surfac 0.4%, si 0.4%

Single Word Terms

gold 334, nanoparticl 297, size 142, surfac 136, particl 132, electron 115, solut 103, synthesi 78, form 78, microscopi 76, control 74, reduct 68, stabil 67, format 67, spectroscopi 66

Double Word Terms

gold.nanoparticles 240, gold.nanoparticle 69, electron.microscopy 64, transmission.electron 52, gold.particles 35, surface.plasmon 27, synthesis.gold 27, aqueous.solution 23, microscopy.tem 22, size.gold 22, plasmon.resonance 21, gold.nanorods 20, ray.diffraction 19, colloidal.gold 19, nanoparticles.gold 19

Triple Word Terms

transmission.electron.microscopy 49, electron.microscopy.tem 21, synthesis.gold.nanoparticles 17, scanning.electron.microscopy 17, surface.plasmon.resonance 15, gold.nanoparticles.gold 13, gold.nanoparticles.synthesized 13, capped.gold.nanoparticles 12, stabilized.gold.nanoparticles 12, gold.nanoparticles.stabilized 12, nanoparticles.gold.nanoparticles 12, size.gold.nanoparticles 12, growth.gold.nanoparticles 11, formation.gold.nanoparticles 11, atomic.force.microscopy 11

Term Cliques

34.22% gold particl nanorod colloid solut gold.nanorods surfac
31.74% gold particl nanorod colloid solut synthesi gold.nanorods
31.91% gold particl nanorod plasmon colloid gold.nanorods surfac
35.16% gold gold.nanoparticle particl nanorod solut gold.nanorods surfac
32.85% gold gold.nanoparticle particl nanorod plasmon gold.nanorods surfac
48.63% gold nanoparticl particl size plasmon colloid surfac
45.68% gold nanoparticl particl size plasmon colloid stabil
50.75% gold nanoparticl gold.nanoparticle particl plasmon surfac
53.94% gold gold.nanoparticles nanoparticl stabil solut electro
53.56% gold gold.nanoparticles nanoparticl particl size colloid solut surfac
47.90% gold gold.nanoparticles nanoparticl particl size colloid stabil solut synthesi
52.14% gold gold.nanoparticles nanoparticl gold.nanoparticle solut electro surfac
56.07% gold gold.nanoparticles nanoparticl gold.nanoparticle particl solut surface

Sample Cluster Record Titles

[Interfacial electron transfer at TiO₂ nanostructured electrodes modified with capped gold nanoparticles: The photoelectrochemistry of water oxidation](#)

[Evolution in time of a gold-zirconia nanopowder at room temperature: Nucleation growth of gold nanoparticles](#)

[Calibration of dynamic molecular rule based on plasmon coupling between gold nanoparticles](#)

[Controlled growth of gold nanoparticles on silica nanowires](#)

[Reversible transformations of gold nanoparticle morphology](#)

[Preparation temperature dependence of size and polydispersity of alkylthiol monolayer protected gold clusters](#)

[Size-controlled synthesis and characterization of thiol-stabilized gold nanoparticles](#)

[Size-controlled synthesis of machinable single crystalline gold nanoplates](#)

[Fabrication of gold nanorod arrays by templating from porous alumina](#)

Cluster Metrics

Authors

sastry, m 6
oyama, m 5
jiang, l 5
wang, ek 4
sanchez, c 4
perez-juste, j 4
panigrahi, s 4
pal, t 4
ohsaka, t 4
nath, s 4
mulvaney, p 4
liz-marzan, lm 4
lennox, rb 4
kundu, s 4
ghosh, sk 4

Sources

langmuir 26
journal of physical chemistry b 23
chemistry of materials 15

nano letters 11
journal of the american chemical society 9
chemical communications 9
journal of nanoscience and nanotechnology 7
journal of materials chemistry 7
colloids and surfaces a-physicochemical and engineering aspects 7
chemistry letters 7
small 6
nanotechnology 6
journal of colloid and interface science 6
advanced materials 6
electrochemistry communications 5

Keywords

chemistry, physical 114
chemistry, multidisciplinary 63
particles 61
materials science, multidisciplinary 55
nanoparticles 48
size 45
clusters 44
gold nanoparticles 32
nanoparticles 31
materials science, multidisciplinary 31
surface 31
gold nanoparticles 28
nanocrystals 25
physics, applied 24
silver 24

Publication Year

2005 299
2004 31
2006 4

Country

usa 64
peoples r china 61
japan 53
germany 24
france 21
india 20
spain 16
australia 16
taiwan 15
england 12

canada 12
russia 11
italy 9
south korea 8
switzerland 5

Institution

chinese acad sci 26
univ tokyo 9
univ melbourne 8
indian inst technol 8
natl chem lab 7
kyoto univ 7
kyushu univ 6
tokyo inst technol 5
suzhou univ 5
russian acad sci 5
univ padua 4
rmit univ 4
natl univ singapore 4
mcgill univ 4
kinki univ 4

DataBase

science citation index 334

- **CLUSTER 158**

Gold nanoparticles, focusing on surface properties studied by surface-enhanced Raman scattering (SERS), self-assembly of monolayers and other structures, and electrode applications (221 Records)

(Countries: USA, China, followed by Japan. Institutions: CAS, Seoul National University, Hunan University. USA include University of Washington, University of South Caroline, University of Massachusetts, UCB, Stanford University.).

Cluster Syntax Features

Descriptive Terms

gold 50.9%, gold.nanoparticles 4.0%, nanoparticl 3.8%, ser 2.8%, surfac 1.9%, assembl 1.1%, plasmon 1.0%, monolay 0.9%, gold.nanoparticle 0.9%, molecul 0.7%, colloid 0.6%, gold.surface 0.6%, electrode 0.5%, surface.raman 0.5%, raman 0.5%

Discriminating Terms

gold 35.2%, gold.nanoparticles 2.8%, ser 2.1%, film 1.6%, nanoparticl 0.7%, carbon 0.7%, temperatur 0.7%, gold.nanoparticle 0.6%, nanotub 0.6%, particl 0.5%, structur 0.5%, crystal 0.5%, plasmon 0.5%, phase 0.5%, quantum 0.4%

Single Word Terms

gold 207, surfac 145, nanoparticl 102, assembl 79, monolay 70, molecul 70, solut 65, self 63, spectroscopi 59, structur 52, reson 51, detect 47, plasmon 47, form 46, function 45

Double Word Terms

gold.nanoparticles 70, self.assembled 48, gold.nanoparticle 35, plasmon.resonance 34, gold.surface 33, surface.plasmon 33, surface.raman 29, raman.scattering 27, scattering.sers 24, gold.electrode 20, surface.gold 17, assembled.monolayer 17, density.functional 16, gold.surfaces 15, self.assembly 15

Triple Word Terms

surface.plasmon.resonance 28, surface.raman.scattering 26, raman.scattering.sers 24, self.assembled.monolayer 16, density.functional.theory 14, self.assembled.monolayers 12, plasmon.resonance.spr 12, quartz.crystal.microbalance 10, atomic.force.microscopy 10, self.assembled.gold 10, transmission.electron.microscopy 9, ray.photoelectron.spectroscopy 9, infrared.reflection.absorption 9, reflection.absorption.spectroscopy 8, surface.gold.nanoparticles 8

Term Cliques

35.93% surfac assembl monolay molecul gold.surface
33.41% surfac assembl monolay gold.nanoparticle molecul electrode
25.57% ser surfac gold.nanoparticle molecul surface.raman raman
27.68% nanoparticl ser surfac colloid surface.raman raman
27.98% nanoparticl ser surfac gold.nanoparticle surface.raman raman
26.47% gold.nanoparticles nanoparticl colloid raman
26.92% gold.nanoparticles nanoparticl gold.nanoparticle raman
48.33% gold surfac assembl monolay gold.surface
46.24% gold surfac assembl plasmon gold.surface

45.85% gold nanoparticl surfac assembl colloid electrod
 44.09% gold nanoparticl surfac assembl monolay gold.nanoparticle electrod
 46.08% gold nanoparticl surfac assembl plasmon colloid
 46.38% gold nanoparticl surfac assembl plasmon gold.nanoparticle
 40.20% gold gold.nanoparticles nanoparticl assembl colloid electrod
 39.24% gold gold.nanoparticles nanoparticl assembl monolay gold.nanoparticle electrod
 40.42% gold gold.nanoparticles nanoparticl assembl plasmon colloid
 40.72% gold gold.nanoparticles nanoparticl assembl plasmon gold.nanoparticle

Sample Cluster Record Titles

[Complex gold nanostructures derived by templating from diatom frustules](#)

[SERS studies of the adsorption of guanine derivatives on gold colloidal nanoparticles](#)

[Sandwiched structure of Ag/polypyrrole/Au to improve the surfaced-enhanced Raman scattering](#)

[Preparation of 1,3,5-trithia-2,4,6-triazapentalenyl films on gold surfaces](#)

[Monolayer-protected gold nanoparticle coalescence induced by photogenerated radicals](#)

[SERS of gold/C-60 \(/C-70\) nano-clusters deposited on iron surface](#)

[Supramolecular assembly of gold nanoparticles mediated by polypseudorotaxane with thiolated beta-cyclodextrin](#)

[Enzymatic synthesis of gold nanoparticles wrapped by glucose oxidase](#)

[Electrochemical characterization of polyelectrolyte/gold nanoparticle multilayers self-assembled on gold electrodes](#)

Cluster Metrics

Authors

yu, rq 5

wang, ek 5

shen, gl 5

tang, dp 4

dong, sj 4

zhang, jx 3

yuan, r 3

rotello, vm 3

liu, y 3
hou, sm 3
fu, x 3
chu, x 3
cheng, wl 3
chen, y 3
chai, yq 3

Sources

journal of physical chemistry b 20
journal of the american chemical society 14
langmuir 12
chemical communications 11
analytical chemistry 7
nano letters 6
surface science 5
physical review b 5
sensors and actuators b-chemical 4
journal of raman spectroscopy 4
journal of colloid and interface science 4
chemistry letters 4
chemical physics letters 4
synthetic metals 3
physical chemistry chemical physics 3

Keywords

chemistry, physical 60
chemistry, multidisciplinary 53
self-assembled monolayers 36
spectroscopy 32
nanoparticles 27
gold 25
films 25
chemistry, analytical 23
dna 23
adsorption 22
nanoparticles 20
materials science, multidisciplinary 17
surfaces 15
silver 15
size 14

Publication Year

2005 202
2004 18
2006 1

Country

usa 59
peoples r china 49
japan 23
germany 14
south korea 13
italy 10
england 10
india 8
taiwan 7
sweden 7
spain 7
switzerland 6
canada 6
israel 5
netherlands 4

Institution

chinese acad sci 10
seoul natl univ 7
hunan univ 6
univ washington 5
sw china normal univ 5
nankai univ 4
linkoping univ 4
kyoto univ 4
weizmann inst sci 3
univ s carolina 3
univ neuchatel 3
univ massachusetts 3
univ calif berkeley 3
stanford univ 3
peking univ 3

DataBase

science citation index 221

• CLUSTER 75

Silver (Ag) nanoparticles, with emphasis on surface-enhanced Raman scattering (SERS) studies (122 Records)

(Countries: China, USA, South Korea, Japan. Institutions: CAS dominant, Seoul National University, Jilin University. USA include University of Washington, University of Chicago, Purdue University, Penn State University.).

Cluster Syntax Features

Descriptive Terms

ag 56.1%, ag.nanoparticles 8.6%, nanoparticl 6.8%, silver 2.8%, ser 1.3%, colloid 0.9%, surface.raman 0.7%, particl 0.6%, silver.nanoparticles 0.6%, raman 0.5%, surfac 0.4%, ag.particles 0.4%, surface.raman.scattering 0.4%, solut 0.4%, raman.scattering 0.3%

Discriminating Terms

ag 36.7%, ag.nanoparticles 6.1%, nanoparticl 1.9%, silver 1.4%, film 1.4%, ser 0.8%, magnet 0.6%, structur 0.6%, nanotub 0.6%, carbon 0.6%, crystal 0.5%, temperatur 0.5%, layer 0.5%, quantum 0.4%, surface.raman 0.4%

Single Word Terms

ag 119, nanoparticl 93, silver 67, surfac 65, particl 53, size 47, solut 44, electron 43, form 38, microscopi 35, reduct 31, metal 31, structur 29, format 28, spectroscopi 28

Double Word Terms

ag.nanoparticles 61, silver.nanoparticles 27, electron.microscopy 23, raman.scattering 20, surface.raman 19, transmission.electron 18, ag.particles 17, scattering.sers 16, ag.nanoparticle 15, ag.ag 15, ray.diffraction 15, surface.plasmon 12, aqueous.solution 11, size.distribution 11, nanoparticles.ag 10

Triple Word Terms

surface.raman.scattering 18, raman.scattering.sers 16, transmission.electron.microscopy 14, ray.photoelectron.spectroscopy 8, scanning.electron.microscopy 7, surface.plasmon.resonance 6, ag.ag.nanoparticles 6, poly.vinyl.pyrrolidone 6, energy.dispersive.ray 6, electron.microscopy.tem 6, photoelectron.spectroscopy.xps 5, vinyl.pyrrolidone.pvp 5, ray.diffraction.xrd 5, ag.nanoparticles.ag 5, silver.nanoparticles.ag 4

Term Cliques

28.18% nanoparticl ser colloid surface.raman raman surfac surface.raman.scattering raman.scattering

31.15% ag.nanoparticles nanoparticl ser surface.raman silver.nanoparticles raman surfac
 surface.raman.scattering raman.scattering
 48.48% ag nanoparticl silver colloid particl ag.particles solut
 54.10% ag nanoparticl silver colloid particl surfac solut
 46.21% ag nanoparticl silver ser silver.nanoparticles surfac surface.raman.scattering solut
 43.14% ag nanoparticl silver ser colloid surfac surface.raman.scattering raman.scattering
 45.59% ag nanoparticl silver ser colloid surfac surface.raman.scattering solut
 56.01% ag ag.nanoparticles nanoparticl silver particl ag.particles
 62.57% ag ag.nanoparticles nanoparticl silver particl surfac
 44.44% ag ag.nanoparticles nanoparticl silver ser silver.nanoparticles surfac
 surface.raman.scattering raman.scattering

Sample Cluster Record Titles

[Preparation of organic fluid containing Ag nanoparticles with extractant Cyanex 301](#)

[Ag nanoparticles on highly ordered pyrolytic graphite \(HOPG\) surfaces studied using STM and XPS](#)

[Synthesis of Pt, Pd, Pt/Ag and Pd/Ag nanoparticles by microwave-polyol method](#)

[One-step preparation of ultrafine poly\(acrylonitrile\) fibers containing silver nanoparticles](#)

[Preparation of a SERS substrate using vacuum-synthesized silver nanoparticles](#)

[Batch preparation of linear Au and Ag nanoparticle chains via wet chemistry](#)

[Surface-enhanced Raman spectroscopy of nanodiamond particles on silver](#)

[Direct electrochemistry and electrocatalysis of myoglobin immobilized on nano-alumina-gold colloid assembly system](#)

[Melting behaviors of nanocrystalline Ag](#)

Cluster Metrics

Authors

kim, k 4

xia, yn 3

li, zy 3

choi, sh 3

chen, jy 3

zhang, k 2
xiong, yj 2
wong, cp 2
wiley, b 2
wang, gf 2
wang, cc 2
van duyne, rp 2
tatsuma, t 2
tang, fq 2
sioss, ja 2

Sources

journal of physical chemistry b 11
langmuir 6
colloids and surfaces a-physicochemical and engineering aspects 5
chemistry of materials 4
nano letters 3
electrochimica acta 3
chemical physics letters 3
chemical communications 3
advanced materials 3
surface science 2
spectrochimica acta part a-molecular and biomolecular spectroscopy 2
radiation physics and chemistry 2
microporous and mesoporous materials 2
materials letters 2
journal of the electrochemical society 2

Keywords

chemistry, physical 43
nanoparticles 18
gold 18
films 17
spectroscopy 15
particles 15
silver 14
chemistry, multidisciplinary 12
materials science, multidisciplinary 11
materials science, multidisciplinary 11
colloids 10
silver nanoparticles 9
reduction 9
nanoparticles 8
size 8

Publication Year

2005 112
2004 8
2006 2

Country

peoples r china 33
usa 23
south korea 16
japan 16
taiwan 6
india 6
germany 5
spain 4
italy 4
france 4
canada 4
russia 3
singapore 2
hungary 2
sweden 1

Institution

chinese acad sci 10
seoul natl univ 4
jilin univ 4
univ washington 3
osaka univ 3
bhabha atom res ctr 3
univ tokyo 2
univ santiago de compostela 2
univ naples federico ii 2
univ konstanz 2
univ chicago 2
russian acad sci 2
purdue univ 2
pukyong natl univ 2
penn state univ 2

DataBase

science citation index 122

- **CLUSTER 56**

Silver (Ag), gold, and gold-silver nanoparticles, including surface-enhanced Raman scattering, reduction behavior, effect of ions, and surface properties (294 Records)

(Countries: China, followed by USA, followed by India. Institutions: CAS dominant, RAS, National Chemical Lab. USA include Clemson University, University of Washington, University of Maryland, ORNL.).

Cluster Syntax Features

Descriptive Terms

silver 67.7%, silver.nanoparticles 8.6%, nanoparticl 5.3%, ag 0.7%, particl 0.6%, gold 0.4%, colloid 0.4%, ser 0.4%, reduct 0.3%, silver.particles 0.3%, size 0.3%, surface.raman 0.2%, ion 0.2%, gold.silver 0.2%, surfac 0.2%

Discriminating Terms

silver 44.6%, silver.nanoparticles 5.8%, film 1.5%, nanoparticl 1.2%, magnet 0.6%, nanotub 0.5%, carbon 0.5%, layer 0.5%, structur 0.5%, temperatur 0.5%, crystal 0.4%, quantum 0.4%, si 0.4%, phase 0.4%, surfac 0.4%

Single Word Terms

silver 294, nanoparticl 206, particl 120, surfac 119, size 108, electron 98, ag 97, format 92, solut 89, microscopi 80, reduct 79, structur 79, metal 74, form 73, synthesi 72

Double Word Terms

silver.nanoparticles 158, electron.microscopy 72, transmission.electron 58, silver.particles 37, silver.ions 28, surface.raman 28, synthesis.silver 28, formation.silver 28, silver.nitrate 24, scanning.electron 24, silver.nanoparticle 24, reduction.silver 23, aqueous.solution 23, size.distribution 22, plasmon.resonance 22

Triple Word Terms

transmission.electron.microscopy 53, scanning.electron.microscopy 23, surface.raman.scattering 22, electron.microscopy.tem 21, raman.scattering.sers 15, formation.silver.nanoparticles 14, surface.plasmon.resonance 13,

spherical.silver.nanoparticles 12, synthesis.silver.nanoparticles 11,
gold.silver.nanoparticles 11, reduction.silver.ions 9, energy.dispersive.ray 9,
ray.photoelectron.spectroscopy 9, surface.raman.spectroscopy 8, ray.diffraction.xrd 8

Term Cliques

40.31% silver nanoparticl gold ser surface.raman surfac
33.58% silver nanoparticl gold ser reduct surface.raman gold.silver
40.57% silver nanoparticl particl colloid ser surface.raman surfac
38.63% silver nanoparticl particl colloid ser reduct surface.raman
44.44% silver nanoparticl ag gold surface.raman surfac
48.98% silver nanoparticl ag gold size surfac
37.12% silver nanoparticl ag gold reduct surface.raman gold.silver
41.01% silver nanoparticl ag gold reduct size gold.silver
48.98% silver nanoparticl ag particl surface.raman surfac
46.71% silver nanoparticl ag particl reduct surface.raman
43.65% silver silver.nanoparticles nanoparticl particl colloid silver.particles size ion
surfacc
42.14% silver silver.nanoparticles nanoparticl particl colloid reduct silver.particles size
ion
46.74% silver silver.nanoparticles nanoparticl ag reduct size gold.silver
45.65% silver silver.nanoparticles nanoparticl ag particl silver.particles size ion surfacc
44.14% silver silver.nanoparticles nanoparticl ag particl reduct silver.particles size ion

Sample Cluster Record Titles

[Synthesis of polysaccharide-stabilized gold and silver nanoparticles: a green method](#)

[Amperometric sensor used for determination of thiocyanate with a silver nanoparticles modified electrode](#)

[Effect of silver nanoparticles on the electron transfer reactivity and the catalytic activity of myoglobin](#)

[Silver nanoparticles and polymeric medical devices: a new approach to prevention of infection?](#)

[One-step synthesis of ordered two-dimensional assemblies of silver nanoparticles by the spontaneous reduction of silver ions by pentadecylphenol Langmuir monolayers](#)

[Surface-enhanced fluorescence and reverse saturable absorption on silver nanoparticles](#)

[Surface-enhanced Raman scattering of pi-conjugated "push-pull" molecules - Part I. p-Nitroaniline adsorbed on silver nanoparticles](#)

[Silver nanoclusters in mesoporous silica, as obtained by visible-laser irradiation](#)

Cluster Metrics

Authors

sastry, m 8
mukherjee, t 6
kapoor, s 6
zhang, y 4
xia, yn 4
wiley, b 4
patakfalvi, r 4
chumanov, g 4
yang, xr 3
wu, qs 3
whitcomb, dr 3
swami, a 3
sun, yp 3
sun, yg 3
sarkar, a 3

Sources

journal of physical chemistry b 25
journal of colloid and interface science 13
materials letters 10
langmuir 10
nanotechnology 8
materials chemistry and physics 8
nano letters 5
colloid journal 5
chemistry of materials 5
chemistry letters 5
surface science 4
chemical physics letters 4
applied physics letters 4
spectroscopy and spectral analysis 3
research on chemical intermediates 3

Keywords

chemistry, physical 86
particles 61
nanoparticles 55
chemistry, multidisciplinary 41

materials science, multidisciplinary 40
silver 38
gold 35
size 32
spectroscopy 30
nanowires 29
films 28
nanoparticles 27
materials science, multidisciplinary 27
growth 22
clusters 20

Publication Year

2005 262
2004 31
2006 1

Country

peoples r china 76
usa 58
india 25
japan 19
south korea 17
germany 16
russia 15
taiwan 11
mexico 9
spain 7
italy 7
france 7
england 7
brazil 7
hungary 5

Institution

chinese acad sci 16
russian acad sci 8
natl chem lab 8
nanjing univ 7
clemson univ 7
habha atom res ctr 7
natl tsing hua univ 5
zhejiang univ 4
univ washington 4
univ szeged 4
univ sci & technol china 4

univ nacl autonoma mexico 4
univ maryland 4
shanghai jiao tong univ 4
oak ridge natl lab 4

DataBase
science citation index 294

CATEGORY 14 - 509B1b (35 leaf clusters)

Polymers, Composites, and Metal Complexes (8423 REC)

THRUST

()

- Poly(ethylene oxide) (PEO), poly(ethylene glycol) (PEG), and poly(lactic acid) (PLA), focusing on films and surfaces made from these polymers (168 Records) Cluster 63
- Micelles, emphasizing polymer and block micelles, core-shell nanostructures, drug delivery/release applications, and light-scattering studies (148 Records) Cluster 44
- Synthesis and characterization of block copolymers (including di-, tri-, and star-block copolymers), focusing on polystyrene block copolymers, morphology, differential scanning calorimetry studies, and atom transfer radical polymerization (294 Records) Cluster 77

- Copolymers, emphasizing graft, diblock, and triblock copolymers; polymers made of styrene and methacrylate; and differential scanning calorimetry (DSC) studies (341 Records) Cluster 143
- Poly(methyl methacrylate) (PMMA) and poly(2-hydroxyethyl methacrylate) (PHEMA) (121 Records) Cluster 88
- Latex particles, hydrogels, microgels, core-shell particles, and substances made of acrylate poly(N-isopropylacrylamide) (PNIPAM) (135 Records) Cluster 151
- Creation of polymers by means of atom transfer radical polymerization, emulsion polymerization, and ring-opening polymerization (295 Records) Cluster 202
- Graft polymers, including synthesis, grafting of polymer brushes to surfaces, grafted silica, and polyethylene terephthalate (PET) (132 Records) Cluster 69
- Molecular and structural properties of starches (including flour, potatoes, corn, wheat, and rice and banana starches), emphasizing characteristics of starch granules and biodegradation of starch and substances based on starches (49 Records) Cluster 1
- Dendrimers, emphasizing poly(amidoamine) (PAMAM), porphyrin, and carbosilane dendrimers; changes over generations; and dendrimers with mesogenic terminal groups (49 Records) Cluster 3
- Hybrid materials and composites (especially polymers and films), including polyurethane, polyimides, poly(dimethylsiloxane) (PDMS), organic-inorganic materials, and silica-based substances (273 Records) Cluster 248
- Differential scanning calorimetry (DSC) to characterize materials (especially polymers), including effects of molecular weight, studies on glass transitions, and phase behavior (268 Records) Cluster 232
- Polymer properties, focusing on conducting polymers, polymer surfaces and films, influence of nanoparticles, and liquid crystals (694 Records) Cluster 235
- Polymer electrolytes, emphasizing poly(ethylene oxide) (PEO) and poly(3,4-ethylenedioxythiophene) (PEDOT), conductivity studies, and application to lithium batteries (113 Records) Cluster 73
- Polyaniline (PANI) focusing on dodecylbenzene sulfonic acid doped polyaniline (PANI-DBSA), synthesis of conducting PANI materials, and nanofibers of PANI (67 Records) Cluster 15
- Polymer blends (especially poly(vinyl chloride) (PVC), poly(vinyl alcohol) (PVA), and poly(styrene) blends), emphasizing morphology,

- miscibility, melt blending, and shear studies (150 Records) Cluster 114
- Rubber and other elastomeric blends, emphasizing nitrile-butadiene rubber (NBR), ethylene-propylene diene terpolymer (EPDM) blends, rubber/silica nanocomposites, nano-calcium carbonate (CaCO_3) composites, and measurement/comparison of mechanical properties (117 Records) Cluster 84
 - Strengthening and improvement of mechanical and tensile properties of nanocomposites (especially polypropylene) by using filler and reinforcing with fibers (237 Records) Cluster 206
 - Investigation of resin-dentin interfaces and other studies on adhesive resin cements, including determination of bond strength and factors affecting self-etching primer bonding systems (85 Records) Cluster 35
 - Epoxy resins and composites, including polyhedral oligomeric silsesquioxane (POSS) composites and reinforced epoxy resins, as well as bisphenol-A glycidol ether (DGEBA) epoxy resin (129 Records) Cluster 38
 - Clay materials and nanocomposites (including montmorillonites, organoclays, layered silica nanocomposites, and polypropylene- and epoxy-clay nanocomposites), emphasizing exfoliation degree and mechanism, preparation by melt intercalation, dispersion, and mechanical properties (429 Records) Cluster 43
 - Montmorillonites (MMTs) (especially MMT nanocomposites), emphasizing intercalation, exfoliation, and thermal properties (133 Records) Cluster 21
 - Nanocomposites (including layered silicate and layered double hydroxide [LDH] nanocomposites), organoclays, and organic montmorillonites (OMMTs), emphasizing preparation, exfoliation, intercalation, and enhanced properties, especially thermal properties (445 Records) Cluster 188
 - Phase formation, transitions, and behavior in powders, cubic solids, and crystals, as explored by x-ray powder diffraction (296 Records) Cluster 241
 - Structural studies, emphasizing crystal structure, x-ray powder diffraction, and structure refinement (278 Records) Cluster 220
 - Crystal structure, examined by x-ray diffraction and single crystal methods (388 Records) Cluster 240
 - Structure, synthesis, and characterization of compounds (especially diterpenoids, cyclodextrin, and peptides), with emphasis on isolation

- from other materials, crystal structure, x-ray diffraction studies, and preferred conformations (102 Records) Cluster 127
- Structural characterization and synthesis of compounds, emphasizing crystallography (especially single crystal x-ray diffraction) and NMR spectroscopy (280 Records) Cluster 203
 - Crystal structure at the resolution of a few angstroms using single crystal x-ray diffraction (574 Records) Cluster 108
 - Crystal and bond structure of coordination polymers, complexes, hydrates, and other compounds, emphasizing studies on hydrogen bonds and single crystal x-ray diffraction (306 Records) Cluster 148
 - Metal complexes and coordination polymers, especially copper (Cu), cadmium (Cd), and pyridyl compounds, with emphasis on synthesis and crystal structure (205 Records) Cluster 125
 - Metal complexes and coordination polymers, focusing on structure and reactivity, especially of nickel (Ni) complexes, chelates, and pyridines (237 Records) Cluster 136
 - Metal complexes and coordination polymers, emphasizing structure, reactivity, NMR spectroscopy, and synthesis, especially of platinum (Pt) and chlorine (Cl) complexes (647 Records) Cluster 207
 - Structure, reactions, and synthesis of metal complexes, especially arene complexes and those containing chlorine (Cl), the hemilabile ligand, amines, and zirconium (Zr) (126 Records) Cluster 23
 - Ruthenium (Ru) complexes (especially those containing bipyridine, triphenylphosphine [PPh₃], and chlorine [Cl]), including investigations of structure, reactivity, and synthesis, as well as x-ray diffraction studies (112 Records) Cluster 45

• CLUSTER 63

Poly(ethylene oxide) (PEO), poly(ethylene glycol) (PEG), and poly(lactic acid) (PLA), focusing on films and surfaces made from these polymers (168 Records)

(Countries: USA, China, followed by Germany, Korea. Korea Research Institute Chemical Technology, Max Planck Institute Polymer Research, CAS. USA include University of Massachusetts, SUNY Buffalo.).

Cluster Syntax Features

Descriptive Terms

peo 16.5%, poli 9.9%, poly.ethylene 9.0%, ethylen 7.9%, ethylene.oxide 6.0%, copolym 5.3%, poly.ethylene.oxide 5.3%, block 3.3%, peg 2.3%, oxid 1.4%, glycol 1.4%, poly.ethylene.glycol 1.4%, ethylene.glycol 1.2%, pla 0.8%, oxide.poly 0.8%

Discriminating Terms

peo 10.8%, poly.ethylene 5.8%, poli 5.1%, ethylen 4.8%, ethylene.oxide 3.9%, poly.ethylene.oxide 3.5%, copolym 2.7%, block 1.7%, film 1.4%, peg 1.3%, poly.ethylene.glycol 0.9%, glycol 0.8%, ethylene.glycol 0.7%, surfac 0.6%, carbon 0.5%

Single Word Terms

poli 163, ethylen 151, copolym 112, oxid 107, block 84, peo 77, solut 62, polym 62, structur 61, form 59, glycol 56, size 54, microscopi 52, water 52, scatter 50

Double Word Terms

poly.ethylene 149, ethylene.oxide 100, ethylene.glycol 50, oxide.peo 46, poly.propylene 37, propylene.oxide 35, light.scattering 34, electron.microscopy 33, transmission.electron 31, oxide.poly 30, block.copolymer 30, block.poly 28, block.copolymers 26, dynamic.light 24, oxide.block 21

Triple Word Terms

poly.ethylene.oxide 99, poly.ethylene.glycol 49, ethylene.oxide.peo 41, poly.propylene.oxide 33, ethylene.oxide.poly 30, transmission.electron.microscopy 24, dynamic.light.scattering 23, oxide.poly.propylene 21, propylene.oxide.poly 18, ethylene.oxide.block 18, oxide.poly.ethylene 18, ethylene.glycol.peg 17, block.poly.ethylene 16, ring.opening.polymerization 15, ethylene.glycol.poly 14

Term Cliques

40.22% poli copolym peg glycol poly.ethylene.glycol ethylene.glycol pla
55.21% poli copolym block pla
56.62% poli poly.ethylene ethylen copolym peg glycol poly.ethylene.glycol ethylene.glycol
63.81% peo poli poly.ethylene ethylen ethylene.oxide copolym poly.ethylene.oxide block oxid oxide.poly

Sample Cluster Record Titles

[A novel inorganic-organic polymer electrolyte with a high conductivity: insertion of poly\(ethylene\) oxide into LiV3O8 in one step](#)

[Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-block-poly\(ethylene oxide\) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors](#)

[Innovative approach for stabilizing poly\(ethylene oxide\)-b-poly\(propylene oxide\)-b-poly\(ethylene oxide\) micelles by forming nano-sized networks in the micelle](#)

[Adsorption of poly\(ethylene oxide\)-b-poly\(is an element of-caprolactone\) copolymers at the silica-water interface](#)

[Poly\(ethylene oxide\)-modified poly\(epsilon-caprolactone\) nanoparticles for targeted delivery of tamoxifen in breast cancer](#)

[Effect of chain lengths of PEO-PPO-PEO on small unilamellar liposome morphology and stability: an AFM investigation](#)

[Poly\(ethylene oxide\)-b-poly\(N-isopropylacrylamide\) nanoparticles with cross-linked cores as drug carriers](#)

[Preparation of a PLA-PEG block copolymer using a PLA derivative with a formyl terminal group and its application to nanoparticulate formulation](#)

[Synthesis and hydrolysis of alpha,omega-perfluoroalkyl-functionalized derivatives of poly\(ethylene oxide\)](#)

Cluster Metrics

Authors

zhang, y 4
alexandridis, p 4
zhuang, wc 3
yuk, sh 3
tam, kc 3
kim, d 3
chen, x 3
zhuo, rx 2
zhou, qf 2
yao, cm 2
yang, cj 2
xu, lm 2
wu, c 2
wang, ly 2
wang, cc 2

Sources

macromolecules 15
langmuir 15
polymer 9
journal of controlled release 8
colloids and surfaces a-physicochemical and engineering aspects 7
journal of polymer science part a-polymer chemistry 6
journal of physical chemistry b 6
biomaterials 6
journal of polymer science part b-polymer physics 4
journal of applied polymer science 4
international journal of pharmaceutics 4
chemical journal of chinese universities-chinese 4
biomacromolecules 4
journal of colloid and interface science 3
colloid and polymer science 3

Keywords

polymer science 55
chemistry, physical 42
nanoparticles 26
chemistry, multidisciplinary 23
micelles 16
water 15
drug-delivery 15
block-copolymers 15
polymers 13
poly(ethylene oxide) 12
delivery 12
block-copolymers 11
engineering, biomedical 10
materials science, biomaterials 10
triblock copolymers 9

Publication Year

2005 157
2004 6
2006 5

Country

usa 43
peoples r china 39
germany 19
south korea 18
japan 12
france 8
canada 8

singapore 6
netherlands 6
taiwan 4
switzerland 4
sweden 4
russia 4
belgium 4
poland 3

Institution

korea res inst chem technol 6
max planck inst polymer res 5
chinese acad sci 5
univ massachusetts 4
suny buffalo 4
shandong univ 4
natl univ singapore 4
nankai univ 4
wuhan univ 3
univ tokyo 3
univ sci & technol china 3
univ groningen 3
univ bordeaux 1 3
tokyo inst technol 3
tianjin univ 3

DataBase

science citation index 168

- **CLUSTER 44**

Micelles, emphasizing polymer and block micelles, core-shell

nanostructures, drug delivery/release applications, and light-scattering studies (148 Records)

(Countries: USA, China. Institutions: CAS, Washington University, University S&T China, Seoul National University, Kyoto Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

micel 56.6%, copolym 4.9%, block 2.6%, poli 1.6%, surfact 1.6%, aggreg 1.2%, diblock 1.0%, core 0.8%, drug 0.8%, micellar 0.7%, shell 0.6%, polymer 0.5%, amphiphil 0.5%, polymeric.micelles 0.5%, scatter 0.5%

Discriminating Terms

micel 36.3%, copolym 2.4%, film 1.7%, block 1.2%, surfac 0.7%, surfact 0.7%, carbon 0.6%, diblock 0.6%, nanotub 0.5%, layer 0.5%, magnet 0.5%, crystal 0.5%, poli 0.5%, aggreg 0.5%, deposit 0.5%

Single Word Terms

micel 143, copolym 98, poli 88, block 77, solut 74, form 71, concentr 64, scatter 61, core 56, structur 55, aggreg 54, microscopi 54, size 54, light 52, self 50

Double Word Terms

light.scattering 50, electron.microscopy 40, transmission.electron 40, block.copolymer 36, dynamic.light 34, poly.ethylene 32, critical.micelle 28, copolymer.micelles 25, core.shell 24, micelle.concentration 23, self.assembly 22, diblock.copolymers 22, ethylene.glycol 20, block.copolymers 19, block.poly 19

Triple Word Terms

transmission.electron.microscopy 34, dynamic.light.scattering 34, critical.micelle.concentration 21, block.copolymer.micelles 18, poly.ethylene.glycol 17, electron.microscopy.tem 17, atomic.force.microscopy 17, micelle.concentration.cmc 15, light.scattering.dls 15, poly.ethylene.oxide 14, small.angle.neutron 11, angle.neutron.scattering 11, force.microscopy.afm 11, poly.acrylic.acid 10, neutron.scattering.sans 9

Term Cliques

42.57% micel surfact diblock micellar scatter
44.86% micel surfact aggreg micellar scatter
50.79% micel copolym block aggreg micellar amphiphil
51.35% micel copolym block aggreg core micellar scatter
45.65% micel copolym block poli diblock micellar shell polymer amphiphil
41.22% micel copolym block poli diblock drug shell polymer amphiphil

polymeric.micelles

48.05% micel copolym block poli diblock core micellar shell scatter

47.15% micel copolym block poli diblock core micellar shell polymer

45.95% micel copolym block poli diblock core drug shell polymer

Sample Cluster Record Titles

[Self-organization of amphiphilic copolymers into nanoparticles: Study by H-1 NMR longitudinal relaxation time](#)

[Structural transformations of reverse micelles of oxyethylated surfactants during the injection solubilization of HCl solutions](#)

[Characterization of polybutadiene-poly\(ethyleneoxide\) aggregates in aqueous solution: A light-scattering and small-angle neutron-scattering study](#)

[Distribution kinetics of a micelle-forming block copolymer Pluronic P85](#)

[Polyelectrolyte behavior of polystyrene-block-poly\(methacrylic acid\) micelles in aqueous solutions at low ionic strength](#)

[Shear banding fluctuations and nematic order in wormlike micelles](#)

[Zeta-potentials of self-assembled surface micelles of ionic surfactants adsorbed at hydrophobic graphite surfaces](#)

[Block copolymer micelles as a solution for drug delivery problems](#)

[Spherical polyelectrolyte block copolymer micelles: Structural change in presence of monovalent salt](#)

Cluster Metrics

Authors

wooley, kl 5

yoshida, e 4

prochazka, k 4

humpolickova, j 4

zhang, y 3

xu, jp 3

taboada, p 3

stepanek, m 3

shen, jc 3

mosquera, v 3

matejicek, p 3
joralemon, mj 3
ji, j 3
hellweg, t 3
findenegg, gh 3

Sources

macromolecules 18
langmuir 14
journal of the american chemical society 7
journal of controlled release 7
colloid and polymer science 7
biomacromolecules 4
macromolecular chemistry and physics 3
macromolecular bioscience 3
journal of physical chemistry b 3
journal of colloid and interface science 3
colloids and surfaces b-biointerfaces 3
colloids and surfaces a-physicochemical and engineering aspects 3
advanced materials 3
acta polymerica sinica 3
polymer 2

Keywords

polymer science 44
chemistry, physical 43
nanoparticles 28
micelles 27
chemistry, multidisciplinary 26
nanoparticles 15
block-copolymer micelles 15
copolymers 14
self-assembly 14
polymers 14
polymer science 14
light-scattering 14
drug-delivery 14
block-copolymers 14
water 13

Publication Year

2005 133
2004 14
2006 1

Country

usa 38
peoples r china 35
japan 14
germany 14
south korea 12
france 12
canada 8
england 5
czech republic 5
singapore 4
australia 4
taiwan 3
switzerland 3
sweden 3
spain 3

Institution

chinese acad sci 8
washington univ 5
univ sci & technol china 5
seoul natl univ 5
kyoto inst technol 5
zhejiang univ 4
toyohashi univ technol 4
inst max von laue paul langevin 4
fudan univ 4
charles univ 4
acad sci czech republ 4
univ santiago de compostela 3
univ penn 3
univ catholique louvain 3
technion israel inst technol 3

DataBase

science citation index 148

• CLUSTER 77

Synthesis and characterization of block copolymers (including di-, tri-, and star-block copolymers), focusing on polystyrene block copolymers, morphology, differential scanning calorimetry studies, and atom transfer radical polymerization (294 Records)

(Countries: USA dominant, China, Japan, Germany, Korea. Institutions: University of Minnesota, University of Massachusetts, Tokyo Institute of Technology, CAS. Other USA include UCB, University of Southern Mississippi, UCSB.).

Cluster Syntax Features

Descriptive Terms

block 32.4%, copolym 27.5%, block.copolymers 6.3%, block.copolymer 4.4%, poli 2.2%, diblock 0.9%, polystyren 0.7%, styren 0.7%, polymer 0.7%, polym 0.5%, triblock 0.5%, morpholog 0.4%, nanoparticl 0.3%, star 0.3%, micel 0.3%

Discriminating Terms

block 21.1%, copolym 17.2%, block.copolymers 4.3%, block.copolymer 3.0%, film 1.2%, poli 0.8%, carbon 0.6%, nanotub 0.6%, diblock 0.5%, surfac 0.5%, deposit 0.5%, magnet 0.5%, particl 0.4%, layer 0.4%, electron 0.4%

Single Word Terms

block 294, copolym 281, poli 172, structur 128, polym 106, polymer 101, morpholog 95, form 89, polystyren 84, synthes 83, assembl 82, self 82, temperatur 82, microscopi 81, solut 75

Double Word Terms

block.copolymers 171, block.copolymer 143, electron.microscopy 51, differential.scanning 50, molecular.weight 50, scanning.calorimetry 46, transmission.electron 44, radical.polymerization 42, angle.ray 40, diblock.copolymer 39, poly.styrene 39, self.assembly 39, diblock.copolymers 36, small.angle 36, block.poly 35

Triple Word Terms

differential.scanning.calorimetry 46, transmission.electron.microscopy 37, atom.transfer.radical 34, angle.ray.scattering 33, small.angle.ray 32,

transfer.radical.polymerization 32, scanning.calorimetry.dsc 25, atomic.force.microscopy 21, ring.opening.polymerization 20, poly.methyl.methacrylate 20, ray.scattering.saxs 20, electron.microscopy.tem 18, radical.polymerization.atrp 18, amphiphilic.block.copolymers 17, block.copolymers.poly 16

Term Cliques

46.36% block copolym polystyren styren polymer polym star
50.34% block copolym poli polystyren styren triblock morpholog
48.81% block copolym poli polystyren styren polymer polym triblock
54.59% block copolym poli diblock polymer micel
52.33% block copolym poli diblock polystyren styren polymer
49.38% block copolym block.copolymer morpholog star micel
47.86% block copolym block.copolymer polystyren styren morpholog star
48.40% block copolym block.copolymer polystyren styren polym star
59.35% block copolym block.copolymer poli polym nanoparticl
55.88% block copolym block.copolymer poli polystyren styren polym
53.45% block copolym block.copolymer poli diblock morpholog micel
53.98% block copolym block.copolymer poli diblock morpholog nanoparticl
51.62% block copolym block.copolymer poli diblock polystyren styren morpholog
50.96% block copolym block.copolymers morpholog star micel
51.30% block copolym block.copolymers polymer star micel
52.66% block copolym block.copolymers styren morpholog star
50.58% block copolym block.copolymers styren polymer polym star
59.69% block copolym block.copolymers poli morpholog micel
60.03% block copolym block.copolymers poli polymer micel
54.57% block copolym block.copolymers poli styren triblock morpholog
52.51% block copolym block.copolymers poli styren polymer polym triblock

Sample Cluster Record Titles

[Surface morphology and wetting properties of surfaces coated with an amphiphilic diblock copolymer](#)

[Micellar aggregates of amylose-block-polystyrene rod-coil block copolymers in water and THF](#)

[Novel inorganic-organic hybrid block copolymers as pore generators for nanoporous ultralow-dielectric-constant films](#)

[Lateral assembly of metal nanoparticles directed by nanodomain control in block copolymer thin films](#)

[New polyphenylene-g-polystyrene and polyphenylene-g-polystyrene/poly\(epsilon-caprolactone\) copolymers by combined controlled polymerization and cross-coupling processes](#)

[Crystallization of polystyrene-block-\[Syndiotactic poly\(propylene\)\] block copolymers from confinement to breakout](#)

[Asymmetric PS-block-\(PS-co-PB\)-block-PS block copolymers: morphology and deformation behavior of star block copolymer/PS blends](#)

[Semiconducting block copolymers - synthesis and nanostructure formation](#)

[Phase behavior of the melt of polystyrene-poly\(ethylene oxide\) metallo-supramolecular diblock copolymer with bulky counterions](#)

Cluster Metrics

Authors

russell, tp 8
schubert, us 6
hamley, iw 6
yokoyama, h 5
takano, a 5
matsushita, y 5
kim, kj 5
taton, ta 4
mauritz, ka 4
hillmyer, ma 4
hadjichristidis, n 4
castelletto, v 4
zhang, hl 3
wooley, kl 3
wang, xz 3

Sources

macromolecules 48
polymer 27
langmuir 23
journal of polymer science part a-polymer chemistry 18
journal of polymer science part b-polymer physics 8
advanced materials 8
journal of the american chemical society 7
european polymer journal 7
macromolecular rapid communications 6
journal of applied polymer science 6
chemistry of materials 6
biomacromolecules 6
nano letters 5

journal of chemical physics 5
macromolecular symposia 4

Keywords

polymer science 150
chemistry, physical 47
polymers 41
morphology 35
thin-films 29
micelles 28
chemistry, multidisciplinary 27
block copolymers 27
materials science, multidisciplinary 26
block-copolymers 24
behavior 24
materials science, multidisciplinary 23
diblock copolymers 23
block copolymers 20
blends 20

Publication Year

2005 265
2004 29

Country

usa 84
peoples r china 40
japan 31
germany 28
south korea 25
france 18
england 16
canada 16
taiwan 13
netherlands 11
belgium 10
switzerland 7
singapore 7
italy 7
greece 6

Institution

univ minnesota 12
univ massachusetts 10
tokyo inst technol 10
chinese acad sci 9

eindhoven univ technol 8
yonsei univ 6
univ calif berkeley 6
natl inst adv ind sci & technol 6
univ so mississippi 5
univ sci & technol china 5
univ leeds 5
univ calif santa barbara 5
seoul natl univ 5
natl tsing hua univ 5
nagoya univ 5

DataBase

science citation index 294

• CLUSTER 143

Copolymers, emphasizing graft, diblock, and triblock copolymers; polymers made of styrene and methacrylate; and differential scanning calorimetry (DSC) studies (341 Records)

(Countries: China, followed by USA, followed by Japan. Institutions: CAS Zhejiang University. USA include ANL, VPI, University of Minnesota.).

Cluster Syntax Features

Descriptive Terms

copolym 61.2%, graft 1.8%, poli 1.6%, diblock 1.1%, polymer 1.0%, copolymer 0.9%, methacryl 0.9%, styren 0.8%, chain 0.5%, polym 0.5%, monom 0.5%, acryl 0.4%, blend 0.4%, graft.copolymers 0.4%, triblock 0.4%

Discriminating Terms

copolym 42.0%, film 1.3%, graft 1.0%, diblock 0.7%, copolymer 0.6%, surfac 0.6%, nanotub 0.6%, magnet 0.6%, carbon 0.6%, layer 0.5%, poli 0.5%, deposit 0.5%, methacryl 0.5%, styren 0.5%, quantum 0.4%

Single Word Terms

copolym 341, poli 168, structur 130, scan 127, polym 119, synthes 119, polymer 117, properti 108, synthesi 98, chain 97, temperatur 96, calorimetri 89, differenti 89, composit 89, solut 86

Double Word Terms

differential.scanning 88, scanning.calorimetry 83, electron.microscopy 50,

molecular.weight 47, radical.polymerization 43, ray.diffraction 40, scanning.electron 35, transmission.electron 34, free.radical 31, angle.ray 31, poly.ethylene 30, calorimetry.dsc 30, atomic.force 29, fourier.transform 29, methyl.methacrylate 28

Triple Word Terms

differential.scanning.calorimetry 83, scanning.calorimetry.dsc 30, transmission.electron.microscopy 28, gel.permeation.chromatography 27, scanning.electron.microscopy 26, atom.transfer.radical 26, fourier.transform.infrared 26, atomic.force.microscopy 25, transfer.radical.polymerization 23, wide.angle.ray 20, poly.methyl.methacrylate 17, angle.ray.diffraction 16, ring.opening.polymerization 15, ray.photoelectron.spectroscopy 15, free.radical.polymerization 15

Term Cliques

40.53% copolym poli polym blend triblock
37.01% copolym poli styren blend triblock
45.28% copolym poli polymer polym triblock
36.80% copolym poli polymer styren acryl triblock
36.71% copolym poli diblock styren chain blend
38.00% copolym poli diblock polymer methacryl styren chain
40.03% copolym graft poli chain polym blend
37.10% copolym graft poli styren chain blend
31.80% copolym graft poli polymer copolymer methacryl monom acryl graft.copolymers
32.71% copolym graft poli polymer copolymer methacryl chain acryl graft.copolymers
38.71% copolym graft poli polymer copolymer methacryl chain polym
32.88% copolym graft poli polymer copolymer methacryl styren monom acryl
33.79% copolym graft poli polymer copolymer methacryl styren chain acryl

Sample Cluster Record Titles

[Copolymers from oligosiloxane methacrylates as a plasticizer-free membrane matrix for ion-selective sensors](#)

[Copolymers of \(2-oxo-2-tert-butylamino\)ethylene methacrylate and styrene: synthesis, characterization and monomer reactivity ratios](#)

[Surface study of block and graft copolymers of polystyrene-polydimethylsiloxane](#)

[Monitoring surface thermal transitions of ABA triblock copolymers with crystalline segments using phase contrast tapping mode atomic force microscopy](#)

[Preparation of densely grafted poly\(aniline-2-sulfonic acid-co-aniline\)s as novel water-soluble conducting](#)

[Formation of \[60\]fullerene nanoclusters with controlled size and morphology through the aid of supramolecular rod-coil diblock copolymers](#)

[Synthesis of amphiphilic poly\(ethylene oxide\)-b-poly\(methyl methacrylate\) - Diblock copolymers via atom transfer radical polymerization utilizing halide exchange technique](#)

[Surface properties and structures of diblock copolymer and homopolymer with perfluoroalkyl side chains](#)

[Computer simulation of block copolymer/nanoparticle composites](#)

Cluster Metrics

Authors

wang, cc 6
neoh, kg 5
kang, et 5
zhou, qf 4
thiyagarajan, p 4
matyjaszewski, k 4
liu, y 4
chen, cy 4
cao, y 4
zhu, db 3
yilgor, e 3
yao, kd 3
wilkes, gl 3
terano, m 3
seifert, s 3

Sources

macromolecules 37
polymer 36
journal of applied polymer science 31
journal of polymer science part a-polymer chemistry 26
langmuir 16
journal of polymer science part b-polymer physics 8
european polymer journal 8
journal of physical chemistry b 7
polymer international 5
polymer bulletin 5
journal of materials science 5
macromolecular rapid communications 4
macromolecular chemistry and physics 4
journal of macromolecular science-pure and applied chemistry 4
journal of colloid and interface science 4

Keywords

polymer science 202
polymers 52
chemistry, physical 42
block-copolymers 29
morphology 25
films 25
materials science, multidisciplinary 24
block-copolymers 23
polymerization 22
polymers 18
blends 17
behavior 17
copolymers 16
styrene 15
copolymer 15

Publication Year

2005 317
2004 21
2006 3

Country

peoples r china 102
usa 63
japan 32
south korea 20
turkey 18
france 18
taiwan 16
india 14
germany 13
italy 11
singapore 10
england 8
brazil 6
russia 5
poland 5

Institution

chinese acad sci 20
zhejiang univ 14
so taiwan univ technol 7
nanjing univ 7
s china univ technol 6
hacettepe univ 6

tokyo inst technol 5
peking univ 5
natl univ singapore 5
argonne natl lab 5
wuhan univ 4
virginia polytech inst & state univ 4
univ minnesota 4
toyohashi univ technol 4
shandong univ 4

DataBase
science citation index 341

• CLUSTER 88

Poly(methyl methacrylate) (PMMA) and poly(2-hydroxyethyl methacrylate) (PHEMA) (121 Records)

Countries: USA, followed by China, Japan. Institutions: University of Southern Mississippi. Other USA include Georgia Institute of Technology, University of Massachusetts, University of Illinois.).

Cluster Syntax Features

Descriptive Terms

methacryl 17.7%, pmma 14.2%, methyl.methacrylate 10.6%, methyl 9.3%, poly.methyl 6.4%, poly.methyl.methacrylate 5.8%, poli 4.6%, polymer 1.2%, methacrylate.pmma 1.2%, methyl.methacrylate.pmma 1.1%, mma 0.8%, polym 0.8%, particl 0.6%, phema 0.4%, blend 0.4%

Discriminating Terms

methacryl 11.9%, pmma 9.6%, methyl.methacrylate 7.3%, methyl 5.9%, poly.methyl 4.4%, poly.methyl.methacrylate 4.0%, poli 2.0%, film 1.3%, methacrylate.pmma 0.8%, methyl.methacrylate.pmma 0.8%, structur 0.6%, nanotub 0.6%, mma 0.6%, carbon 0.5%, crystal 0.5%

Single Word Terms

methacryl 113, poli 103, methyl 103, pmma 59, polymer 53, polym 52, surfac 46, particl 40, high 38, properti 37, size 35, microscopi 34, scan 33, structur 32, electron 32

Double Word Terms

methyl.methacrylate 93, poly.methyl 77, methacrylate.pmma 51, scanning.electron 20, methacrylate.mma 19, electron.microscopy 18, glass.transition 15, atomic.force 15, force.microscopy 15, differential.scanning 15, scanning.calorimetry 14, hydroxyethyl.methacrylate 11, transition.temperature 11, fourier.transform 11, transform.infrared 10

Triple Word Terms

poly.methyl.methacrylate 74, methyl.methacrylate.pmma 49, methyl.methacrylate.mma 17, atomic.force.microscopy 14, differential.scanning.calorimetry 14, glass.transition.temperature 11, scanning.electron.microscopy 11, polymerization.methyl.methacrylate 10, fourier.transform.infrared 10, electron.microscopy.sem 9, poly.hydroxyethyl.methacrylate 9, force.microscopy.afm 8, transmission.electron.microscopy 8, hydroxyethyl.methacrylate.phema 7, atom.transfer.radical 7

Term Cliques

41.32% methacryl mma phema
61.71% methacryl poli phema
56.57% methacryl pmma methyl.methacrylate methyl poly.methyl.methacrylate polymer mma polym particl
59.67% methacryl pmma methyl.methacrylate methyl poly.methyl poly.methyl.methacrylate poli methyl.methacrylate.pmma particl blend
60.58% methacryl pmma methyl.methacrylate methyl poly.methyl poly.methyl.methacrylate poli methacrylate.pmma methyl.methacrylate.pmma blend
61.31% methacryl pmma methyl.methacrylate methyl poly.methyl poly.methyl.methacrylate poli polymer methyl.methacrylate.pmma polym particl
62.13% methacryl pmma methyl.methacrylate methyl poly.methyl poly.methyl.methacrylate poli polymer methacrylate.pmma methyl.methacrylate.pmma polym

Sample Cluster Record Titles

[Persistent interactions between hydroxylated nanoballs and atactic poly\(2-hydroxyethyl methacrylate\) \(PHEMA\)](#)

[Morphological characterization of PMMA/PAN composite particles in nano to submicro size](#)

[Surface and chemical properties of surface-modified UHMWPE powder and mechanical and thermal properties of it impregnated PMMA bone cement, III: effect of various ratios of initiator/inhibitor on the surface modification of UHMWPE powder](#)

[Initiated CVD of poly\(methyl methacrylate\) thin films](#)

[Low temperature bonding of poly\(methylmethacrylate\) electrophoresis microchips by in situ polymerisation](#)

[Synthesis of nano-ZnO/poly\(methyl methacrylate\) composite microsphere through emulsion polymerization and its UV-shielding property](#)

[Quantitative chemical mapping of nanostructured "onionlike" poly\(methyl methacrylate\)/polystyrene composite particles by soft X-ray microscopy](#)

[Dispersion of gold nanoparticles above the poly\(methyl methacrylate\) surface by the use of fluoroalkyl end-capped oligomeric aggregates](#)

[Thermal properties of the gamma-Fe₂O₃/poly\(methyl methacrylate\) core/shell nanoparticles](#)

Cluster Metrics

Authors

urban, mw 5
ueno, k 3
sawada, h 3
lestage, dj 3
hamazaki, k 3
thomann, r 2
takahashi, h 2
mulhaupt, r 2
matisons, j 2
kwok, dy 2
kawase, t 2
dreher, wr 2
choudhury, nr 2
ahmad, s 2
zubris, m 1

Sources

macromolecules 14
langmuir 9
polymer 6
journal of applied polymer science 5
colloid and polymer science 4
journal of physical chemistry b 3

journal of chromatography a 3
biomacromolecules 3
synthetic metals 2
polymers for advanced technologies 2
polymer engineering and science 2
polymer degradation and stability 2
macromolecular rapid communications 2
journal of sol-gel science and technology 2
journal of biomaterials science-polymer edition 2

Keywords

polymer science 48
chemistry, physical 22
particles 16
polymers 14
pmma 12
polymer science 11
chemistry, analytical 10
poly(methyl methacrylate) 10
nanocomposites 9
films 9
behavior 8
materials science, multidisciplinary 7
polymerization 7
polymer 7
polystyrene 6

Publication Year

2005 110
2004 10
2006 1

Country

usa 27
peoples r china 18
japan 16
germany 10
canada 9
taiwan 8
south korea 8
france 5
spain 4
russia 4
italy 4
india 3
czech republic 3

turkey 2
israel 2

Institution

univ so mississippi 6
univ sci & technol china 3
univ freiburg 3
kyoto univ 3
hirosaki univ 3
georgia inst technol 3
csic 3
asahi glass co ltd 3
univ s australia 2
univ massachusetts 2
univ illinois 2
univ alberta 2
seoul natl univ 2
russian acad sci 2
natl taiwan univ 2

DataBase

science citation index 121

- **CLUSTER 151**

Latex particles, hydrogels, microgels, core-shell particles, and substances made of acrylate poly(N-isopropylacrylamide) (PNIPAM) (135 Records)

(Countries: China dominant, USA. Institutions: University S&T China, Max Planck Institute Colloids and Interfaces, Fudan University, CAS. USA include Cornell University, University of Notre Dame.).

Cluster Syntax Features

Descriptive Terms

latex 16.7%, shell 7.1%, particl 4.7%, acryl 4.4%, core 4.3%, poli 3.5%, hydrogel 3.3%,

core.shell 2.8%, latex.particles 2.3%, microgel 2.1%, polymer 1.6%, methacryl 1.4%, emuls 1.2%, pnipam 0.9%, seed 0.8%

Discriminating Terms

latex 12.5%, shell 4.4%, acryl 3.1%, core 2.4%, hydrogel 2.3%, core.shell 1.8%, latex.particles 1.7%, microgel 1.6%, poli 1.6%, film 1.2%, particl 1.1%, methacryl 0.9%, emuls 0.8%, pnipam 0.7%, polymer 0.7%

Single Word Terms

poli 85, particl 79, polymer 69, electron 65, surfac 60, microscopi 56, shell 55, size 53, core 53, polym 52, structur 52, acryl 52, properti 49, scan 48, latex 48

Double Word Terms

electron.microscopy 50, core.shell 46, scanning.electron 34, latex.particles 33, transmission.electron 32, emulsion.polymerization 30, particle.size 24, acrylic.acid 18, microscopy.tem 18, methyl.methacrylate 18, light.scattering 15, poly.isopropylacrylamide 15, microscopy.sem 15, cross.linked 14, differential.scanning 12

Triple Word Terms

scanning.electron.microscopy 28, transmission.electron.microscopy 27, electron.microscopy.tem 17, electron.microscopy.sem 15, poly.acrylic.acid 12, seeded.emulsion.polymerization 11, differential.scanning.calorimetry 11, core.shell.particles 9, fourier.transform.infrared 8, core.shell.structure 8, poly.methyl.methacrylate 8, composite.latex.particles 8, scanning.calorimetry.dsc 7, poly.vinyl.alcohol 7, poly.isopropylacrylamide.pnipam 7

Term Cliques

24.44% poli hydrogel microgel pnipam
35.00% poli hydrogel microgel polymer
35.00% particl poli microgel pnipam
42.81% particl poli microgel polymer methacryl
40.74% shell particl core poli core.shell pnipam
40.25% shell particl core poli core.shell polymer methacryl emuls seed
35.31% latex particl acryl core.shell latex.particles polymer methacryl emuls seed
36.17% latex shell particl core core.shell pnipam
35.93% latex shell particl core core.shell latex.particles polymer methacryl emuls seed

Sample Cluster Record Titles

[Organic-dye-coupled magnetic nanoparticles encaged inside thermoresponsive PNIPAM microcapsules](#)

[Investigation of fluorinated polyacrylate latex with core-shell structure](#)

[Synthesis and swelling behaviour of interpenetrating network polymers of poly\(vinyl alcohol\) and poly\(acrylamide-co-potassium methacrylate\)](#)

[Vinyl ether/acrylic acid terpolymer hydrogels synthesized by gamma-radiation: characterization, thermosensitivity and pH-sensitivity](#)

[Particle morphology and NMR structure of polymethylmethacrylate/polystyrene emulsifier-free core-shell cationic latices in the presence of DBMEA](#)

[Poly \(ferrocenyldimethylsilane-b-dimethylsiloxane\) microsphere with shell thickness controllable structure prepared through self-assembly](#)

[Polyurethane latex modified with polyaniline](#)

[Engineering temperature-sensitive hydrogel nanoparticles entrapping hemoglobin as a novel type of oxygen carrier](#)

[Latex produced with carboxylic acid comonomer for waterborne coatings: Particle morphology variations with changing pH](#)

Cluster Metrics

Authors

mohwald, h 6

zhang, zc 4

ge, xw 4

zou, mx 3

sukhorukov, gb 3

shchukin, dg 3

kawaguchi, h 3

chen, yj 3

zhuo, rx 2

zhang, xz 2

zhang, xh 2

zhang, cc 2

yu, sh 2

wei, gs 2

wang, lx 2

Sources

langmuir 12

polymer 10

macromolecules 7

colloid and polymer science 7

journal of applied polymer science 6

european polymer journal 6
 polymer international 5
 journal of polymer science part a-polymer chemistry 5
 radiation physics and chemistry 3
 journal of physical chemistry b 3
 journal of materials chemistry 3
 colloids and surfaces a-physicochemical and engineering aspects 3
 chemistry of materials 3
 biomacromolecules 3
 synthetic metals 2

Keywords

polymer science 58
 chemistry, physical 37
 polymers 12
 particles 12
 polymer science 11
 polymer 11
 nanoparticles 11
 materials science, multidisciplinary 11
 chemistry, multidisciplinary 10
 polymerization 10
 morphology 9
 gels 9
 films 9
 emulsion polymerization 8
 water 8

Publication Year

2005 119
 2004 12
 2006 4

Country

peoples r china 48
 usa 25
 germany 12
 south korea 9
 japan 9
 france 6
 england 5
 canada 5
 india 4
 taiwan 3
 spain 3
 italy 3

turkey 2
sweden 2
singapore 2

Institution

univ sci & technol china 8
max planck inst colloids & interfaces 8
fudan univ 5
chinese acad sci 5
wuhan univ 3
nanyang technol univ 3
keio univ 3
jilin univ 3
hebei univ technol 3
cornell univ 3
wuhan univ technol 2
univ toronto 2
univ notre dame 2
tsing hua univ 2
sungkyunkwan univ 2

DataBase

science citation index 135

- **CLUSTER 202**

Creation of polymers by means of atom transfer radical polymerization, emulsion polymerization, and ring-opening polymerization (295 Records)

(Countries: China, followed by USA, followed by Japan. Institutions: Eindhoven University of Technology, National University of Singapore, CAS.).

Cluster Syntax Features

Descriptive Terms

polymer 38.0%, emuls 3.7%, monom 2.9%, initi 2.9%, radic 2.9%, polym 2.5%, radical.polymerization 1.5%, poli 1.0%, transfer.radical 1.0%, atom.transfer 0.9%, microspher 0.9%, atom.transfer.radical 0.9%, particl 0.8%, emulsion.polymerization 0.8%, transfer.radical.polymerization 0.8%

Discriminating Terms

polymer 27.4%, emuls 2.7%, monom 2.0%, radic 1.9%, film 1.7%, initi 1.7%, radical.polymerization 1.1%, transfer.radical 0.7%, atom.transfer 0.7%, atom.transfer.radical 0.7%, nanotub 0.6%, polym 0.6%, emulsion.polymerization 0.6%, transfer.radical.polymerization 0.6%, carbon 0.6%

Single Word Terms

polymer 271, polym 135, initi 132, monom 103, surfac 103, poli 97, particl 87, radic 87, structur 80, size 79, reaction 77, synthese 75, high 72, electron 69, water 69

Double Word Terms

radical.polymerization 63, electron.microscopy 49, transfer.radical 42, atom.transfer 41, emulsion.polymerization 37, molecular.weight 34, scanning.electron 34, surface.initiated 31, differential.scanning 31, scanning.calorimetry 31, transmission.electron 28, polymerization.atrp 24, ring.opening 22, core.shell 20, ray.diffraction 19

Triple Word Terms

atom.transfer.radical 41, transfer.radical.polymerization 40, differential.scanning.calorimetry 31, scanning.electron.microscopy 27, transmission.electron.microscopy 25, radical.polymerization.atrp 24, initiated.atom.transfer 18, surface.initiated.atom 18, ray.photoelectron.spectroscopy 15, ring.opening.polymerization 14, fourier.transform.infrared 13, atomic.force.microscopy 12, free.radical.polymerization 11, electron.microscopy.sem 11, scanning.calorimetry.dsc 11

Term Cliques

22.88% emuls monom microspher particl
28.61% emuls monom polym particl emulsion.polymerization
32.17% polymer initi radic polym radical.polymerization poli transfer.radical
atom.transfer atom.transfer.radical transfer.radical.polymerization
42.92% polymer monom polym particl emulsion.polymerization
40.11% polymer monom initi poli microspher particl
46.61% polymer monom initi polym poli particl

Sample Cluster Record Titles

[Atom transfer radical polymerization of N-\(omega '-alkylcarbazolyl\)methacrylates via the use of novel heteroleptic Ru\(II\) polypyridyl initiator](#)

[Ring-opening polymerization of L-lactide by rare-earth tris\(4-tert-butylphenolate\) single-component initiators](#)

[Fabrication of chemically tethered binary polymer-brush pattern through two-step surface-initiated atomic-transfer radical polymerization](#)

[Well-defined \(Co\)polymers with 5-vinyltetrazole units via combination of atom transfer radical \(Co\)polymerization of acrylonitrile and "click chemistry"-type postpolymerization modification](#)

[Polymerization of sulfopropyl methacrylate, a surface active monomer, within layered double hydroxide](#)

[Synthesis of acid-sensitive lattices by ring-opening metathesis polymerization](#)

[From free radical to Atom Transfer Radical Polymerization of poly\(ethylene oxide\) macromonomers in nanostructured media](#)

[Accelerating the living polymerization of 2-nonyl-2-oxazoline by implementing a microwave synthesizer into a high-throughput experimentation workflow](#)

[An approach towards nano-size crystals of poly\(acrylic acid\): Polymerization using layered double hydroxides as template](#)

Cluster Metrics

Authors

schubert, us 8

kang, et 8

neoh, kg 7

hoogenboom, r 6

yu, j 4

yang, b 4

wiesbrock, f 4

meier, mar 4

liu, p 4

guo, zx 4

zhang, k 3

yi, cf 3
yang, wl 3
xu, zs 3
suh, kd 3

Sources

macromolecules 26
polymer 20
journal of polymer science part a-polymer chemistry 20
journal of applied polymer science 13
macromolecular rapid communications 10
langmuir 10
journal of the american chemical society 8
chemical journal of chinese universities-chinese 7
acta polymerica sinica 7
journal of physical chemistry b 6
european polymer journal 6
chemistry of materials 6
polymer international 5
macromolecular chemistry and physics 5
journal of colloid and interface science 5

Keywords

polymer science 137
chemistry, physical 47
polymerization 46
chemistry, multidisciplinary 34
polymers 29
styrene 25
particles 25
nanoparticles 23
nanoparticles 20
materials science, multidisciplinary 20
polymerization 20
transfer radical polymerization 16
methyl-methacrylate 16
polystyrene 15
water 14

Publication Year

2005 270
2004 22
2006 3

Country

peoples r china 74

usa 49
japan 32
france 21
germany 20
south korea 19
netherlands 15
singapore 12
india 11
england 10
canada 8
italy 7
taiwan 6
mexico 6
australia 6

Institution

eindhoven univ technol 13
natl univ singapore 11
chinese acad sci 8
univ sci & technol china 7
tsing hua univ 7
jilin univ 7
dutch polymer inst 6
zhejiang univ 5
shanghai jiao tong univ 5
hubei univ 5
fudan univ 5
univ queensland 4
univ bordeaux 1 4
tokyo inst technol 4
tohoku univ 4

DataBase

science citation index 295

• CLUSTER 69

Graft polymers, including synthesis, grafting of polymer brushes to surfaces, grafted silica, and polyethylene terephthalate (PET) (132 Records)

(Countries: China dominant, Japan, France, USA. Institutions: CAS, Hebei University, Niigata University.).

Cluster Syntax Features

Descriptive Terms

graft 64.1%, brush 2.0%, polymer 1.3%, polym 1.3%, silica 1.3%, initi 1.3%, surfac 1.1%, poli 0.9%, grafted.silica 0.6%, chain 0.5%, monom 0.4%, acryl 0.4%, radic 0.4%, graft.polymerization 0.4%, pet 0.3%

Discriminating Terms

graft 41.4%, brush 1.2%, film 1.1%, structur 0.5%, nanotub 0.5%, magnet 0.5%, initi 0.5%, carbon 0.5%, crystal 0.5%, deposit 0.5%, polymer 0.4%, quantum 0.4%, temperatur 0.4%, layer 0.4%, grafted.silica 0.4%

Single Word Terms

graft 129, surfac 91, polym 66, polymer 62, poli 62, initi 55, reaction 50, electron 45, chain 44, spectroscopi 44, scan 43, monom 40, properti 40, temperatur 37, acid 36

Double Word Terms

scanning.electron 35, electron.microscopy 30, graft.polymerization 21, infrared.spectroscopy 20, fourier.transform 19, contact.angle 19, transform.infrared 17, photoelectron.spectroscopy 17, ray.photoelectron 17, grafted.silica 16, radical.polymerization 16, poly.ethylene 16, differential.scanning 15, grafted.polymer 15, molecular.weight 14

Triple Word Terms

scanning.electron.microscopy 26, fourier.transform.infrared 17, ray.photoelectron.spectroscopy 17, differential.scanning.calorimetry 13, electron.microscopy.sem 12, transform.infrared.spectroscopy 11, contact.angle.measurements 10, transfer.radical.polymerization 10, atom.transfer.radical 10, photoelectron.spectroscopy.xps 9, scanning.calorimetry.dsc 8, graft.copolymerization.methyl 7, poly.acrylic.acid 7, poly.ethylene.terephthalate 7, radical.polymerization.atrp 6

Term Cliques

39.39% brush polymer polym surfac poli chain graft.polymerization
 35.28% brush polymer polym silica surfac chain graft.polymerization
 39.24% graft poli acryl radic pet
 47.88% graft surfac poli acryl pet
 45.30% graft polym poli radic pet
 53.94% graft polym surfac poli pet
 39.18% graft polymer initi grafted.silica monom acryl radic
 43.61% graft polymer initi poli monom radic graft.polymerization
 44.16% graft polymer initi poli monom acryl radic
 45.35% graft polymer initi surfac grafted.silica monom acryl
 50.32% graft polymer initi surfac poli monom acryl
 47.73% graft polymer initi surfac poli chain monom graft.polymerization
 36.08% graft polymer silica initi grafted.silica monom radic graft.polymerization
 40.57% graft polymer silica initi surfac grafted.silica chain monom graft.polymerization
 46.43% graft polymer polym initi poli radic graft.polymerization
 50.19% graft polymer polym initi surfac poli chain graft.polymerization
 38.54% graft polymer polym silica initi grafted.silica radic graft.polymerization
 42.76% graft polymer polym silica initi surfac grafted.silica chain graft.polymerization

Sample Cluster Record Titles

[Hemocompatibility of PET \(polyethylene terephthalate\) films grafted PEG \(polyethylene glycol\) by plasma surface modification](#)

[Motion of nano-objects on polymer brushes](#)

[Tailoring bulk and surface grafting of poly\(acrylic acid\) in electron-irradiated PVDF](#)

[Reverse ATRP grafting from silica surface to prepare well-defined organic/inorganic hybrid nanocomposite](#)

[New syntheses of hyperbranched polyamine grafts](#)

[Microwave promoted synthesis of chitosan-graft-poly\(acrylonitrile\)](#)

[Graft copolymerization of methyl acrylate onto sodium alginate initiated by potassium diperiodatocuprate\(III\)](#)

[Collapse and swelling of thermally sensitive Poly\(N-isopropylacrylamide\) brushes monitored with a quartz crystal microbalance](#)

[Photografting of polymers onto nanosized silica surface initiated by eosin moieties immobilized onto the surface](#)

Cluster Metrics

Authors

liu, yh 6
tsubokawa, n 5
yamauchi, t 4
wang, j 4
ruhe, j 4
bourgeat-lami, e 4
yang, ly 3
trivedi, jh 3
trivedi, hc 3
sun, h 3
shirai, k 3
saitoh, h 3
qiu, xy 3
patel, nk 3
liu, yw 3

Sources

macromolecules 11
polymer 10
journal of applied polymer science 9
langmuir 5
journal of macromolecular science-pure and applied chemistry 5
macromolecular rapid communications 4
nuclear instruments & methods in physics research section b-beam interactions with
materials and atoms 3
materials letters 3
journal of polymer science part a-polymer chemistry 3
iranian polymer journal 3
european polymer journal 3
carbohydrate polymers 3
biomacromolecules 3
polymers & polymer composites 2
polymer degradation and stability 2

Keywords

polymer science 66
polymers 17
polymerization 16
chemistry, physical 16
surface 15
particles 12
transfer radical polymerization 11
self-assembled monolayers 11

copolymers 11
brushes 11
surface modification 10
polymer science 10
chemistry, multidisciplinary 9
adsorption 9
films 8

Publication Year

2005 122
2004 10

Country

peoples r china 41
japan 18
france 15
usa 13
germany 9
india 7
south korea 6
england 6
turkey 2
switzerland 2
sweden 2
netherlands 2
mexico 2
malaysia 2
iran 2

Institution

chinese acad sci 10
hebei univ 6
niigata univ 5
univ freiburg 4
cnrs 4
zhongshan univ 3
waseda univ 3
sw jiaotong univ 3
shanghai jiao tong univ 3
sardar patel univ 3
lanzhou univ 3
cea saclay 3
univ sci & technol china 2
univ pau & pays adour 2
univ montpellier 2 2

• CLUSTER 1

Molecular and structural properties of starches (including flour, potatoes, corn, wheat, and rice and banana starches), emphasizing characteristics of starch granules and biodegradation of starch and substances based on starches (49 Records)

(Countries: China, Poland, France. Institutions: Polish Academy of Science, RAS, CSIC, CAS. USA includes Washington State University.).

Cluster Syntax Features

Descriptive Terms

starch 75.1%, granul 5.1%, flour 1.4%, starch.granules 1.3%, potato 1.2%, potato.starch 0.7%, rice 0.6%, blend 0.4%, gelatin 0.4%, corn 0.4%, biodegrad 0.3%, content 0.3%, wheat 0.2%, banana 0.2%, amylopectin 0.2%

Discriminating Terms

starch 42.6%, granul 2.8%, film 1.6%, flour 0.8%, starch.granules 0.7%, potato 0.7%, surfac 0.6%, nanoparticl 0.6%, carbon 0.5%, layer 0.5%, magnet 0.5%, nanotub 0.5%, particl 0.5%, crystal 0.4%, oxid 0.4%

Single Word Terms

starch 46, scan 30, structur 27, granul 25, properti 25, microscopi 24, electron 24, sem 19, surfac 18, temperatur 18, content 18, high 17, differenti 16, water 16, calorimetri 15

Double Word Terms

scanning.electron 22, electron.microscopy 21, starch.granules 19, differential.scanning 16, scanning.calorimetry 14, potato.starch 10, microscopy.sem 10, mechanical.properties 8, calorimetry.dsc 8, ray.diffraction 7, moisture.content 5, properties.starch 5, amylose.content 4, physical.properties 4, rice.starch 4

Triple Word Terms

scanning.electron.microscopy 20, differential.scanning.calorimetry 14,
electron.microscopy.sem 10, scanning.calorimetry.dsc 8, small.angle.ray 3,
fourier.transform.infrared 3, light.scanning.electron 3, magic.angle.spinning 3,
microcrystalline.cellulose.mcc 2, sem.scanning.electron 2, cross.polarization.magic 2,
polarization.magic.angle 2, solid.state.nmr 2, spinning.mas.nmr 2,
dsc.differential.scanning 2

Term Cliques

17.69% content wheat amylopectin
19.05% corn content amylopectin
25.85% potato potato.starch content
18.37% flour content wheat
18.37% flour blend corn biodegrad content
24.49% granul flour corn
26.53% granul flour starch.granules gelatin wheat
26.53% granul flour starch.granules rice gelatin
34.69% starch blend corn biodegrad
41.33% starch granul corn amylopectin
37.14% starch granul gelatin wheat amylopectin
37.14% starch granul rice gelatin amylopectin
42.45% starch granul starch.granules gelatin banana
43.27% starch granul starch.granules gelatin wheat
43.27% starch granul starch.granules rice gelatin
41.50% starch granul starch.granules potato potato.starch gelatin

Sample Cluster Record Titles

[From sucrose to starch granule to starch physical behaviour: a focus on rice starch](#)

[Biodegradation studies of starch based composite superabsorbents](#)

[Structure and mechanical behaviour of corn flour and starch-zein based materials in the glassy state](#)

[Determination of the molecular and structural characteristics of Okenia, Mango, and banana starches](#)

[Effect of high pressure on the structure of potato starch](#)

[A novel approach to grafting polymerization of epsilon-caprolactone onto starch granules](#)

[Pressure-induced changes in the structure of corn starches with different amylose content](#)

[Innovative plasticized. starch films modified with waterborne polyurethane from renewable resources](#)

Cluster Metrics

Authors

blaszczak, w 5
fornal, j 4
yuryev, vp 2
xu, k 2
wang, px 2
valverde, s 2
krivandin, av 2
kiseleva, vi 2
bello-perez, la 2
zhuang, xl 1
zhou, hp 1
zhao, yf 1
zhang, z 1
zhang, wd 1
yue, ym 1

Sources

carbohydrate polymers 7
nihon reorogi gakkaishi 2
journal of thermal analysis and calorimetry 2
journal of agricultural and food chemistry 2
food hydrocolloids 2
cereal chemistry 2
carbohydrate research 2
ultramicroscopy 1
transactions of nonferrous metals society of china 1
starch-starke 1
powder technology 1
polymers & polymer composites 1
polymer testing 1
polymer international 1
polymer degradation and stability 1

Keywords

chemistry, applied 14
polymer science 11
starch 9
chemistry, organic 9
polymer science 7

food science & technology 7
starch 6
food science & technology 6
amylopectin 6
chain-length 5
x-ray diffraction 4
water 4
gelatinization 4
physicochemical properties 3
pharmacology & pharmacy 3

Publication Year

2005 43
2004 4
2006 2

Country

peoples r china 10
poland 7
france 5
usa 4
japan 4
spain 3
russia 3
india 3
england 3
south korea 2
nigeria 2
mexico 2
germany 2
brazil 2
belgium 2

Institution

polish acad sci 5
russian acad sci 3
csic 3
chinese acad sci 3
univ reims 2
tianjin univ 2
ne normal univ 2
ipn 2
zhengzhou univ 1
zhengzhou inst technol 1
xiamen univ 1
womens coll niigata 1

washington state univ 1
utkal univ 1
univ strasbourg 1 1

DataBase
science citation index 49

• CLUSTER 3

Dendrimers, emphasizing poly(amidoamine) (PAMAM), porphyrin, and carbosilane dendrimers; changes over generations; and dendrimers with mesogenic terminal groups (49 Records)

(Countries: USA dominant, France, Japan, Germany. Institutions: University of Michigan, Central Michigan University, Montana State University.).

Cluster Syntax Features

Descriptive Terms

dendrim 78.6%, dendrit 2.1%, pamam 1.0%, termin 0.6%, core 0.6%, pamam.dendrimers 0.6%, gener 0.4%, aggreg 0.3%, molecul 0.3%, porphyrin 0.3%, macromolecul 0.3%, peripheri 0.2%, function 0.2%, mesogen 0.2%, carbosilan 0.2%

Discriminating Terms

dendrim 45.7%, film 1.5%, dendrit 1.1%, particl 0.6%, pamam 0.6%, temperatur 0.6%, carbon 0.5%, magnet 0.5%, surfac 0.5%, crystal 0.5%, nanotub 0.5%, layer 0.4%, nanoparticl 0.4%, electron 0.4%, structur 0.4%

Single Word Terms

dendrim 48, gener 22, surfac 21, function 19, molecul 19, core 18, dendrit 18, structur 18, termin 17, properti 14, poli 14, atom 13, form 13, molecular 12, microscopi 12

Double Word Terms

atomic.force 11, pamam.dendrimers 9, force.microscopy 9, microscopy.afm 7,

poly.amidoamine 6, terminated.dendrimers 5, amidoamine.dendrimers 5, core.shell 5, self.assembled 5, amine.terminated 4, maldi.tof 4, dendrimers.surface 4, gel.electrophoresis 4, polyacrylamide.gel 4, dendritic.molecules 4

Triple Word Terms

atomic.force.microscopy 9, force.microscopy.afm 7, poly.amidoamine.dendrimers 5, polyacrylamide.gel.electrophoresis 4, poly.amidoamine.pamam 3, transmission.electron.microscopy 3, mode.atomic.force 3, tapping.mode.atomic 3, polyamidoamine.pamam.dendrimers 3, amidoamine.pamam.dendrimers 2, acid.base.titration 2, size.exclusion.chromatography 2, air.water.interface 2, adenosine.triphosphate.atp 2, exclusion.chromatography.sec 2

Term Cliques

23.13% pamam porphyrin function
15.65% pamam aggreg porphyrin
25.00% dendrit porphyrin peripheri function
19.90% dendrit porphyrin macromolecul peripheri
46.12% dendrim gener molecul function carbosilan
38.78% dendrim termin gener molecul mesogen carbosilan
46.53% dendrim termin gener aggreg molecul
37.41% dendrim termin core molecul mesogen carbosilan
44.90% dendrim termin core aggreg molecul
44.49% dendrim pamam pamam.dendrimers gener function
39.12% dendrim pamam termin pamam.dendrimers gener aggreg
37.76% dendrim pamam termin core pamam.dendrimers aggreg
40.00% dendrim dendrit peripheri function carbosilan
44.49% dendrim dendrit molecul function carbosilan
34.01% dendrim dendrit core peripheri mesogen carbosilan
35.37% dendrim dendrit core macromolecul peripheri mesogen
37.76% dendrim dendrit core molecul mesogen carbosilan

Sample Cluster Record Titles

[Direct observation of lipid bilayer disruption by poly\(amidoamine\) dendrimers](#)

[Towards a selective functionalization of amino-terminated dendrimers](#)

[Where organometallics and dendrimers merge: the incorporation of organometallic species into dendritic molecules](#)

[Mannose/glucose-functionalized dendrimers to investigate the predictable tunability of multivalent interactions](#)

[Organized monolayers of carbosilane dendrimers with mesogenic terminal groups](#)

[Equilibrium structure of dendrimers - Results and open questions](#)

[Functionalised polyphenylene dendrimers and their applications](#)

[Assembly and mechanical properties of phosphorus dendrimer/polyelectrolyte multilayer microcapsules](#)

[Hydrophobic dendrimer-derived nanoparticles](#)

Cluster Metrics

Authors

baker, jr 5
shi, xy 4
islam, mt 4
mullen, k 3
kwon, ys 3
kim, c 3
balogh, lp 3
astruc, d 3
aranzaes, jr 3
singh, b 2
shin, hk 2
sharma, a 2
majoral, jp 2
lesniak, w 2
lebedeva, ov 2

Sources

langmuir 4
molecular crystals and liquid crystals 3
journal of the american chemical society 3
journal of materials chemistry 3
progress in polymer science 2
polymer 2
organic letters 2
macromolecules 2
functional molecular nanostructures 2
electrophoresis 2
angewandte chemie-international edition 2
soft matter 1
small 1
russian chemical bulletin 1
journal of polymer science part a-polymer chemistry 1

Keywords

dendrimers 25
chemistry, physical 10
polymer science 8
chemistry, multidisciplinary 8
dendritic macromolecules 7
chemistry 7
dendrimer 6
starburst dendrimers 6
chemistry, analytical 5
poly(propylene imine) dendrimers 4
chemistry, organic 4
atomic-force microscopy 4
separation 4
polymers 4
poly(amidoamine) 4

Publication Year

2005 42
2004 7

Country

usa 20
france 8
japan 6
germany 6
south korea 4
england 3
russia 2
netherlands 2
hungary 2
switzerland 1
spain 1
peoples r china 1
india 1
finland 1
czech republic 1

Institution

univ michigan 5
max planck inst polymer res 4
univ bordeaux 1 3
dong a univ 3
cent michigan univ 3
univ toulouse 3 2
univ london 2

moscow mv lomonosov state univ 2
montana state univ 2
japan sci & technol agcy 2
dendrit nanotechnol inc 2
debrecen univ med 2
cnrs 2
univ zaragoza 1
univ utrecht 1

DataBase

science citation index 49

- **CLUSTER 248**

Hybrid materials and composites (especially polymers and films), including polyurethane, polyimides, poly(dimethylsiloxane) (PDMS), organic-inorganic materials, and silica-based substances (273 Records)

(Countries: USA, China, followed by South Korea, Japan, Taiwan.
Institutions: CAS, followed by Zhejiang University, Yonsei University, University S&T China, Tatung University. USA include VPI, University of Missouri.).

Cluster Syntax Features

Descriptive Terms

hybrid 6.3%, poli 5.7%, water 2.9%, polyurethan 2.5%, polyimid 2.0%, segment 1.9%, solvent 1.8%, organ 1.6%, inorgan 1.5%, silica 1.4%, surfac 1.3%, film 1.1%, polym 1.1%, hybrid.materials 0.8%, pdm 0.8%

Discriminating Terms

hybrid 5.1%, poli 4.0%, polyurethan 2.4%, polyimid 1.9%, segment 1.7%, water 1.4%, solvent 1.2%, inorgan 1.1%, hybrid.materials 0.8%, nanotub 0.8%, magnet 0.8%, pdm 0.7%, organic.inorganic 0.7%, organ 0.7%, nanoparticl 0.7%

Single Word Terms

poli 140, properti 111, surfac 110, structur 100, film 97, polym 96, organ 86, temperatur 85, water 83, thermal 75, materi 72, spectroscopi 71, microscopi 71, high 70, mechan 70

Double Word Terms

electron.microscopy 42, scanning.electron 38, atomic.force 34, sol.gel 34, contact.angle 32, fourier.transform 31, force.microscopy 31, organic.inorganic 31, glass.transition 30, transform.infrared 26, ray.photoelectron 25, photoelectron.spectroscopy 25, mechanical.properties 24, differential.scanning 23, scanning.calorimetry 23

Triple Word Terms

scanning.electron.microscopy 32, atomic.force.microscopy 30, fourier.transform.infrared 26, ray.photoelectron.spectroscopy 25, differential.scanning.calorimetry 23, organic.inorganic.hybrid 20, glass.transition.temperature 19, electron.microscopy.sem 17, contact.angle.measurements 15, force.microscopy.afm 15, photoelectron.spectroscopy.xps 15, transform.infrared.spectroscopy 13, poly.ethylene.glycol 13, scanning.calorimetry.dsc 11, poly.epsilon.caprolactone 11

Term Cliques

15.75% silica polym hybrid.materials pdm
26.28% solvent organ silica polym
16.58% polyimid silica polym hybrid.materials
25.73% polyimid solvent film polym
20.60% polyimid solvent silica polym
31.14% water solvent film polym
30.13% water solvent organ polym
25.12% water polyurethan segment surfac film polym pdm
33.55% poli surfac film polym pdm
29.45% poli silica surfac polym pdm
32.69% poli polyimid film polym
27.56% poli polyimid silica polym
22.49% hybrid organ silica polym hybrid.materials
18.75% hybrid organ inorgan silica hybrid.materials
31.23% hybrid poli silica polym

Sample Cluster Record Titles

[Aliphatic poly\(oxytetramethylene\) ionenes: effect of counter-anion on the properties and morphology](#)

[Hyperbranched fluoropolymer and linear poly\(ethylene glycol\) based Amphiphilic crosslinked networks as efficient antifouling coatings: An insight into the surface compositions, topographies, and morphologies](#)

[Thermowetting embossing nanoimprinting of the organic-inorganic hybrid materials](#)

[Synthesis and characterization of new poly \[phenylquinoxaline\(ether\)imides\]](#)

[Effect of component ratios on the performance of UV curing organic/inorganic coating](#)

[Unusual inorganic phase formation in ultraviolet-curable organic-inorganic hybrid films](#)

[Temperature dependence of free volume in pure and silica-filled poly\(dimethyl siloxane\) from positron lifetime and PVT experiments](#)

[Polyurethane foam with a negative Poisson's ratio for diabetic shoes](#)

[Conductive copolymers of polyaniline, polypyrrole and poly \(dimethylsiloxane\)](#)

Cluster Metrics

Authors

yang, cp 5

kingshott, p 5

turri, s 4

nie, km 4

kim, ws 4

ghanbari-siahkali, a 4

zhu, bk 3

yang, sy 3

xu, yy 3

vernet, jl 3

su, yy 3

shi, wf 3

perrin, fx 3

nguyen, vn 3

mitra, s 3

Sources

polymer 21

journal of applied polymer science 15

macromolecules 12

langmuir 10

journal of polymer science part a-polymer chemistry 9

macromolecular chemistry and physics 7

journal of materials chemistry 7

european polymer journal 7

advanced materials 6

polymers for advanced technologies 5

macromolecular symposia 5

journal of physical chemistry b 5
journal of colloid and interface science 5
macromolecular rapid communications 4
applied surface science 4

Keywords

polymer science 117
chemistry, physical 48
polymers 33
morphology 23
films 23
chemistry, multidisciplinary 21
materials science, multidisciplinary 19
nanocomposites 19
materials science, multidisciplinary 18
copolymers 17
nanocomposites 15
behavior 15
silica 14
water 13
surface 11

Publication Year

2005 242
2004 27
2006 4

Country

usa 53
peoples r china 43
south korea 27
japan 27
taiwan 23
france 17
england 16
germany 14
italy 11
canada 9
india 8
turkey 5
romania 5
poland 5
netherlands 5

Institution

chinese acad sci 11

zhejiang univ 6
 yonsei univ 6
 univ sci & technol china 6
 tatung univ 6
 riso natl lab 5
 korea adv inst sci & technol 5
 anhui univ 5
 virginia polytech inst & state univ 4
 nagoya univ 4
 univ missouri 3
 univ halle wittenberg 3
 tsing hua univ 3
 sichuan univ 3
 shanghai jiao tong univ 3

DataBase

science citation index 273

• CLUSTER 232

Differential scanning calorimetry (DSC) to characterize materials (especially polymers), including effects of molecular weight, studies on glass transitions, and phase behavior (268 Records)

(Countries: USA, China, Japan, Germany. Institutions: CAS, University of Paris, University of Akron, Tokyo Institute of Technology. Other USA include UCSB, University of Cincinnati.).

Cluster Syntax Features

Descriptive Terms

dsc 4.3%, calorimetri 3.9%, differential.scanning 3.9%, scanning.calorimetry 3.8%,
 differential.scanning.calorimetry 3.8%, weight 3.1%, differenti 2.9%, molecular.weight
 2.4%, liquid 2.1%, polym 2.1%, transit 1.9%, molecular 1.7%, phase 1.7%, temperatur

1.5%, glass 1.5%

Discriminating Terms

dsc 3.6%, differential.scanning 3.3%, calorimetri 3.3%, scanning.calorimetry 3.2%, differential.scanning.calorimetry 3.2%, weight 2.3%, differenti 2.1%, film 2.0%, molecular.weight 2.0%, glass.transition 1.2%, scanning.calorimetry.dsc 1.1%, calorimetry.dsc 1.1%, liquid 1.1%, nanoparticl 0.8%, melt 0.8%

Single Word Terms

scan 185, differenti 170, calorimetri 166, temperatur 161, structur 124, dsc 116, polym 113, molecular 103, transit 97, rai 96, phase 89, crystal 81, properti 79, form 77, weight 75

Double Word Terms

differential.scanning 169, scanning.calorimetry 163, calorimetry.dsc 91, molecular.weight 63, glass.transition 55, ray.diffraction 52, transition.temperature 48, angle.ray 46, liquid.crystalline 31, wide.angle 30, small.angle 28, ray.scattering 28, optical.microscopy 25, scanning.electron 23, electron.microscopy 22

Triple Word Terms

differential.scanning.calorimetry 163, scanning.calorimetry.dsc 91, glass.transition.temperature 40, wide.angle.ray 30, angle.ray.scattering 26, angle.ray.diffraction 23, fourier.transform.infrared 21, small.angle.ray 20, low.molecular.weight 19, scanning.electron.microscopy 18, gel.permeation.chromatography 16, high.molecular.weight 15, transform.infrared.spectroscopy 14, nuclear.magnetic.resonance 13, spectroscopy.differential.scanning 13

Term Cliques

40.22% polym transit molecular temperatur glass
38.62% liquid transit phase temperatur
33.81% weight polym transit molecular glass
31.27% weight molecular.weight polym molecular glass
52.53% calorimetri differential.scanning scanning.calorimetry
differential.scanning.calorimetry differenti polym transit temperatur glass
52.65% dsc calorimetri differential.scanning scanning.calorimetry
differential.scanning.calorimetry differenti transit temperatur glass
53.65% dsc calorimetri differential.scanning scanning.calorimetry
differential.scanning.calorimetry differenti transit phase temperature

Sample Cluster Record Titles

[Synthesis and characterization of a combined main-chain/side-chain liquid-crystalline polymer exhibiting both thermotropic and lyotropic characteristics and its lyotropic phase behavior](#)

[Influence of molecular weight of polyethylene glycol on microvia filling by copper electroplating](#)

[Calorimetric study of the nematic to smectic-A and smectic-A to smectic-C phase transitions in liquid-crystal-aerosil dispersions](#)

[Synthesis and characterization of new polyamides based on diphenylaminoisosorbide](#)

[Measurement of surface glass transition temperature of amorphous cefditoren pivoxil granules by inverse gas chromatography](#)

[Polyester and polyamide 6 fibres thermally and hydrothermally treated - Characterization through DSC](#)

[State diagram of freeze-dried garlic powder by differential scanning calorimetry and cooling curve methods](#)

[Study of glass transition temperatures in sugar mixtures](#)

[Melting properties of some structured lipids native to high stearic acid soybean oil](#)

Cluster Metrics

Authors

lesieur, p 4
sagalowicz, l 3
ollivon, m 3
kumar, a 3
zorn, r 2
ziani, n 2
zhou, gy 2
zhao, jh 2
zhang, qz 2
zentel, r 2
zeng, j 2
yin, bl 2
yang, ys 2
yang, j 2
yang, g 2

Sources

macromolecules 19
polymer 16
journal of applied polymer science 15
journal of polymer science part a-polymer chemistry 11
langmuir 8
journal of polymer science part b-polymer physics 7
journal of thermal analysis and calorimetry 5
polymer international 4
polymer degradation and stability 4
journal of pharmaceutical sciences 4
journal of macromolecular science-physics 4
journal of chemical physics 4
thermochimica acta 3
physical review e 3
macromolecular rapid communications 3

Keywords

polymer science 105
chemistry, physical 34
polymers 31
dsc 19
behavior 19
crystallization 15
materials science, multidisciplinary 14
materials science, multidisciplinary 13
chemistry, analytical 13
water 13
morphology 13
crystallization 12
chemistry, multidisciplinary 11
transition 11
polymer science 11

Publication Year

2005 244
2004 19
2006 5

Country

usa 51
peoples r china 39
japan 37
germany 32
france 22
india 16
england 10

brazil 10
south korea 9
taiwan 8
canada 8
spain 7
netherlands 7
australia 7
poland 6

Institution

chinese acad sci 9
univ paris 11 6
univ akron 6
tokyo inst technol 6
univ calif santa barbara 5
shandong univ 5
cnrs 5
univ freiburg 4
petru poni inst macromol chem 4
natl acad sci ukraine 4
max planck inst polymer res 4
hiroshima univ 4
univ nottingham 3
univ laval 3
univ cincinnati 3

DataBase

science citation index 268

- **CLUSTER 235**

Polymer properties, focusing on conducting polymers, polymer

surfaces and films, influence of nanoparticles, and liquid crystals (694 Records)

(Countries: USA dominant, Japan, China, Germany. Institutions: Kyoto University, CAS, RAS, Max Planck Institute Polymer Research, Eindhoven University of Technology: USA include MIT, University of Massachusetts, Georgia Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

polym 59.6%, poli 1.8%, polymer 0.9%, chain 0.7%, materi 0.6%, composit 0.6%, conduct 0.5%, surfac 0.5%, nanoparticl 0.5%, solvent 0.5%, solut 0.5%, film 0.4%, monom 0.4%, properti 0.3%, liquid 0.3%

Discriminating Terms

polym 50.1%, film 1.1%, poli 0.9%, nanotub 0.8%, magnet 0.7%, carbon 0.6%, quantum 0.5%, si 0.5%, deposit 0.4%, layer 0.4%, dot 0.4%, polymer 0.4%, growth 0.4%, temperatur 0.4%, electron 0.3%

Single Word Terms

polym 691, poli 250, structur 248, properti 235, surfac 205, materi 194, polymer 175, film 174, solut 171, electron 164, form 155, high 153, microscopi 149, chain 149, temperatur 139

Double Word Terms

electron.microscopy 85, scanning.electron 84, molecular.weight 60, atomic.force 51, force.microscopy 46, differential.scanning 44, scanning.calorimetry 42, ray.diffraction 40, thermal.stability 36, polymer.matrix 35, polymer.films 35, conducting.polymer 34, polymer.poly 34, polymer.chains 33, glass.transition 31

Triple Word Terms

scanning.electron.microscopy 66, atomic.force.microscopy 44, differential.scanning.calorimetry 42, ray.photoelectron.spectroscopy 27, glass.transition.temperature 25, transmission.electron.microscopy 25, electron.microscopy.sem 23, poly.methyl.methacrylate 21, fourier.transform.infrared 20, gel.permeation.chromatography 16, poly.acrylic.acid 16, photoelectron.spectroscopy.xps 13, soluble.organic.solvents 13, force.microscopy.afm 13, methyl.methacrylate.pmma 12

Term Cliques

39.68% polym polymer surfac properti liquid
35.68% polym polymer surfac nanoparticl liquid
30.21% polym polymer composit conduct solvent solut film monom properti
35.01% polym polymer materi monom properti liquid

33.45% polym polymer materi composit conduct monom properti
 31.37% polym polymer chain solvent monom properti liquid
 32.38% polym polymer chain solvent solut film monom properti
 31.05% polym polymer chain nanoparticl solvent liquid
 38.14% polym poli polymer surfac nanoparticl solut
 36.73% polym poli polymer composit surfac solut film properti
 32.74% polym poli polymer composit conduct solvent solut film properti
 35.23% polym poli polymer chain solvent solut film properti
 33.82% polym poli polymer chain nanoparticl solvent solute

Sample Cluster Record Titles

[Morphological studies of holographically formed polymer dispersed ferroelectric liquid crystals using elevated temperature exposure](#)

[Probing the microenvironment of an oligo-\(p-phenylene vinylene\) derivative encapsulated in polymer-impregnated sol-gel silica matrix](#)

[Surfactants, polymers and their nanoparticles for personal care applications](#)

[Conjugated polymer/molten salt blends: The relationship between morphology and electrical aging](#)

[Thermal and tribological properties of fullerene-containing composite systems. Part 2. Formation of tribo-polymer films during boundary sliding friction in the presence of fullerene C-60](#)

[Polymer-supported anisotropic submicrometer-patterned electrodes for displays](#)

[Patterning a poly\(3,4-ethylenedioxythiophene\) thin film using a liquid crystalline network](#)

[Nanocrystals of coordination polymers](#)

[Predicting the mechanical properties of spider silk as a model nanostructured polymer](#)

Cluster Metrics

Authors

chujo, y 8

schubert, us 7

ogoshi, t 6

marquez, m 5

lee, jh 5
huck, wts 5
zhang, jl 4
wang, y 4
wang, l 4
shimomura, m 4
pogreb, r 4
kim, sh 4
egbe, dam 4
crawford, gp 4
bormashenko, y 4

Sources

langmuir 37
polymer 32
macromolecules 30
journal of polymer science part a-polymer chemistry 30
synthetic metals 19
journal of applied polymer science 17
chemistry of materials 17
advanced materials 17
molecular crystals and liquid crystals 14
journal of physical chemistry b 12
advanced functional materials 11
journal of photopolymer science and technology 10
physical review e 9
nanotechnology 9
macromolecular rapid communications 9

Keywords

polymer science 217
chemistry, physical 125
films 76
materials science, multidisciplinary 75
materials science, multidisciplinary 73
chemistry, multidisciplinary 53
polymers 45
physics, condensed matter 39
nanoparticles 38
polymers 35
physics, applied 31
polymer 28
physics, applied 25
physics, 25
polymerization 24

Publication Year

2005 614

2004 75

2006 5

Country

usa 175

japan 79

peoples r china 76

germany 61

south korea 47

france 42

england 32

canada 28

india 26

italy 21

taiwan 19

spain 19

russia 19

australia 16

netherlands 15

Institution

kyoto univ 16

chinese acad sci 14

russian acad sci 11

max planck inst polymer res 11

eindhoven univ technol 11

mit 10

cnr 9

zhejiang univ 8

univ cambridge 8

univ massachusetts 7

tokyo inst technol 7

sci univ tokyo 7

georgia inst technol 7

cnrs 7

acad sci czech republ 7

DataBase

science citation index 694

• CLUSTER 73

Polymer electrolytes, emphasizing poly(ethylene oxide) (PEO) and poly(3,4-ethylenedioxythiophene) (PEDOT), conductivity studies, and application to lithium batteries (113 Records)

(Countries: USA, China, South Korea. Institutions: Korea Advanced Institute of S&T, Zhejiang University, Shanghai Jiao Tong University. USA includes University of Tulsa.).

Cluster Syntax Features

Descriptive Terms

electrolyt 21.9%, polym 9.5%, polymer.electrolytes 5.6%, peo 5.4%, polymer.electrolyte 5.3%, conduct 4.7%, ionic 4.2%, lithium 3.1%, pedot 2.8%, ionic.conductivity 1.9%, poli 1.8%, li 0.8%, ethylen 0.7%, ion 0.6%, electrochem 0.6%

Discriminating Terms

electrolyt 14.3%, polym 4.0%, polymer.electrolytes 3.9%, polymer.electrolyte 3.7%, peo 3.5%, ionic 2.5%, pedot 1.9%, conduct 1.8%, lithium 1.8%, ionic.conductivity 1.3%, film 0.9%, surfac 0.6%, structur 0.6%, magnet 0.6%, poli 0.6%

Single Word Terms

polym 97, electrolyt 88, conduct 87, poli 70, ionic 66, oxid 49, ion 46, film 46, lithium 46, electrochem 46, temperatur 43, ethylen 42, composit 41, peo 35, salt 35

Double Word Terms

polymer.electrolyte 47, polymer.electrolytes 46, ionic.conductivity 42, poly.ethylene 32, ethylene.oxide 29, room.temperature 23, oxide.peo 23, solid.polymer 19, ray.diffraction 17, composite.polymer 16, solid.state 15, poly.ethylenedioxythiophene 15, transference.number 14, scanning.electron 14, differential.scanning 13

Triple Word Terms

poly.ethylene.oxide 24, ethylene.oxide.peo 15, differential.scanning.calorimetry 12, ray.diffraction.xrd 11, solid.polymer.electrolytes 11, scanning.electron.microscopy 10, composite.polymer.electrolyte 10, poly.ethylenedioxythiophene.pedot 9,

solid.polymer.electrolyte 9, poly.ethylene.glycol 9, ionic.conductivity.lithium 8, polyethylene.oxide.peo 8, composite.polymer.electrolytes 8, poly.vinylidene.fluoride 7, peo.polymer.electrolytes 6

Term Cliques

51.62% conduct pedot poli

51.25% electrolyt polym peo polymer.electrolyte conduct ionic lithium poli li ethylen ion electrochem

48.54% electrolyt polym polymer.electrolytes peo polymer.electrolyte conduct ionic lithium ionic.conductivity li ethylen ion electrochem

Sample Cluster Record Titles

[Study on ionic transport mechanism and interactions between salt and polymer chain in PAN based solid polymer electrolytes containing LiCF₃SO₃](#)

[On the mechanism of conductivity enhancement in poly \(3,4-ethylenedioxythiophene\): poly\(styrene sulfonate\) film through solvent treatment](#)

[NMR studies of nanoscale organization and dynamics in polymer electrolytes](#)

[Effect of nanocrystalline materials on ionic interactions in polymer electrolytes](#)

[Possible use of methylbenzenes as electrolyte additives for improving the overcharge tolerances of Li-ion batteries](#)

[Nanoscale lithium ion conducting polyethylene oxide with self-attached insulating layers](#)

[Morphological, rheological and electrochemical studies of Poly\(ethylene oxide\) electrolytes containing fumed silica nanoparticles](#)

[Polymer electrolytes confined in nanopores: using water as a means to explore the interfacial impedance at the nanoscale](#)

[Physical and ionic transport studies on poly\(ethylene oxide\)-NaNO₃ polymer electrolyte system](#)

Cluster Metrics

Authors

xi, jy 4

tang, xz 4
passerini, s 4
shin, jh 3
peled, e 3
officer, dl 3
macfarlane, dr 3
kovarsky, r 3
golodnitsky, d 3
best, as 3
appetecchi, gb 3
zhu, wt 2
zhao, y 2
yang, cm 2
xie, jb 2

Sources

solid state ionics 13
electrochimica acta 12
journal of the electrochemical society 6
polymer 5
synthetic metals 4
materials chemistry and physics 4
macromolecules 4
journal of physical chemistry b 4
electrochemical and solid state letters 4
journal of electroanalytical chemistry 3
ionics 3
chemistry of materials 3
chemical communications 3
polymer-korea 2
materials letters 2

Keywords

chemistry, physical 27
polymer science 22
physics, condensed matter 22
materials science, multidisciplinary 20
electrochemistry 18
electrochemistry 17
conductivity 15
poly(ethylene oxide) 14
ionic conductivity 13
batteries 13
chemistry, multidisciplinary 12
polymer electrolyte 10
ionic-conductivity 10

transport 9
lithium 9

Publication Year

2005 101
2004 10
2006 2

Country

usa 21
peoples r china 20
south korea 15
italy 10
india 10
japan 8
germany 8
taiwan 6
australia 6
poland 4
netherlands 4
france 4
canada 4
israel 3
switzerland 2

Institution

korea adv inst sci & technol 5
zhejiang univ 4
shanghai jiao tong univ 4
tel aviv univ 3
monash univ 3
korea univ 3
fudan univ 3
delft univ technol 3
warsaw univ 2
univ wollongong 2
univ tula 2
univ padua 2
univ montreal 2
univ cambridge 2
tsing hua univ 2

DataBase

science citation index 113

- **CLUSTER 15**

Polyaniline (PANI) focusing on dodecylbenzene sulfonic acid doped polyaniline (PANI-DBSA), synthesis of conducting PANI materials, and nanofibers of PANI (67 Records)

(Countries: China, USA, India. Institutions: Drexel University, Xinjiang University, National Central University, Jilin University. Other USA include University of Texas, UCLA.).

Cluster Syntax Features

Descriptive Terms

pani 46.4%, polyanilin 24.8%, dbsa 2.1%, conduct 1.7%, anilin 1.6%, polyaniline.pani 1.2%, pani.dbsa 0.9%, polymer 0.8%, acid 0.6%, composit 0.6%, pan 0.5%, dope 0.4%, nanofib 0.3%, blend 0.3%, paa 0.3%

Discriminating Terms

pani 28.7%, polyanilin 15.1%, dbsa 1.3%, film 1.1%, anilin 1.0%, surfac 0.8%, polyaniline.pani 0.8%, pani.dbsa 0.6%, carbon 0.5%, magnet 0.5%, nanoparticl 0.5%, nanotub 0.5%, structur 0.5%, crystal 0.5%, layer 0.5%

Single Word Terms

polyanilin 65, pani 48, conduct 43, acid 36, polymer 34, oxid 29, polym 29, chemic 27, structur 26, electron 26, anilin 25, synthesi 24, synthes 24, properti 23, scan 21

Double Word Terms

polyaniline.pani 35, scanning.electron 17, electron.microscopy 16, ray.diffraction 11, sulfonic.acid 10, polymerization.aniline 8, transform.infrared 7, fourier.transform 7,

synthesis.polyaniline 7, pani.poly 6, conductivity.pani 6, polyaniline.poly 6, pani.dbasa 6, conducting.polyaniline 6, oxidative.polymerization 6

Triple Word Terms

scanning.electron.microscopy 12, fourier.transform.infrared 7, conducting.polyaniline.pani 4, chemical.oxidative.polymerization 4, electron.microscopy.sem 4, spectra.ray.diffraction 4, oxidative.polymerization.aniline 4, toluene.sulfonic.acid 4, acid.doped.polyaniline 4, doped.polyaniline.pani 4, ray.diffraction.patterns 4, dodecylbenzene.sulfonic.acid 4, scanning.electron.microscope 4, poly.acrylic.acid 4, acrylic.acid.paa 4

Term Cliques

48.51% polyanilin polyaniline.pani polymer acid dope nanofib
50.00% polyanilin anilin polyaniline.pani polymer acid nanofib
50.50% polyanilin conduct polymer acid dope nanofib
33.21% polyanilin dbasa conduct pani.dbasa composit pan dope blend
36.01% polyanilin dbasa conduct pani.dbasa acid pan dope blend
55.22% pani polyanilin polyaniline.pani polymer composit dope
58.96% pani polyanilin polyaniline.pani polymer acid dope
49.50% pani polyanilin anilin polyaniline.pani composit paa
53.23% pani polyanilin anilin polyaniline.pani acid paa
56.72% pani polyanilin anilin polyaniline.pani polymer composit
60.45% pani polyanilin anilin polyaniline.pani polymer acid
57.21% pani polyanilin conduct polymer composit dope
60.95% pani polyanilin conduct polymer acid dope
39.55% pani polyanilin dbasa polyaniline.pani pani.dbasa composit dope blend
42.35% pani polyanilin dbasa polyaniline.pani pani.dbasa acid dope blend
41.04% pani polyanilin dbasa conduct pani.dbasa composit dope blend
43.84% pani polyanilin dbasa conduct pani.dbasa acid dope blend

Sample Cluster Record Titles

[Nanofibers of self-doped polyaniline](#)

[Formation of polyaniline nanorod/liquid crystalline epoxy composite nanowires using a temperature-gradient method](#)

[Structural and conductivity changes during the pyrolysis of polyaniline base](#)

[Absolute molecular weight of polyaniline](#)

[Conductive composites of polyaniline and polypyrrole with MoO₃](#)

[Polystyrene/polyaniline nanoblends for sensing of aliphatic alcohols](#)

[Enhanced photo-luminescence effect of nano-CdS in the nano-CdS/PANI composite films by PANI](#)

[Absorbance behavior of polyaniline-poly\(styrenesulfonic acid\) complexes and tungsten oxide](#)

[Composite of polyaniline containing iron oxides](#)

Cluster Metrics

Authors

wei, y 4
zhang, wj 3
lu, xf 3
zhong, wb 2
yang, ys 2
yang, wt 2
yang, sm 2
yang, sl 2
xiao-gang, z 2
sathyanarayana, dn 2
reynaud, s 2
pan, w 2
lin, ds 2
li, g 2
kaner, rb 2

Sources

synthetic metals 4
polymer 4
journal of applied polymer science 4
sensors and actuators b-chemical 3
materials letters 3
macromolecular rapid communications 3
chemistry of materials 3
thin solid films 2
nanotechnology 2
materials chemistry and physics 2
journal of polymer science part b-polymer physics 2
electrochimica acta 2
chemical journal of chinese universities-chinese 2
advanced functional materials 2
reviews on advanced materials science 1

Keywords

polymer science 26
polyaniline 21
polyaniline 20
films 18
materials science, multidisciplinary 14
polymerization 12
polymers 11
nanofibers 11
aniline 11
chemistry, physical 10
materials science, multidisciplinary 9
conducting polyaniline 8
chemistry, multidisciplinary 8
conductivity 8
polypyrrole 7

Publication Year

2005 61
2004 4
2006 2

Country

peoples r china 21
usa 15
india 9
south korea 7
taiwan 5
japan 3
france 3
russia 2
germany 2
argentina 2
vietnam 1
spain 1
poland 1
israel 1
iran 1

Institution

drexel univ 4
xinjiang univ 3
natl cent univ 3
jilin univ 3
univ texas 2
univ sci & technol china 2
univ calif los angeles 2

ne normal univ 2
moscow mv lomonosov state univ 2
minist educ 2
lpcp 2
indian inst sci 2
donghua univ 2
chinese acad sci 2
beijing univ chem technol 2

DataBase
science citation index 67

• CLUSTER 114

Polymer blends (especially poly(vinyl chloride) (PVC), poly(vinyl alcohol) (PVA), and poly(styrene) blends), emphasizing morphology, miscibility, melt blending, and shear studies (150 Records)

(Countries: China, USA, Japan. Institutions: CAS, Sichuan University, Tsing Hua University, CNR.).

Cluster Syntax Features

Descriptive Terms

blend 58.0%, poli 1.9%, polym 1.8%, pvc 1.6%, morpholog 1.1%, miscibl 0.9%, pva 0.8%, phase 0.8%, polymer.blends 0.8%, melt 0.5%, film 0.5%, vinyl 0.5%, poly.vinyl 0.5%, shear 0.4%, polystyren 0.4%

Discriminating Terms

blend 39.8%, pvc 1.1%, film 0.7%, poli 0.6%, miscibl 0.6%, nanotub 0.6%, carbon 0.6%, magnet 0.6%, nanoparticl 0.6%, layer 0.6%, polymer.blends 0.5%, pva 0.5%, deposit 0.5%, particl 0.5%, surfac 0.5%

Single Word Terms

blend 137, poli 89, polym 83, scan 77, morpholog 72, microscopi 67, phase 67, properti 61, temperatur 61, structur 57, mechan 51, electron 51, differenti 50, composit 50, film 49

Double Word Terms

differential.scanning 50, scanning.calorimetry 48, electron.microscopy 38, polymer.blends 34, scanning.electron 33, poly.vinyl 28, calorimetry.dsc 25, force.microscopy 24, ray.diffraction 24, atomic.force 21, phase.separation 19, microscopy.sem 18, dynamic.mechanical 18, molecular.weight 17, mechanical.properties 17

Triple Word Terms

differential.scanning.calorimetry 48, scanning.electron.microscopy 27, scanning.calorimetry.dsc 25, atomic.force.microscopy 20, electron.microscopy.sem 17, fourier.transform.infrared 15, glass.transition.temperature 14, wide.angle.ray 14, angle.ray.diffraction 13, transmission.electron.microscopy 11, poly.vinyl.chloride 10, force.microscopy.afm 10, poly.vinyl.alcohol 10, electron.microscopy.tem 9, transform.infrared.spectroscopy 8

Term Cliques

14.17% pva vinyl poly.vinyl shear
14.00% pva melt shear
13.78% pvc pva melt
24.78% polym miscibl polymer.blends vinyl poly.vinyl shear
29.67% polym pvc miscibl phase polymer.blends melt
34.11% polym pvc morpholog phase polymer.blends melt
27.87% poli pva film vinyl poly.vinyl
23.07% poli pvc pva vinyl poly.vinyl
29.62% poli polym pvc miscibl polymer.blends vinyl poly.vinyl
35.33% poli polym pvc miscibl phase polymer.blends
39.78% poli polym pvc morpholog phase polymer.blends
35.42% blend polym miscibl phase polymer.blends melt shear polystyren
42.95% blend polym morpholog phase polymer.blends melt polystyren
55.20% blend poli morpholog phase film
44.00% blend poli polym miscibl phase polymer.blends polystyren
47.81% blend poli polym morpholog phase polymer.blends polystyrene

Sample Cluster Record Titles

[Effect of fillers on the phase stability of binary polymer blends: A dynamic shear rheology study](#)

[Compatibility effect on the thermal degradation behaviour of polypropylene blends with polyamide 6, ethylene propylene diene copolymer and polyurethane](#)

[Poly\(ethylene oxide\) and its blends with sodium alginate](#)

[Formation of nanoparticles during melt mixing a thermotropic liquid crystalline polyester and sulfonated polystyrene ionomers: Morphology and origin of formation](#)

[Studies on the morphology and thermal behaviour of polystyrene/polybutadiene blends](#)

[Nanoimprint and lift-off process using poly\(vinyl alcohol\)](#)

[Linear viscoelastic characteristics of poly\(trimethylene terephthalate\)/polycarbonate blends in the melt state](#)

[Correlation between solid-state structures and enzymatic degradability of cocrystallized blends](#)

[Bioartificial materials based on blends of dextran and poly\(vinyl alcohol-co-acrylic acid\)](#)

Cluster Metrics

Authors

tol, rt 3

mathot, vbf 3

groeninckx, g 3

zhang, jm 2

yoo, yj 2

yang, y 2

yamamoto, k 2

wu, g 2

won, jc 2

white, jr 2

weng, lt 2

wang, y 2

tsen, wc 2

thomas, s 2

shu, yc 2

Sources

polymer 18

journal of applied polymer science 18

macromolecules 9

langmuir 5

european polymer journal 5

polymer engineering and science 4

journal of polymer science part b-polymer physics 4

journal of materials chemistry 4

polymer degradation and stability 3
journal of physical chemistry b 3
synthetic metals 2
polymers for advanced technologies 2
polymer-plastics technology and engineering 2
polymer-korea 2
polymer testing 2

Keywords

polymer science 86
morphology 35
blends 20
blends 17
behavior 17
chemistry, physical 15
polymer science 14
miscibility 13
crystallization 13
polymer blends 11
materials science, multidisciplinary 10
polystyrene 10
degradation 10
composites 10
mechanical-properties 9

Publication Year

2005 133
2004 16
2006 1

Country

peoples r china 33
usa 25
japan 22
south korea 9
italy 8
canada 8
poland 7
india 7
turkey 5
germany 5
france 5
england 5
brazil 5
belgium 5
iran 4

Institution

chinese acad sci 9
sichuan univ 7
tsing hua univ 4
cnr 4
tokyo inst technol 3
natl univ singapore 3
kyoto univ 3
catholic univ louvain 3
cairo univ 3
yamagata univ 2
wuhan univ 2
univ tokyo 2
univ sci & technol china 2
univ pisa 2
univ newcastle upon tyne 2

DataBase

science citation index 150

- **CLUSTER 84**

Rubber and other elastomeric blends, emphasizing nitrile-butadiene rubber (NBR), ethylene-propylene diene terpolymer (EPDM) blends, rubber/silica nanocomposites, nano-calcium carbonate (CaCO₃) composites, and measurement/comparison of mechanical properties (117 Records)

(Countries: China dominant, India, USA. Institutions: Indian Institute of Technology, Beijing University of Chemical Technology, CAS, University Sains Malaysia. USA includes SUNY Stony Brook.).

Cluster Syntax Features

Descriptive Terms

rubber 36.2%, blend 9.0%, caco3 3.2%, nbr 2.7%, nano.caco3 2.0%, natural.rubber 1.4%, nylon 1.3%, silica 1.3%, butadien 1.2%, filler 1.1%, composit 1.0%, epdm 0.9%, butadiene.rubber 0.9%, elastom 0.9%, mechan 0.8%

Discriminating Terms

rubber 23.8%, blend 5.3%, caco3 2.1%, film 1.8%, nbr 1.8%, nano.caco3 1.3%, natural.rubber 0.9%, nylon 0.9%, butadien 0.7%, filler 0.6%, butadiene.rubber 0.6%, epdm 0.6%, nanoparticl 0.6%, magnet 0.6%, nanotub 0.5%

Single Word Terms

properti 88, rubber 81, mechan 78, microscopi 53, scan 52, electron 52, matrix 51, blend 50, strength 49, composit 49, particl 47, dispers 45, temperatur 44, structur 43, morpholog 42

Double Word Terms

mechanical.properties 50, electron.microscopy 44, scanning.electron 39, butadiene.rubber 25, tensile.strength 24, dynamic.mechanical 20, ray.diffraction 20, differential.scanning 18, natural.rubber 18, microscopy.sem 17, transmission.electron 17, scanning.calorimetry 17, styrene.butadiene 16, elongation.break 15, storage.modulus 14

Triple Word Terms

scanning.electron.microscopy 33, electron.microscopy.sem 17, differential.scanning.calorimetry 17, transmission.electron.microscopy 14, styrene.butadiene.rubber 12, scanning.calorimetry.dsc 11, butadiene.rubber.nbr 11, ethylene.propylene.diene 10, acrylonitrile.butadiene.rubber 10, glass.transition.temperature 9, dynamic.mechanical.properties 9, atomic.force.microscopy 9, butadiene.rubber.sbr 9, strength.elongation.break 8, electron.microscopy.tem 8

Term Cliques

30.77% silica filler composit butadiene.rubber elastom mechan
27.24% caco3 nano.caco3 butadien filler composit butadiene.rubber elastom mechan
38.12% blend composit butadiene.rubber elastom mechan
28.21% blend composit epdm elastom
39.03% blend nylon mechan
20.23% blend nylon epdm
34.19% rubber natural.rubber composit epdm
38.32% rubber natural.rubber silica filler composit mechan
33.97% rubber nbr composit epdm
37.36% rubber nbr butadien filler composit butadiene.rubber mechan
35.78% rubber nbr silica filler composit butadiene.rubber mechan

Sample Cluster Record Titles

[Water-based chlorination treatment of SBS rubber soles to improve their adhesion to waterborne polyurethane adhesives in the footwear industry](#)

[Microporous polyvinyl chloride: novel reactor for PVC/CaCO₃ nanocomposites](#)

[Effect of high-energy vibromilling on interfacial interaction and mechanical properties of PVC/nano-CaCO₃ composites](#)

[Maleated natural rubber as a coupling agent for paper sludge filled natural rubber composites](#)

[Ultrafine full-vulcanized powdered rubbers/PVC compounds with higher toughness and higher heat resistance](#)

[Solvent freezing point depression as a new tool to evaluate rubber compound properties](#)

[Structure factors of dispersible units of carbon black filler in rubbers](#)

[Probing the properties of particle-matrix interphase in reactive rubber-grafted polybenzoxazine resins by atomic force microscopy](#)

[Impact of treatment on the properties of rubber](#)

Cluster Metrics

Authors

zhang, lq 8

bhowmick, ak 6

liu, l 5

yang, c 4

tian, m 4

mishra, s 4

lu, yl 4

ismail, h 4

de sarkar, m 4

bandyopadhyay, a 4

zhang, w 3

pandey, kn 3

nah, c 3

mathur, gn 3

martin-martinez, jm 3

Sources

journal of applied polymer science 17

polymer engineering and science 7
journal of polymer science part b-polymer physics 6
rubber chemistry and technology 5
polymer international 4
polymer 4
acta polymerica sinica 4
polymers & polymer composites 3
polymer journal 3
macromolecules 3
macromolecular materials and engineering 3
kgk-kautschuk gummi kunststoffe 3
polymer-plastics technology and engineering 2
journal of materials science & technology 2
journal of materials science 2

Keywords

polymer science 64
morphology 22
polymer science 20
nanocomposites 16
materials science, multidisciplinary 13
rubber 13
mechanical-properties 13
polypropylene 12
polypropylene 11
engineering, chemical 11
mechanical properties 10
elastomers 10
composites 10
blends 10
composites 9

Publication Year

2005 108
2004 8
2006 1

Country

peoples r china 35
india 18
usa 11
malaysia 7
japan 7
germany 7
south korea 6
france 5

taiwan 4
spain 4
poland 3
canada 3
ukraine 2
thailand 2
serbia monteneg 2

Institution

indian inst technol 9
beijing univ chem technol 8
chinese acad sci 7
univ sains malaysia 6
n maharashtra univ 4
univ kaiserslautern 3
univ alicante 3
suny stony brook 3
sichuan univ 3
kyoto univ 3
kyoto inst technol 3
chonbuk natl univ 3
zhongshan univ 2
vinca inst nucl sci 2
univ grenoble 1 2

DataBase

science citation index 117

- **CLUSTER 206**

Strengthening and improvement of mechanical and tensile properties of nanocomposites (especially polypropylene) by using filler and reinforcing with fibers (237 Records)

(Countries: China, USA. Institutions: University of Wisconsin, SUNY Stony Brook, Michigan State University, University of Cincinnati.).

Cluster Syntax Features

Descriptive Terms

composit 10.3%, filler 7.0%, fibr 7.0%, reinforce 5.5%, strength 3.1%, fiber 2.8%, tensile 2.8%, mechanical.properties 2.4%, matrix 2.2%, mechan 2.1%, properti 2.1%, modulus 1.6%, polypropylene 1.5%, nanocomposit 1.4%, ipp 1.1%

Discriminating Terms

filler 5.5%, fibr 5.3%, composit 5.1%, reinforce 4.2%, film 1.9%, tensile 1.9%, strength 1.8%, mechanical.properties 1.6%, fiber 1.5%, polypropylene 1.1%, matrix 1.1%, modulus 1.0%, ipp 0.9%, magnet 0.7%, nanotube 0.7%

Single Word Terms

properti 166, composit 163, mechan 143, matrix 111, strength 110, surface 101, scan 94, electron 92, reinforce 86, tensile 85, modulus 80, microscopy 78, sem 73, filler 70, test 69

Double Word Terms

mechanical.properties 93, scanning.electron 82, electron.microscopy 63, tensile.strength 48, microscopy.sem 28, ray.diffraction 23, dynamic.mechanical 22, electron.microscope 22, young.modulus 21, impact.strength 20, tensile.properties 18, differential.scanning 17, fiber.reinforced 17, elastic.modulus 16, properties.composites 15

Triple Word Terms

scanning.electron.microscopy 58, electron.microscopy.sem 27, scanning.electron.microscope 20, electron.microscope.sem 15, differential.scanning.calorimetry 14, atomic.force.microscopy 12, wide.angle.ray 11, scanning.calorimetry.dsc 10, isotactic.polypropylene.ipp 9, silane.coupling.agent 8, angle.ray.diffraction 8, composites.mechanical.properties 8, tensile.strength.elongation 8, modulus.tensile.strength 8, mechanical.properties.composites 8

Term Cliques

23.49% matrix polypropylene ipp
40.08% strength tensile mechanical.properties matrix mechan modulus polypropylene
31.65% fibr strength matrix polypropylene
37.97% filler mechanical.properties matrix mechan modulus polypropylene
48.62% composit reinforce strength tensile mechanical.properties matrix mechan properti modulus
43.41% composit reinforce strength fiber tensile matrix mechan modulus
47.26% composit fibr reinforce strength matrix properti
45.71% composit filler reinforce mechanical.properties matrix mechan properti modulus nanocomposit

Sample Cluster Record Titles

[Long fibre reinforced ceramics with active fillers and a modified intra-matrix bond based on the LPI process](#)

[Friction and wear properties of UHMWPE composites reinforced with carbon fiber](#)

[Study on preparation of polymer composites based on polypropylene reinforced by jute fibers](#)

[Fibre-matrix adhesion in glass-fibre reinforced polyamide-6 silicate nanocomposites](#)

[Bulk and surface composition of ECF bleached hardwood kraft pulp fibres](#)

[Influence of fibre surface oxidation treatment on mechanical interfacial properties of carbon fibre/polyarylacetylene composites](#)

[Polypropylene/SiO₂ nanocomposites with improved mechanical properties](#)

[Improvement of interfacial adhesion between wood and polypropylene in wood-polypropylene composites](#)

[Integrated compounding and injection moulding of short fibre reinforced composites](#)

Cluster Metrics

Authors

turng, ls 4
hsiao, bs 4
zhou, sx 3
wu, lm 3
vlasveld, dpn 3
somani, rh 3
picken, sj 3
marom, g 3
huang, y 3
ha, cs 3
errico, me 3
dufresne, a 3
drzal, lt 3
bersee, hen 3
avila-orta, ca 3

Sources

polymer 16
journal of applied polymer science 16
journal of materials science 10
polymer engineering and science 8
composites science and technology 8
materials science and engineering a-structural materials properties microstructure and processing 7
wear 6
polymer degradation and stability 6
macromolecular materials and engineering 6
composites part a-applied science and manufacturing 5
polymer testing 4
materials letters 4
macromolecular symposia 4
journal of polymers and the environment 4
european polymer journal 4

Keywords

polymer science 68
materials science, multidisciplinary 44
polymer science 38
composites 35
morphology 29
mechanical-properties 29
behavior 29
nanocomposites 27
mechanical properties 26
composites 25
materials science, composites 23
materials science, multidisciplinary 20
nanocomposites 18
mechanical-properties 16
silica 14

Publication Year

2005 207
2004 25
2006 4
2003 1

Country

peoples r china 55
usa 45
south korea 18
germany 15
india 12

france 11
england 11
japan 10
italy 9
taiwan 7
singapore 7
spain 6
portugal 6
netherlands 6
australia 5

Institution

chinese acad sci 7
univ wisconsin 5
suny stony brook 5
sichuan univ 5
indian inst technol 5
harbin inst technol 5
fudan univ 5
cnr 5
univ sains malaysia 4
pusan natl univ 4
natl univ singapore 4
michigan state univ 4
zhejiang univ 3
univ twente 3
univ cincinnati 3

DataBase

science citation index 237

• CLUSTER 35

Investigation of resin-dentin interfaces and other studies on adhesive resin cements, including determination of bond strength and factors affecting self-etching primer bonding systems (85 Records)

(Countries: USA, Japan, China. Institutions: Tokyo Medical and Dental University, Medical College of Georgia, University of Hong Kong, University of Turku. Other USA includes UCSF.).

Cluster Syntax Features

Descriptive Terms

resin 24.6%, dentin 21.0%, bond 5.5%, strength 4.0%, bond.strength 3.8%, adhes 3.6%, cure 3.2%, cement 2.1%, specimen 1.4%, shear.bond 0.7%, teeth 0.6%, enamel 0.6%, primer 0.6%, mpa 0.6%, etch 0.5%

Discriminating Terms

resin 14.9%, dentin 13.1%, bond.strength 2.3%, bond 2.3%, strength 1.9%, cure 1.8%, film 1.8%, adhes 1.7%, cement 1.2%, specimen 0.7%, structur 0.6%, magnet 0.5%, carbon 0.5%, nanotub 0.5%, nanoparticl 0.5%

Single Word Terms

resin 70, surfac 60, strength 56, bond 52, sem 46, adhes 42, electron 41, test 40, specimen 40, scan 38, composit 35, two 34, dentin 34, layer 31, water 28

Double Word Terms

scanning.electron 33, bond.strength 31, electron.microscopy 24, bond.strengths 16, microtensile.bond 13, shear.bond 13, electron.microscope 12, self.etching 11, extracted.human 11, resin.composite 11, adhesive.resin 10, dentin.surfaces 10, mechanical.properties 9, hybrid.layer 9, microscopy.sem 9

Triple Word Terms

scanning.electron.microscopy 18, scanning.electron.microscope 11, microtensile.bond.strength 11, shear.bond.strength 10, electron.microscopy.sem 9, electron.microscope.sem 8, transmission.electron.microscopy 7, shear.bond.strengths 6, human.third.molars 6, differential.scanning.calorimetry 5, glass.ionomer.cements 5, glass.ionomer.cement 5, 600.grit.sic 5, self.etching.primer 5, bond.strength.mpa 5

Term Cliques

40.13% dentin bond strength bond.strength adhes specimen teeth enamel etch
39.22% dentin bond strength bond.strength adhes specimen shear.bond enamel etch

43.53% resin strength cure teeth primer
45.65% resin strength cure cement teeth
42.57% resin dentin bond strength bond.strength adhes specimen teeth primer mpa etch
41.82% resin dentin bond strength bond.strength adhes specimen shear.bond primer mpa etch
43.53% resin dentin bond strength bond.strength adhes cement specimen teeth mpa etch
42.78% resin dentin bond strength bond.strength adhes cement specimen shear.bond mpa etch

Sample Cluster Record Titles

[Water concentration in self-etching primers affects their aggressiveness and bonding efficacy to dentin](#)

[Effects of multiple coatings of two all-in-one adhesives on dentin bonding](#)

[Comparison of depth of dentin etching and resin infiltration with single-step adhesive systems](#)

[The shear bond strength of bidirectional and random-oriented fibre-reinforced composite to tooth structure](#)

[Influence of ceramic thickness and polymerization mode of a resin luting agent on early bond strength and durability with a lithium disilicate-based ceramic system](#)

[The effect of chemical surface treatments of different denture base resins on the shear bond strength of denture repair](#)

[Preparation and characterization of polyester/silica nanocomposite resins](#)

[Evaluation of the adhesion of fiber posts to intraradicular dentin](#)

[Effect of elastomeric nanoparticles on properties of phenolic resin](#)

Cluster Metrics

Authors

tagami, j 8

tay, fr 7

pashley, dh 7

lassila, lvj 6

vallittu, pk 5

sidhu, sk 3

nikaido, t 3

nakajima, m 3
matinlinna, jp 3
king, nm 3
foxton, rm 3
zhou, sx 2
zhang, xh 2
yiu, cky 2
yap, auj 2

Sources

operative dentistry 10
journal of prosthetic dentistry 6
journal of oral rehabilitation 5
journal of dentistry 5
dental materials 5
journal of dental research 4
journal of biomedical materials research part b-applied biomaterials 4
polymer engineering and science 3
journal of adhesive dentistry 3
dental materials journal 3
polymer degradation and stability 2
polimery 2
american journal of dentistry 2
acta polymerica sinica 2
soldering & surface mount technology 1

Keywords

dentistry, oral surgery & medicine 48
materials science, biomaterials 13
polymer science 12
strength 11
enamel 9
dentin 8
composite 7
adhesion 7
engineering, biomedical 6
systems 6
engineering, chemical 5
adhesion 5
water 5
teeth 5
resin 5

Publication Year

2005 73
2004 12

Country

usa 24
japan 18
peoples r china 17
england 8
turkey 7
finland 6
brazil 6
thailand 4
south korea 4
netherlands 4
spain 3
singapore 3
poland 3
canada 3
taiwan 2

Institution

tokyo med & dent univ 9
med coll georgia 8
univ hong kong 7
univ turku 6
natl univ singapore 3
nagasaki univ 3
vivoxid ltd 2
univ newcastle upon tyne 2
univ london kings coll 2
univ calif san francisco 2
univ british columbia 2
selcuk univ 2
peking univ 2
ondokuz mayis univ 2
nihon univ 2

DataBase

science citation index 85

• CLUSTER 38

Epoxy resins and composites, including polyhedral oligomeric silsesquioxane (POSS) composites and reinforced epoxy resins, as well as bisphenol-A glycidol ether (DGEBA) epoxy resin (129 Records)

(Countries: China dominant, USA, Italy, Germany. Institutions: Shanghai Jiao Tong University, University S&T China, Iran Polymer and Petrochemical Institute. USA include Georgia Institute of Technology, Case Western Reserve University, Michigan State University.).

Cluster Syntax Features

Descriptive Terms

epoxi 46.3%, resin 7.8%, poss 7.3%, cure 5.5%, epoxy.resin 5.1%, nanocomposit 1.6%, hybrid 1.4%, composit 0.8%, dgeba 0.5%, nanoclai 0.4%, epoxy.composites 0.4%, polyhedral.oligomeric 0.4%, silica 0.4%, silsesquioxan 0.4%, polyhedr 0.3%

Discriminating Terms

epoxi 29.3%, resin 4.7%, poss 4.7%, cure 3.3%, epoxy.resin 3.2%, film 1.8%, surfac 0.6%, magnet 0.5%, nanotub 0.5%, layer 0.5%, hybrid 0.5%, deposit 0.5%, structur 0.5%, oxid 0.4%, crystal 0.4%

Single Word Terms

epoxi 111, resin 79, properti 78, mechan 67, composit 58, cure 57, nanocomposit 51, thermal 50, structur 48, scan 47, temperatur 47, matrix 44, surfac 44, microscopi 44, electron 43

Double Word Terms

epoxy.resin 57, mechanical.properties 33, electron.microscopy 32, scanning.electron 29, glass.transition 29, microscopy.sem 21, epoxy.matrix 20, polyhedral.oligomeric 20, transition.temperature 20, epoxy.composites 20, dynamic.mechanical 19, sol.gel 17,

differential.scanning 17, scanning.calorimetry 17, oligomeric.silsesquioxane 15

Triple Word Terms

scanning.electron.microscopy 23, glass.transition.temperature 20,
electron.microscopy.sem 18, differential.scanning.calorimetry 17,
polyhedral.oligomeric.silsesquioxane 15, diglycidyl.ether.bisphenol 11,
scanning.calorimetry.dsc 11, transmission.electron.microscopy 10,
oligomeric.silsesquioxane.poss 10, atomic.force.microscopy 8, electron.microscopy.tem
8, ether.bisphenol.dgeba 8, organic.inorganic.hybrid 7, force.microscopy.afm 7,
glass.transition.temperatures 7

Term Cliques

31.59% cure nanocomposit hybrid silica
13.95% poss nanoclai polyhedral.oligomeric silsesquioxan polyhedr
15.81% poss dgeba polyhedral.oligomeric silsesquioxan polyhedr
22.09% poss nanocomposit hybrid polyhedral.oligomeric silsesquioxan polyhedr
37.79% epoxi composit nanoclai epoxy.composites
51.55% epoxi resin cure silica
49.92% epoxi resin cure epoxy.resin dgeba

Sample Cluster Record Titles

[Studying on the curing kinetics of a DGEBA/EMI-2,4/nano-sized carborundum system with two curing kinetic methods](#)

[Epoxy-silica nanocomposites: Preparation, experimental characterization, and modeling](#)

[Synthesis of functionalized polyhedral oligomeric silsesquioxane \(POSS\) macromers by microwave assisted 1,3-dipolar cycloaddition](#)

[Thermodynamic and transport properties of polyhedral oligomeric silsesquioxanes in poly\(dimethylsiloxane\)](#)

[The effect of surface treatment of F-12 aramid fibers with rare earths on the interlaminar shear strength of aramid/epoxy composites](#)

[Toughness of syndiotactic polystyrene/epoxy polymer blends: microstructure and toughening mechanisms](#)

[Polypropylene-polyhedral oligomeric silsesquioxanes \(POSS\) nanocomposites](#)

[Mechanistic kinetic model of an epoxy resin cured with a mixture of amines of different functionalities](#)

[Time-temperature and time-irradiation intensity superposition for photopolymerization of an epoxy based resin](#)

Cluster Metrics

Authors

he, ps 5
zheng, sx 4
schiraldi, da 4
rahimi, a 4
cheng, yy 4
zhang, mq 3
sangermano, m 3
rong, mz 3
priola, a 3
mondragon, i 3
malucelli, g 3
liu, yl 3
li, y 3
innocenzi, p 3
friedrich, k 3

Sources

polymer 19
journal of applied polymer science 11
progress in organic coatings 4
polymers & polymer composites 4
polymer international 4
polymer composites 4
macromolecules 3
macromolecular rapid communications 3
journal of polymer science part a-polymer chemistry 3
journal of materials science 3
iranian polymer journal 3
composites science and technology 3
composites part a-applied science and manufacturing 3
wear 2
polymer-plastics technology and engineering 2

Keywords

polymer science 64
nanocomposites 30
polymers 19
nanocomposites 17
epoxy 17
materials science, composites 15
polymer science 15

behavior 15
morphology 14
composites 13
mechanical-properties 12
epoxy resin 12
materials science, multidisciplinary 11
epoxy 10
epoxy resin 9

Publication Year

2005 119
2004 8
2006 2

Country

peoples r china 41
usa 19
italy 13
germany 11
taiwan 8
japan 7
france 7
south korea 6
iran 5
india 5
spain 4
canada 4
england 3
australia 3
switzerland 2

Institution

shanghai jiao tong univ 8
univ sci & technol china 6
iran polymer & petrochem inst 5
zhongshan univ 4
politecn turin 4
georgia inst technol 4
case western reserve univ 4
anhui univ 4
univ sassari 3
univ kaiserslautern 3
michigan state univ 3
chung yuan christian univ 3
chinese acad sci 3
azad univ 3

• CLUSTER 43

Clay materials and nanocomposites (including montmorillonites, organoclays, layered silica nanocomposites, and polypropylene- and epoxy-clay nanocomposites), emphasizing exfoliation degree and mechanism, preparation by melt intercalation, dispersion, and mechanical properties (429 Records)

(Countries: USA, followed by China, followed by South Korea, Taiwan, France, Japan. Institutions: Marquette University, CAS, Inha University. Other USA include University of Akron, Michigan State University, NIST.).

Cluster Syntax Features

Descriptive Terms

clai 63.4%, nanocomposit 8.3%, montmorillonit 2.3%, clay.nanocomposites 2.0%, organoclai 1.8%, exfoli 1.5%, intercal 1.4%, polym 0.6%, melt 0.4%, polypropylen 0.4%, silic 0.4%, dispers 0.4%, epoxi 0.3%, layer 0.2%, properti 0.2%

Discriminating Terms

clai 40.2%, nanocomposit 4.0%, film 1.7%, montmorillonit 1.4%, clay.nanocomposites 1.3%, organoclai 1.1%, exfoli 0.9%, intercal 0.7%, surfac 0.6%, nanoparticl 0.6%, magnet 0.5%, carbon 0.5%, nanotub 0.5%, deposit 0.5%, structur 0.4%

Single Word Terms

clai 427, nanocomposit 299, properti 223, rai 194, montmorillonit 175, layer 172, structur 166, intercal 165, diffract 163, polym 155, mechan 154, dispers 153, electron 145, exfoli 141, microscopi 138

Double Word Terms

clay.nanocomposites 162, ray.diffraction 157, electron.microscopy 125, transmission.electron 108, mechanical.properties 86, diffraction.xrd 54, clay.particles 52, clay.content 48, polymer.clay 46, montmorillonite.clay 45, clay.layers 45, thermal.stability 44, clay.nanocomposite 44, microscopy.tem 43, angle.ray 39

Triple Word Terms

transmission.electron.microscopy 100, ray.diffraction.xrd 54, electron.microscopy.tem 42, differential.scanning.calorimetry 34, scanning.electron.microscopy 30, polymer.clay.nanocomposites 29, wide.angle.ray 27, ray.diffraction.transmission 26, diffraction.transmission.electron 23, maleic.anhydride.grafted 21, xrd.transmission.electron 21, angle.ray.diffraction 20, clay.nanocomposites.melt 18, angle.ray.scattering 17, glass.transition.temperature 17

Term Cliques

44.73% clai nanocomposit clay.nanocomposites polym polypropylen silic dispers layer properti
43.56% clai nanocomposit clay.nanocomposites polym melt polypropylen silic dispers properti
46.32% clai nanocomposit clay.nanocomposites exfoli intercal polym silic dispers layer properti
45.27% clai nanocomposit clay.nanocomposites exfoli intercal polym melt silic dispers properti
43.28% clai nanocomposit clay.nanocomposites organoclai polypropylen silic dispers layer properti
42.11% clai nanocomposit clay.nanocomposites organoclai melt polypropylen silic dispers properti
41.60% clai nanocomposit clay.nanocomposites organoclai exfoli intercal silic dispers epoxi layer properti
40.64% clai nanocomposit clay.nanocomposites organoclai exfoli intercal melt silic dispers epoxi properti
46.83% clai nanocomposit montmorillonit clay.nanocomposites exfoli intercal polym silic layer properti
45.78% clai nanocomposit montmorillonit clay.nanocomposites exfoli intercal polym melt silic property

Sample Cluster Record Titles

[Assessing organo-clay dispersion in polymer layered silicate nanocomposites: A SAXS approach](#)

[Polyimide/silica hybrid-clay nanocomposites](#)

[The effects of clay on the thermal degradation behavior of poly\(styrene-co-acrylonitrile\)](#)

[Fully exfoliated nanocomposite from polypyrrole graft copolymer/clay](#)

[Poly\(propylene\)/clay nanocomposites prepared by reactive compounding with an epoxy based masterbatch](#)

[Effect of organic modification on the compatibilization efficiency of clay in an immiscible polymer blend](#)

[Effects of clay and LNR on mechanical properties and morphology of NR/HDPE-aramid composites](#)

[Tensile fracture morphologies of nylon-6/montmorillonite nanocomposites](#)

[Flammability of styrenic polymer clay nanocomposites based on a methyl methacrylate oligomerically-modified clay](#)

Cluster Metrics

Authors

wilkie, ca 20

yoon, js 10

jiang, dd 10

chen, gx 9

zhang, lq 7

wu, yp 6

lee, yb 6

jana, sc 6

zheng, xx 5

zhang, hf 5

yang, ms 5

nam, bu 5

jho, jy 5

jang, bn 5

hong, ch 5

Sources

polymer 57

journal of applied polymer science 38
macromolecules 22
journal of polymer science part b-polymer physics 20
polymer international 13
applied clay science 13
polymer degradation and stability 12
macromolecular rapid communications 10
polymer engineering and science 9
langmuir 9
journal of colloid and interface science 8
clay minerals 8
macromolecular symposia 7
composites science and technology 6
clays and clay minerals 6

Keywords

polymer science 211
nanocomposites 107
montmorillonite 99
clay 83
nanocomposites 81
layered silicate nanocomposites 79
mechanical-properties 63
behavior 50
morphology 48
nanocomposite 45
intercalation 45
clay 38
chemistry, physical 37
composites 37
polymer science 36

Publication Year

2005 392
2004 27
2006 10

Country

usa 99
peoples r china 70
south korea 38
taiwan 30
france 30
japan 25
canada 21
australia 18

england 16
india 14
spain 13
italy 13
singapore 12
israel 9
germany 9

Institution

marquette univ 19
chinese acad sci 15
inha univ 11
univ akron 10
natl res council canada 10
chung yuan christian univ 9
shanghai jiao tong univ 8
seoul natl univ 8
michigan state univ 8
csic 8
beijing univ chem technol 8
cnr 7
univ sci & technol china 6
natl inst stand & technol 6
inst mat res & engn 6

DataBase

science citation index 429

- **CLUSTER 21**

Montmorillonites (MMTs) (especially MMT nanocomposites),
emphasizing intercalation, exfoliation, and thermal properties (133
Records)

(Countries: China dominant, South Korea, USA, Japan. Institutions:
CAS, University S&T China, Shanghai Jiao Tong University, Korea
Research institute of Chemical Technology.).

Cluster Syntax Features

Descriptive Terms

mmt 51.3%, montmorillonit 9.4%, nanocomposit 8.9%, intercal 7.0%,
mmt.nanocomposites 1.3%, exfoli 1.2%, montmorillonite.mmt 1.1%, clai 0.7%,
montmorillonite.nanocomposites 0.5%, silic 0.4%, polymer 0.3%, na.mmt 0.3%,
composit 0.3%, thermal 0.3%, layer 0.3%

Discriminating Terms

mmt 31.6%, montmorillonit 5.5%, nanocomposit 4.0%, intercal 3.9%, film 1.6%,
mmt.nanocomposites 0.8%, surfac 0.8%, montmorillonite.mmt 0.7%, exfoli 0.6%,
nanoparticl 0.5%, magnet 0.5%, carbon 0.5%, nanotub 0.5%, structur 0.5%, deposit 0.4%

Single Word Terms

montmorillonit 109, mmt 102, nanocomposit 98, intercal 88, rai 70, diffract 65, layer 62,
thermal 58, properti 52, electron 51, exfoli 49, structur 49, temperatur 46, clai 45, xrd 42

Double Word Terms

montmorillonite.mmt 65, ray.diffraction 63, mmt.nanocomposites 41,
transmission.electron 39, montmorillonite.nanocomposites 38, electron.microscopy 33,
thermal.stability 28, diffraction.xrd 27, na.mmt 16, mechanical.properties 16,
glass.transition 16, mmt.nanocomposite 15, nanocomposites.situ 14, microscopy.tem 14,
tensile.strength 14

Triple Word Terms

transmission.electron.microscopy 29, ray.diffraction.xrd 26,
montmorillonite.mmt.nanocomposites 18, electron.microscopy.tem 13,
diffraction.transmission.electron 12, ray.diffraction.transmission 12,
xrd.transmission.electron 12, wide.angle.ray 11, diffraction.xrd.transmission 10,
glass.transition.temperature 10, differential.scanning.calorimetry 10,
transmission.electron.microscope 8, angle.ray.diffraction 8,
nanocomposites.montmorillonite.mmt 7, scanning.electron.microscopy 7

Term Cliques

46.53% montmorillonit nanocomposit exfoli montmorillonite.mmt clai silic composit
thermal layer
47.56% montmorillonit nanocomposit intercal exfoli clai na.mmt composit layer
51.21% montmorillonit nanocomposit intercal exfoli montmorillonite.mmt clai composit
thermal layer
49.87% mmt montmorillonit nanocomposit exfoli montmorillonite.mmt clai silic
composit thermal
46.00% mmt montmorillonit nanocomposit mmt.nanocomposites exfoli
montmorillonite.mmt clai montmorillonite.nanocomposites silic polymer thermal
51.32% mmt montmorillonit nanocomposit intercal exfoli clai na.mmt composit
54.55% mmt montmorillonit nanocomposit intercal exfoli montmorillonite.mmt clai

composit thermal
48.79% mmt montmorillonit nanocomposit intercal mmt.nanocomposites exfoli clai
polymer na.mmt
49.83% mmt montmorillonit nanocomposit intercal mmt.nanocomposites exfoli
montmorillonite.mmt clai montmorillonite.nanocomposites polymer thermal

Sample Cluster Record Titles

[Thermally stimulated current measurements on epoxidized natural rubber \(ENR50\) - organically modified montmorillonite composite](#)

[Photooxidation of polypropylene/montmorillonite nanocomposites. 2. Interactions with antioxidants](#)

[Synthesis and characterization of conductive polypyrrole/montmorillonite nanocomposite](#)

[Intercalation and exfoliation relationships in melt-processed poly\(styrene-co-acrylonitrile\)/montmorillonite nanocomposites](#)

[Effect of heat treatment on amino acid intercalated in montmorillonite](#)

[Polyacrylate/\(chitosan modified montmorillonite\) nanocomposite: Water absorption and photostability](#)

[ZnGA-MMT catalyzed the copolymerization of carbon dioxide with propylene oxide](#)

[Preparation and properties of compatibilized LDPE/organo-modified montmorillonite nanocomposites](#)

[Insertion of polypyrrole chains into montmorillonite galleries by a solvent-free mechanochemical route](#)

Cluster Metrics

Authors

lee, jh 5

wang, q 4

karger-kocsis, j 4

he, ps 4

gatos, kg 4

chen, dz 4

zhang, sm 3

yoshimoto, s 3

yang, ms 3
xu, jt 3
xie, sb 3
ohashi, f 3
nam, jd 3
liu, hj 3
kameyama, t 3

Sources

polymer 16
journal of applied polymer science 14
journal of polymer science part b-polymer physics 7
european polymer journal 7
polymer-korea 6
macromolecular rapid communications 5
polymers & polymer composites 4
polymer degradation and stability 4
polimery 3
macromolecular materials and engineering 2
journal of materials science 2
journal of materials chemistry 2
journal of colloid and interface science 2
japanese journal of applied physics part 1-regular papers brief communications & review papers 2
composites science and technology 2

Keywords

polymer science 71
montmorillonite 45
mechanical-properties 30
nanocomposites 29
nanocomposites 25
layered silicate nanocomposites 22
nanocomposite 21
clay 20
montmorillonite 17
morphology 17
behavior 16
intercalation 15
clay nanocomposites 15
materials science, multidisciplinary 14
hybrid 13

Publication Year

2005 118
2004 13

2006 2

Country

peoples r china 52

south korea 19

usa 16

japan 11

taiwan 6

germany 5

france 5

poland 4

egypt 4

australia 4

singapore 3

ukraine 2

malaysia 2

india 2

hungary 2

Institution

chinese acad sci 8

univ sci & technol china 7

shanghai jiao tong univ 7

korea res inst chem technol 6

zhejiang univ 4

sichuan univ 4

sungkyunkwan univ 3

polish acad sci 3

chungnam natl univ 3

aichi ind technol inst 3

wuhan univ 2

univ ulsan 2

univ texas 2

univ sydney 2

univ sofia 2

DataBase

science citation index 133

• CLUSTER 188

Nanocomposites (including layered silicate and layered double hydroxide [LDH] nanocomposites), organoclays, and organic montmorillonites (OMMTs), emphasizing preparation, exfoliation, intercalation, and enhanced properties, especially thermal properties (445 Records)

(Countries: China, USA, followed by South Korea, Japan. Institutions: CAS dominant, University S&T China, NAS Ukraine, RAS. USA include SUNY Stony Brook.).

Cluster Syntax Features

Descriptive Terms

nanocomposit 59.2%, polym 1.8%, silic 1.3%, organoclay 1.3%, exfoli 1.3%, intercal 1.3%, ommt 1.1%, montmorillonit 0.9%, properti 0.7%, melt 0.7%, ldh 0.6%, silica 0.5%, matrix 0.5%, poli 0.5%, thermal 0.4%

Discriminating Terms

nanocomposit 41.8%, film 1.7%, organoclay 0.9%, exfoli 0.9%, ommt 0.9%, silic 0.8%, intercal 0.8%, surfac 0.7%, nanotub 0.6%, magnet 0.6%, carbon 0.6%, montmorillonit 0.5%, deposit 0.5%, quantum 0.5%, ldh 0.4%

Single Word Terms

nanocomposit 434, properti 228, polym 182, structur 157, mechan 136, layer 135, composit 133, matrix 131, electron 130, dispers 127, thermal 126, rai 126, materi 121, temperatur 119, intercal 114

Double Word Terms

ray.diffraction 104, electron.microscopy 89, transmission.electron 88, mechanical.properties 73, thermal.stability 55, layered.silicate 48, microscopy.tem 46, differential.scanning 42, diffraction.xrd 39, scanning.calorimetry 39, properties.nanocomposites 38, scanning.electron 37, silicate.nanocomposites 36, glass.transition 29, polymer.nanocomposites 29

Triple Word Terms

transmission.electron.microscopy 71, electron.microscopy.tem 46, ray.diffraction.xrd 39, differential.scanning.calorimetry 38, layered.silicate.nanocomposites 32, scanning.electron.microscopy 28, fourier.transform.infrared 26, scanning.calorimetry.dsc 26, glass.transition.temperature 19, angle.ray.diffraction 18, wide.angle.ray 17, ray.diffraction.transmission 15, xrd.transmission.electron 15, diffraction.xrd.transmission

14, diffraction.transmission.electron 14

Term Cliques

44.34% nanocomposit silica poli

29.27% nanocomposit silic organoclai exfoli intercal ommt montmorillonit properti melt matrix poli thermal

33.71% nanocomposit polym exfoli intercal ldh matrix poli thermal

32.19% nanocomposit polym silic organoclai exfoli intercal montmorillonit properti melt matrix poli thermal

Sample Cluster Record Titles

[Polystyrene/LDHs hybrid nanocomposites prepared by emulsion polymerization](#)

[Dynamic mechanical analysis of polyvinylalcohol/silica nanocomposite](#)

[Isothermal crystallisation behaviour and kinetics of polyvinylalcohol/silica nanocomposite](#)

[Effect of organoclay content on physical characteristics of poly\(oethoxyaniline\) nanocomposites](#)

[Formation and characterization of highly interfacial hybrid nanocomposites](#)

[Electrical transport and dielectric relaxation in Fe₃O₄-polypyrrole hybrid nanocomposites](#)

[Effect of polymer-particle interaction in swelling dynamics of ultrathin nanocomposite films](#)

[Thermal stabilities of polystyrene/silica hybrid nanocomposites via microwave-assisted in situ polymerization](#)

[Factors affecting the dispersion of montmorillonite in LLDPE nanocomposite](#)

Cluster Metrics

Authors

privalko, eg 7

choi, hj 7

privalko, vp 6

zhou, sx 5

zhang, zj 5

wu, lm 5

wang, q 5

li, y 5
li, l 5
hsiao, bs 5
zaikov, ge 4
wu, tm 4
shen, l 4
shen, j 4
rupp, jep 4

Sources

polymer 41
journal of applied polymer science 24
polymer degradation and stability 18
macromolecules 16
chemistry of materials 10
journal of polymer science part b-polymer physics 9
journal of materials chemistry 8
journal of colloid and interface science 8
acta polymerica sinica 8
synthetic metals 7
polymer international 7
macromolecular materials and engineering 7
journal of materials science 7
polymers for advanced technologies 6
polymers & polymer composites 6

Keywords

polymer science 182
nanocomposites 87
materials science, multidisciplinary 66
nanocomposites 61
nanocomposite 59
mechanical-properties 57
chemistry, physical 47
chemistry, multidisciplinary 45
morphology 42
montmorillonite 42
clay 38
layered silicate nanocomposites 36
materials science, multidisciplinary 36
behavior 36
polymer science 35

Publication Year

2005 401
2004 37

2006 7

Country

peoples r china 118

usa 92

south korea 33

japan 32

france 24

india 21

australia 17

germany 16

taiwan 14

russia 14

canada 14

italy 12

ukraine 11

spain 9

singapore 9

Institution

chinese acad sci 21

univ sci & technol china 11

natl acad sci ukraine 10

russian acad sci 9

shanghai jiao tong univ 7

inha univ 7

fudan univ 7

beijing univ chem technol 7

tsing hua univ 6

tokyo inst technol 6

tianjin univ 5

suny stony brook 5

sichuan univ 5

presidency coll 5

natl chung hsing univ 5

DataBase

science citation index 445

- **CLUSTER 241**

Phase formation, transitions, and behavior in powders, cubic solids, and crystals, as explored by x-ray powder diffraction (296 Records)

(Countries: China, followed by India, Japan, Germany. Institutions: RAS, CAS, University S&T China, Bhabha Atomic Research Center.).

Cluster Syntax Features

Descriptive Terms

phase 15.1%, powder 5.5%, temperatur 2.4%, solid 2.2%, diffract 2.1%, cubic 1.7%, rai 1.6%, pressur 1.4%, crystal 1.3%, powder.diffraction 1.3%, nanocrystallin 1.1%, transform 1.0%, ray.powder 1.0%, powder.ray 1.0%, thermal 0.9%

Discriminating Terms

phase 9.4%, powder 3.4%, film 2.7%, cubic 1.3%, solid 1.2%, surfac 1.1%, powder.diffraction 1.1%, ray.powder 0.9%, diffract 0.8%, powder.ray 0.8%, nanoparticl 0.8%, nanotub 0.8%, ray.powder.diffraction 0.8%, layer 0.7%, carbon 0.7%

Single Word Terms

phase 223, rai 208, powder 206, diffract 206, temperatur 191, structur 142, crystal 109, solid 104, high 94, thermal 92, xrd 89, electron 89, sampl 88, form 84, composit 83

Double Word Terms

ray.diffraction 141, powder.ray 71, powder.diffraction 69, ray.powder 64, high.temperature 52, electron.microscopy 46, diffraction.xrd 42, phase.transition 38, transmission.electron 38, solid.state 38, solid.solution 36, differential.thermal 32, differential.scanning 30, low.temperature 29, room.temperature 29

Triple Word Terms

powder.ray.diffraction 67, ray.powder.diffraction 57, transmission.electron.microscopy 31, ray.diffraction.xrd 28, differential.scanning.calorimetry 26, scanning.electron.microscopy 16, ray.diffraction.data 15, differential.thermal.dta 14, solid.state.reaction 14, powder.diffraction.xrd 14, fourier.transform.infrared 12, scanning.calorimetry.dsc 12, unit.cell.volume 10, unit.cell.parameters 10, transform.infrared.spectroscopy 9

Term Cliques

38.91% temperatur cubic rai pressur crystal powder.ray
 40.20% powder diffract rai crystal powder.diffraction nanocrystallin transform ray.powder thermal
 40.35% powder diffract cubic rai crystal powder.diffraction nanocrystallin ray.powder thermal
 42.38% powder solid diffract cubic rai crystal powder.diffraction ray.powder thermal
 49.24% powder temperatur solid diffract cubic rai crystal powder.ray
 42.91% phase temperatur rai pressur crystal nanocrystallin transform
 43.10% phase temperatur cubic rai pressur crystal nanocrystallin
 50.75% phase powder temperatur diffract rai crystal nanocrystallin transform thermal
 50.90% phase powder temperatur diffract cubic rai crystal nanocrystallin thermal
 52.93% phase powder temperatur solid diffract cubic rai crystal thermal

Sample Cluster Record Titles

[X-ray and neutron Rietveld quantitative phase analysis of industrial Portland cement clinkers](#)

[Antiferroelectric phase transition in Sr₉In\(PO₄\)\(7\)](#)

[Phase equilibria in the Ni-Zn-Ge ternary system at 570 K](#)

[Solid-state characterization of chitosans derived from lobster chitin](#)

[Phase formation stages of MgTa₂O₆ and Pb\(Mg_{1/3}Ta_{2/3}\)O-3](#)

[Powder X-ray diffraction data of a new calcium zirconium phosphate Ca₇Zr\(PO₄\)\(6\)](#)

[Temperature-dependent phase stability of nanocrystalline SiO₂](#)

[Crystal structure and phase transition behavior of La_{1-x}Sr_xGa_{1-y}Mg_yO_{3-δ}](#)

[Crystal structure, thermal expansion and electrical conductivity of dual-phase Gd_{0.8}Sr_{0.2}Co_{1-y}FeyO_{3-δ} \(0 ≤ y ≤ 1.0\)](#)

Cluster Metrics

Authors

tyagi, ak 8
ma, jh 7
qian, yt 6
yokoyama, h 4
yang, zh 4
wang, j 4
maeda, y 4
chen, ly 4
achary, sn 4
zhang, y 3
yan, ch 3
yamashita, t 3
yamamoto, j 3
shi, ly 3
shi, l 3

Sources

journal of alloys and compounds 20
journal of the american ceramic society 14
journal of solid state chemistry 13
physical review b 8
materials letters 8
chemistry of materials 8
materials chemistry and physics 7
thermochimica acta 6
journal of rare earths 5
journal of physics-condensed matter 5
journal of physics and chemistry of solids 5
journal of physical chemistry b 5
journal of crystal growth 5
intermetallics 5
glass physics and chemistry 5

Keywords

chemistry, physical 54
materials science, multidisciplinary 48
materials science, multidisciplinary 43
materials science, ceramics 31
metallurgical engineering 25
metallurgy & 25
chemistry, physical 25
physics, condensed matter 24
x-ray diffraction 24
chemistry, inorganic & nuclear 23
system 23

physics, condensed matter 20
chemistry, multidisciplinary 18
phase 18
crystal-structure 18

Publication Year

2005 260
2004 34
2006 2

Country

peoples r china 63
india 42
japan 36
germany 30
russia 23
usa 20
france 20
england 15
brazil 11
italy 9
sweden 8
spain 8
australia 8
taiwan 7
south korea 5

Institution

russian acad sci 11
chinese acad sci 11
univ sci & technol china 9
bhabha atom res ctr 9
st petersburg state univ 7
european synchrotron radiat facil 6
univ sci & technol beijing 5
wenzhou univ 4
univ bayreuth 4
tohoku univ 4
shanghai univ 4
moscow mv lomonosov state univ 4
harbin inst technol 4
acad sinica 4
univ vienna 3

DataBase

science citation index 296

- **CLUSTER 220**

Structural studies, emphasizing crystal structure, x-ray powder diffraction, and structure refinement (278 Records)

(Countries: USA, Germany, Japan, Ukraine, France. Institutions: Volyn State University dominant, Polish Academy of Science, Moscow Lomonosov State University, University of Munster.).

Cluster Syntax Features

Descriptive Terms

structur 7.1%, crystal 6.9%, compound 3.9%, diffract 3.6%, refin 3.0%, crystal.structure 2.9%, space 2.8%, rai 2.2%, type 2.0%, powder 1.8%, atom 1.6%, ray.diffract 1.6%, unit 1.3%, data 1.2%, site 1.2%

Discriminating Terms

crystal 2.7%, film 2.5%, refin 2.4%, structur 2.3%, compound 2.1%, crystal.structure 2.1%, space 1.7%, diffract 1.7%, surfac 1.1%, unit.cell 0.9%, nanoparticl 0.9%, diffraction.data 0.8%, particl 0.8%, type 0.8%, unit 0.8%

Single Word Terms

structur 262, rai 236, diffract 236, crystal 199, space 138, powder 128, atom 114,

compound 113, type 110, data 107, singl 98, refin 89, temperatur 88, unit 87, phase 84

Double Word Terms

ray.diffraction 179, crystal.structure 97, single.crystal 79, unit.cell 61, crystal.ray 57, diffraction.data 56, powder.diffraction 51, ray.powder 48, crystal.structures 48, powder.ray 42, structure.type 32, room.temperature 28, cell.parameters 26, type.structure 22, solid.state 22

Triple Word Terms

single.crystal.ray 57, crystal.ray.diffraction 54, ray.powder.diffraction 41, ray.diffraction.data 41, powder.ray.diffraction 39, unit.cell.parameters 18, powder.diffraction.data 12, structure.type.space 11, ho.er.tm 11, dy.ho.er 11, transmission.electron.microscopy 10, crystal.structures.compounds 9, ray.diffraction.patterns 9, single.crystal.diffraction 9, powder.single.crystal 9

Term Cliques

55.76% structur crystal diffract refin crystal.structure space rai atom ray.diffraction unit site

57.03% structur crystal diffract refin crystal.structure space rai atom ray.diffraction unit data

58.37% structur crystal diffract refin crystal.structure space rai powder atom ray.diffraction data

55.64% structur crystal diffract refin crystal.structure space rai type powder atom ray.diffraction site

53.60% structur crystal compound diffract refin crystal.structure space rai atom unit site

53.66% structur crystal compound diffract refin crystal.structure space rai type powder atom site

Sample Cluster Record Titles

[Crystal structures of the compounds R₃CuSe₆ \(R = Gd, Tb and Dy\) and TbCu_{0.34}Te₂](#)

[Crystal structures of the R₃CuPbSe₃ \(R = Gd, Tb, Dy, Ho, Er, Tm, Yb and Lu\) compounds](#)

[Structure refinement of CsNO₃\(II\) by coupling of N-14 MAS NMR experiments with WIEN2k DFT calculations](#)

[Zr₅Ir₂In₄ - A superstructure of the Lu₅Ni₂In₄ type](#)

[P-T phase diagram and single crystal structural refinement. of NaMn₇O₁₂](#)

[Crystal structure of Zr₂Al₃C₄](#)

[Structure and magnetic properties of \(Nd,Y\)\(3\)\(Fe,Co,Ti\)\(29\) compounds](#)

[An anomalous x-ray diffraction study of the hydration structures of Cs⁺ and I⁻ in concentrated solutions](#)

[Structure-property relations of regiosymmetrical 3,4-dioxy-functionalized polythiophenes](#)

Cluster Metrics

Authors

olekseyuk, id 24

gulay, ld 19

pottgen, r 7

parasyuk, ov 7

piskach, lv 6

shemet, vy 5

pietraszko, a 5

pekhnyo, vi 5

mittchell, rh 5

liferovich, rp 5

hoffmann, rd 5

stepien-damm, j 4

reguera, e 4

zaremba, vi 3

vogt, t 3

Sources

journal of alloys and compounds 44

journal of solid state chemistry 21

zeitschrift fur anorganische und allgemeine chemie 14

american mineralogist 11

solid state sciences 9

journal of physical chemistry b 9

physical review b 8

chemistry of materials 8

powder diffraction 7

journal of the american chemical society 6

acta crystallographica section b-structural science 5

zeitschrift fur kristallographie 4

recent advances in the science and technology of zeolites and related materials, pts a - c 4

inorganic materials 4

inorganic chemistry 4

Keywords

chemistry, physical 72
chemistry, inorganic & nuclear 58
materials science, multidisciplinary 57
crystal structure 50
metallurgical engineering 46
metallurgy & 46
chemistry, physical 34
crystal-structure 27
x-ray diffraction 24
crystallography 22
x-ray 21
chemistry, multidisciplinary 19
crystal-structure 19
materials science, multidisciplinary 18
diffraction 16

Publication Year

2005 236
2004 41
2006 1

Country

usa 43
germany 42
japan 36
ukraine 34
france 32
england 23
peoples r china 19
russia 17
poland 15
canada 12
india 9
australia 8
south korea 7
italy 7
austria 7

Institution

volyn state univ 25
polish acad sci 12
moscow mv lomonosov state univ 10
univ munster 7
russian acad sci 6

chinese acad sci 6
tohoku univ 5
rutherford appleton lab 5
natl inst mat sci 5
natl acad sci ukraine 5
max planck inst festkorperforsch 5
lakehead univ 5
indian inst technol 5
european synchrotron radiat facil 5
cnrs 5

DataBase

science citation index 278

- **CLUSTER 240**

Crystal structure, examined by x-ray diffraction and single crystal methods (388 Records)

(Countries: Japan, USA, followed by China, Germany. Institutions: RAS, CAS, Osaka University, Tokyo Institute of Technology.).

Cluster Syntax Features

Descriptive Terms

crystal 41.3%, structur 2.2%, crystal.structure 2.1%, chain 2.1%, molecu 2.0%,

single.crystal 1.6%, singl 1.6%, single.crystals 1.0%, molecular 0.9%, liquid 0.9%, diffract 0.8%, rai 0.8%, form 0.8%, polymorph 0.7%, phase 0.7%

Discriminating Terms

crystal 30.1%, film 2.5%, crystal.structure 1.6%, single.crystal 1.1%, chain 1.1%, nanoparticl 0.9%, single.crystals 0.8%, particl 0.8%, nanotub 0.8%, molecu 0.7%, surfac 0.7%, carbon 0.7%, deposit 0.7%, polymorph 0.6%, magnet 0.6%

Single Word Terms

crystal 354, structur 260, rai 197, diffract 174, singl 146, form 135, two 135, molecu 125, molecular 117, on 105, phase 90, chain 88, bond 82, temperatur 78, format 74

Double Word Terms

ray.diffraction 155, crystal.structure 102, single.crystal 99, single.crystals 49, crystal.ray 41, crystal.structures 38, crystal.growth 31, self.assembly 28, liquid.crystalline 26, differential.scanning 25, two dimensional 24, scanning.calorimetry 24, atomic.force 24, solid.state 24, liquid.crystal 22

Triple Word Terms

single.crystal.ray 41, crystal.ray.diffraction 33, differential.scanning.calorimetry 23, atomic.force.microscopy 21, powder.ray.diffraction 15, angle.ray.diffraction 14, wide.angle.ray 14, ray.diffraction.data 13, force.microscopy.afm 10, small.angle.ray 10, transmission.electron.microscopy 9, angle.ray.scattering 9, van.der.waals 9, ray.diffraction.crystals 9, microscopy.differential.scanning 8

Term Cliques

34.91% structur chain molecu molecular diffract rai form polymorph phase
36.08% structur chain molecu molecular liquid diffract rai phase
42.53% crystal structur molecu molecular diffract rai form polymorph phase
44.49% crystal structur crystal.structure single.crystal singl single.crystals diffract rai
41.13% crystal structur crystal.structure molecu single.crystal molecular diffract rai form polymorph
44.05% crystal structur crystal.structure molecu single.crystal singl molecu diffract rai form

Sample Cluster Record Titles

[Characterization and analyses on complex melting, polymorphism, and crystal phases in melt-crystallized poly\(hexamethylene terephthalate\)](#)

[A new liquid crystal compound based on an ionic imidazolium salt](#)

[Studies on the growth and characterization of a NLO active sodium substituted lithium p-nitrophenolate single crystal](#)

[Crystal structure of octaethyloxyphthalocyaninato copper, the overlap affect on the ring skeleton distortion](#)

[Crystal structure of 1,2-\[4-butoxybenzoyloxy-4 '-pentyl\]diphenylethane](#)

[Preparation of new ferroelectric glycine phosphite single crystals](#)

[Sequence distribution and crystal structure of poly \(ethylene/trimethylene terephthalate\) copolyesters](#)

[Improvement in UV optical properties of CsLiB₆O₁₀ by reducing water molecules in the crystal](#)

[Growth and optical characterization of Cu- and Mg-substituted L-arginine di phosphate single crystals](#)

Cluster Metrics

Authors

yokoyama, h 6

yamamoto, j 5

iwata, t 5

doi, y 5

sasaki, t 4

nishiyama, i 4

gale, jd 4

cheng, szd 4

wang, x 3

schindler, m 3

rohl, al 3

putnis, a 3

parsons, s 3

mori, y 3

kobatake, s 3

Sources

journal of crystal growth 19

journal of the american chemical society 18

chemistry of materials 15

molecular crystals and liquid crystals 12

journal of physical chemistry b 12

crystal growth & design 11
macromolecules 10
angewandte chemie-international edition 10
polymer 7
acta crystallographica section d-biological crystallography 7
liquid crystals 6
journal of materials chemistry 6
chemistry-a european journal 6
biomacromolecules 6
zeitschrift fur anorganische und allgemeine chemie 5

Keywords

chemistry, multidisciplinary 74
crystallography 73
chemistry, physical 60
materials science, multidisciplinary 36
growth 32
polymer science 29
materials science, multidisciplinary 23
chemistry, inorganic & nuclear 21
atomic-force microscopy 21
morphology 21
crystallization 20
chemistry, organic 17
spectroscopy 17
crystal structure 17
x-ray 16

Publication Year

2005 342
2004 45
2006 1

Country

japan 78
usa 72
peoples r china 49
germany 44
france 31
india 27
russia 24
england 22
canada 14
netherlands 13
south korea 12
poland 10

italy 9
switzerland 8
australia 8

Institution

russian acad sci 19
chinese acad sci 12
osaka univ 10
tokyo inst technol 8
curtin univ technol 7
univ halle wittenberg 5
univ cambridge 5
kyushu univ 5
cnrs 5
chiba univ 5
xiamen univ 4
univ tokyo 4
univ strasbourg 1 4
univ paris 06 4
univ munster 4

DataBase

science citation index 388

- **CLUSTER 127**

Structure, synthesis, and characterization of compounds (especially diterpenoids, cyclodextrin, and peptides), with emphasis on isolation from other materials, x-ray diffraction studies, crystal structure, and preferred conformations (102 Records)

(Countries: China, Japan, USA, Germany. Institutions: CAS, RAS, University of Padua.).

Cluster Syntax Features

Descriptive Terms

beta 48.9%, alpha 9.1%, alpha.beta 2.7%, ent 1.8%, diterpenoid 0.9%, cyclodextrin 0.9%, new 0.8%, peptid 0.8%, structur 0.8%, compound 0.6%, isol 0.6%, diffract 0.5%, conform 0.5%, acid 0.5%, crystal 0.5%

Discriminating Terms

beta 30.1%, alpha 4.9%, film 1.8%, alpha.beta 1.7%, ent 1.2%, surfac 0.8%, nanoparticl 0.7%, diterpenoid 0.6%, particl 0.6%, carbon 0.6%, magnet 0.6%, layer 0.5%, cyclodextrin 0.5%, nanotub 0.5%, deposit 0.5%

Single Word Terms

beta 91, structur 77, rai 62, diffract 56, alpha 54, crystal 41, two 33, on 29, new 27, compound 26, molecu 23, form 23, singl 22, nmr 21, synthesi 21

Double Word Terms

ray.diffracti 42, alpha.beta 31, single.crystal 19, crystal.ray 17, crystal.structure 14, beta.alpha 9, beta.cyclodextrin 8, solid.state 7, alpha.alpha 7, beta.gamma 7, side.chain 7, crystal.structures 6, structure.single 6, beta.beta 6, electron.microscopy 6

Triple Word Terms

single.crystal.ray 17, crystal.ray.diffracti 12, structure.single.crystal 6, alpha.beta.gamma 6, scanning.electron.microscopy 5, powder.ray.diffracti 5, structures.elucidated.spectroscopic 4, beta.alpha.beta 4, beta.cyclodextrin.beta 4, alpha.alpha.beta 3, nmr.ray.diffracti 3, alpha.beta.unsaturated 3, tricalcium.phosphate.beta 3, beta.tricalcium.phosphate 3, ray.diffracti.structure 3

Term Cliques

17.97% cyclodextrin compound isol
39.41% ent structur diffract acid crystal
31.62% ent diterpenoid new structur compound isol diffract crystal
30.72% alpha.beta ent diterpenoid structur compound crystal
42.48% alpha diterpenoid structur compound diffract crystal
38.40% alpha alpha.beta diterpenoid structur compound crystal
51.96% beta new structur compound diffract crystal
39.87% beta cyclodextrin acid
41.83% beta cyclodextrin compound
50.70% beta alpha structur compound diffract conform crystal
45.34% beta alpha peptid structur diffract conform acid crystal
47.20% beta alpha alpha.beta structur compound conform crystal

Sample Cluster Record Titles

[Structural analysis of cyclodextrins: A comparative study of classical and quantummechanical methods](#)

[X-ray diffraction study of the Cu₂Se-In₂Se₃-Cr₂Se₃ system near CuInCr₂Se₅](#)

[Immunosuppressive ent-kaurene diterpenoids from Isodon serra](#)

[Preferred conformations of peptides containing tert-leucine, a sterically demanding, lipophilic alpha-amino acid with a quaternary side-chain C-beta atom](#)

[Cytotoxic diterpenoids from the roots of Euphorbia ebracteolata](#)

[Highly stereoselective synthesis of \(E\)- and \(Z\)-alpha-fluoro-alpha,beta-unsaturated esters and \(E\)- and \(Z\)-alpha-fluoro-alpha,beta-unsaturated amides from 1-bromo-1-fluoroalkenes via palladium-catalyzed carbonylation reactions](#)

[Design of peptides with alpha,beta-dehydro residues: Synthesis, crystal structure and molecular conformation of a peptide N-Boc-Phe-triangle Phe-Ile-OCH₃](#)

[Solid-state inclusion compounds of small amphiphilic molecules \(CnEm\) in beta-cyclodextrin: a study at defined relative humidities](#)

[Isolation, characterization and crystal structure of cytotoxic ent-kaurane diterpenoids from Isodon weisiensis C. Y. Wu](#)

Cluster Metrics

Authors

kaptein, b 4

broxterman, qb 4

toniolo, c 3

formaggio, f 3

crisma, m 3

zhang, zj 2

zhang, ss 2

yang, dj 2

wang, h 2

teixeira-dias, jjc 2

sun, k 2

singh, tp 2

rafalska-lasocha, a 2

pramanik, a 2
moretto, a 2

Sources

planta medica 4
organic letters 4
zeitschrift fur naturforschung section b-a journal of chemical sciences 3
tetrahedron 3
organic & biomolecular chemistry 3
journal of peptide research 3
journal of organic chemistry 3
helvetica chimica acta 3
carbohydrate research 3
powder diffraction 2
macromolecules 2
journal of materials science 2
chinese chemical letters 2
chemistry-a european journal 2
bulletin of the chemical society of japan 2

Keywords

chemistry, multidisciplinary 23
chemistry, organic 15
materials science, multidisciplinary 8
chemistry, organic 8
chemistry, inorganic & nuclear 7
x-ray diffraction 7
polymer science 6
biochemistry & molecular biology 6
derivatives 6
chemistry, physical 5
chemistry, medicinal 5
pharmacology & pharmacy 5
peptides 5
crystal 5
acid 5

Publication Year

2005 92
2004 10

Country

peoples r china 18
japan 13
usa 12
germany 10

netherlands 7
spain 6
poland 6
france 6
italy 5
india 5
sweden 4
russia 4
south korea 3
mexico 3
england 3

Institution

chinese acad sci 7
russian acad sci 4
univ padua 3
univ utrecht 2
univ sydney 2
univ sci & technol china 2
univ sains malaysia 2
univ nacl autonoma mexico 2
univ lyon 1 2
univ karachi 2
univ calcutta 2
univ aveiro 2
qingdao univ sci & technol 2
polish acad sci 2
nw normal univ 2

DataBase

science citation index 102

• CLUSTER 203

Structural characterization and synthesis of compounds, emphasizing crystallography (especially single crystal x-ray diffraction) and NMR spectroscopy (280 Records)

(Countries: China dominant, USA, Germany. Institutions: RAS, CAS, Qingdao University S&T, Nankai University. USA includes University of Texas.).

Cluster Syntax Features

Descriptive Terms

compound 20.7%, crystal 5.7%, single.crystal.ray 3.6%, crystal.ray 3.6%, single.crystal 3.0%, structur 2.8%, nmr 2.7%, crystal.ray.diffraction 2.5%, diffract 2.0%, rai 1.9%, ring 1.8%, ray.diffraction 1.5%, synthesi 1.3%, crystal.structure 1.2%, singl 1.1%

Discriminating Terms

compound 13.0%, single.crystal.ray 2.5%, crystal.ray 2.4%, film 2.1%, single.crystal 1.8%, crystal 1.7%, crystal.ray.diffraction 1.7%, nmr 1.5%, surfac 1.0%, ring 1.0%, particl 0.7%, nanoparticl 0.7%, triazol 0.7%, crystal.structure 0.6%, phenyl 0.6%

Single Word Terms

structur 253, rai 248, diffract 237, compound 225, crystal 217, singl 166, synthesi 138, nmr 109, synthes 102, reaction 89, new 87, two 80, element 72, bond 69, beta 68

Double Word Terms

ray.diffraction 194, single.crystal 159, crystal.ray 140, crystal.structure 78, crystal.structures 37, synthesis.crystal 35, nmr.spectroscopy 34, solid.state 29, system.space 26, elemental.nmr 26, synthesis.structure 25, structure.single 25, title.compound 24, molecular.structure 22, structures.single 20

Triple Word Terms

single.crystal.ray 139, crystal.ray.diffraction 119, synthesis.crystal.structure 28, structure.single.crystal 25, structures.single.crystal 20, ray.diffraction.compound 18, monoclinic.system.space 13, ray.diffraction.crystal 11, structure.title.compound 10, structure.ray.diffraction 10, crystal.molecular.structure 10, crystal.structure.ray 9, nmr.single.crystal 9, spectroscopy.mass.spectrometry 8, compound.ray.diffraction 8

Term Cliques

60.13% compound crystal single.crystal structur nmr rai ring ray.diffraction synthesi crystal.structure singl

65.71% compound crystal single.crystal structur nmr diffract rai ray.diffraction synthesi crystal.structure singl

59.67% compound crystal single.crystal.ray crystal.ray single.crystal structur nmr

crystal.ray.diffraction rai ring ray.diffraction synthesi singl
64.40% compound crystal single.crystal.ray crystal.ray single.crystal structur nmr
crystal.ray.diffraction diffract rai ray.diffraction synthesi singl

Sample Cluster Record Titles

[Synthesis and characterization of new \(N -> B\) phenyl substituted\[N-benzyliminodiacetate-O,O',N\]boranes](#)

[Synthesis and structure of spirooxazines of the thieno\[3,2-b\]pyrroline series](#)

[Facile syntheses of new pyrazolo \[1,5-a\] pyrimidines derivatives via reactions of enaminones with aminopyrazole](#)

[Synthesis, crystal structure and biological activities of 2-4-fluorophenyl\)-2-oxo-1-\(1H-1,2,4-triazol-1-yl\) ethyl morpholine-4-carbodithioate](#)

[Synthesis and crystal structure of bis{\(mu-chloro\)-chloro-\[N-benzoyl-N'-\(2-hydroxyethyl\)thiourea\] mercury\(II\)}](#)

[Synthesis, crystal structure, and solid-state NMR spectroscopy of a salt-inclusion stannosilicate: \[Na₃F\]\[SnSi₃O₉\]](#)

[Synthesis of N-benzoyl-N'-arylselenoureas under phase transfer catalysis conditions and supramolecular crystal structure](#)

[Studies on synthesis, structure and biological activities of novel triazole compounds containing thioamide](#)

[Crystal and molecular structure of 2,3,5,6-bis\(ortho-1,10-decylidene\)dihydropyrazine](#)

Cluster Metrics

Authors

xu, lz 7
yin, hd 5
li, wh 5
hou, br 5
chernega, an 5
wen, lr 4
wang, xl 4
qin, yq 4
liu, w 4
li, m 4

li, k 4
antipin, my 4
zhu, cy 3
zhang, ym 3
zhang, ss 3

Sources

journal of organometallic chemistry 12
chinese journal of organic chemistry 12
zeitschrift fur anorganische und allgemeine chemie 10
russian journal of general chemistry 10
chemical research in chinese universities 10
chemical journal of chinese universities-chinese 10
journal of natural products 8
acta crystallographica section e-structure reports online 8
zeitschrift fur naturforschung section b-a journal of chemical sciences 7
journal of molecular structure 7
inorganica chimica acta 7
inorganic chemistry 7
chinese journal of inorganic chemistry 7
chinese journal of chemistry 7
russian chemical bulletin 6

Keywords

chemistry, multidisciplinary 84
chemistry, inorganic & nuclear 78
crystal structure 51
chemistry, organic 33
chemistry, organic 33
complexes 28
crystal-structure 24
derivatives 23
derivatives 20
chemistry, physical 19
chemistry, applied 18
crystal 18
chemistry 18
crystallography 16
crystal-structure 13

Publication Year

2005 228
2004 52

Country

peoples r china 93

usa 39
germany 38
russia 19
england 12
italy 10
spain 9
japan 9
ukraine 8
poland 8
india 8
france 8
canada 8
taiwan 6
south korea 6

Institution

russian acad sci 16
chinese acad sci 16
qingdao univ sci & technol 13
nankai univ 9
natl acad sci ukraine 7
ocean univ china 6
jilin univ 6
univ munich 5
univ durham 5
ne normal univ 5
zhejiang univ technol 4
univ wurzburg 4
univ texas 4
moscow mv lomonosov state univ 4
liaocheng univ 4

DataBase

science citation index 280

• CLUSTER 108

Crystal structure at the resolution of a few angstroms using single crystal x-ray diffraction (574 Records)

(Countries: China, followed by USA, followed by Russia, Germany, France. Institutions: CAS, RAS, Moscow Lomonosov State University, Jilin University, Nanjing University. USA includes University of North Texas.).

Cluster Syntax Features

Descriptive Terms

angstrom 47.1%, crystal 5.5%, beta 2.0%, space 2.0%, crystal.structure 1.9%, angstrom.beta 1.7%, structur 1.7%, compound 1.4%, h2o 1.1%, monoclin 1.0%, center 1.0%, single.crystal.ray 0.9%, crystal.ray.diffraction 0.9%, crystal.ray 0.9%, diffract 0.9%

Discriminating Terms

angstrom 32.1%, film 2.0%, crystal 1.6%, angstrom.beta 1.2%, crystal.structure 1.1%, surfac 0.9%, space 0.9%, beta 0.9%, nanoparticl 0.7%, particl 0.7%, monoclin 0.6%, carbon 0.6%, nanotub 0.6%, crystal.ray.diffraction 0.6%, single.crystal.ray 0.6%

Single Word Terms

angstrom 573, structur 525, rai 503, crystal 495, diffract 484, space 406, beta 332, singl 316, compound 256, two 247, monoclin 221, synthesi 200, synthes 196, bond 195, data 189

Double Word Terms

ray.diffraction 453, single.crystal 283, crystal.ray 261, crystal.structure 259, angstrom.beta 229, monoclinic.space 122, angstrom.alpha 115, synthesis.crystal 94, unit.cell 90, diffraction.data 80, crystal.structures 79, cell.parameters 77, structure.single 77, crystallizes.monoclinic 65, system.space 63

Triple Word Terms

single.crystal.ray 260, crystal.ray.diffraction 253, synthesis.crystal.structure 84, structure.single.crystal 74, ray.diffraction.data 65, powder.ray.diffraction 57, ray.diffraction.crystal 49, angstrom.alpha.beta 46, unit.cell.parameters 44, crystallizes.monoclinic.space 42, alpha.beta.gamma 40, center.dot.h2o 40, crystal.structure.single 37, monoclinic.system.space 30, structures.single.crystal 29

Term Cliques

57.17% angstrom crystal beta space angstrom.beta structur compound h2o monoclin center single.crystal.ray crystal.ray.diffraction crystal.ray diffract

58.72% angstrom crystal beta space crystal.structure angstrom.beta structur compound monoclin center single.crystal.ray crystal.ray.diffraction crystal.ray diffract

Sample Cluster Record Titles

[Crystal structure of human arginase I at 1.29-angstrom resolution and exploration of inhibition in the immune response](#)

[Crystal structure of poly\(dithiotriethylene adipate\)](#)

[Expression, purification and crystal structure of a truncated acylpeptide hydrolase from Aeropyrum pernix K1](#)

[Crystal structures of pentakis\(dimethyl sulfoxide\)dioxoneptunium\(VI\) silicotungstate, \[NpO₂\(DMSO\)₅\]\(2\)SiW₁₂O₄₀, and aquatetrakis\(dimethyl sulfoxide\)dioxouranium\(VI\) silicomolybdate hydrate, UO₂\(DMSO\)₄\(H₂O\)₂SiMo₁₂O₄₀ center dot H₂O](#)

[Synthesis and crystal structure of bis\[tetrachloroiron\(III\)\] 4,7,13,16,21,24-hexaoxa-1,10-diazoniabicyclo\[8.8.8\]hexacosane](#)

[Synthesis, crystal structure and properties of a organoammonium heteropoly complex, \(C₆H₁₈N₂\)\(3\)\[P₂Mo₅O₂₃\] center dot 4H₂O](#)

[Synthesis and crystal structure of one-dimensional cis-syn-cis-dicyclohexyl-18-crown-6 complexes: \[Na\(DC18C6-A\)\]\(2\)\[M\(mnt\)\(2\)\] \(M = Pd, Pt\)](#)

[A novel metal-organic coordination complex crystal: tri-allylthiourea zinc chloride \(ATZC\)](#)

[The crystal structure of 1-\(4-chlorophenyl\)-3-\(4-methylbenzoyl\)thiourea](#)

Cluster Metrics

Authors

yang, gy 13
zheng, st 10
chekhlov, an 8
zhang, j 7
wang, eb 7
zhang, y 6
richmond, mg 6
yakubovich, ov 5
xu, rr 5
xu, l 5
xu, dj 5
tu, sj 5
sergienko, vs 5
nowogrocki, g 5
li, gh 5

Sources

chinese journal of structural chemistry 56
journal of solid state chemistry 52
inorganic chemistry 39
journal of chemical crystallography 32
zeitschrift fur anorganische und allgemeine chemie 23
solid state sciences 20
journal of molecular structure 20
journal of alloys and compounds 19
crystallography reports 18
journal of structural chemistry 16
chemistry of materials 16
russian journal of inorganic chemistry 12
russian journal of coordination chemistry 11
journal of coordination chemistry 11
synthesis and reactivity in inorganic metal-organic and nano-metal chemistry 9

Keywords

chemistry, inorganic & nuclear 265
crystal structure 116
chemistry, physical 95
crystallography 86
chemistry, physical 70
crystallography 63
crystal-structure 59
materials science, multidisciplinary 48
crystal-structure 47
chemistry 46
spectroscopy 42

crystal structure 39
complexes 38
x-ray diffraction 33
crystal 32

Publication Year

2005 472
2004 100
2006 2

Country

peoples r china 162
usa 101
russia 76
germany 49
france 44
india 27
japan 25
canada 23
italy 22
south korea 18
england 18
austria 18
poland 14
spain 12
taiwan 9

Institution

chinese acad sci 49
russian acad sci 47
moscow mv lomonosov state univ 23
jilin univ 15
nanjing univ 14
univ vienna 10
nankai univ 10
ne normal univ 9
xuzhou normal univ 8
zhejiang univ 7
univ tokyo 7
suzhou univ 7
univ n texas 6
st petersburg state univ 6
polish acad sci 6

DataBase

science citation index 574

- **CLUSTER 148**

Crystal and bond structure of coordination polymers, complexes, hydrates, and other compounds, emphasizing studies on hydrogen bonds and single crystal x-ray diffraction (306 Records)

(Countries: China very dominant, Germany, USA, France. Institutions: CAS, Jilin University, Nankai University, Nanjing University.).

Cluster Syntax Features

Descriptive Terms

center 14.2%, dot 9.6%, h2o 5.6%, crystal 5.3%, coordin 2.4%, bond 2.0%, compound 2.0%, crystal.structure 1.8%, structur 1.6%, hydrogen 1.6%, complex 1.4%, single.crystal.ray 1.1%, crystal.ray 1.1%, single.crystal 1.0%, dimension 1.0%

Discriminating Terms

center 9.3%, dot 4.7%, h2o 3.8%, film 2.2%, crystal 1.6%, coordin 1.4%, crystal.structure 1.1%, surfac 1.0%, compound 0.8%, nanoparticl 0.8%, bond 0.7%, particl 0.7%, single.crystal.ray 0.7%, crystal.ray 0.7%, carbon 0.7%

Single Word Terms

structur 271, crystal 255, rai 243, diffract 216, center 197, dot 182, singl 167, synthes 154, bond 150, compound 149, two 148, synthesi 148, space 147, hydrogen 133, form 128

Double Word Terms

ray.diffraction 194, single.crystal 158, crystal.structure 135, crystal.ray 129, synthesis.crystal 83, hydrogen.bonds 79, one.dimension 55, three.dimension 54, system.space 49, diffraction.crystal 43, coordination.polymer 42, monoclinic.space 39, water.molecules 39, oxygen.atoms 34, crystal.structures 32

Triple Word Terms

single.crystal.ray 129, crystal.ray.diffraction 118, synthesis.crystal.structure 77, ray.diffraction.crystal 35, h2o.center.dot 27, center.dot.h2o 26, monoclinic.system.space 25, center.dot.hydrogen 21, structure.single.crystal 21, ray.single.crystal 20, crystal.structure.ray 19, diffraction.crystal.belongs 19, single.crystal.diffraction 16, structure.ray.diffraction 15, one-dimensional.chain 15

Term Cliques

51.99% crystal bond crystal.structure structur hydrogen complex single.crystal.ray crystal.ray single.crystal dimension
53.10% crystal bond compound crystal.structure structur hydrogen single.crystal.ray crystal.ray single.crystal dimension
51.57% crystal coordin bond crystal.structure structur complex single.crystal.ray crystal.ray single.crystal dimension
52.68% crystal coordin bond compound crystal.structure structur single.crystal.ray crystal.ray single.crystal dimension
50.42% h2o crystal coordin crystal.structure structur complex single.crystal.ray crystal.ray single.crystal dimension
51.54% h2o crystal coordin compound crystal.structure structur single.crystal.ray crystal.ray single.crystal dimension
55.08% center dot crystal bond crystal.structure structur hydrogen complex single.crystal.ray crystal.ray single.crystal
56.09% center dot crystal bond compound crystal.structure structur hydrogen single.crystal.ray crystal.ray single.crystal
55.10% center dot h2o crystal crystal.structure structur complex single.crystal.ray crystal.ray single.crystal
56.21% center dot h2o crystal compound crystal.structure structur single.crystal.ray crystal.ray single.crystal

Sample Cluster Record Titles

[A new one-dimensional coordination polymer \[Co\(CCl₃COO\)\(2\)\(CH₃OH\)\(2\)\(μ-4,4'-bipy\)\]\(n\): Synthesis and structural aspects](#)

[Iron\(II\) and nickel\(II\)-thiocyanato complexes of 1-alkyl-2-\(aryloxy\)imidazole: single crystal X-ray structure of \[Fe\(MeaiEt\)\(2\)\(NCS\)\(2\)\] \(MeaiEt=1-ethyl-2-\(p-tolyloxy\)imidazole\) and \[Ni\(MeaiMe\)\(NCS\)\(2\)\(H₂O\)\(2\)\] center dot 2DMF \(MeaiMe=1-methyl-2-\(p-tolyloxy\)imidazole\)](#)

[Synthesis of a metal-dicarboxylate hybrid with three dimensional Na-O-Cu connectivity: structure, magnetic property and controlled solid state thermolysis leading to CuO nanorod](#)

[Study on synthesis, structure and properties of the N,N '-dibenzyl-benzimidazolium tetrachlorocuprate\(II\) complex](#)

[Synthesis and crystal structure of a novel two-dimensional network copper\(II\) coordination polymer {Cu\(mu\(2\)-C10H8N2O3\)\(mu\(2\)-C6H12N4\)\(1/2\)}\(n\)](#)

[Coordination network: synthesis, characterization, crystal structure and packing of thallium m-nitrobenzenesulfonate, Tl\(m-NO2C6H4SO3\)](#)

[Synthesis and crystal structure of polymeric aqua \(2,2 '-bipyridine\)\(mu-isonicotinato\)copper\(II\) nitrate dihydrate](#)

[Investigations of the structure of H2O clusters adsorbed on TiO2 surfaces by near-infrared absorption spectroscopy](#)

[Crystal and electronic structure of novel organic-inorganic hybrid coordination polymer {\[C12H28N2\]\[\(Pb3I8\) \(DMF\)\(2\)\]center dot 2DMF}\(n\)](#)

Cluster Metrics

Authors

gao, s 13
zhao, h 11
huo, lh 11
xu, l 10
wang, eb 9
zhao, jg 8
li, yz 8
li, gh 8
yu, jh 7
zhang, y 6
xu, rr 5
wang, j 5
taulelle, f 5
lu, wg 5
lu, ld 5

Sources

chinese journal of inorganic chemistry 64
journal of molecular structure 16
inorganic chemistry 14
acta chimica sinica 12
chinese journal of structural chemistry 11
acta crystallographica section e-structure reports online 9

zeitschrift fur anorganische und allgemeine chemie 8
chemical journal of chinese universities-chinese 8
acta crystallographica section c-crystal structure communications 8
chinese journal of chemistry 7
journal of coordination chemistry 6
crystengcomm 6
crystal growth & design 6
comptes rendus chimie 6
journal of the american chemical society 5

Keywords

chemistry, inorganic & nuclear 141
crystal structure 101
chemistry, multidisciplinary 70
complexes 46
crystallography 33
chemistry, physical 33
crystal-structure 27
crystal 23
hydrothermal synthesis 22
synthesis 21
crystal-structure 19
chemistry 19
hydrothermal synthesis 18
design 18
crystallography 18

Publication Year

2005 279
2004 27

Country

peoples r china 174
germany 27
usa 20
france 18
russia 14
japan 14
india 13
canada 10
poland 9
england 8
italy 7
spain 6
south korea 5
taiwan 4

switzerland 4

Institution

chinese acad sci 26

jilin univ 17

nankai univ 12

nanjing univ 11

heilongjiang univ 10

russian acad sci 9

ne normal univ 9

nanjing univ sci & technol 6

guangxi normal univ 6

adam mickiewicz univ poznan 6

zhejiang univ 5

univ versailles 5

suzhou univ 5

shaoguan univ 5

nw univ xian 5

DataBase

science citation index 306

- **CLUSTER 125**

Metal complexes and coordination polymers, especially copper (Cu), cadmium (Cd), and pyridyl compounds, with emphasis on synthesis and crystal structure (205 Records)

(Countries: China very dominant, USA, Germany, Spain. Institutions: CAS dominant, Nanjing University, University of Barcelona, Nankai University.).

Cluster Syntax Features

Descriptive Terms

cu 15.6%, complex 9.1%, coordin 5.8%, ligand 5.6%, copper 4.2%, center 3.9%, h2o 2.8%, bridg 2.4%, dot 2.2%, clo4 1.7%, coordination.polymers 1.1%, bi 1.1%, cd 1.1%, pyridyl 1.0%, structur 0.8%

Discriminating Terms

cu 9.2%, complex 4.3%, coordin 3.7%, ligand 3.3%, copper 2.3%, film 2.1%, center 2.0%, h2o 1.7%, bridg 1.5%, clo4 1.2%, surfac 1.0%, coordination.polymers 0.8%, nanoparticl 0.7%, particl 0.7%, pyridyl 0.7%

Single Word Terms

complex 168, structur 165, ligand 149, rai 144, cu 123, coordin 122, crystal 122, two 118, diffract 114, copper 88, center 87, bridg 85, form 83, reaction 82, synthes 78

Double Word Terms

ray.diffraction 104, single.crystal 64, crystal.ray 58, coordination.polymers 41, crystal.structure 36, one.dimension 34, two.dimension 31, crystal.structures 30, self.assembly 30, coordination.polymer 23, synthesis.crystal 23, copper.complexes 22, magnetic.susceptibility 22, verlag.gmbh 22, vch.verlag 22

Triple Word Terms

single.crystal.ray 58, crystal.ray.diffraction 49, vch.verlag.gmbh 22, gmbh.co.kgaa 19, verlag.gmbh.co 19, co.kgaa.69451 18, kgaa.69451.weinheim 18, center.dot.h2o 18, synthesis.crystal.structure 13, structures.single.crystal 13, h2o.center.dot 12, center.dot.cu 10, distorted.square.pyramidal 10, no3.center.dot 10, magnetic.susceptibility.measurements 10

Term Cliques

40.91% coordin ligand h2o clo4 coordination.polymers bi pyridyl structur
40.73% coordin ligand h2o clo4 coordination.polymers bi cd structur
44.09% coordin ligand center h2o coordination.polymers bi pyridyl structur
45.00% coordin ligand center h2o dot coordination.polymers pyridyl structur
43.63% coordin ligand center h2o bridg coordination.polymers bi cd structur
44.44% coordin ligand center h2o bridg dot coordination.polymers cd structur
57.80% complex ligand copper bridg bi structur
59.02% complex ligand copper bridg dot structur
48.66% complex coordin ligand h2o clo4 bi pyridyl structur
48.48% complex coordin ligand h2o clo4 bi cd structur
51.83% complex coordin ligand center h2o bi pyridyl structur
52.74% complex coordin ligand center h2o dot pyridyl structur
50.51% complex coordin ligand center h2o bridg bi cd structur
51.33% complex coordin ligand center h2o bridg dot cd structur
62.44% cu complex ligand clo4 structur
63.25% cu complex ligand copper bridg structur

Sample Cluster Record Titles

[Synthesis, crystal structures and spectroscopic characterization of two neutral heterobimetallic clusters \$MS_4Cu_4\(pz\(Me_2\)\)\(6\)X-2\$ \(where \$M = Mo\$ \(1\) or \$W\$ \(2\), \$X = Cl\$ \(1\) or disordered \$Cl/Br\$ \(2\), and \$pz\(Me_2\)=3,5\$ -dimethylpyrazole\)](#)

[Novel copper\(II\)-dien-imidazole/imidazolate-bridged copper\(II\) complexes - Crystal structure of \$\[Cu\(dien\)\(Him\)\]\(ClO_4\)_2\$ and of \$\[\(dien\)Cu\(\mu-im\)Cu\(dien\)\]\(ClO_4\)_3\$, a homobinuclear model for the copper\(II\) site of the CuZn-superoxide dismutase](#)

[Copper coordination compounds of chelating imidazole-azo-aryl ligand. The molecular structures of bis\[1-ethyl-2-\(p-tolylazo\)imidazole\]-bis-\(azido\)copper\(II\) and bis\[1-methyl-2-\(phenylazo\)imidazole\]-bis\(thiocyanato\)copper\(II\)](#)

[Luminescent Zn and Cd coordination polymers](#)

[Copper\(II\) and nickel\(II\) complexes of N,N-bis\(2-hydroxyethyl\)octamethyl-1,4,8,11-tetraazacyclotetradecane](#)

[Synthesis and crystal structure of bridge binuclear Schiff base Cu\(II\) complex](#)

[Self-assembly of copper\(II\) complexes with a dibasic tridentate ligand and monodentate N-heterocycles: structural, magnetic and EPR studies](#)

[Syntheses, structures and characteristic of three copper\(II\) coordination polymers with flexible ligand 1,4-bis\(1,2,4-triazol-1-ylmethyl\)benzene](#)

[Synthesis, structure, and fluorescence of two cadmium\(II\)-citrate coordination polymers with different coordination architectures](#)

Cluster Metrics

Authors

lloret, f 7

li, yz 5

kim, c 5

julve, m 5

zhang, y 4

zhang, j 4

yuan, dq 4

yao, yg 4

lu, cz 4

li, bl 4

kim, y 4

hong, sj 4

hong, mc 4

han, l 4

fenske, d 4

Sources

european journal of inorganic chemistry 23

inorganic chemistry 20

inorganica chimica acta 17

journal of molecular structure 13

synthesis and reactivity in inorganic metal-organic and nano-metal chemistry 12

dalton transactions 9

chemical communications 9

inorganic chemistry communications 8
polyhedron 7
new journal of chemistry 7
crystal growth & design 7
zeitschrift fur anorganische und allgemeine chemie 6
journal of coordination chemistry 4
crystengcomm 4
transition metal chemistry 3

Keywords

chemistry, inorganic & nuclear 112
chemistry, multidisciplinary 44
complexes 43
crystal-structure 32
ligands 27
crystal structure 23
complexes 22
chemistry 20
crystal-structures 19
network 18
magnetic-properties 18
magnetic-properties 16
chemistry, physical 16
crystallography 15
networks 15

Publication Year

2005 182
2004 23

Country

peoples r china 76
usa 21
germany 19
spain 18
japan 16
india 16
england 15
italy 13
south korea 8
poland 7
taiwan 6
canada 6
turkey 5
russia 5
greece 5

Institution

chinese acad sci 20
nanjing univ 9
univ barcelona 8
nankai univ 8
univ valencia 7
suzhou univ 5
ewha womans univ 5
univ nottingham 4
univ karlsruhe 4
russian acad sci 4
jilin univ 4
univ wroclaw 3
univ sci & technol china 3
univ parma 3
univ ioannina 3

DataBase

science citation index 205

• CLUSTER 136

Metal complexes and coordination polymers, focusing on structure and reactivity, especially of nickel (Ni) complexes, chelates, and pyridines (237 Records)

(Countries: USA, China, Germany. Institutions: RAS, Nankai University, CAS. USA includes University of South Carolina.).

Cluster Syntax Features

Descriptive Terms

ligand 53.3%, complex 9.2%, coordin 3.5%, bi 1.1%, metal 0.9%, bridg 0.8%, compound 0.8%, atom 0.6%, structur 0.5%, chelat 0.5%, two 0.5%, crystal 0.4%, ni 0.4%, reaction 0.3%, pyridin 0.3%

Discriminating Terms

ligand 36.2%, complex 4.3%, coordin 2.1%, film 2.0%, surfac 0.9%, particl 0.7%, carbon 0.6%, nanoparticl 0.6%, nanotub 0.6%, layer 0.6%, temperatur 0.5%, bi 0.5%, phase 0.5%, deposit 0.5%, magnet 0.4%

Single Word Terms

ligand 237, complex 176, structur 155, rai 116, coordin 116, two 105, metal 102, diffract 100, crystal 98, synthesi 83, atom 80, synthes 74, reaction 73, compound 68, form 65

Double Word Terms

ray.diffract 91, single.crystal 49, crystal.ray 42, crystal.structure 33, solid.state 31, self.assembly 26, metal.complexes 22, crystal.structures 21, nmr.spectroscopy 18, oxygen.atoms 16, distorted.octahedral 15, room.temperature 14, metal.ligand 13, transition.metal 13, vch.verlag 13

Triple Word Terms

single.crystal.ray 42, crystal.ray.diffract 37, vch.verlag.gmbh 13, co.kgaa.69451 11, kgaa.69451.weinheim 11, verlag.gmbh.co 11, gmbh.co.kgaa 11, synthesis.crystal.structure 9, structures.ray.diffract 9, schiff.base.ligand 7, density.functional.theory 7, ray.diffract.complex 6, ligand.charge.transfer 6, metal.ligand.charge 6, complexes.single.crystal 5

Term Cliques

40.88% ligand coordin bi compound atom structur chelat pyridin
40.89% ligand coordin bi bridg compound atom structur two crystal reaction pyridin
44.82% ligand complex coordin metal atom structur chelat ni pyridin
45.03% ligand complex coordin metal bridg atom structur two crystal ni pyridin
46.18% ligand complex coordin bi metal atom structur chelat pyridin
44.87% ligand complex coordin bi metal bridg atom structur two crystal reaction pyridin

Sample Cluster Record Titles

[Synthesis of mono-coordinate iron\(II\)-phen complex via a solid state ligand exchange process from iron\(II\) oxalate dihydrate at room temperature under mechanical stressing](#)

[Coordination studies of 5,6-diphenyl-3-\(2-pyridyl\)-1,2,4-triazine towards Zn²⁺ cation. Synthesis and characterization by X-ray diffraction and spectroscopic methods](#)

[Mixed-ligand complexes of Ni\(i-Bu₂PS₂\)\(2\) with 4-aminopyridine. Structure of \[Ni\(4-NH₂Py\)\(i-Bu₂PS₂\)\(2\)\]](#)

[Trinuclear nickel complexes with triplesalen ligands: Simultaneous occurrence of mixed valence and valence tautomerism in the oxidized species](#)

[Anion template effect and the polymerization degree - Diversity through flexibility](#)

[Abiotic metallofoldamers as electrochemically responsive molecules](#)

[Synthesis, crystal structure and magnetic properties of dinuclear nickel\(II\) complex](#)

[Aqueous electrochemistry of binuclear copper complex with Robson-type ligand: dissolved versus surface-immobilized reactant](#)

[Synthesis and coordination chemistry of fluorinated xanthate ligands](#)

Cluster Metrics

Authors

lehn, jm 5
bu, xh 5
adams, rd 4
zhang, rh 3
zhang, j 3
yin, hd 3
ruzicka, a 3
li, jr 3
lang, es 3
jambor, r 3
holecek, j 3
dostal, l 3
cisarova, i 3
zhu, wx 2
zheng, xj 2

Sources

inorganic chemistry 22
journal of the american chemical society 13
inorganica chimica acta 13
european journal of inorganic chemistry 13
zeitschrift fur anorganische und allgemeine chemie 12
journal of organometallic chemistry 12
synthesis and reactivity in inorganic metal-organic and nano-metal chemistry 11
polyhedron 7
chemistry-a european journal 7
organometallics 6
chemical communications 4
angewandte chemie-international edition 4
russian journal of inorganic chemistry 3
russian journal of coordination chemistry 3

langmuir 3

Keywords

chemistry, inorganic & nuclear 110

chemistry, multidisciplinary 57

complexes 43

complexes 28

chemistry, organic 23

crystal-structure 20

chemistry 20

chemistry, physical 19

crystal-structures 16

crystal structure 16

copper(ii) 16

coordination 14

ligands 13

derivatives 12

crystal 12

Publication Year

2005 214

2004 21

2006 2

Country

usa 50

peoples r china 41

germany 31

spain 19

france 16

russia 14

japan 13

india 11

south korea 10

italy 9

england 9

canada 9

switzerland 6

czech republic 6

turkey 5

Institution

russian acad sci 8

nankai univ 8

chinese acad sci 8

univ s carolina 5

univ pardubice 4
nanjing univ 4
liaocheng univ 4
beijing normal univ 4
univ wurzburg 3
univ strasbourg 1 3
univ milan 3
univ jyvaskyla 3
univ fed santa maria 3
univ durham 3
univ british columbia 3

DataBase

science citation index 237

• CLUSTER 207

Metal complexes and coordination polymers, emphasizing structure, reactivity, NMR spectroscopy, and synthesis, especially of platinum (Pt) and chlorine (Cl) complexes (647 Records)

(Countries: China dominant, USA, Germany, Japan, Russia. Institutions: RAS, CAS, followed by Nanjing University, CNR.).

Cluster Syntax Features

Descriptive Terms

complex 57.5%, ligand 2.8%, iii 1.7%, structur 0.8%, cl 0.7%, coordin 0.6%, crystal 0.6%, reaction 0.6%, metal 0.6%, beta 0.6%, nmr 0.5%, compound 0.5%, bi 0.5%,

synthesi 0.4%, pt 0.4%

Discriminating Terms

complex 40.0%, film 2.1%, ligand 1.6%, iii 1.0%, surfac 0.9%, particl 0.7%, nanoparticl 0.7%, carbon 0.6%, nanotub 0.6%, layer 0.6%, deposit 0.5%, temperatur 0.5%, size 0.4%, si 0.4%, cl 0.4%

Single Word Terms

complex 640, structur 416, rai 321, ligand 275, diffract 262, crystal 229, synthesi 226, two 206, reaction 198, metal 186, synthes 181, form 164, atom 146, properti 145, nmr 143

Double Word Terms

ray.diffractiion 225, single.crystal 94, crystal.ray 84, crystal.structure 67, solid.state 64, crystal.structures 55, nmr.spectroscopy 41, metal.complexes 37, room.temperature 34, molecular.structures 34, iii.complexes 33, square.planar 32, metal.ions 30, structure.complex 29, structures.complexes 29

Triple Word Terms

single.crystal.ray 83, crystal.ray.diffractiion 65, vch.verlag.gmbh 20, structures.ray.diffractiion 19, differential.scanning.calorimetry 18, gmbh.co.kgaa 18, verlag.gmbh.co 18, complexes.ray.diffractiion 17, co.kgaa.69451 17, kgaa.69451.weinheim 17, powder.ray.diffractiion 15, ray.diffractiion.complexes 15, complexes.single.crystal 15, ray.crystal.structure 14, atomic.force.microscopy 13

Term Cliques

40.44% complex ligand structur coordin crystal reaction beta compound synthesi
35.03% complex ligand structur cl crystal reaction nmr compound bi synthesi pt
36.22% complex ligand structur cl crystal reaction metal nmr compound synthesi pt
36.36% complex ligand structur cl coordin crystal reaction nmr compound bi synthesi
37.56% complex ligand structur cl coordin crystal reaction metal nmr compound synthesi
35.36% complex ligand iii structur cl coordin nmr compound bi synthesi
36.68% complex ligand iii structur cl coordin metal nmr compound synthesi

Sample Cluster Record Titles

[Spectroscopic evidence for Pt-Pt interaction in a Langmuir-Blodgett film of an amphiphilic platinum\(II\) complex](#)

[Synthesis, characterization, and cytotoxic activity of copper\(II\) and platinum\(II\) complexes of 2-benzoylpyrrole and X-ray structure of bis\[2-benzoylpyrrolato\(N,O\)\]copper\(II\)](#)

[Bimetallic cluster complexes: synthesis, structures and applications to catalysis](#)

[Fluorescent self-assembled monolayers of bis\(salicylaldiminato\)zinc\(II\) Schiff-base complexes](#)

[Synthesis, characterisation, electrochemistry and luminescence studies of 9-anthrylgold\(I\) complexes](#)

[Metal complexes for molecular electronics and photonics](#)

[Synthesis of nanometer amino acid heteropoly charge-transfer complex \(HPhe\)\(3\)PMo12O40 center dot 2H\(2\)O by one step solid state reaction at room temperature](#)

[Synthesis of phosphorescent platinum complexes with 3-aryl pyridazine as prominent emitting materials in organic light-emitting device](#)

[Self-assembled nanowires of lipid-packaged halogen-bridged platinum complexes formed by one-pot oxidation of Pt\(en\)\(2\) complexes by Au\(III\) ions](#)

Cluster Metrics

Authors

yam, vww 9
zhu, ny 6
perez, j 6
zhang, y 5
yu, kb 5
white, ah 5
wang, y 5
skelton, bw 5
pillinger, m 5
nam, w 5
li, yz 5
li, l 5
kim, km 5
goncalves, is 5
antipin, my 5

Sources

synthesis and reactivity in inorganic metal-organic and nano-metal chemistry 48
organometallics 27
journal of organometallic chemistry 23
inorganica chimica acta 23
inorganic chemistry 21

dalton transactions 21
european journal of inorganic chemistry 20
russian chemical bulletin 16
chinese journal of inorganic chemistry 15
journal of the american chemical society 14
chemistry-a european journal 14
polyhedron 13
zeitschrift fur anorganische und allgemeine chemie 10
journal of physical chemistry b 10
inorganic chemistry communications 9

Keywords

chemistry, inorganic & nuclear 223
chemistry, multidisciplinary 131
ligands 74
chemistry, physical 62
chemistry, organic 57
complexes 51
crystal-structure 48
crystal structure 47
complexes 45
chemistry 43
crystal-structure 36
derivatives 34
polymer science 27
metal-complexes 27
luminescence 26

Publication Year

2005 571
2004 70
2006 6

Country

peoples r china 151
usa 75
germany 64
japan 55
russia 50
india 44
spain 34
italy 27
france 26
south korea 25
england 23
taiwan 19

australia 17
canada 15
switzerland 12

Institution

russian acad sci 41
chinese acad sci 39
nanjing univ 11
cnr 10
univ tokyo 9
univ hong kong 9
natl sun yat sen univ 9
nankai univ 9
moscow mv lomonosov state univ 9
zhejiang univ 7
univ sci & technol china 7
univ murcia 7
univ aveiro 7
osaka univ 7
ewha womans univ 7

DataBase

science citation index 647

• CLUSTER 23

Structure, reactions, and synthesis of metal complexes, especially arene complexes and those containing chlorine (Cl), the hemilabile ligand, amines, and zirconium (Zr) (126 Records)

(Countries: Spain, USA, China. Institutions: RAS, University of Zaragoza, University Alcala de Henares. USA Include University of North Texas, University of Houston.).

Cluster Syntax Features

Descriptive Terms

eta 58.1%, complex 6.6%, eta.eta 2.7%, cl 1.3%, pph2 1.1%, ch2 1.0%, eta.c5h5 1.0%, ligand 1.0%, reaction 0.9%, c5h5 0.9%, nme2 0.8%, zr 0.7%, sime3 0.6%, thf 0.6%, ru 0.5%

Discriminating Terms

eta 33.9%, complex 2.3%, film 1.7%, eta.eta 1.6%, surfac 0.8%, pph2 0.6%, cl 0.6%, nanoparticl 0.6%, eta.c5h5 0.6%, particl 0.6%, c5h5 0.5%, layer 0.5%, ch2 0.5%, magnet 0.5%, nanotub 0.5%

Single Word Terms

structur 115, complex 110, rai 109, eta 107, diffract 99, reaction 91, ligand 71, compound 62, crystal 56, synthesi 51, yield 51, afford 49, molecular 48, nmr 44, cl 41

Double Word Terms

ray.diffract 59, eta.eta 37, single.crystal 30, molecular.structures 29, crystal.ray 29, eta.c5h5 23, nmr.spectroscopy 22, complexes.eta 20, solid.state 17, fe.eta 16, molecular.structure 16, vch.verlag 14, verlag.gmbh 14, crystal.structure 14, structures.complexes 12

Triple Word Terms

single.crystal.ray 29, vch.verlag.gmbh 14, crystal.ray.diffract 14, verlag.gmbh.co 10, kga.69451.weinheim 9, co.kga.69451 9, gmbh.co.kga 9, structure.ray.diffract 8, eta.eta.eta 8, solid.state.structure 7, molecular.structures.ray 7, eta.c5h5.fe 6, eta.c5h4.fe 6, c5h5.fe.eta 6, fe.eta.eta 6

Term Cliques

38.49% pph2 ligand reaction ru
38.69% pph2 ligand reaction zr
15.48% pph2 eta.c5h5 c5h5 ru
15.67% pph2 eta.c5h5 c5h5 zr
29.76% pph2 ch2 reaction ru
29.96% pph2 ch2 reaction zr
41.38% complex cl ligand reaction zr sime3 thf
40.70% complex cl ligand reaction nme2 zr sime3
28.23% complex cl eta.c5h5 c5h5 zr sime3 thf
40.61% complex cl ch2 reaction zr thf
45.37% complex eta.eta ligand reaction sime3 thf
44.58% complex eta.eta ligand reaction nme2 sime3

57.80% eta complex cl ligand reaction ru
58.20% eta complex cl ligand reaction thf
42.46% eta complex cl eta.c5h5 c5h5 ru
42.86% eta complex cl eta.c5h5 c5h5 thf
51.98% eta complex cl ch2 reaction ru
52.38% eta complex cl ch2 reaction thf
57.28% eta complex eta.eta ligand reaction ru
57.67% eta complex eta.eta ligand reaction thf
51.46% eta complex eta.eta ch2 reaction ru
51.85% eta complex eta.eta ch2 reaction thf

Sample Cluster Record Titles

[Unexpected hydride addition to azobenzene mediated by metallic samarium: Synthesis and molecular structure of \(ArO\)\(THF\)\(2\)Sm\(eta\(2\)-PhNHNPh\)\(2\) \(Ar = C6H2-t-Bu-2,6-Me-4\)](#)

[Allyl\(acetylacetonato\)palladium \(II\) complexes: versatile precursors for the synthesis of dimeric allylpalladium \(II\) complexes](#)

[The synthesis and characterisation of bis\(phosphane\)-linked \(eta\(6\)-p-cymene\)ruthenium\(II\)-borane compounds](#)

[\(eta\(5\)-pentamethylcyclopentadienyl\)iridium\(III\) complexes with eta\(2\)-N,O and eta\(2\)-P,S ligands](#)

[Reaction of aryl azides with tris\(trimethylsilyl\)silyllithium: Synthesis of tmeda or thf adducts of \[Li{N\(Ar\)Si\(SiMe3\)\(3\)}\] and 1,4-trimethylsilyl migration from oxygen to nitrogen](#)

[Synthesis of elastomeric polypropylene in bulk using C-1-symmetric ansa-metallocenes. New aspects of the synthesis of 1-\(fluoren-9-yl\)-2-\(2-methyl-5,6-dihydrocyclopenta\[f\]-1H-inden-1-yl\)ethane and complexes of zirconium and hafnium with this ligand](#)

[Aryl-imido niobium complexes with chloro-silyl and aryl-eta-amidosilyl cyclopentadienyl ligands: X-ray structure of the constrained-geometry compound \[Nb\(eta\(5\)-C5H4SiMe2-eta\(1\)-NAr\)\(NAr\)Cl\] \(Ar=2,6-Me2C6H3\)](#)

[Synthesis, structural characterization, and reactivity of 13-vertex lanthanacarboranes bearing eta\(7\)-arachno-carboranyl ligands](#)

[Activation of 1,3,5-trimethyl-1,3,5-triazacyclohexane by OS3\(CO\)\(12\) to form amidino \[\(MeN\)\(2\)CH\] cluster complexes](#)

Cluster Metrics

Authors

zanotti, v 5
zacchini, s 5
petrovskii, pv 5
marchetti, f 5
kollipara, mr 5
govindaswamy, p 5
busetto, l 5
royo, p 4
mosquera, meg 4
kudinov, ar 4
krut'ko, dp 4
churakov, av 4
veksler, en 3
teixeira-dias, jjc 3
starikova, za 3

Sources

organometallics 36
journal of organometallic chemistry 27
european journal of inorganic chemistry 14
inorganic chemistry 11
russian chemical bulletin 5
polyhedron 4
dalton transactions 4
journal of the american chemical society 3
inorganica chimica acta 3
inorganic chemistry communications 2
chinese journal of chemistry 2
chemistry-a european journal 2
synthetic communications 1
synthesis and reactivity in inorganic metal-organic and nano-metal chemistry 1
new journal of chemistry 1

Keywords

chemistry, inorganic & nuclear 102
chemistry, organic 63
reactivity 26
ligands 22
chemistry 22
chemistry, multidisciplinary 17
crystal-structure 17
molecular-structure 15
derivatives 15

complexes 14
crystal-structure 12
ligand 11
crystal 11
ligands 10
molecular-structure 9

Publication Year

2005 110
2004 16

Country

spain 23
usa 20
peoples r china 17
russia 12
italy 11
germany 11
france 9
england 8
india 7
japan 6
canada 5
switzerland 4
portugal 4
poland 3
south korea 2

Institution

russian acad sci 10
univ zaragoza 7
univ alcala de henares 7
univ bologna 6
chinese acad sci 5
ne hill univ 4
moscow mv lomonosov state univ 4
univ porto 3
univ oviedo 3
univ n texas 3
univ houston 3
univ castilla la mancha 3
univ bourgogne 3
univ aveiro 3
nankai univ 3

• CLUSTER 45

Ruthenium (Ru) complexes (especially those containing bipyridine, triphenylphosphine [PPh₃], and chlorine [Cl]), including investigations of structure, reactivity, and synthesis, as well as x-ray diffraction studies (112 Records)

(Countries: USA dominant, Japan, Switzerland, Italy, Germany.
Institutions: National Taiwan University, CNR. USA include University of Miami, University of South Carolina.).

Cluster Syntax Features

Descriptive Terms

ru 44.4%, complex 8.5%, bpy 6.9%, ruthenium 5.0%, os 1.9%, ligand 1.9%, pph3 1.9%, cl 1.2%, tpy 1.0%, ru.bpy 0.9%, bipyridin 0.8%, ruthenium.complexes 0.7%, rucl 0.7%, bridg 0.7%, compound 0.6%

Discriminating Terms

ru 27.1%, bpy 4.3%, complex 3.4%, ruthenium 3.0%, film 1.6%, os 1.2%, pph3 1.1%, ligand 0.8%, surfac 0.8%, tpy 0.7%, particl 0.6%, cl 0.6%, ru.bpy 0.6%, nanoparticl 0.6%, layer 0.5%

Single Word Terms

ru 99, complex 93, structur 73, ruthenium 68, ligand 61, rai 55, reaction 54, diffract 50, crystal 43, electron 39, compound 38, synthesi 37, metal 37, two 35, new 34

Double Word Terms

ray.diffraction 43, crystal.ray 28, single.crystal 28, ruthenium.complexes 27, complexes.ru 19, ru.ru 17, ru.bpy 17, bpy.bipyridine 16, complex.ru 16, ruthenium.complex 12, cyclic.voltammetry 12, molecular.structures 10, compounds.ru 10, ru.iii 10, room.temperature 9

Triple Word Terms

single.crystal.ray 28, crystal.ray.diffraction 24, structures.single.crystal 6, ru.bpy.bpy 5, ligand.charge.transfer 5, metal.ligand.charge 5, ru.ru.bond 5, structure.ray.diffraction 5, co.kgaa.69451 5, vch.verlag.gmbh 5, gmbh.co.kgaa 5, verlag.gmbh.co 5, kgaa.69451.weinheim 5, ru.ru.bonds 4, dye.sensitized.solar 4

Term Cliques

31.61% complex pph3 ruthenium.complexes rucl bridg
32.14% complex os tpy bridg
32.14% complex os cl tpy
36.46% complex ruthenium pph3 cl ruthenium.complexes rucl
51.34% ru complex cl tpy
48.04% ru complex pph3 ruthenium.complexes bridg
52.08% ru complex ligand bipyridin bridg compound
50.45% ru complex ligand bipyridin ruthenium.complexes bridg
52.08% ru complex ligand cl bipyridin compound
50.15% ru complex ruthenium pph3 cl ruthenium.complexes
50.26% ru complex ruthenium ligand ru.bpy bipyridin ruthenium.complexes
51.91% ru complex ruthenium ligand cl bipyridin ruthenium.complexes
46.43% ru complex bpy tpy bridg
50.89% ru complex bpy ligand bipyridin bridg
50.64% ru complex bpy ruthenium ligand ru.bpy bipyridin

Sample Cluster Record Titles

[Synthesis and characterization of a ruthenocene carboxylate containing ruthenium\(II\) complex](#)

[Electron delocalization in mixed-valence butadienediyl-bridged diruthenium complexes](#)

[Synthesis, structures, magnetism and electrochemical properties of triruthenium-acetylide complexes](#)

[Electronic and molecular surface structure of Ru\(tcterpy\)\(NCS\)\(3\) and Ru\(dcbpy\)\(2\)\(NCS\)\(2\) adsorbed from solution onto nanostructured TiO2: A photoelectron spectroscopy study](#)

[Synthesis, characterization and fabrication of solar cells making use of \[Ru\(dcbpy\)\(tptz\)X\]X \(where X = Cl-, SCN-, CN-\) complexes](#)

[New high nuclearity platinum-ruthenium carbonyl cluster complexes containing a phenylacetylene ligand: Structures and properties](#)

[Selective ligand modification on the periphery of diruthenium compounds: Toward new metal-alkynyl scaffolds](#)

[Iminophosphorane-based nucleophilic ruthenium\(II\) carbene complexes: Unusual C-C coupling and C-H activation promoted by the addition of alkynes to the Ru=C bond](#)

[Homoleptic, sigma-bonded octahedral superelectrophilic metal carbonyl cations of](#)

Cluster Metrics

Authors

urbanos, fa 3
torres, mr 3
spek, al 3
ren, t 3
priego, jl 3
nazeeruddin, mk 3
lee, gh 3
jimenez-aparicio, r 3
gratzel, m 3
gonzalez-prieto, r 3
de cola, l 3
barral, mc 3
zhu, l 2
yeh, cy 2
williams, id 2

Sources

organometallics 14
inorganica chimica acta 13
inorganic chemistry 13
chemistry-a european journal 7
journal of organometallic chemistry 6
journal of the american chemical society 5
european journal of inorganic chemistry 5
polyhedron 4
journal of molecular catalysis a-chemical 4
journal of physical chemistry b 3
chemistry letters 3
new journal of chemistry 2
journal of solid state electrochemistry 2
journal of cluster science 2
dalton transactions 2

Keywords

chemistry, inorganic & nuclear 64
ruthenium 27
chemistry, multidisciplinary 22
chemistry, organic 20
chemistry, physical 15

ligands 15
crystal-structure 14
complexes 12
complexes 12
chemistry 10
molecular-structure 9
molecular wires 8
transition-metal-complexes 7
crystal 7
transfer 6

Publication Year

2005 101
2004 11

Country

usa 23
japan 12
switzerland 11
italy 11
germany 11
spain 9
peoples r china 9
france 8
netherlands 6
india 6
taiwan 5
australia 5
sweden 3
england 3
canada 3

Institution

natl taiwan univ 4
cnr 4
univ utrecht 3
univ sao paulo 3
univ miami 3
univ ferrara 3
univ amsterdam 3
swiss fed inst technol 3
uppsala univ 2
univ western australia 2
univ valencia 2
univ ulm 2
univ turin 2

univ s carolina 2
univ rennes 1 2

DataBase
science citation index 112

CATEGORY 15 - 509B2a (2 leaf clusters)

DNA (775 REC)

THRUST

()

- DNA studies, emphasizing self-assembly of DNA molecules, DNA-directed assembly of nanostructures (especially nanoparticles), evaluation of protein-DNA binding, and gene delivery (554 Records) Cluster 54
- Detection of DNA, emphasizing hybridization detection, use of microarrays, interaction of DNA with gold nanoparticles, DNA biosensors, and DNA immobilization (221 Records) Cluster 92

• CLUSTER 54

DNA studies, emphasizing self-assembly of DNA molecules, DNA-directed assembly of nanostructures (especially nanoparticles), evaluation of protein-DNA binding, and gene delivery (554 Records)

(Countries: USA dominant, Japan, China, Germany. Institutions: CAS dominant, RAS, University of Tokyo. USA include Purdue University, University of Wisconsin, University of Illinois, UCB, Duke University.).

Cluster Syntax Features

Descriptive Terms

dna 81.3%, strand 1.1%, molecu 0.7%, dna.molecules 0.7%, complex 0.5%, assembl 0.4%, bind 0.4%, sequenc 0.3%, protein 0.3%, gene 0.3%, nanoparticl 0.2%, plasmid 0.2%, stranded.dna 0.2%, base 0.2%, singl 0.2%

Discriminating Terms

dna 51.4%, film 1.6%, strand 0.7%, carbon 0.6%, surfac 0.5%, temperatur 0.5%, nanotub 0.5%, magnet 0.5%, layer 0.5%, crystal 0.4%, dna.molecules 0.4%, electron 0.4%, particl 0.4%, deposit 0.4%, oxid 0.4%

Single Word Terms

dna 554, structur 190, molecu 188, surfac 157, complex 155, singl 151, form 150, microscopi 147, strand 147, assembl 144, two 136, forc 135, interact 132, molecular 128, bind 113

Double Word Terms

atomic.force 96, dna.molecules 93, force.microscopy 88, stranded.dna 74, double.stranded 60, plasmid.dna 49, dna.dna 48, microscopy.afm 46, dna.binding 44, self.assembly 43, single.stranded 40, dna.molecule 37, electron.microscopy 36, single.molecule 33, gene.delivery 32

Triple Word Terms

atomic.force.microscopy 82, force.microscopy.afm 46, double.stranded.dna 45, single.stranded.dna 32, surface.plasmon.resonance 24, transmission.electron.microscopy 20, atomic.force.microscope 13, poly.ethylene.glycol 12, single.dna.molecules 12, polymerase.chain.reaction 11, resonance.energy.transfer 11, ray.photoelectron.spectroscopy 11, stranded.dna.molecules 11, calf.thymus.dna 10, deoxyribonucleic.acid.dna 9

Term Cliques

34.01% dna complex gene nanoparticl plasmid
32.07% dna complex bind protein gene plasmid
32.64% dna complex bind sequenc protein base

42.19% dna complex assembl nanoparticl
33.57% dna complex assembl sequenc protein base
30.48% dna strand assembl sequenc protein stranded.dna base
29.88% dna strand molecu bind sequenc protein stranded.dna base singl
29.88% dna strand molecu dna.molecules bind sequenc stranded.dna base singl

Sample Cluster Record Titles

[Controlling self-assembly by linking protein folding, DNA binding, and the redox chemistry of heme](#)

[A novel method to synthesize versatile multiple-branched DNA \(MB-DNA\) by reversible photochemical ligation](#)

[Assembly of plasmid DNA into liposomes after condensation by cationic lipid in anionic detergent solution](#)

[Dielectrophoresis of nanoscale double-stranded DNA and humidity effects on its electrical conductivity](#)

[Construction of polycation-based non-viral DNA nanoparticles and polyanion multilayers via layer-by-layer self-assembly](#)

[Development of a DNA sensor based on alkanethiol self-assembled monolayer-modified electrodes](#)

[Guanine is indispensable for immunoglobulin switch region RNA-DNA hybrid formation](#)

[In vitro non-viral gene delivery with nanofibrous scaffolds](#)

[DNA-programmed assembly of nanostructures](#)

Cluster Metrics

Authors

wang, l 8

dekker, c 8

yan, h 7

mao, cd 7

seeman, nc 6

roberts, cj 6

turberfield, aj 5

simmel, fc 5
seela, f 5
reif, jh 5
liu, y 5
li, z 5
yin, p 4
yevdokimov, ym 4
wilson, wd 4

Sources

langmuir 25
nano letters 22
journal of the american chemical society 18
proceedings of the national academy of sciences of the united states of america 16
nucleic acids research 15
angewandte chemie-international edition 15
physical review letters 12
biophysical journal 11
biomacromolecules 10
bioconjugate chemistry 10
analytical chemistry 10
physical review e 8
journal of molecular biology 8
biochemistry 8
small 7

Keywords

chemistry, multidisciplinary 103
biochemistry & molecular biology 88
dna 77
dna 49
complexes 45
chemistry, physical 44
molecules 43
materials science, multidisciplinary 38
protein 36
cells 34
biophysics 33
biochemistry & molecular biology 33
binding 32
nanoparticles 30
chemistry, analytical 28

Publication Year

2005 503
2004 49

2006 2

Country

usa 185
japan 87
peoples r china 68
germany 56
france 37
england 34
south korea 21
italy 17
canada 17
netherlands 16
russia 14
israel 14
taiwan 12
india 11
spain 8

Institution

chinese acad sci 22
russian acad sci 12
univ tokyo 11
purdue univ 10
kyoto univ 10
univ munich 9
natl inst adv ind sci & technol 9
univ wisconsin 8
univ oxford 8
univ nottingham 8
univ illinois 8
univ calif berkeley 8
osaka univ 8
duke univ 8
delft univ technol 8

DataBase

science citation index 554

• CLUSTER 92

Detection of DNA, emphasizing hybridization detection, use of microarrays, interaction of DNA with gold nanoparticles, DNA biosensors, and DNA immobilization (221 Records)

(Countries: USA dominant, China, followed by Germany, Japan.
Institutions: SE University, University of New South Wales, Northwestern University, Max Planck Institute of Polymer Research, Institute for Materials Research and Engineering. Other USA include University of Rochester, UCI, UCB, USN, University of Maryland, University of Illinois).

Cluster Syntax Features

Descriptive Terms

dna 38.7%, oligonucleotid 5.2%, hybrid 5.1%, detect 3.9%, gold 2.6%, strand 2.1%, target 1.9%, probe 1.9%, nucleic 1.6%, label 1.3%, microarra 1.2%, immobil 1.1%, sequenc 1.1%, target.dna 1.0%, nanoparticl 1.0%

Discriminating Terms

dna 23.8%, oligonucleotid 3.5%, hybrid 2.7%, detect 1.8%, film 1.7%, strand 1.3%, nucleic 1.1%, target 1.0%, gold 0.9%, probe 0.8%, microarra 0.8%, label 0.8%, target.dna 0.7%, structur 0.7%, carbon 0.6%

Single Word Terms

dna 206, hybrid 122, detect 121, surfac 111, probe 100, oligonucleotid 93, gold 90, target 84, singl 82, strand 77, complementari 70, sensit 68, label 66, sequenc 66, nanoparticl 65

Double Word Terms

target.dna 41, dna.hybridization 41, single.stranded 31, stranded.dna 30, nucleic.acid 30, gold.nanoparticles 29, surface.plasmon 26, detection.dna 24, self.assembled 24, plasmon.resonance 24, gold.nanoparticle 23, complementary.dna 22, nucleic.acids 21, single.base 20, label.free 18

Triple Word Terms

surface.plasmon.resonance 24, single.stranded.dna 22, plasmon.resonance.spr 13, double.stranded.dna 11, detection.dna.hybridization 10, peptide.nucleic.acid 10, ray.photoelectron.spectroscopy 10, single.base.mismatch 9, atomic.force.microscopy 9, self.assembled.monolayers 8, resonance.energy.transfer 7, quartz.crystal.microbalance 7, stranded.dna.ssdna 7, polymerase.chain.reaction 6, complementary.target.dna 6

Term Cliques

42.61% dna target probe nucleic label sequenc
40.90% dna hybrid detect target probe label microarra immobil sequenc target.dna
41.40% dna hybrid detect strand target probe label microarra immobil target.dna
43.48% dna hybrid detect gold target probe label sequenc target.dna nanoparticl
43.48% dna hybrid detect gold target probe label immobil sequenc target.dna
43.98% dna hybrid detect gold strand target probe label immobil target.dna
45.84% dna oligonucleotid hybrid detect gold target probe label sequenc nanoparticl
45.84% dna oligonucleotid hybrid detect gold target probe label immobil sequence

Sample Cluster Record Titles

[A biosensor monitoring DNA hybridization based on polyaniline intercalated graphite oxide nanocomposite](#)

[Hybridization of oligonucleotide-modified silver and gold nanoparticles in aqueous dispersions and on gold films](#)

[Detection of DNA and protein molecules using an FET-type biosensor with gold as a gate metal](#)

[Electrochemical detection of DNA sequences using nano-magnetic particles](#)

[Effects of gold nanoparticle and electrode surface properties on electrocatalytic silver deposition for electrochemical DNA hybridization detection](#)

[Two-potential electrochemical probe for study of DNA immobilization](#)

[Detection limits for nanoscale biosensors](#)

[New materials for electrochemical sensing V: Nanoparticles for DNA labeling](#)

[Cyclopentane-modified PNA improves the sensitivity of nanoparticle-based scanometric DNA detection](#)

Cluster Metrics

Authors

mirkin, ca 5
lu, zh 5
knoll, w 5
gooding, jj 5
wark, aw 4
seela, f 4
lee, hj 4
corn, rm 4
wong, els 3
wang, yj 3
tsai, cy 3
spadavecchia, j 3
rella, r 3
redmond, g 3
merkoci, a 3

Sources

analytical chemistry 16
langmuir 13
journal of the american chemical society 13
biosensors & bioelectronics 10
journal of nanoscience and nanotechnology 9
nucleic acids research 8
sensors and actuators b-chemical 7
nano letters 7
chemical communications 6
talanta 5
analytical and bioanalytical chemistry 5
journal of physical chemistry b 4
bioelectrochemistry 4
applied physics letters 4
analyst 4

Keywords

chemistry, multidisciplinary 53
chemistry, analytical 52
hybridization 39
dna 35
chemistry, physical 27
biochemistry & molecular biology 25
materials science, multidisciplinary 24
probes 22
oligonucleotides 21

microarrays 21
hybridization 20
nanoparticles 20
surfaces 19
gold 19
self-assembled monolayers 15

Publication Year

2005 207
2004 14

Country

usa 73
peoples r china 37
germany 26
japan 17
south korea 11
england 10
italy 8
france 7
canada 7
australia 7
singapore 6
portugal 6
spain 5
israel 5
taiwan 4

Institution

se univ 7
univ new s wales 5
northwestern univ 5
max planck inst polymer res 5
inst mat res & engn 5
univ rochester 4
univ osnabruck 4
univ calif irvine 4
univ calif berkeley 4
chinese acad sci 4
wuhan univ 3
usn 3
univ maryland 3
univ illinois 3
univ florence 3

CATEGORY 16 - 509B2b (24 leaf clusters)

Proteins and Cellular Components (5070 REC)

THRUST

()

- Protein studies, focusing on surface interactions (especially protein adsorption and adhesion), unfolding and refolding, and related atomic force microscopy studies, especially of bovine serum albumin (BSA), poly(ethylene glycol) (PEG), and fibrinogen (212 Records) Cluster 177
- Protein studies, focusing on structure and function, namely binding domain features, alteration of protein binding, protein-protein interactions, fluorescent proteins, and proteomics (594 Records) Cluster 174
- Analysis and adjustment of immunoassays, including fluoroimmunoassays and immunoglobulin (especially IgG) studies (221 Records) Cluster 165
- Biosensors and immunosensors based on surface plasmon resonance (SPR) (140 Records) Cluster 91
- Analysis of protein binding, including effects of inhibitors, investigation of binding sites/domains, and surface plasmon resonance analysis to determine binding properties (337 Records) Cluster 182
- Receptor/ligand interactions, emphasizing receptor structural characteristics, recognition, regulation, and ligand activity, including affinity of agonists and antagonists (88 Records) Cluster 51
- Peptides, emphasizing binding properties, peptide-membrane interactions, structure, mass spectrometry of peptides, antimicrobial peptides, and identification of peptides by means of chromatography (166 Records) Cluster 57

- Fibrils (especially amyloid and collagen fibrils), focusing on formation by aggregation, role of amyloids in neural conditions (especially Alzheimer's disease), and structure (102 Records) Cluster 11
- Viruses and RNA, focusing on structure determination, capsid properties, and sequencing (129 Records) Cluster 110
- Gene expression and gene delivery for therapeutic benefit, focusing on nanoparticles as non-viral vectors for gene delivery, analysis of gene expression data, and DNA transfection systems (157 Records) Cluster 130
- Treatment and risk prediction of cancer and cardiovascular disease (CVD), focusing on evaluation of lymphatic system (especially sentinel lymph nodes [SLNs]), especially for patients with breast cancer (88 Records) Cluster 64
- Studies of tumors and the brain, with emphasis on liposomal and nanoparticle-based delivery (especially of drugs), nanostructure-aided magnetic resonance imaging of cells, and crossing of the blood-brain barrier (208 Records) Cluster 201
- Cellular function and processes, focusing on endothelial and epithelial cells, cellular response to gene expression, induction and inhibition of apoptosis, and studies on cancer and tumor cells (339 Records) Cluster 191
- Investigation of cell surface and plasma membrane (especially of bacteria), focusing on cell adhesion, labeling for detection, imaging techniques, and intercellular transfer (608 Records) Cluster 195
- Connective and anatomical support tissue (especially bone and its main component, collagen), focusing on studies on osteoblasts, cell proliferation, and orthopedic implants (226 Records) Cluster 135
- Biomaterials, bioactive substances, and biodegradable composites (especially chitosan, poly(lactide-co-glycolide) [PLGA], alginate, and poly(lactic acid)), focusing on microspheres and encapsulation, tissue engineering scaffolds, and hydrogels (119 Records) Cluster 134
- Preparation and investigation of membranes, emphasizing proton conductivity, permeability studies, filtration applications, preparation by grafting, sulfonated membranes, and methanol fuel cell applications (253 Records) Cluster 82
- Lipid (especially phospholipid) bilayers, focusing on properties of vesicles, channel interactions, membrane binding, and dipalmitoyl phosphatidylcholine (DPPC) and cholesterol structures (231 Records) Cluster 142

- Drug delivery systems, focusing on drug release, especially of nanoparticles and from nanocapsules (219 Records) Cluster 97
- Drug delivery systems, emphasizing targeting of cancer cells, oral delivery, and lipid and nanoparticle-based carriers (169 Records) Cluster 93
- Ethical, health, and social issues of nanotechnology (especially biological applications), weighing the risks and benefits to the public (142 Records) Cluster 81
- Network and self-organization processes, with emphasis on self-organizing neural networks, self-organized maps (SOMs), and learning systems (132 Records) Cluster 99
- Microtubule motor proteins (kinesin and dynein), with models and analysis of movement mechanism (106 Records) Cluster 22
- Microfilament proteins (myosin and actin), emphasizing dynamics of muscle contraction and function of myosin heads (84 Records) Cluster 4

• CLUSTER 177

Protein studies, focusing on surface interactions (especially protein adsorption and adhesion), unfolding and refolding, and related atomic force microscopy studies, especially of bovine serum albumin (BSA), poly(ethylene glycol) (PEG), and fibrinogen (212 Records)

(Countries: USA dominant, Germany, Japan, Switzerland, England, China. Institutions: Tokyo Institute of Technology, ETH, McMaster University, CAS. USA include University of Illinois, University of Washington, University of Texas, UCLA, UCB).

Cluster Syntax Features

Descriptive Terms

protein 35.8%, forc 4.5%, adsorpt 4.2%, unfold 3.1%, protein.adsorption 2.2%, surfac 1.9%, bsa 1.9%, serum 1.8%, albumin 1.7%, peg 1.1%, serum.albumin 1.0%, fibrinogen 0.8%, atomic.force 0.8%, adsorb 0.8%, adhes 0.7%

Discriminating Terms

protein 24.7%, unfold 2.5%, adsorpt 2.2%, forc 2.1%, protein.adsorption 1.7%, film 1.7%, bsa 1.4%, serum 1.4%, albumin 1.3%, serum.albumin 0.8%, peg 0.7%, carbon 0.7%, nanotub 0.6%, fibrinogen 0.6%, magnet 0.6%

Single Word Terms

protein 206, surfac 125, forc 97, adsorpt 92, microscopi 91, atom 86, interact 77, structur 75, serum 62, adsorb 61, albumin 59, molecul 57, model 57, measur 56, two 56

Double Word Terms

atomic.force 80, force.microscopy 66, protein.adsorption 60, serum.albumin 48, bovine.serum 38, microscopy.afm 28, albumin.bsa 26, poly.ethylene 25, ethylene.glycol 25, single.molecule 23, force.microscope 21, ionic.strength 17, human.serum 17, contact.angle 16, electron.microscopy 14

Triple Word Terms

atomic.force.microscopy 64, bovine.serum.albumin 36, force.microscopy.afm 28,

serum.albumin.bsa 25, poly.ethylene.glycol 22, atomic.force.microscope 21,
human.serum.albumin 15, serum.albumin.hsa 12, ethylene.glycol.peg 12,
scanning.electron.microscopy 11, force.microscope.afm 9,
ray.photoelectron.spectroscopy 8, differential.scanning.calorimetry 8,
confocal.laser.scanning 7, mode.atomic.force 7

Term Cliques

38.49% protein bsa serum albumin serum.albumin
39.74% protein adsorpt surfac serum albumin serum.albumin fibrinogen adsorb
40.43% protein adsorpt protein.adsorption surfac peg adsorb adhes
37.05% protein adsorpt protein.adsorption surfac serum albumin peg fibrinogen adsorb
51.23% protein forc surfac atomic.force adhes
45.66% protein forc surfac peg adhes
49.29% protein forc unfold atomic.force

Sample Cluster Record Titles

[Ultrathin coatings from isocyanate-terminated star PEG prepolymers: Layer formation and characterization](#)

[Adhesion mode atomic force microscopy study of dual component protein films](#)

[Quantification of the kinetics and thermodynamics of protein adsorption using atomic force microscopy](#)

[Comparison of coatings from reactive star shaped PEG-stat-PPG prepolymers and grafted linear PEG for biological and medical applications](#)

[Nanostructured antifouling poly\(ethylene glycol\) films for silicon-based microsystems](#)

[Investigation of interactions between dendrimer-coated magnetite nanoparticles and bovine serum albumin](#)

[Application of probe microscopy to protein unfolding: Adsorption and ensemble analyses](#)

[Adsorption and interaction of fibronectin and human serum albumin at the liquid-liquid interface](#)

[Adsorption of fibrinogen and lysozyme on silicon grafted with poly\(2-methacryloyloxyethyl phosphorylcholine\) via surface-initiated atom transfer radical polymerization](#)

Cluster Metrics

Authors

textor, m 6
ikai, a 5
brash, jl 4
voros, j 3
spencer, nd 3
sheardown, h 3
muller, rh 3
muller, dj 3
moeller, m 3
groll, j 3
goppert, tm 3
ameringer, t 3
yang, jh 2
yamamoto, h 2
xu, lc 2

Sources

langmuir 26
biomaterials 11
biophysical journal 10
biomacromolecules 8
journal of physical chemistry b 6
colloids and surfaces b-biointerfaces 6
journal of molecular biology 5
analytical chemistry 5
ultramicroscopy 4
journal of the american chemical society 4
journal of colloid and interface science 4
journal of biological chemistry 4
proceedings of the national academy of sciences of the united states of america 3
macromolecular bioscience 3
journal of controlled release 3

Keywords

chemistry, physical 46
adsorption 30
self-assembled monolayers 29
biochemistry & molecular biology 25
atomic-force microscopy 20
protein 20
chemistry, multidisciplinary 19
surfaces 17
spectroscopy 17

protein adsorption 17
engineering, biomedical 16
materials science, biomaterials 16
spectroscopy 14
biophysics 14
biochemistry & molecular biology 14

Publication Year

2005 188
2004 20
2006 4

Country

usa 75
germany 31
japan 22
switzerland 17
england 17
peoples r china 16
italy 12
france 10
canada 10
taiwan 6
sweden 5
spain 4
south korea 3
slovakia 3
new zealand 3

Institution

tokyo inst technol 6
eth 6
mcmaster univ 5
chinese acad sci 5
univ leeds 4
univ illinois 4
univ cambridge 4
max planck inst colloids & interfaces 4
free univ berlin 4
univ washington 3
univ tokyo 3
univ texas 3
univ s australia 3
univ calif los angeles 3
univ calif berkeley 3

- **CLUSTER 174**

Protein studies, focusing on structure and function, namely binding domain features, alteration of protein binding, protein-protein interactions, fluorescent proteins, and proteomics (594 Records)

(Countries: USA very dominant, Germany, Japan, followed by England, Italy, China, France, South Korea. Institutions: University of Texas, CAS, Osaka University, University of Illinois. Other USA include UCSD, UCLA, Harvard University, Vanderbilt University, UCB).

Cluster Syntax Features

Descriptive Terms

protein 72.7%, bind 0.9%, interact 0.6%, membran 0.4%, peptid 0.3%, function 0.3%, domain 0.3%, cell 0.3%, structur 0.3%, fluoresc 0.3%, complex 0.3%, activ 0.3%, detect 0.2%, proteom 0.2%, surfac 0.2%

Discriminating Terms

protein 50.2%, film 1.9%, carbon 0.6%, temperatur 0.6%, nanotub 0.6%, magnet 0.5%, particl 0.5%, deposit 0.5%, oxid 0.4%, layer 0.4%, si 0.4%, quantum 0.4%, nanoparticl 0.4%, electron 0.4%, surfac 0.4%

Single Word Terms

protein 593, structur 262, surfac 203, function 187, interact 172, bind 162, two 160, form 142, high 141, activ 138, molecular 136, cell 134, complex 121, model 114, solut 105

Double Word Terms

electron.microscopy 55, plasmon.resonance 50, surface.plasmon 50, mass.spectrometry 38, protein.protein 34, three dimensional 34, self.assembly 32, amino.acid 32, escherichia.coli 32, ray.diffraction 31, atomic.force 31, transmission.electron 30, force.microscopy 29, protein.interactions 26, two dimensional 25

Triple Word Terms

surface.plasmon.resonance 50, atomic.force.microscopy 28, transmission.electron.microscopy 27, scanning.electron.microscopy 14, protein.protein.interactions 13, green.fluorescent.protein 13, plasmon.resonance.spr 12, differential.scanning.calorimetry 12, matrix.laser.desorption 9, tandem.mass.spectrometry 9, nuclear.magnetic.resonance 8, amino.acid.sequence 8, laser.desorption.ionization 8, force.microscopy.afm 8, heat.shock.protein 7

Term Cliques

36.03% protein function cell complex proteom
30.77% protein peptid complex detect proteom
33.33% protein bind peptid fluoresc detect
35.05% protein bind membran cell fluoresc
33.52% protein bind interact function domain cell complex activ surfac
32.70% protein bind interact peptid complex activ detect surfac
32.43% protein bind interact peptid domain complex activ surfac
33.64% protein bind interact membran function domain cell structur complex surface

Sample Cluster Record Titles

[Advanced nanoscale separations and mass spectrometry for sensitive high-throughput proteomics](#)

[Structure and stability of a model three-helix-bundle protein on tailored surfaces](#)

[Increased resistance of DNA lipoplexes to protein binding in vitro by surface-modification with a multivalent hydrophilic polymer](#)

[Biophysical characterization of human XRCC1 and its binding to damaged and undamaged DNA](#)

[The use of hydrophobins to functionalize surfaces](#)

[Nano-mechanics of protein-based biostructures by atomic force microscopy](#)

[Adsorbed layers formed from mixtures of proteins](#)

[Peptide lipid interactions: insights and perspectives](#)

[Role of protein kinase C-epsilon \(PKC epsilon\) in isoflurane-induced cardioprotection](#)

Cluster Metrics

Authors

kulomaa, ms 6
zhang, y 4
wenzel, w 4
wang, j 4
verma, a 4
nordlund, hr 4
nicolini, c 4
hytonen, vp 4
hu, nf 4
douglas, t 4
young, m 3
semenova, mg 3
schug, a 3
scheibel, t 3
sachs, c 3

Sources

journal of the american chemical society 17
journal of biological chemistry 17
proceedings of the national academy of sciences of the united states of america 16
langmuir 15
biochemistry 15
analytical chemistry 15
biochemical and biophysical research communications 13
ieee transactions on nanobioscience 9
biomacromolecules 9
journal of molecular biology 8
biochemical journal 8
proteomics 7
journal of physical chemistry b 7
biophysical journal 7
chemical communications 6

Keywords

biochemistry & molecular biology 135
chemistry, multidisciplinary 58
chemistry, analytical 48

biophysics 44
chemistry, physical 41
protein 41
biochemistry & molecular biology 37
binding 37
biochemical research methods 35
proteins 31
materials science, multidisciplinary 27
spectroscopy 25
multidisciplinary sciences 24
expression 22
adsorption 21

Publication Year

2005 526
2004 56
2006 12

Country

usa 224
germany 76
japan 64
england 47
italy 38
peoples r china 37
france 34
south korea 25
canada 17
sweden 15
netherlands 15
switzerland 11
finland 11
denmark 10
spain 9

Institution

univ texas 15
chinese acad sci 13
osaka univ 11
univ illinois 10
univ calif san diego 8
linkoping univ 8
univ calif los angeles 7
tech univ munich 7
harvard univ 7
vanderbilt univ 6

univ jyvaskyla 6
univ genoa 6
univ calif berkeley 6
univ alberta 6
tsing hua univ 6

DataBase
science citation index 594

- **CLUSTER 165**

Analysis and adjustment of immunoassays, including
fluoroimmunoassays and immunoglobulin (especially IgG) studies
(221 Records)

(Countries: USA dominant, China, Japan. Institutions: Tsing Hua
University, University of Twente, University of Turku. USA include
Northwestern University, US Navy.).

Cluster Syntax Features

Descriptive Terms

antibodi 29.4%, assai 10.3%, detect 5.7%, antigen 4.1%, label 2.3%, fluoresc 1.5%,
immobil 1.4%, immunoassai 1.4%, enzym 1.3%, human 1.2%, protein 1.1%, igg 1.0%,
bind 0.9%, anti 0.9%, affin 0.9%

Discriminating Terms

antibodi 20.4%, assai 7.0%, detect 2.9%, antigen 2.8%, film 1.9%, label 1.4%, immunoassai 1.0%, immobil 0.7%, enzym 0.7%, igg 0.7%, human 0.6%, carbon 0.6%, fluoresc 0.6%, temperatur 0.6%, structur 0.6%

Single Word Terms

detect 139, antibodi 131, assai 111, surfac 89, protein 83, sensit 79, high 76, bind 73, concentr 70, antigen 70, limit 62, label 59, anti 59, human 57, immobil 57

Double Word Terms

surface.plasmon 37, plasmon.resonance 36, detection.limit 29, monoclonal.antibody 22, enzyme.linked 22, linked.immunosorbent 20, monoclonal.antibodies 19, immunosorbent.assay 18, mass.spectrometry 18, antibody.antigen 16, liquid.chromatography 14, high.sensitivity 14, force.microscopy 14, electron.microscopy 12, assay.elisa 12

Triple Word Terms

surface.plasmon.resonance 36, enzyme.linked.immunosorbent 20, linked.immunosorbent.assay 18, atomic.force.microscopy 12, immunosorbent.assay.elisa 11, plasmon.resonance.spr 9, ionization.mass.spectrometry 8, quartz.crystal.microbalance 8, resonance.energy.transfer 6, crystal.microbalance.qcm 6, human.serum.albumin 6, force.microscopy.afm 6, transmission.electron.microscopy 6, monoclonal.antibodies.mabs 6, high.liquid.chromatography 5

Term Cliques

33.23% assai detect antigen label fluoresc immunoassai affin
33.30% antibodi detect antigen immobil human protein igg bind anti affin
31.42% antibodi detect antigen immobil immunoassai human igg anti affin
32.93% antibodi detect antigen label immobil igg bind anti affin
31.52% antibodi detect antigen label immobil immunoassai igg anti affin
39.82% antibodi assai detect immobil enzym protein affin
37.36% antibodi assai detect immobil immunoassai enzym affin
37.15% antibodi assai detect antigen immobil human protein bind anti affin
35.70% antibodi assai detect antigen immobil immunoassai human anti affin
37.20% antibodi assai detect antigen label immobil bind anti affin
35.80% antibodi assai detect antigen label immobil immunoassai anti affin

Sample Cluster Record Titles

[Assessing protease activity pattern by means of multiple substrate ESI-MS assays](#)

[Magnetic force-based multiplexed immunoassay using superparamagnetic nanoparticles in microfluidic channel](#)

[Development of a microplate-based, electrophoretic fluorescent protein kinase a assay: Comparison with filter-binding and fluorescence polarization assay formats](#)

[Enzyme inhibitor screening using a homogeneous proximity-based immunoassay for estradiol](#)

[Establishment and characterization of 7 new monoclonal antibodies to tissue inhibitor of metalloproteinases-1](#)

[Ligand displacement immunoassay](#)

[Piezoelectric immunoassay for complement C4 based on a Nafion-modified interface for antibody immobilization](#)

[Fimbriae of enterotoxigenic Escherichia coli function as a mucosal carrier for a coupled heterologous antigen](#)

[Real-time QCM-D immunoassay through oriented antibody immobilization using cross-linked hydrogel biointerfaces](#)

Cluster Metrics

Authors

lovgren, t 7
karst, u 7
soukka, t 6
liesener, a 5
harma, h 4
zhang, xr 3
yu, rq 3
valanne, a 3
shen, gl 3
park, jw 3
o'sullivan, ck 3
liu, jm 3
li, ld 3
li, js 3
zhao, r 2

Sources

analytical chemistry 16
biosensors & bioelectronics 10
langmuir 8
journal of immunological methods 7

analytica chimica acta 7
analytical biochemistry 5
analyst 5
sensors and actuators b-chemical 4
rapid communications in mass spectrometry 4
lab on a chip 4
proceedings of the national academy of sciences of the united states of america 3
on the convergence of bio-information-, environmental-, energy-, space- and nano-
technologies, pts 1 and 2 3
journal of the american chemical society 3
journal of molecular biology 3
clinical chemistry 3

Keywords

chemistry, analytical 60
protein 21
chemistry, multidisciplinary 20
biochemistry & molecular biology 19
immunoassay 17
biochemical research methods 17
binding 15
biophysics 14
biochemical research methods 14
biotechnology & applied microbiology 13
biotechnology & applied microbiology 12
spectroscopy 12
proteins 12
biosensor 12
assay 12

Publication Year

2005 195
2004 23
2006 3

Country

usa 72
peoples r china 29
japan 21
germany 14
england 13
france 12
finland 11
netherlands 10
spain 9
south korea 9

canada 9
italy 6
switzerland 5
belgium 5
sweden 4

Institution

tsing hua univ 8
univ twente 7
univ turku 7
zhangzhou normal coll 3
univ rovera & virgili 3
univ paris 06 3
peking univ 3
northwestern univ 3
nci 3
hunan univ 3
eli lilly & co 3
chinese acad sci 3
vrije univ brussels 2
usn 2
univ zurich 2

DataBase

science citation index 221

• CLUSTER 91

Biosensors and immunosensors based on surface plasmon resonance (SPR) (140 Records)

(Countries: USA, followed by Japan, China, Germany. Institutions: Kyushu University, Arizona State University, Northwestern University, CAS. Other USA include Purdue University, USDA ARS).

Cluster Syntax Features

Descriptive Terms

spr 12.7%, biosensor 8.9%, plasmon 7.1%, surface.plasmon.resonance 7.0%, plasmon.resonance 6.9%, surface.plasmon 6.7%, antibodi 3.8%, reson 3.8%, detect 3.3%, sensor 2.4%, plasmon.resonance.spr 2.0%, resonance.spr 2.0%, chip 1.9%, surfac 1.6%, protein 1.5%

Discriminating Terms

spr 8.2%, biosensor 5.6%, surface.plasmon.resonance 4.4%, plasmon.resonance 4.3%, plasmon 4.1%, surface.plasmon 4.1%, antibodi 2.3%, reson 1.7%, film 1.6%, detect 1.4%, plasmon.resonance.spr 1.3%, resonance.spr 1.3%, chip 1.1%, sensor 1.1%, structur 0.7%

Single Word Terms

surfac 121, reson 117, plasmon 114, detect 87, spr 84, biosensor 62, sensor 61, antibodi 57, bind 54, protein 50, measur 47, interact 45, concentr 42, chip 41, immobil 41

Double Word Terms

plasmon.resonance 114, surface.plasmon 113, resonance.spr 80, spr.sensor 19, real.time 19, sensor.chip 19, detection.limit 16, spr.biosensor 16, sensor.surface 11, resonance.biosensor 10, gold.surface 10, serum.albumin 10, bovine.serum 9, label.free 9, spr.detection 8

Triple Word Terms

surface.plasmon.resonance 113, plasmon.resonance.spr 80, plasmon.resonance.biosensor 10, resonance.spr.biosensor 10, bovine.serum.albumin 9, resonance.spr.sensor 8, serum.albumin.bsa 7, quartz.crystal.microbalance 6, resonance.spr.immunosensor 6, plasmon.resonance.imaging 6, plasmon.resonance.sensor 6, atomic.force.microscopy 5, chip.surface.plasmon 5, spr.sensor.chip 5, plasmon.resonance.spectroscopy 5

Term Cliques

42.62% biosensor antibodi detect sensor chip protein
62.86% spr plasmon surface.plasmon.resonance plasmon.resonance surface.plasmon antibodi reson detect sensor plasmon.resonance.spr resonance.spr chip surfac protein

Sample Cluster Record Titles

[Surface plasmon resonance - Applications in understanding receptor-ligand interaction](#)

[Towards advanced chemical and biological nanosensors - An overview](#)

[Detection of picomolar levels of interleukin-8 in human saliva by SPR](#)

[Localized surface plasmon resonance based optical biosensor using surface modified nanoparticle layer for label-free monitoring of antigen-antibody reaction](#)

[Gold nanoparticle-enhanced surface plasmon resonance measurement with a highly sensitive quantification for human tissue inhibitor of metalloproteinases-2](#)

[Aptamer-based biosensors for the detection of HIV-1 Tat protein](#)

[A surface plasmon resonance-based assay for small molecule inhibitors of human cyclophilin A](#)

[Characterization of conformational epitope of alginate-derived polymannuronates by surface plasmon resonance](#)

[Fluorescence detection of enzymatic activity within a liposome based nano-biosensor](#)

Cluster Metrics

Authors

booksh, ks 6
miura, n 5
masson, jf 5
matsumoto, k 4
li, y 4
gobi, kv 4
van duyne, rp 3
toko, k 3
sakai, t 3
oh, bk 3
o'kennedy, r 3
lee, wh 3
lee, w 3
kim, yc 3
imato, t 3

Sources

sensors and actuators b-chemical 12
analytical chemistry 12
biosensors & bioelectronics 10
talanta 6
analytical biochemistry 6
analytica chimica acta 4
langmuir 3
journal of immunological methods 3
food and agricultural immunology 3

chinese journal of analytical chemistry 3
transactions of the asae 2
proteomics 2
physics letters a 2
methods 2
lab on a chip 2

Keywords

chemistry, analytical 50
surface plasmon resonance 27
biosensor 23
surface-plasmon resonance 16
surface plasmon resonance 15
biochemistry & molecular biology 15
instruments & instrumentation 13
immunoassay 13
electrochemistry 12
binding 12
biosensor 11
biotechnology & applied microbiology 11
self-assembled monolayers 10
biophysics 10
biochemical research methods 10

Publication Year

2005 126
2004 11
2003 3

Country

usa 31
japan 22
peoples r china 17
germany 14
south korea 11
sweden 10
france 9
netherlands 6
england 5
canada 4
taiwan 3
north ireland 3
italy 3
ireland 3
ukraine 2

Institution

kyushu univ 8
arizona state univ 7
northwestern univ 4
chinese acad sci 4
univ regensburg 3
sogang univ 3
purdue univ 3
linkoping univ 3
inra 3
dublin city univ 3
biacore ab 3
zhejiang univ 2
xiangtan univ 2
xenosense ltd 2
usda ars 2

DataBase

science citation index 140

• CLUSTER 182

Analysis of protein binding, including effects of inhibitors, investigation of binding sites/domains, and surface plasmon resonance analysis to determine binding properties (337 Records)

(Countries: USA very dominant, Japan, Germany, England, followed by France, Sweden. Institutions: NCI, University of Oxford, CNRS, Scripps Research Institute, Lund University, CAS. Other USA include University of Pittsburgh, University of Pennsylvania, University of Illinois, NIAID, University of Washington).

Cluster Syntax Features

Descriptive Terms

bind 39.6%, protein 3.1%, affin 3.0%, inhibitor 2.0%, interact 1.8%, site 1.8%, domain 1.5%, activ 1.5%, surface.plasmon.resonance 1.3%, plasmon.resonance 1.3%, surface.plasmon 1.2%, plasmon 1.1%, mutant 1.1%, residu 1.0%, alpha 0.8%

Discriminating Terms

bind 25.8%, film 2.0%, affin 1.9%, inhibitor 1.3%, protein 1.2%, surface.plasmon.resonance 0.8%, site 0.8%, plasmon.resonance 0.7%, mutant 0.7%, surface.plasmon 0.7%, particl 0.6%, temperatur 0.6%, magnet 0.6%, carbon 0.6%, domain 0.6%

Single Word Terms

bind 305, surfac 214, protein 186, reson 176, interact 176, plasmon 171, activ 153, affin 143, site 128, structur 128, two 105, complex 94, cell 92, domain 91, function 90

Double Word Terms

surface.plasmon 169, plasmon.resonance 169, high.affinity 41, resonance.spr 39, binding.site 38, binding.sites 36, binding.affinity 34, wild.type 29, binding.protein 28, amino.acid 24, active.site 23, escherichia.coli 23, binding.domain 22, amino.acids 21, binding.proteins 20

Triple Word Terms

surface.plasmon.resonance 168, plasmon.resonance.spr 38, atomic.force.microscopy 12, site.directed.mutagenesis 11, human.immunodeficiency.virus 11, plasmon.resonance.binding 10, high.affinity.binding 9, amino.acid.residues 9, molecular.dynamics.simulations 7, plasmon.resonance.experiments 7, binding.surface.plasmon 7, immunodeficiency.virus.type 7, transmission.electron.microscopy 6, immobilized.sensor.chip 6, three dimensional.structure 6

Term Cliques

44.24% bind inhibitor interact site activ surface.plasmon.resonance plasmon.resonance surface.plasmon plasmon mutant residu

43.47% bind protein affin interact site domain activ surface.plasmon.resonance plasmon.resonance surface.plasmon plasmon mutant residu alpha

Sample Cluster Record Titles

[Molecular recognition characteristics in the insulin-like growth factor \(IGF\)-insulin-like growth factor binding protein-3/5 \(IGFBP-3/5\) heparin axis](#)

[Label-free detection of small-molecule-protein interactions by using nanowire nanosensors](#)

[Vimentin-dependent spatial translocation of an activated MAP kinase in injured nerve](#)

[Specific interaction between Smad1 and CHIP: a surface plasmon resonance study](#)

[Interaction of insulin-like growth factor II \(IGF-II\) with multiple plasma proteins - High affinity binding of plasminogen to IGF-II and IGF-binding protein-3](#)

[The antineoplastic lectin of the common edible mushroom \(Agaricus bisporus\) has two binding sites, each specific for a different configuration at a single epimeric hydroxyl](#)

[Preparation of a gradient biotinylated polyethylene surface to bind streptavidin-FITC](#)

[Direct evidence for Sphingomonas sp A1 periplasmic proteins as macromolecule-binding proteins associated with the ABC transporter: Molecular insights into alginate transport in the periplasm](#)

[9-hydroxyazafluorenes and their use in thrombin inhibitors](#)

Cluster Metrics

Authors

shen, x 3

lopez, ja 3

liskamp, rmj 3

lea, sm 3
jiang, hl 3
fisher, rj 3
zipfel, pf 2
yoon, yj 2
xue, wf 2
xu, l 2
wyatt, r 2
worthy, km 2
wilson, wd 2
usui, t 2
tang, m 2

Sources

journal of biological chemistry 36
biochemistry 22
biochemical and biophysical research communications 13
journal of molecular biology 9
journal of the american chemical society 8
journal of medicinal chemistry 8
chembiochem 7
biochemical journal 7
analytical biochemistry 7
journal of immunology 5
analytical chemistry 5
proceedings of the national academy of sciences of the united states of america 4
molecular microbiology 4
journal of virology 4
journal of bacteriology 4

Keywords

biochemistry & molecular biology 144
binding 40
crystal-structure 36
protein 30
biophysics 25
chemistry, medicinal 23
chemistry, multidisciplinary 22
surface plasmon resonance 22
surface-plasmon resonance 21
biochemistry & molecular biology 19
chemistry, analytical 18
recognition 17
identification 17
expression 17
proteins 15

Publication Year

2005 315

2004 21

2006 1

Country

usa 145

japan 35

germany 32

england 29

france 21

sweden 20

south korea 12

switzerland 11

peoples r china 11

italy 10

australia 10

denmark 9

canada 9

india 8

taiwan 6

Institution

nci 10

univ oxford 8

cnrs 8

scripps res inst 7

lund univ 7

chinese acad sci 7

univ utrecht 5

univ pittsburgh 5

univ penn 5

univ illinois 5

seoul natl univ 5

niaid 5

natl inst adv ind sci & technol 5

kyoto univ 5

univ washington 4

DataBase

science citation index 337

• CLUSTER 51

Receptor/ligand interactions, emphasizing receptor structural characteristics, recognition, regulation, and ligand activity, including affinity of agonists and antagonists (88 Records)

(Countries: USA very dominant, England, Germany, Japan. Institutions: University Aarhus, University of Cambridge, University of Pennsylvania, University of Massachusetts, Merck Research Labs, CAS. Other USA include Purdue University).

Cluster Syntax Features

Descriptive Terms

receptor 61.6%, bind 6.1%, ligand 1.6%, affin 1.2%, interact 0.7%, activ 0.7%, regul 0.6%, protein 0.6%, recognit 0.6%, antagonist 0.6%, alpha 0.5%, peptid 0.4%, agonist 0.4%, domain 0.3%, ligand.binding 0.3%

Discriminating Terms

receptor 37.9%, bind 2.9%, film 1.8%, affin 0.6%, ligand 0.6%, carbon 0.6%, temperatur 0.6%, layer 0.5%, nanotub 0.5%, magnet 0.5%, particl 0.5%, electron 0.5%, crystal 0.5%, oxid 0.4%, deposit 0.4%

Single Word Terms

receptor 84, bind 61, surfac 46, activ 41, interact 39, protein 35, function 34, affin 34, structur 34, cell 33, ligand 32, two 26, reson 26, complex 25, plasmon 24

Double Word Terms

surface.plasmon 24, plasmon.resonance 24, receptor.binding 13, ligand.binding 12, high.affinity 11, binding.affinities 9, force.microscopy 9, atomic.force 8, cell.surface 7, binding.site 7, ligand.receptor 7, binding.affinity 7, receptor.ligand 6, amino.acid 6,

structure.activity 6

Triple Word Terms

surface.plasmon.resonance 24, atomic.force.microscopy 8, plasmon.resonance.spr 6, force.microscopy.afm 4, density.lipoprotein.receptor 4, low.density.lipoprotein 4, protein.coupled.receptors 4, plasmon.resonance.binding 3, binding.surface.plasmon 3, plasmon.resonance.biacore 2, hek.293.cells 2, cryo.electron.microscopy 2, tumor.necrosis.factor 2, chemical.cross.linking 2, peroxisome.proliferator.activated 2

Term Cliques

35.80% receptor ligand activ antagonist agonist ligand.binding
37.01% receptor ligand activ protein alpha agonist ligand.binding
38.31% receptor ligand activ regul protein alpha agonist
43.18% receptor bind interact recognit antagonist domain
39.65% receptor bind ligand activ protein alpha peptid domain ligand.binding
40.66% receptor bind ligand activ regul protein alpha peptid domain
39.55% receptor bind ligand affin interact activ antagonist peptid domain ligand.binding
42.16% receptor bind ligand affin interact activ protein peptid domain ligand.binding

Sample Cluster Record Titles

[Platelet-leukocyte aggregation induced by PAR agonists: regulation by nitric oxide and matrix metalloproteinases](#)

[Insulin and its receptor: structure, function and evolution](#)

[Low density lipoprotein receptor-related protein mediates endocytic clearance of Pro-MMP-2 center dot TIMP-2 complex through a thrombospondin-independent mechanism](#)

[A novel pesticide-induced conformational state of the oestrogen receptor ligand-binding domain, detected by conformation-specific peptide binding](#)

[Surface recognition of biomacromolecules using nanoparticle receptors](#)

[Parvovirus B19 does not bind to membrane-associated globoside in vitro](#)

[Role of A beta and the alpha 7 nicotinic acetylcholine receptor in regulating synaptic plasticity in Alzheimer's disease](#)

[Novel heterocyclic trans olefin analogues of N-{4-\[4-\(2,3-dichlorophenyl\)piperazin-1-yl\]butyl}arylcarboxamides as selective probes with high affinity for the dopamine D3 receptor](#)

[Two different T cell receptors use different thermodynamic strategies to recognize the same peptide/MHC ligand](#)

Cluster Metrics

Authors

rotello, vm 3
yue, ld 2
ye, f 2
yamaguchi, t 2
vernier, jm 2
verma, a 2
shen, x 2
shen, jh 2
schaffhauser, h 2
rowe, ba 2
lee, hw 2
kim, jk 2
jiang, hl 2
james, jk 2
imasaka, t 2

Sources

journal of biological chemistry 6
bioorganic & medicinal chemistry letters 6
proceedings of the national academy of sciences of the united states of america 4
journal of the american chemical society 3
protein science 2
nature chemical biology 2
journal of molecular biology 2
journal of medicinal chemistry 2
febs letters 2
febs journal 2
chemical communications 2
biochemistry 2
biochemical and biophysical research communications 2
virology 1
trac-trends in analytical chemistry 1

Keywords

biochemistry & molecular biology 29
binding 16
chemistry, medicinal 10
protein 9
chemistry, multidisciplinary 7
chemistry, organic 7

biophysics 7
surface plasmon resonance 6
cell biology 6
recognition 5
reveals 5
recognition 5
ligands 5
complex 5
receptors 4

Publication Year

2005 79
2004 6
2006 2
2003 1

Country

usa 38
england 10
germany 8
japan 7
switzerland 5
south korea 5
france 5
denmark 5
peoples r china 4
australia 4
sweden 3
netherlands 3
canada 3
belgium 3
wales 2

Institution

univ cambridge 4
univ penn 3
univ massachusetts 3
univ aarhus 3
merck res labs 3
chinese acad sci 3
aarhus univ 3
univ melbourne 2
univ marburg 2
univ catholique louvain 2
purdue univ 2
natl taiwan univ 2

monash univ 2
lund univ 2
hungarian acad sci 2

DataBase
science citation index 88

• CLUSTER 57

Peptides, emphasizing binding properties, peptide-membrane interactions, structure, mass spectrometry of peptides, antimicrobial peptides, and identification of peptides by means of chromatography (166 Records)

(Countries: USA very dominant, Japan, followed by Germany, Canada, Australia, China. Institutions: MIT, Weizmann Institute of Science, Harvard University. Other USA include University of Wisconsin, University of Minnesota, Scripps Research institute, Rice University, Northwestern University, Vanderbilt University, University of Texas).

Cluster Syntax Features

Descriptive Terms

peptid 73.8%, bind 0.9%, membran 0.9%, amino 0.8%, sequenc 0.7%, mass 0.6%, acid 0.6%, protein 0.5%, residu 0.5%, lipid 0.5%, antimicrobi 0.5%, amino.acids 0.4%, chromatographi 0.3%, alpha 0.3%, interact 0.3%

Discriminating Terms

peptid 46.2%, film 1.7%, carbon 0.6%, layer 0.6%, surfac 0.5%, temperatur 0.5%, particl 0.5%, magnet 0.5%, nanotub 0.5%, crystal 0.5%, electron 0.4%, deposit 0.4%,

nanoparticl 0.4%, quantum 0.4%, oxid 0.4%

Single Word Terms

peptid 160, structur 65, acid 55, protein 54, sequenc 54, interact 51, surfac 49, amino 47, bind 46, activ 46, membran 44, two 42, residu 42, function 41, form 38

Double Word Terms

mass.spectrometry 25, amino.acid 23, surface.plasmon 22, amino.acids 21, plasmon.resonance 20, liquid.chromatography 18, atomic.force 18, force.microscopy 17, electron.microscopy 12, circular.dichroism 12, peptide.lipid 11, tandem.mass 10, antimicrobial.peptides 10, transmission.electron 10, reversed.phase 10

Triple Word Terms

surface.plasmon.resonance 20, atomic.force.microscopy 16, transmission.electron.microscopy 8, plasmon.resonance.spr 8, tandem.mass.spectrometry 8, amino.acid.sequence 8, time.flight.mass 6, amino.acid.residues 6, laser.desorption.ionization 5, liquid.chromatography.mass 5, force.microscopy.afm 5, high.liquid.chromatography 5, matrix.laser.desorption 5, chromatography.mass.spectrometry 5, ionization.mass.spectrometry 4

Term Cliques

30.42% peptid acid lipid antimicrobi amino.acids alpha
33.03% peptid acid residu lipid amino.acids alpha
35.06% peptid sequenc mass amino.acids chromatographi
39.04% peptid sequenc mass protein chromatographi
32.93% peptid amino acid antimicrobi amino.acids alpha
35.11% peptid amino sequenc acid residu amino.acids alpha
32.44% peptid membran acid lipid antimicrobi alpha interact
34.68% peptid membran acid residu lipid alpha interact
34.60% peptid membran amino acid antimicrobi alpha interact
36.30% peptid membran amino sequenc acid residu alpha interact
32.13% peptid bind acid lipid antimicrobi amino.acids
34.74% peptid bind acid residu lipid amino.acids
34.64% peptid bind amino acid antimicrobi amino.acids
36.57% peptid bind amino sequenc acid residu amino.acids
36.06% peptid bind membran protein residu lipid interact
33.91% peptid bind membran acid lipid antimicrobi interact
36.14% peptid bind membran acid residu lipid interact
36.06% peptid bind membran amino acid antimicrobi interact
37.50% peptid bind membran amino sequenc protein residu interact
37.58% peptid bind membran amino sequenc acid residu interact

Sample Cluster Record Titles

[High-sensitivity ion mobility spectrometry/mass spectrometry using electrodynamic ion funnel interfaces](#)

[Adsorption of amyloid beta \(1-40\) peptide at phospholipid monolayers](#)

[Intermolecular packing and alignment in an ordered beta-hairpin antimicrobial peptide aggregate from 2D solid-state NMR](#)

[Discovering neuropeptides in *Caenorhabditis elegans* by two dimensional liquid chromatography and mass spectrometry](#)

[MaP peptides: Programming the self-assembly of peptide-based mesoscopic matrices](#)

[Protamine as an efficient membrane-translocating peptide](#)

[Characterization of adducts formed between human serum albumin and the butadiene metabolite epoxybutanediol](#)

[Phase behavior and nanoscale structure of phospholipid membranes incorporated with acylated C-14-peptides](#)

[Engineering stable peptide toxins by means of backbone cyclization: Stabilization of the alpha-conotoxin MII](#)

Cluster Metrics

Authors

shai, y 4
mardilovich, a 3
kokkoli, e 3
banerjee, a 3
aguilar, mi 3
zhang, j 2
yang, dc 2
weissleder, r 2
wang, xb 2
verma, s 2
thibault, p 2
stupp, si 2
smith, rd 2
singh, n 2
reynolds, f 2

Sources

analytical chemistry 10
journal of the american chemical society 9
langmuir 6
journal of biological chemistry 6
biophysical journal 6
biochemistry 6
chembiochem 5
biochemical and biophysical research communications 5
proceedings of the national academy of sciences of the united states of america 4
chemical communications 4
biomacromolecules 4
bioconjugate chemistry 4
rapid communications in mass spectrometry 3
journal of mass spectrometry 3
journal of controlled release 3

Keywords

biochemistry & molecular biology 37
chemistry, multidisciplinary 25
chemistry, analytical 21
proteins 15
protein 15
biophysics 15
biochemistry & molecular biology 14
chemistry, organic 12
chemistry, physical 11
chemistry, medicinal 11
spectroscopy 11
peptide 9
biochemical research methods 8
chemistry, organic 8
peptides 7

Publication Year

2005 153
2004 8
2006 4
2003 1

Country

usa 67
japan 18
germany 12
canada 11
australia 10
peoples r china 9

france 8
netherlands 7
england 7
israel 6
india 6
denmark 5
south korea 4
italy 4
switzerland 3

Institution

mit 5
weizmann inst sci 4
harvard univ 4
univ wisconsin 3
univ utrecht 3
univ queensland 3
univ minnesota 3
scripps res inst 3
rice univ 3
northwestern univ 3
monash univ 3
westmead hosp 2
vanderbilt univ 2
univ texas 2
univ so denmark 2

DataBase

science citation index 166

• CLUSTER 11

Fibrils (especially amyloid and collagen fibrils), focusing on formation by aggregation, role of amyloids in neural conditions (especially Alzheimer's disease), and structure (102 Records)

(Countries: USA very dominant, England, Japan. Institutions: University of Cambridge, Osaka University, NIDDKD, Japan S&T Agency. Other USA include JHU, Baylor College of Medicine, Arizona State University, UCLA).

Cluster Syntax Features

Descriptive Terms

fibril 32.0%, amyloid 27.1%, beta 4.2%, aggreg 3.1%, amyloid.fibrils 2.6%, protein 2.2%, diseases 1.9%, peptid 1.4%, alzhaim 1.3%, collagen 0.8%, protofibril 0.8%, prion 0.7%, sheet 0.5%, fibril.formation 0.5%, beta.sheet 0.5%

Discriminating Terms

fibril 19.2%, amyloid 16.4%, beta 1.8%, film 1.7%, amyloid.fibrils 1.6%, aggreg 1.4%, diseases 1.1%, alzhaim 0.8%, surfac 0.8%, protein 0.6%, peptid 0.6%, nanoparticl 0.6%, carbon 0.6%, particl 0.5%, magnet 0.5%

Single Word Terms

fibril 80, amyloid 75, protein 72, structur 69, microscopi 60, form 59, beta 57, format 56, diseases 54, aggreg 51, forc 43, atom 42, assembl 39, alzhaim 37, peptid 36

Double Word Terms

amyloid.fibrils 41, atomic.force 40, force.microscopy 40, alzheimer.disease 30, electron.microscopy 26, fibril.formation 25, beta.sheet 23, amyloid.beta 20, transmission.electron 16, self.assembly 15, amyloid.formation 15, circular.dichroism 13, wild.type 12, beta.amyloid 12, amyloid.fibril 12

Triple Word Terms

atomic.force.microscopy 39, transmission.electron.microscopy 15, beta.sheet.structure 8, amyloid.fibril.formation 8, form.amyloid.fibrils 6, force.microscopy.afm 5, amyloid.beta.protein 5, self.assembly.amyloid 4, wild.type.beta 4, formation.amyloid.fibrils 4, cross.beta.structure 4, paired.helical.filaments 4, scanning.transmission.electron 4, amyloid.beta.peptide 4, microscopy.atomic.force 4

Term Cliques

40.31% amyloid beta aggreg diseases peptid alzhaim protofibril prion sheet
43.25% amyloid beta aggreg amyloid.fibrils diseases peptid alzhaim prion sheet
47.82% amyloid beta aggreg amyloid.fibrils protein diseases peptid alzhaim prion
45.10% fibril collagen
41.50% fibril amyloid aggreg diseases peptid protofibril prion sheet fibril.formation
44.44% fibril amyloid aggreg amyloid.fibrils diseases peptid prion sheet fibril.formation
49.02% fibril amyloid aggreg amyloid.fibrils protein diseases peptid prion fibril.formation
42.75% fibril amyloid beta aggreg diseases peptid protofibril prion sheet beta.sheet
45.39% fibril amyloid beta aggreg amyloid.fibrils diseases peptid prion sheet beta.sheet
52.51% fibril amyloid beta aggreg amyloid.fibrils protein diseases peptid prion

Sample Cluster Record Titles

[Probing the origins, diagnosis and treatment of amyloid diseases using antibodies](#)

[Heterotrimeric type I collagen C-telopeptide conformation as docked to its helix receptor](#)

[Exploring the early steps of aggregation of amyloid-forming peptide KFFE](#)

[Construction of a protein array on amyloid-like fibrils using co-assembly of designed peptides](#)

[Amyloidogenic domains, prions and structural inheritance: rudiments of early life or recent acquisition?](#)

[Atomic force microscopy study of human amylin \(20-29\) fibrils](#)

[Stereospecific amyloid-like fibril formation by a peptide fragment of beta\(2\)-microglobulin](#)

[Rapid assembly of amyloid-beta peptide at a liquid/liquid interface produces unstable beta-sheet fibers](#)

[Structure and function of amyloid in Alzheimer's disease](#)

Cluster Metrics

Authors

naiki, h 5
goto, y 5
kawai, t 4
yeh, ml 3
yau, wm 3
yamaguchi, k 3
wickner, rb 3
tycko, r 3
rosenberry, tl 3
reed, dk 3
park, cb 3
nichols, mr 3
moss, ma 3
luo, zp 3
hoh, jh 3

Sources

biochemistry 14
journal of molecular biology 8
journal of biological chemistry 8
microscopy research and technique 5
biophysical journal 5
journal of structural biology 4

science 2
protein science 2
protein and peptide letters 2
neurobiology of disease 2
langmuir 2
journal of the american chemical society 2
febs journal 2
biochemical and biophysical research communications 2
amyloid-journal of protein folding disorders 2

Keywords

biochemistry & molecular biology 55
in-vitro 29
protein 26
alzheimers-disease 20
atomic-force microscopy 17
fibril formation 14
biophysics 13
aggregation 13
model 12
peptide 11
atomic-force microscopy 11
alpha-synuclein 11
disease 10
amyloid fibrils 10
alzheimer's disease 9

Publication Year

2005 93
2004 8
2006 1

Country

usa 45
england 13
japan 12
italy 6
sweden 5
netherlands 4
germany 4
denmark 4
taiwan 3
peoples r china 3
hungary 3
france 3
canada 3

belgium 3
switzerland 2

Institution

univ cambridge 7
osaka univ 6
niddkd 5
japan sci & technol agcy 5
fukui univ 4
mayo clin 3
johns hopkins univ 3
baylor coll med 3
arizona state univ 3
univ wageningen & res ctr 2
univ szeged 2
univ pecs 2
univ nottingham 2
univ florence 2
univ calif los angeles 2

DataBase

science citation index 102

- **CLUSTER 110**

Viruses and RNA, focusing on structure determination, capsid properties, and sequencing (129 Records)

(Countries: USA very dominant, Japan, Germany, France, China, England. Institutions: UCI, Scripps Research Institute, UCD, National

Institute Infectious Diseases, CAS. Other USA include Vanderbilt University, University of Texas, UCSD, Texas A&M.).

Cluster Syntax Features

Descriptive Terms

viru 18.7%, rna 15.9%, protein 8.9%, capsid 7.7%, sequenc 3.8%, viral 3.0%, genom 3.0%, vlp 1.8%, infect 1.6%, particl 1.0%, mosaic.virus 0.9%, mosaic 0.9%, gene 0.9%, trna 0.8%, virus 0.8%

Discriminating Terms

viru 11.8%, rna 10.1%, capsid 4.9%, protein 4.1%, sequenc 2.1%, viral 1.9%, genom 1.9%, film 1.8%, vlp 1.1%, infect 1.0%, surfac 0.6%, mosaic.virus 0.6%, carbon 0.6%, nanoparticl 0.6%, mosaic 0.6%

Single Word Terms

protein 97, viru 77, structur 71, particl 62, sequenc 52, rna 48, two 46, viral 38, assembl 38, genom 37, capsid 37, form 35, infect 35, cell 33, surfac 33

Double Word Terms

virus.particles 25, electron.microscopy 18, mosaic.virus 17, amino.acid 16, coat.protein 15, atomic.force 13, particles.diameter 12, viral.particles 12, force.microscopy 12, capsid.protein 11, particles.vlps 11, hepatitis.virus 8, three dimensional 8, capsid.assembly 8, virus.particle 8

Triple Word Terms

atomic.force.microscopy 12, virus.particles.vlps 9, tobacco.mosaic.virus 7, rna.dependent.rna 5, mosaic.virus.tmv 5, dependent.rna.polymerase 5, open.reading.frame 5, amino.acid.residues 4, green.fluorescent.protein 4, double.stranded.rna 4, amino.acid.sequence 4, amino.acid.sequences 4, force.microscopy.afm 3, single.stranded.rna 3, enzyme.linked.immunosorbent 3

Term Cliques

31.32% protein vlp infect gene virus
34.42% protein genom infect gene virus
34.42% protein sequenc genom mosaic.virus mosaic
26.55% rna sequenc gene trna
42.64% rna protein viral genom
40.78% rna protein sequenc genom gene
37.50% viru protein viral genom infect particl mosaic.virus virus
37.02% viru protein viral genom infect particl mosaic.virus mosaic
38.65% viru protein capsid vlp infect particl virus
40.97% viru protein capsid viral infect particl virus

Sample Cluster Record Titles

[Improved metal cluster deposition on a genetically engineered tobacco mosaic virus template](#)

[Caladium virus x, a new potexvirus from Caladium bicolor \(Araceae\)](#)

[Structure of birnavirus-like particles determined by combined electron cryomicroscopy and X-ray crystallography](#)

[A C-terminal truncated hepatitis C virus core protein variant assembles in vitro into virus-like particles in the absence of structured nucleic acids](#)

["Natively unfolded" VPg is essential for Sesbania mosaic virus serine protease activity](#)

[jViz.Rna - A Java tool for RNA secondary structure visualization](#)

[P-RnaPredict - A parallel evolutionary algorithm for RNA folding: Effects of pseudorandom number quality](#)

[Wrapping things up about virus RNA replication](#)

[In vitro assembly of mosaic hepatitis B virus capsid-like particles \(CLPs\): Rescue into CLPs of assembly-deficient core protein fusions and FRET-suited CLP's](#)

Cluster Metrics

Authors

mcpherson, a 4
takeda, n 3
kuznetsov, yg 3
zhang, j 2
xing, l 2
wiese, kc 2
white, d 2
vuento, m 2
vogel, m 2
tsukahara, t 2
toivola, j 2
oker-blom, c 2
nassal, m 2
miyamura, t 2
li, tc 2

Sources

journal of virology 13
virology 6
proceedings of the national academy of sciences of the united states of america 5
nucleic acids research 5
journal of molecular biology 4
virus research 3
journal of nanoscience and nanotechnology 3
journal of general virology 3
journal of computational and theoretical nanoscience 3
ieee transactions on nanobioscience 3
biochemical and biophysical research communications 3
archives of virology 3
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 2
molecular plant pathology 2
journal of virological methods 2

Keywords

virology 27
biochemistry & molecular biology 27
protein 14
dna 11
biophysics 10
chemistry, multidisciplinary 8
multidisciplinary sciences 7
cell biology 7
sequence 7
rna 7
identification 7
expression 7
binding 7
plant sciences 6
biochemical research methods 6

Publication Year

2005 113
2004 16

Country

usa 51
japan 13
germany 11
france 10
peoples r china 8
england 7

italy 5
russia 4
netherlands 4
india 4
finland 4
canada 4
taiwan 3
switzerland 3
south korea 3

Institution

univ calif irvine 4
scripps res inst 4
univ calif davis 3
natl inst infect dis 3
chinese acad sci 3
vanderbilt univ 2
univ tokyo 2
univ texas 2
univ leeds 2
univ jyvaskyla 2
univ hosp freiburg 2
univ helsinki 2
univ calif san diego 2
texas a&m univ 2
simon fraser univ 2

DataBase

science citation index 129

• CLUSTER 130

Gene expression and gene delivery for therapeutic benefit, focusing on nanoparticles as non-viral vectors for gene delivery, analysis of gene expression data, and DNA transfection systems (157 Records)

(Countries: USA very dominant, South Korea, Japan, China, Germany, France. Institutions: National University of Singapore, Dankook University, Institute of Bioengineering and Nanotechnology. USA include University of Utah, University of Texas, University of Tennessee.).

Cluster Syntax Features

Descriptive Terms

gene 44.1%, express 5.3%, deliveri 3.1%, transfect 1.6%, cell 1.6%, dna 1.5%, vector 1.5%, gene.delivery 1.4%, gene.expression 1.2%, plasmid 1.2%, therapi 0.8%, isol 0.7%, transcript 0.7%, viral 0.6%, gene.therapy 0.5%

Discriminating Terms

gene 27.5%, express 3.0%, film 1.8%, deliveri 1.7%, transfect 1.0%, gene.delivery 0.9%, vector 0.8%, gene.expression 0.7%, plasmid 0.7%, surfac 0.7%, temperatur 0.6%, layer 0.5%, carbon 0.5%, structur 0.5%, nanotub 0.5%

Single Word Terms

gene 134, express 84, cell 76, system 57, deliveri 56, dna 53, high 41, effici 40, model 39, human 37, level 36, therapi 36, particl 34, activ 33, complex 33

Double Word Terms

gene.delivery 40, gene.expression 34, gene.therapy 25, plasmid.dna 20, gene.transfer 16, electron.microscopy 15, delivery.system 15, transfection.efficiency 14, non.viral 13, viral.gene 10, transgene.expression 10, reporter.gene 10, transmission.electron 9, cancer.cells 7, drug.delivery 7

Triple Word Terms

non.viral.gene 9, transmission.electron.microscopy 9, viral.gene.delivery 7, polymerase.chain.reaction 6, green.fluorescent.protein 6, targeted.gene.delivery 6, gene.delivery.system 6, nucleic.acid.delivery 5, gene.expression.patterns 4, chain.reaction.pcr 4, field.gel.electrophoresis 4, spectrum.beta.lactamase 4, scanning.electron.microscopy 4, electron.microscopy.tem 4, dynamic.light.scattering 4

Term Cliques

38.00% gene isol transcript
44.46% gene express cell gene.expression transcript
32.96% gene express deliveri transfect cell dna vector gene.delivery plasmid therapi viral gene.therapy
33.44% gene express deliveri transfect cell dna vector gene.delivery gene.expression plasmid therapi gene.therapy

Sample Cluster Record Titles

[Gene expression clustering using self-organizing maps: analysis of the macrophage response to particulate biomaterials](#)

[Multifunctional nanoparticles possessing a "magnetic motor effect" for drug or gene delivery](#)

[Quantification of the expression of multidrug resistance-related genes in human tumour cell lines grown with free doxorubicin or doxorubicin encapsulated in polyisohexylcyanoacrylate nanospheres](#)

[Macro-branched cell-penetrating peptide design for gene delivery](#)

[WIGED: Web-based data integration system for analysis of gene expression in disease](#)

[Polymers for DNA delivery](#)

[Trimethylated chitosans as non-viral gene delivery vectors: Cytotoxicity and transfection efficiency](#)

[A bio-recognition device developed onto nano-crystals of carbonate apatite for cell-targeted gene delivery](#)

[Nanoparticulate system for efficient gene transfer into refractory cell targets](#)

Cluster Metrics

Authors

wang, s 5

wang, cy 3

schatzlein, ag 3

li, y 3

lee, sw 3
yee, wc 2
wang, x 2
uchimura, s 2
uchegbu, if 2
tetley, l 2
shindo, t 2
roth, ja 2
ramesh, r 2
oishi, y 2
nishimura, g 2

Sources

journal of controlled release 8
bioconjugate chemistry 5
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 4
journal of nanoscience and nanotechnology 4
journal of gene medicine 4
journal of clinical microbiology 4
molecular therapy 3
journal of computational and theoretical nanoscience 3
proceedings of the national academy of sciences of the united states of america 2
journal of the american chemical society 2
journal of microbiology 2
journal of drug targeting 2
journal of drug delivery science and technology 2
journal of biological chemistry 2
ieee transactions on nanobioscience 2

Keywords

chemistry, multidisciplinary 26
in-vivo 22
microbiology 21
cells 19
biochemistry & molecular biology 16
expression 16
therapy 14
pharmacology & pharmacy 14
genetics & heredity 14
dna 13
delivery 13
nanoparticles 12
identification 12
medicine, research & experimental 11
in-vitro 11

Publication Year

2005 136

2004 20

2006 1

Country

usa 51

south korea 19

japan 16

peoples r china 12

germany 11

france 11

singapore 9

italy 7

canada 7

spain 5

england 5

india 4

scotland 3

poland 3

norway 3

Institution

natl univ singapore 6

dankook univ 5

inst bioengn & nanotechnol 4

univ utah 3

univ tokyo 3

univ strathclyde 3

univ munich 3

univ glasgow 3

osaka univ 3

yamaguchi univ 2

univ zagreb 2

univ wales coll cardiff 2

univ texas 2

univ tennessee 2

univ oslo 2

DataBase

science citation index 157

- **CLUSTER 64**

Treatment and risk prediction of cancer and cardiovascular disease (CVD), focusing on evaluation of lymphatic system (especially sentinel lymph nodes [SLNs]), especially for patients with breast cancer (88 Records)

(Countries: USA very dominant, England, Netherlands. Institutions: Massachusetts General Hospital, Harvard University, University of Utah, University of Barcelona, Hospital Clinia Barcelona. Other USA include University of Texas, MIT, Brigham and Women's Hospital, Boston University, Beth Israel Deaconess Medical Center).

Cluster Syntax Features

Descriptive Terms

patient 18.0%, node 14.0%, sentinel 6.1%, lymph 5.9%, risk 4.2%, lymph.node 2.6%, cancer 2.6%, diseases 2.2%, cvd 1.6%, sln 1.5%, cardiovascular 1.5%, metastas 1.0%, sentinel.lymph 1.0%, arteri 0.9%, women 0.9%

Discriminating Terms

patient 10.2%, node 7.9%, sentinel 3.5%, lymph 3.4%, risk 2.4%, film 1.7%, lymph.node 1.5%, cancer 1.4%, diseases 1.2%, cardiovascular 0.8%, sln 0.8%, surfac 0.8%, cvd 0.7%, structur 0.6%, sentinel.lymph 0.6%

Single Word Terms

patient 55, diseases 38, cancer 37, node 35, risk 31, lymph 30, on 26, sentinel 26, factor 25, clinic 25, cardiovascular 25, two 24, treatment 24, high 23, sensit 22

Double Word Terms

lymph.node 27, sentinel.lymph 20, cardiovascular.disease 18, disease.cvd 17,

lymph.nodes 16, sentinel.node 14, tc.99m 14, risk.factors 14, breast.cancer 13, sentinel.nodes 11, cancer.patients 11, blue.dye 10, node.biopsy 10, magnetic.resonance 9, node.sln 9

Triple Word Terms

sentinel.lymph.node 18, cardiovascular.disease.cvd 16, lymph.node.sln 9, sentinel.lymph.nodes 7, sentinel.node.biopsy 7, magnetic.resonance.imaging 7, lymph.node.metastases 7, injection.tc.99m 6, squamous.cell.carcinoma 6, breast.cancer.patients 6, cvd.risk.factors 5, tc.99m.nanocolloid 5, tc.99m.labelled 5, lymph.node.biopsy 5, low.density.lipoprotein 4

Term Cliques

24.43% risk cvd cardiovascular arteri
28.64% risk diseas cvd cardiovascular women
26.64% node sentinel lymph lymph.node cancer sln metastas sentinel.lymph women
52.84% patient diseas
32.20% patient node sentinel lymph lymph.node cancer sln metastas sentinel.lymph

Sample Cluster Record Titles

[Metabolic syndrome, a cardiovascular disease risk factor: Role of adipocytokines and impact of diet and physical activity](#)

[Oxidative stress and vascular disease](#)

[Sentinel node biopsy to evaluate the metastatic dissemination of oesophageal adenocarcinoma](#)

[Evaluation of sentinel nodes in the assessment of cervical metastases from head and neck squamous cell carcinomas - Presented at the 17th World Congress of the International Federation of Oto-Rhino-Laryngological Societies \(IFOS\) in Cairo, Egypt, 28 September 3 October, 2002](#)

[Sentinel node biopsy can replace four-node-sampling in staging early breast cancer](#)

[Endothelial dysfunction links erectile dysfunction to heart disease](#)

[Sensitive, noninvasive detection of lymph node metastases](#)

[Radioguided sentinel lymph node detection in vulvar cancer](#)

[Sentinel lymph node mapping of the pleural space](#)

Cluster Metrics

Authors

weissleder, r 4
nieweg, oe 4
olmos, rav 3
kroon, bk 3
horenblas, s 3
harisinghani, mg 3
zanon, g 2
vidal-sicart, s 2
velasco, m 2
van tinteren, h 2
tabatabaei, s 2
sibbering, m 2
seljeflot, i 2
santamaria, g 2
sandvik, l 2

Sources

european journal of nuclear medicine and molecular imaging 7
arteriosclerosis thrombosis and vascular biology 3
urology 2
tumori 2
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 2
journal of urology 2
journal of clinical oncology 2
gynecologic oncology 2
american journal of cardiology 2
trees-structure and function 1
toxicology and applied pharmacology 1
thrombosis and haemostasis 1
skin pharmacology and physiology 1
scandinavian journal of clinical & laboratory investigation 1
quality of life research 1

Keywords

lymphoscintigraphy 12
radiology, nuclear medicine & medical imaging 11
oncology 10

carcinoma 9
biopsy 8
urology & nephrology 7
cardiac & cardiovascular systems 7
lymphadenectomy 7
atherosclerosis 7
squamous-cell carcinoma 6
dissection 6
coronary-heart-disease 6
cancer 6
coronary-heart-disease 5
cardiovascular disease 5

Publication Year

2005 79
2004 9

Country

usa 30
england 12
netherlands 7
japan 5
italy 5
spain 4
germany 4
canada 4
sweden 3
south korea 3
france 3
denmark 3
austria 3
turkey 2
taiwan 2

Institution

massachusetts gen hosp 5
harvard univ 4
univ utah 3
univ barcelona 3
hosp clin barcelona 3
univ vienna 2
univ texas 2
univ amsterdam 2
ullevaal univ hosp 2
royal marsden hosp 2
netherlands canc inst 2

mit 2
brigham & womens hosp 2
boston univ 2
beth israel deaconess med ctr 2

DataBase
science citation index 88

- **CLUSTER 201**

Studies of tumors and the brain, with emphasis on liposomal and nanoparticle-based delivery (especially of drugs), nanostructure-aided magnetic resonance imaging of cells, and crossing of the blood-brain barrier (208 Records)

(Countries: USA very dominant, China, Japan, Germany, South Korea, France. Institutions: Washington University, CAS, University of Paris, University of Michigan, EWha Women's University. Other USA include University of Pennsylvania, Ohio State University, Massachusetts General Hospital, University of Utah, University of Missouri, University of Kentucky, Rice University).

Cluster Syntax Features

Descriptive Terms

liposom 10.7%, tumor 9.2%, brain 8.8%, target 3.0%, blood 2.6%, rat 2.2%, mice 2.2%, cell 2.1%, vivo 1.8%, tissu 1.7%, imag 1.5%, therapi 1.5%, nanoparticl 1.2%, conjug 1.2%, deliveri 1.0%

Discriminating Terms

liposom 7.3%, tumor 6.2%, brain 6.0%, film 2.0%, blood 1.7%, target 1.6%, mice 1.5%, rat 1.4%, vivo 1.1%, tissu 1.0%, therapi 0.9%, structur 0.6%, conjug 0.6%, carbon 0.6%, temperatur 0.6%

Single Word Terms

cell 106, nanoparticl 72, target 71, tumor 67, vivo 63, activ 62, tissu 62, system 60, drug 59, surfac 59, blood 56, vitro 54, imag 54, mice 54, deliveri 52

Double Word Terms

blood.brain 19, magnetic.resonance 19, brain.barrier 19, drug.delivery 18, electron.microscopy 17, resonance.imaging 17, vitro.vivo 14, iron.oxide 13, contrast.agents 12, polyethylene.glycol 12, endothelial.cells 11, barrier.bbb 10, tumor.growth 10, glycol.peg 10, scanning.electron 10

Triple Word Terms

blood.brain.barrier 19, magnetic.resonance.imaging 17, brain.barrier.bbb 10, poly.ethylene.glycol 8, resonance.imaging.mri 8, central.nervous.system 8, scanning.electron.microscopy 8, transmission.electron.microscopy 7, surface.plasmon.resonance 6, cross.blood.brain 5, polyethylene.glycol.peg 5, ethylene.glycol.peg 5, iron.oxide.nanoparticles 5, sprague.dawley.rats 4, alpha.beta.integrin 4

Term Cliques

30.65% target blood cell tissu therapi nanoparticl conjug deliveri
30.77% target blood cell tissu imag therapi nanoparticl conjug
24.88% brain rat vivo deliveri
24.04% brain blood rat deliveri
30.77% brain target cell vivo tissu nanoparticl conjug deliveri
30.89% brain target cell vivo tissu imag nanoparticl conjug
30.35% brain target blood cell tissu nanoparticl conjug deliveri
30.47% brain target blood cell tissu imag nanoparticl conjug
31.43% tumor target cell tissu imag therapi nanoparticl conjug
32.09% tumor target cell vivo tissu imag nanoparticl conjug
30.72% tumor target mice cell tissu therapi nanoparticl conjug deliveri
31.30% tumor target mice cell vivo tissu nanoparticl conjug deliveri
30.02% liposom tumor target cell tissu therapi nanoparticl conjug deliveri

Sample Cluster Record Titles

[Drug delivery across the blood-brain barrier](#)

[Peptide-derivatized biodegradable nanoparticles able to cross the blood-brain barrier](#)

[Development and brain delivery of chitosan-PEG nanoparticles functionalized with the monoclonal antibody OX26](#)

[Relaxivity of liposomal paramagnetic MRI contrast agents](#)

[MR molecular imaging and fluorescence microscopy for identification of activated tumor endothelium using a bimodal lipidic nanoparticle](#)

[Nanosphere-mediated delivery of vitamin E increases its efficacy against oxidative stress resulting from exposure to amyloid beta](#)

[Accelerated blood clearance of PEGylated liposomes following preceding liposome injection: Effects of lipid dose and PEG surface-density and chain length of the first-dose liposomes](#)

[In vivo antitumor activity of folate receptor-targeted liposomal daunorubicin in a murine leukemia model](#)

[Intravenous hydrophobic drug delivery: A porous particle formulation of paclitaxel \(AI-850\)](#)

Cluster Metrics

Authors

couvreur, p 7

wickline, sa 5

andrieux, k 5

lanza, gm 4

vandelli, ma 3

tosi, g 3

sohn, ys 3

robertson, jd 3

mumper, rj 3

kobayashi, t 3

honda, h 3

gil, s 3

garcia-garcia, e 3

forni, f 3

desai, n 3

Sources

journal of controlled release 12
international journal of pharmaceutics 6
pharmaceutical research 5
nano letters 5
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 4
magnetic resonance in medicine 4
lasers in surgery and medicine 4
journal of magnetism and magnetic materials 4
bioconjugate chemistry 4
photochemistry and photobiology 3
european journal of pharmaceutics and biopharmaceutics 3
current pharmaceutical biotechnology 3
anticancer research 3
analytical chemistry 3
review of scientific instruments 2

Keywords

chemistry, multidisciplinary 34
nanoparticles 28
pharmacology & pharmacy 24
cells 24
radiology, nuclear medicine & medical imaging 21
liposomes 18
cancer 18
in-vivo 17
pharmacology & pharmacy 16
oncology 16
biochemistry & molecular biology 16
nanoparticles 15
delivery 13
therapy 12
rat 12

Publication Year

2005 188
2004 19
2006 1

Country

usa 96
peoples r china 18
japan 17
germany 17
south korea 15

france 13
england 8
netherlands 6
italy 6
taiwan 5
spain 4
brazil 4
austria 4
australia 4
switzerland 3

Institution

washington univ 6
chinese acad sci 6
univ paris 11 5
univ michigan 5
ewha womans univ 5
univ penn 4
ohio state univ 4
massachusetts gen hosp 4
korea adv inst sci & technol 4
yonsei univ 3
univ utah 3
univ tokushima 3
univ missouri 3
univ kentucky 3
rice univ 3

DataBase

science citation index 208

- **CLUSTER 191**

Cellular function and processes, focusing on endothelial and epithelial

cells, cellular response to gene expression, induction and inhibition of apoptosis, and studies on cancer and tumor cells (339 Records)

(Countries: USA dominant, Germany, South Korea, Japan, China.
Institutions: Harvard University, Wonkwang University, Kyung Hee University, JHU. Other USA include University of Florida, University of Pennsylvania, University of Michigan, University of Missouri, UCLA.).

Cluster Syntax Features

Descriptive Terms

cell 41.3%, human 3.4%, express 3.2%, endotheli 2.6%, apoptosi 1.5%, activ 1.3%, cancer 1.0%, receptor 0.9%, epitheli 0.9%, inhibit 0.9%, endothelial.cells 0.8%, protein 0.8%, gene 0.6%, cultur 0.6%, tumor 0.6%

Discriminating Terms

cell 23.5%, human 2.0%, film 2.0%, express 1.9%, endotheli 1.7%, apoptosi 1.0%, carbon 0.6%, epitheli 0.6%, temperatur 0.6%, cancer 0.6%, structur 0.6%, crystal 0.6%, nanotub 0.5%, endothelial.cells 0.5%, receptor 0.5%

Single Word Terms

cell 337, human 152, activ 149, express 133, microscopi 112, protein 111, induc 107, surfac 102, function 94, electron 90, line 90, mechan 87, inhibit 85, cultur 77, role 74

Double Word Terms

electron.microscopy 79, cell.line 56, transmission.electron 52, endothelial.cells 48, cancer.cells 35, epithelial.cells 34, cell.surface 31, cell.lines 29, scanning.electron 29, cell.proliferation 23, atomic.force 22, force.microscopy 21, growth.factor 21, endothelial.cell 21, cell.death 21

Triple Word Terms

transmission.electron.microscopy 45, scanning.electron.microscopy 27, atomic.force.microscopy 20, surface.plasmon.resonance 20, polymerase.chain.reaction 15, electron.microscopy.tem 12, human.umbilical.vein 12, umbilical.vein.endothelial 11, tumor.necrosis.factor 11, vein.endothelial.cells 10, green.fluorescent.protein 9, electron.microscopy.sem 9, necrosis.factor.alpha 9, reactive.oxygen.species 8, epidermal.growth.factor 8

Term Cliques

38.20% cell apoptosi activ inhibit protein tumor
39.65% cell apoptosi activ cancer cultur
35.84% cell apoptosi activ cancer inhibit tumor
39.76% cell human cancer epitheli cultur
43.41% cell human activ inhibit protein tumor

45.90% cell human activ cancer cultur
41.05% cell human activ cancer inhibit tumor
40.46% cell human endotheli activ endothelial.cells cultur
39.70% cell human endotheli activ inhibit endothelial.cells protein
39.28% cell human express epitheli gene cultur
40.95% cell human express epitheli protein gene
39.82% cell human express receptor epitheli cultur
41.49% cell human express receptor epitheli protein
44.40% cell human express activ gene cultur
46.07% cell human express activ protein gene
44.94% cell human express activ receptor cultur
43.53% cell human express activ receptor inhibit protein

Sample Cluster Record Titles

[Induction and regulation of Fas-mediated apoptosis in human thyroid epithelial cells](#)

[Aldosterone makes human endothelium stiff and vulnerable](#)

[Mechanochemically activated doxorubicin nanoparticles in combination with 40 MHz frequency irradiation on A-549 lung carcinoma cells](#)

[Membrane toxicity accounts for apoptosis induced by realgar nanoparticles in promyelocytic leukemia HL-60 cells](#)

[Detection of HSP60 on the membrane surface of stressed human endothelial cells by atomic force and confocal microscopy](#)

[Novel metal clusters isolated from blood are lethal to cancer cells](#)

[Integrity of endothelium in cryopreserved human cornea](#)

[Selective reduction of the interaction of magnetic nanoparticles with leukocytes and tumor cells by human plasma](#)

[Folate conjugated fluorescent silica nanoparticles for labeling neoplastic cells](#)

Cluster Metrics

Authors

hong, sh 10

kim, hr 9

kim, hm 9

chae, hj 9
weissleder, r 5
tan, wh 4
chan, wh 4
teitell, ma 3
santra, s 3
oberleithner, h 3
moudgil, bm 3
ludwig, t 3
kim, yk 3
kim, js 3
kim, ch 3

Sources

journal of biological chemistry 8
biomaterials 7
biochemical and biophysical research communications 7
on the convergence of bio-information-, environmental-, energy-, space- and nano-
technologies, pts 1 and 2 6
journal of virology 5
journal of nanoscience and nanotechnology 5
journal of ethnopharmacology 5
journal of cell science 5
anticancer research 5
biophysical journal 4
proceedings of the national academy of sciences of the united states of america 3
nano letters 3
langmuir 3
lab on a chip 3
journal of medicinal chemistry 3

Keywords

biochemistry & molecular biology 50
in-vitro 31
expression 31
cell biology 28
apoptosis 28
cells 24
cancer 24
chemistry, multidisciplinary 23
pharmacology & pharmacy 20
cell biology 19
oncology 18
cells 18
engineering, biomedical 17
biophysics 17

activation 17

Publication Year

2005 302

2004 32

2006 5

Country

usa 133

germany 42

south korea 31

japan 27

peoples r china 23

canada 16

italy 15

france 12

england 11

sweden 9

switzerland 8

taiwan 7

israel 7

austria 7

netherlands 6

Institution

harvard univ 12

wonkwang univ 8

kyung hee univ 8

johns hopkins univ 8

chonbuk natl univ 7

univ munster 6

univ florida 6

univ penn 5

univ michigan 5

seoul natl univ 5

hebrew univ jerusalem 5

univ turin 4

univ missouri 4

univ calif los angeles 4

osaka univ 4

DataBase

science citation index 339

• CLUSTER 195

Investigation of cell surface and plasma membrane (especially of bacteria), focusing on cell adhesion, labeling for detection, imaging techniques, and intercellular transfer (608 Records)

(Countries: USA very dominant, Japan, Germany, followed by China, France, England. Institutions: University of Tokyo, Harvard University, University of Texas, National University of Singapore, CNRS. Other USA include JHU, Stanford University, University of Wisconsin, University of Washington, University of Pennsylvania, MIT).

Cluster Syntax Features

Descriptive Terms

cell 65.4%, membran 1.6%, adhes 1.2%, cultur 0.9%, cellular 0.8%, surfac 0.7%, label 0.6%, live 0.5%, imag 0.4%, tissu 0.4%, forc 0.4%, cell.adhesion 0.4%, protein 0.3%, bacteri 0.3%, cell.wall 0.3%

Discriminating Terms

cell 45.0%, film 2.0%, temperatur 0.6%, nanotub 0.6%, carbon 0.6%, cultur 0.6%, adhes 0.6%, membran 0.5%, crystal 0.5%, cellular 0.5%, deposit 0.5%, si 0.4%, particl 0.4%, structur 0.4%, phase 0.4%

Single Word Terms

cell 603, surfac 259, microscopi 210, structur 177, membran 155, electron 147, function 141, system 125, mechan 124, applic 123, protein 119, adhes 116, forc 116, cultur 114, model 113

Double Word Terms

electron.microscopy 104, atomic.force 83, force.microscopy 72, scanning.electron 64, cell.adhesion 63, cell.surface 54, transmission.electron 53, cell.wall 39, plasma.membrane 33, microscopy.afm 33, stem.cells 31, cells.cell 30, living.cells 29, single.cell 28, cell.membrane 28

Triple Word Terms

atomic.force.microscopy 71, scanning.electron.microscopy 48, transmission.electron.microscopy 42, force.microscopy.afm 33,

magnetic.resonance.imaging 18, green.fluorescent.protein 16, electron.microscopy.tem
15, atomic.force.microscope 14, scanning.electron.microscope 12,
ray.photoelectron.spectroscopy 12, superparamagnetic.iron.oxide 11,
electron.microscopy.sem 11, iron.oxide.nanoparticles 11, red.blood.cells 11,
smooth.muscle.cells 10

Term Cliques

34.95% cell live forc bacteri
33.68% cell label live bacteri
35.00% cell surfac forc bacteri cell.wall
33.52% cell cellular label tissu protein
32.99% cell cellular label live protein
32.73% cell cellular label live imag
37.53% cell adhes surfac forc bacteri
38.06% cell adhes surfac forc cell.adhesion
33.22% cell adhes cellular forc cell.adhesion
30.51% cell adhes cellular tissu cell.adhesion protein
32.28% cell adhes cultur surfac tissu cell.adhesion protein
46.71% cell membran surfac protein
38.55% cell membran surfac forc cell.wall
35.30% cell membran cellular live protein
32.37% cell membran cellular live imag forc

Sample Cluster Record Titles

[Effect of surface roughness of ground titanium on initial cell adhesion](#)

[Vesicle traffic through intercellular bridges in DU 145 human prostate cancer cells](#)

[Fluorescence imaging of two-photon linear dichroism: Cholesterol depletion disrupts molecular orientation in cell membranes](#)

[Membrane-wall attachments in plasmolysed plant cells](#)

[Vascular smooth muscle cells on polyelectrolyte multilayers: Hydrophobicity-directed adhesion and growth](#)

[Not just another hole in the wall: understanding intercellular protein trafficking](#)

[Methods for magnetically labeling stem and other cells for detection by in vivo magnetic resonance imaging](#)

[Methods for magnetically labeling stem and other cells for detection by in vivo magnetic resonance imaging](#)

Cluster Metrics

Authors

chen, y 6
zhang, zl 5
pang, dw 4
kobayashi, t 4
honda, h 4
frank, ja 4
chen, j 4
arbab, as 4
yan, f 3
vo-dinh, t 3
van der mei, hc 3
sastry, m 3
ratner, bd 3
nealey, pf 3
murphy, cj 3

Sources

biomaterials 22
biophysical journal 17
langmuir 16
journal of biomedical materials research part a 14
analytical chemistry 11
proceedings of the national academy of sciences of the united states of america 9
biomacromolecules 9
journal of the american chemical society 8
applied and environmental microbiology 8
tissue engineering 6
science 6
magnetic resonance in medicine 6
biosensors & bioelectronics 6
biochemistry 6
ultramicroscopy 5

Keywords

biochemistry & molecular biology 50
engineering, biomedical 49
biotechnology & applied microbiology 41
materials science, biomaterials 40
cells 39
atomic-force microscopy 38

adhesion 36
chemistry, multidisciplinary 35
cell biology 35
microscopy 33
nanoparticles 30
chemistry, physical 29
growth 29
biophysics 29
in-vitro 27

Publication Year

2005 526
2004 74
2006 7
2003 1

Country

usa 231
japan 69
germany 63
peoples r china 40
france 34
england 31
south korea 25
switzerland 24
canada 24
italy 16
brazil 15
singapore 12
netherlands 12
taiwan 11
sweden 11

Institution

univ tokyo 13
harvard univ 13
univ texas 10
natl univ singapore 10
cnrs 10
johns hopkins univ 9
stanford univ 8
russian acad sci 8
nagoya univ 8
wuhan univ 7
univ wisconsin 7
univ washington 7

univ penn 7
mit 7
korea adv inst sci & technol 7

DataBase
science citation index 608

• CLUSTER 135

Connective and anatomical support tissue (especially bone and its main component, collagen), focusing on studies on osteoblasts, cell proliferation, and orthopedic implants (226 Records)

(Countries: USA dominant, Japan, China, Singapore. Institutions: National University Singapore, Sichuan University, MIT. Other USA include University of Michigan, Harvard University, Northwestern University, JHU, UCLA).

Cluster Syntax Features

Descriptive Terms

collagen 14.4%, tissu 10.7%, cell 9.7%, scaffold 8.7%, bone 7.4%, cultur 4.7%, osteoblast 3.3%, prolifer 1.5%, vitro 0.8%, human 0.8%, miner 0.8%, fibril 0.7%, implant 0.6%, biomateri 0.6%, extracellular 0.6%

Discriminating Terms

collagen 9.7%, tissu 6.9%, scaffold 5.8%, bone 4.9%, cell 4.2%, cultur 3.1%, osteoblast 2.2%, film 1.8%, prolifer 1.0%, nanoparticl 0.7%, particl 0.6%, temperatur 0.6%, carbon 0.6%, nanotub 0.6%, magnet 0.6%

Single Word Terms

cell 182, tissu 146, surfac 116, cultur 104, collagen 102, microscopi 98, electron 91, structur 88, vitro 82, scaffold 81, bone 79, matrix 76, growth 75, scan 74, materi 72

Double Word Terms

electron.microscopy 77, scanning.electron 63, extracellular.matrix 41, three dimensional 35, microscopy.sem 27, alkaline.phosphatase 26, transmission.electron 25, cell.adhesion 25, atomic.force 24, collagen.fibrils 22, force.microscopy 21, bone.marrow 19, endothelial.cells 18, cells.cultured 18, bone.tissue 17

Triple Word Terms

scanning.electron.microscopy 56, electron.microscopy.sem 26, transmission.electron.microscopy 22, atomic.force.microscopy 20, alkaline.phosphatase.alp 14, extracellular.matrix.ecm 13, alkaline.phosphatase.activity 11, phosphatase.alp.activity 10, ray.photoelectron.spectroscopy 10, polymerase.chain.reaction 10, force.microscopy.afm 8, mesenchymal.stem.cells 7, smooth.muscle.cells 7, poly.lactic.glycolic 7, lactic.glycolic.acid 7

Term Cliques

41.04% tissu cell bone cultur osteoblast vitro human miner
37.81% tissu cell scaffold cultur osteoblast vitro implant biomateri extracellular
39.18% tissu cell scaffold cultur osteoblast prolifer vitro implant extracellular
39.33% tissu cell scaffold bone cultur osteoblast vitro implant biomateri
40.71% tissu cell scaffold bone cultur osteoblast prolifer vitro implant
42.13% tissu cell scaffold bone cultur osteoblast prolifer vitro human
31.86% collagen tissu fibril biomateri extracellular
33.85% collagen tissu miner fibril
42.16% collagen tissu cell cultur osteoblast biomateri extracellular
43.93% collagen tissu cell cultur osteoblast prolifer extracellular
44.12% collagen tissu cell bone cultur osteoblast biomateri
42.15% collagen tissu cell bone cultur osteoblast human miner
44.03% collagen tissu cell bone cultur osteoblast prolifer human

Sample Cluster Record Titles

[The human spiral ganglion: New insights into ultrastructure, survival rate and implications for cochlear implants](#)

[The development and identification of constructing tissue engineered bone by seeding osteoblasts from differentiated rat marrow stromal stem cells onto three-dimensional porous nano-hydroxylapatite bone matrix in vitro](#)

[Novel assessment of bone using time-resolved transcutaneous Raman spectroscopy](#)

[Osteoblasts generate harder, stiffer, and more delamination-resistant mineralized tissue on titanium than on polystyrene, associated with distinct tissue micro- and ultrastructure](#)

[Mechanical properties of collagen gels derived from rats of different ages](#)

[Osteoblast MC3T3-E1 culture on a fast-setting carbonated hydroxyapatite bone-like material](#)

[Mineralization of SaOS-2 cells on enzymatically \(sillicatein\) modified bioactive osteoblast-stimulating surfaces](#)

[SEM observation of collagen fibrils secreted from the body surface of osteoblasts on a CO\(3\)apatite-collagen sponge](#)

[The in vitro growth and activity of sheep osteoblasts on three-dimensional scaffolds from poly\(L/DL-lactide\) 80/20%](#)

Cluster Metrics

Authors

ramakrishna, s 14

yu, h 5

yong, t 5

cui, fz 5

wang, s 4

venugopal, j 4

tan, yf 4

ma, zw 4

he, w 4

fan, hs 4

zhou, y 3

zhang, xd 3

zhang, sg 3

yang, f 3

teo, we 3

Sources

biomaterials 40

tissue engineering 16

journal of biomedical materials research part a 15

journal of biomedical materials research part b-applied biomaterials 5

asbm6: advanced biomaterials vi 5

journal of periodontology 4

journal of biomaterials science-polymer edition 4

nanotechnology 3

lasers in surgery and medicine 3

journal of materials science-materials in medicine 3

calcified tissue international 3

surface & coatings technology 2

mrs bulletin 2
matrix biology 2
macromolecular research 2

Keywords

engineering, biomedical 73
materials science, biomaterials 69
collagen 37
in-vitro 31
adhesion 25
cell biology 24
biotechnology & applied microbiology 23
tissue 21
growth 20
expression 20
culture 19
cells 19
bone 18
scaffolds 15
collagen 14

Publication Year

2005 195
2004 26
2006 5

Country

usa 66
japan 27
peoples r china 25
singapore 23
south korea 17
italy 14
germany 13
england 13
canada 7
australia 7
switzerland 6
belgium 6
taiwan 5
austria 5
brazil 4

Institution

natl univ singapore 18
sichuan univ 7

mit 7
univ michigan 6
harvard univ 6
tsing hua univ 5
seoul natl univ 5
osaka univ 5
inst bioengn & nanotechnol 5
yonsei univ 4
northwestern univ 4
johns hopkins univ 4
univ coll london 3
univ calif los angeles 3
univ bologna 3

DataBase
science citation index 226

• CLUSTER 134

Biomaterials, bioactive substances, and biodegradable composites (especially chitosan, poly(lactide-co-glycolide) [PLGA], alginate, and poly(lactic acid)), focusing on microspheres and encapsulation, tissue engineering scaffolds, and hydrogels (119 Records)

(Countries: China dominant, USA, South Korea, Japan. Institutions: National University Singapore, Zhejiang University, Sichuan University, CAS. USA includes Louisiana Technical University.).

Cluster Syntax Features

Descriptive Terms

chitosan 29.8%, microspher 12.4%, scaffold 5.8%, plga 4.1%, algin 1.7%, releas 1.5%, composit 1.2%, bone 1.2%, tissu 1.0%, poli 0.9%, hydrogel 0.9%, bioactiv 0.7%, biodegrad 0.5%, dextran 0.5%, encapsul 0.5%

Discriminating Terms

chitosan 20.1%, microspher 8.1%, scaffold 3.8%, plga 2.8%, film 1.2%, algin 1.1%,

releas 0.7%, bone 0.7%, carbon 0.6%, nanotub 0.6%, magnet 0.5%, tissu 0.5%,
temperatur 0.5%, hydrogel 0.5%, crystal 0.4%

Single Word Terms

surfac 61, poli 51, electron 48, scan 48, chitosan 46, microscopi 44, sem 40, structur 40,
acid 39, size 37, composit 35, solut 35, form 34, materi 34, releas 34

Double Word Terms

scanning.electron 43, electron.microscopy 42, poly.lactic 19, microscopy.sem 19,
glycolic.acid 15, fourier.transform 14, molecular.weight 14, transform.infrared 13,
poly.lactide 13, bone.tissue 11, ray.diffraction 11, lactic.acid 11, mechanical.properties
11, acid.plga 10, pore.size 10

Triple Word Terms

scanning.electron.microscopy 39, electron.microscopy.sem 19, fourier.transform.infrared
13, glycolic.acid.plga 10, lactic.glycolic.acid 10, poly.lactic.acid 10, poly.lactic.glycolic
10, poly.lactide.glycolide 9, simulated.body.fluid 9, transmission.electron.microscopy 7,
lactide.glycolide.plga 7, body.fluid.sbf 7, differential.scanning.calorimetry 6,
ray.diffraction.xrd 5, electron.microscopy.tem 5

Term Cliques

8.96% algin hydrogel dextran
22.35% plga poli bioactiv biodegrad encapsul
15.13% scaffold hydrogel
23.63% scaffold plga composit bone tissu poli bioactiv biodegrad
21.51% microspher algin poli dextran encapsul
25.55% microspher algin releas poli encapsul
22.55% microspher plga poli biodegrad dextran encapsul
25.91% microspher plga releas poli biodegrad encapsul
23.53% chitosan hydrogel
28.85% chitosan releas biodegrade

Sample Cluster Record Titles

[Fabrication, characterization, and in vitro degradation of composite scaffolds based on PHBV and bioactive glass](#)

[Chitin and chitosan: Novel biomaterials waiting for future developments](#)

[Preparation and characterization of bFGF and BSA-loaded microspheres](#)

[Chemical modification of chitosan by phosphorylation: an XPS, FT-IR and SEM study](#)

[Novel biodegradable films and scaffolds of chitosan blended with poly\(3-hydroxybutyrate\)](#)

[Positively charged rifampicin-loaded microspheres for lung delivery](#)

[Preparation and in vitro evaluation of chitosan microspheres containing prednisolone: Comparison of simple and conjugate microspheres](#)

[A novel amine-shielded surface cross-linking of chitosan hydrogel beads for enhanced metal adsorption performance](#)

[Preparation of porous polylactide microspheres by emulsion-solvent evaporation based on solution induced phase separation](#)

Cluster Metrics

Authors

uchida, m 4
oyane, a 4
ito, a 4
chang, j 4
zhang, l 3
srivastava, r 3
shen, jc 3
mcshane, mj 3
li, hy 3
lee, hb 3
zhu, kj 2
zhu, hg 2
zhang, xd 2
zhang, x 2
zhang, jx 2

Sources

journal of materials science-materials in medicine 7
biomaterials 7
asbm6: advanced biomaterials vi 7
journal of biomaterials science-polymer edition 5
journal of microencapsulation 4
journal of biomedical materials research part a 4
polymer-korea 3
journal of controlled release 3
polymer international 2
polymer degradation and stability 2

polymer 2
journal of drug delivery science and technology 2
journal of applied polymer science 2
international journal of pharmaceutics 2
european journal of pharmaceutical sciences 2

Keywords

engineering, biomedical 26
materials science, biomaterials 26
polymer science 21
chitosan 20
release 18
chitosan 17
in-vitro 16
pharmacology & pharmacy 11
nanoparticles 11
microspheres 11
chemistry, multidisciplinary 10
polymer 9
pharmacology & pharmacy 9
alginate 8
surface 8

Publication Year

2005 107
2004 11
2006 1

Country

peoples r china 32
usa 17
south korea 14
japan 13
india 8
singapore 7
england 7
france 5
brazil 5
taiwan 4
portugal 4
italy 4
germany 4
belgium 4
serbia monteneg 2

Institution

natl univ singapore 7
zhejiang univ 6
sichuan univ 6
chinese acad sci 5
natl inst adv ind sci & technol 4
univ london imperial coll sci technol & med 3
seoul natl univ 3
louisiana tech univ 3
korea res inst chem technol 3
chonbuk natl univ 3
wuhan univ 2
univ porto 2
univ oxford 2
univ marburg 2
univ liege 2

DataBase

science citation index 119

- **CLUSTER 82**

Preparation and investigation of membranes, emphasizing proton conductivity, permeability studies, filtration applications, preparation by grafting, sulfonated membranes, and methanol fuel cell applications (253 Records)

(Countries: China dominant, USA, Japan, South Korea. Institutions: National University Singapore, CAS, Zhejiang University.).

Cluster Syntax Features

Descriptive Terms

membran 68.8%, water 1.5%, pore 1.1%, proton 0.8%, composite.membranes 0.7%, flux 0.7%, graft 0.7%, permeabl 0.6%, foul 0.6%, permeat 0.5%, sulfon 0.5%, polym 0.5%, acid 0.4%, composit 0.4%, methanol 0.4%

Discriminating Terms

membran 43.9%, film 1.5%, magnet 0.6%, nanoparticl 0.6%, nanotub 0.6%, composite.membranes 0.5%, carbon 0.5%, structur 0.5%, particl 0.5%, crystal 0.5%, deposit 0.4%, quantum 0.4%, proton 0.4%, electron 0.4%, oxid 0.4%

Single Word Terms

membran 243, water 130, surfac 113, solut 90, polym 89, properti 87, scan 86, composit 86, structur 82, microscopi 79, electron 75, sem 73, poli 73, pore 73, acid 72

Double Word Terms

scanning.electron 67, electron.microscopy 62, membrane.surface 38, composite.membranes 36, pore.size 36, fuel.cells 27, atomic.force 25, microscopy.sem 25, proton.conductivity 24, contact.angle 23, force.microscopy 23, ray.photoelectron 22, photoelectron.spectroscopy 21, differential.scanning 21, scanning.calorimetry 20

Triple Word Terms

scanning.electron.microscopy 58, electron.microscopy.sem 25, atomic.force.microscopy 23, ray.photoelectron.spectroscopy 21, differential.scanning.calorimetry 20, force.microscopy.afm 15, direct.methanol.fuel 14, photoelectron.spectroscopy.xps 13, pore.size.distribution 12, proton.exchange.membrane 11, methanol.fuel.cells 10, exchange.membrane.fuel 9, fourier.transform.infrared 9, membranes.scanning.electron 9, scanning.electron.microscope 9

Term Cliques

35.57% membran permeabl foul sulfon
36.92% membran composite.membranes permeabl permeat composit
29.18% membran composite.membranes graft sulfon acid methanol
34.88% membran composite.membranes graft permeat
30.39% membran proton composite.membranes permeabl sulfon polym acid composit methanol
44.66% membran water permeabl polym acid composit
44.35% membran water permeabl permeat composit
45.06% membran water flux polym acid composit
44.82% membran water flux permeat composit
42.61% membran water flux graft acid
37.68% membran water pore permeabl foul permeat
38.08% membran water pore flux foul permeat
38.47% membran water pore flux graft permeat

Sample Cluster Record Titles

[Composite nanofiltration polyamide membrane: A study on the diamine ratio and its performance evaluation](#)

[Nafion/PTFE composite membranes for fuel cell applications](#)

[12-tungstophosphoric acid composites with sulfonated or unsulfonated epoxies for high-temperature PEMFCs](#)

[Statistical mechanics of a colloidal suspension in contact with a fluctuating membrane](#)

[Design of novel biointerfaces \(II\). Fabrication of self-organized porous polymer film with highly uniform pores](#)

[Preliminary studies on F26 microporous membranes in membrane distillation](#)

[SEM investigation of photografting polymerization on pet nucleopore membranes](#)

[Pore size determination of supported organic-inorganic hybrid membranes by modified gas permeation method](#)

[Recent progress in proton conducting membranes for PEFCs](#)

Cluster Metrics

Authors

li, y 6
ulbricht, m 4
srividhar, s 4
qin, jj 4
ping, zh 4
chung, ts 4
yang, mc 3
yamada, m 3
xu, zk 3
xu, tw 3
thangamuthu, r 3
smitha, b 3
oo, mh 3
mohammad, aw 3
lin, wc 3

Sources

journal of membrane science 48
journal of applied polymer science 18

desalination 12
polymer 9
journal of power sources 9
european polymer journal 6
electrochimica acta 6
separation and purification technology 4
langmuir 4
journal of colloid and interface science 4
environmental science & technology 4
polymer science series a 3
macromolecules 3
macromolecular research 3
industrial & engineering chemistry research 3

Keywords

engineering, chemical 72
polymer science 60
polymer science 50
membranes 31
separation 28
chemistry, physical 24
membranes 21
transport 20
electrochemistry 18
chemistry, multidisciplinary 17
water 17
performance 16
composite membranes 15
membrane 14
water resources 14

Publication Year

2005 230
2004 21
2006 2

Country

peoples r china 62
usa 36
japan 24
south korea 23
singapore 18
germany 18
france 13
taiwan 12
india 12

italy 11
england 10
spain 7
russia 7
australia 6
malaysia 5

Institution

natl univ singapore 11
chinese acad sci 10
zhejiang univ 6
tianjin univ 5
russian acad sci 5
indian inst chem technol 5
univ sci & technol china 4
univ calabria 4
seoul natl univ 4
natl taiwan univ sci & technol 4
natl inst adv ind sci & technol 4
korea inst sci & technol 4
inst mat res & engn 4
gkss forschungszentrum geesthacht gmbh 4
fudan univ 4

DataBase

science citation index 253

- **CLUSTER 142**

Lipid (especially phospholipid) bilayers, focusing on properties of vesicles, channel interactions, membrane binding, and dipalmitoyl phosphatidylcholine (DPPC) and cholesterol structures (231 Records)

(Countries: USA very dominant, Germany, France, Japan. Institutions: University of Illinois, University of Munster, RAS, CAS. Other USA include UCR, Stanford University, UCLA, Cornell University).

Cluster Syntax Features

Descriptive Terms

membran 39.5%, lipid 19.3%, bilay 5.7%, vesicl 3.6%, channel 1.5%, phospholipid 1.0%, cholesterol 0.9%, fluoresc 0.6%, protein 0.6%, support 0.5%, dppc 0.5%, lipid.bilayers 0.5%, lipid.bilayer 0.5%, domain 0.4%, bind 0.3%

Discriminating Terms

membran 25.4%, lipid 13.3%, bilay 3.8%, vesicl 2.4%, film 1.9%, phospholipid 0.7%, channel 0.7%, nanoparticl 0.6%, carbon 0.6%, cholesterol 0.6%, magnet 0.6%, temperatur 0.6%, particl 0.5%, nanotub 0.5%, crystal 0.5%

Single Word Terms

membran 194, lipid 121, structur 95, bilay 94, surfac 84, microscopi 73, model 71, protein 66, form 66, two 62, interact 62, measur 59, molecul 58, vesicl 55, support 54

Double Word Terms

atomic.force 41, force.microscopy 40, lipid.bilayer 38, lipid.bilayers 30, lipid.membranes 28, supported.lipid 20, microscopy.afm 18, electron.microscopy 16, lipid.membrane 14, membrane.surface 14, surface.plasmon 13, bilayer.membranes 13, plasmon.resonance 12, phase.transition 12, lipid.vesicles 12

Triple Word Terms

atomic.force.microscopy 40, force.microscopy.afm 18, surface.plasmon.resonance 12, supported.lipid.bilayers 12, differential.scanning.calorimetry 11, scanning.electron.microscopy 8, supported.lipid.bilayer 7, quartz.crystal.microbalance 7, scanning.calorimetry.dsc 6, lipid.bilayer.membranes 6, microscopy.atomic.force 6, fluorescence.recovery.photobleaching 5, ray.photoelectron.spectroscopy 5, plasmon.resonance.spr 4, air.water.interface 4

Term Cliques

22.80% lipid bilay phospholipid cholesterol fluoresc support dppc lipid.bilayers domain
23.67% lipid bilay vesicl phospholipid cholesterol fluoresc support dppc lipid.bilayers
36.47% membran channel protein lipid.bilayer
30.45% membran lipid phospholipid fluoresc protein support lipid.bilayers domain bind
29.83% membran lipid vesicl phospholipid fluoresc protein support lipid.bilayers
lipid.bilayer bind
30.78% membran lipid bilay phospholipid fluoresc support dppc lipid.bilayers domain
33.14% membran lipid bilay phospholipid fluoresc protein support lipid.bilayers domain
30.13% membran lipid bilay vesicl phospholipid fluoresc support dppc lipid.bilayers
lipid.bilayer

32.25% membran lipid bilay vesicl phospholipid fluoresc protein support lipid.bilayers
lipid.bilayer

Sample Cluster Record Titles

[Interaction of the macrolide antibiotic azithromycin with lipid bilayers: Effect on membrane organization, fluidity, and permeability](#)

[Effect of pressure on the Prodan fluorescence in bilayer membranes of phospholipids with varying acyl chain lengths](#)

[Interaction of nonelectrolytes, the derivatives of 5-hydroxybenzimidazole, with erythrocyte membrane](#)

[Protons may leak through pure lipid bilayers via a concerted mechanism](#)

[Following the formation of supported lipid bilayers on mica: A study combining AFM, QCM-D, and ellipsometry](#)

[Intermolecular communication on lipid bilayer membrane. Tuning of enzymatic activity with phase transition of the matrix membranes](#)

[Role of curvature and phase transition in lipid sorting and fission of membrane tubules](#)

[The lipid/protein interface as xenobiotic target site - Kinetic analysis of tadpole narcosis](#)

[Involvement of water channels in synaptic vesicle swelling](#)

Cluster Metrics

Authors

xu, zk 5

cheng, q 5

boxer, sg 4

stahelin, rv 3

bassereau, p 3

wu, j 2

wattraint, o 2

wang, jl 2

tian, wj 2

tantimongcolwat, t 2

strzalka, k 2

smith, bd 2

shahin, v 2

seantier, b 2
schafer, c 2

Sources

langmuir 25
biophysical journal 22
journal of physical chemistry b 10
journal of biological chemistry 6
journal of membrane science 5
biochimica et biophysica acta-biomembranes 5
journal of the american chemical society 4
international journal of pharmaceutics 4
ieee transactions on nanobioscience 4
biochemistry 4
biochemical and biophysical research communications 4
analytical biochemistry 4
proceedings of the national academy of sciences of the united states of america 3
journal of controlled release 3
chemistry and physics of lipids 3

Keywords

chemistry, physical 45
biochemistry & molecular biology 41
atomic-force microscopy 31
biophysics 28
membranes 24
biophysics 20
chemistry, multidisciplinary 19
cholesterol 17
membranes 16
chemistry, analytical 16
bilayers 14
transport 13
protein 13
vesicles 12
model membranes 12

Publication Year

2005 209
2004 20
2006 2

Country

usa 83
germany 27
france 23

japan 21
peoples r china 16
england 14
italy 11
singapore 7
russia 7
netherlands 7
canada 7
spain 6
austria 6
sweden 5
thailand 4

Institution

univ illinois 8
univ munster 7
russian acad sci 6
chinese acad sci 6
zhejiang univ 5
univ calif riverside 5
stanford univ 5
osaka univ 5
univ halle wittenberg 4
univ calif los angeles 4
univ barcelona 4
inst curie 4
cornell univ 4
cnrs 4
univ strasbourg 1 3

DataBase

science citation index 231

• CLUSTER 97

Drug delivery systems, focusing on drug release, especially of nanoparticles and from nanocapsules (219 Records)

(Countries: USA, China, followed by India, South Korea, Japan.
Institutions: National University of Singapore, Institute of Bioengineering and Nanotechnology, Bharati Vidyapeeth Deemed University. USA includes University of Notre Dame).

Cluster Syntax Features

Descriptive Terms

drug 37.6%, releas 22.5%, drug.release 2.4%, load 1.5%, deliveri 1.4%, nanoparticl 1.1%, dissolut 0.9%, formul 0.9%, polym 0.8%, drug.delivery 0.7%, encapsul 0.7%, poli 0.5%, nanocapsul 0.5%, vitro 0.5%, tablet 0.4%

Discriminating Terms

drug 24.3%, releas 14.4%, drug.release 1.6%, film 1.5%, deliveri 0.8%, load 0.6%, carbon 0.6%, surfac 0.6%, structur 0.6%, magnet 0.6%, nanotub 0.5%, dissolut 0.5%, formul 0.5%, drug.delivery 0.4%, oxid 0.4%

Single Word Terms

drug 183, releas 167, scan 98, load 94, control 90, size 87, polym 85, deliveri 83, microscopi 80, poli 80, surfac 79, properti 78, electron 76, particl 76, system 76

Double Word Terms

drug.release 87, scanning.electron 67, electron.microscopy 66, drug.delivery 59, differential.scanning 54, scanning.calorimetry 53, particle.size 40, controlled.release 39, calorimetry.dsc 36, drug.loading 28, release.rate 27, model.drug 26, microscopy.sem 24, release.profile 23, delivery.system 22

Triple Word Terms

scanning.electron.microscopy 62, differential.scanning.calorimetry 53, scanning.calorimetry.dsc 36, electron.microscopy.sem 24, drug.delivery.systems 14, poly.lactide.glycolide 12, vitro.drug.release 12, poly.lactic.acid 12, fourier.transform.infrared 12, atomic.force.microscopy 12, drug.delivery.system 11, controlled.drug.release 10, powder.ray.diffraction 9, transform.infrared.spectroscopy 9, polyethylene.glycol.peg 8

Term Cliques

29.00% load polym drug.delivery encapsul poli nanocapsul

26.94% load formul polym encapsul nanocapsul
42.60% drug releas load deliveri nanoparticl polym drug.delivery encapsul poli vitro
42.97% drug releas load deliveri nanoparticl formul polym encapsul vitro
41.55% drug releas drug.release dissolut formul polym tablet
44.88% drug releas drug.release dissolut formul polym vitro
43.61% drug releas drug.release load deliveri polym drug.delivery encapsul poli vitro
44.09% drug releas drug.release load deliveri formul polym encapsul vitro

Sample Cluster Record Titles

[Protective properties of melatonin-loaded nanoparticles against lipid peroxidation](#)

[Effect of MePEG molecular weight and particle size on in vitro release of tumor necrosis factor-alpha-loaded nanoparticles](#)

[Novel PCL-based honeycomb scaffolds as drug delivery systems for rhBMP-2](#)

[pH-triggered thermally responsive polymer core-shell nanoparticles for drug delivery](#)

[Properties of hot-melt extruded tablet formulations for the colonic delivery of 5-aminosalicylic acid](#)

[Influence of hydroxyethylcellulose on the drug release properties of theophylline pellets coated with Eudragit \(R\) RS 30 D](#)

[Evaluation of the in vitro drug release from resorbable biocompatible coatings for vascular stents](#)

[Effects of formulation variables and characterization of guaifenesin wax microspheres for controlled release](#)

[Phospholipid-based catalytic nanocapsules](#)

Cluster Metrics

Authors

yang, yy 4

yang, xl 4

xu, hb 3

sharma, s 3

paradkar, a 3

mura, p 3
liu, cs 3
lee, hb 3
kim, ms 3
khuller, gk 3
khang, g 3
gonzalez-rodriguez, ml 3
fessi, h 3
doelker, e 3
alonso, mj 3

Sources

international journal of pharmaceutics 30
journal of controlled release 22
drug development and industrial pharmacy 9
biomaterials 9
european journal of pharmaceutics and biopharmaceutics 8
journal of microencapsulation 7
aaps pharmscitech 6
pharmaceutical research 5
langmuir 5
european journal of pharmaceutical sciences 5
journal of pharmacy and pharmacology 4
journal of pharmaceutical sciences 4
drug delivery 4
colloids and surfaces b-biointerfaces 4
polymer-korea 3

Keywords

pharmacology & pharmacy 68
pharmacology & pharmacy 51
release 40
chemistry, multidisciplinary 34
delivery 30
nanoparticles 26
microspheres 24
nanoparticles 23
polymer science 22
engineering, biomedical 22
materials science, biomaterials 22
chemistry, medicinal 21
in-vitro 17
drug-release 17
drug release 15

Publication Year

2005 190

2004 27

2006 1

2003 1

Country

usa 37

peoples r china 33

india 24

south korea 21

japan 20

germany 15

italy 14

england 14

singapore 11

france 11

spain 9

brazil 7

taiwan 5

switzerland 4

canada 4

Institution

natl univ singapore 8

inst bioengn & nanotechnol 5

bharati vidyapeeth deemed univ 5

univ geneva 4

korea res inst chem technol 4

huazhong univ sci & technol 4

zhejiang univ 3

univ sao paulo 3

univ notre dame 3

univ lyon 1 3

univ london 3

univ ljubljana 3

univ helsinki 3

univ bologna 3

postgrad inst med educ & res 3

DataBase

science citation index 219

• CLUSTER 93

Drug delivery systems, emphasizing targeting of cancer cells, oral delivery, and lipid and nanoparticle-based carriers (169 Records)

(Countries: USA very dominant, Germany, India. Institutions: University of Michigan, University of Frankfurt, University of Texas, University of Nebraska. Other USA include Washington University, NCI, Wayne State University, University of Washington.).

Cluster Syntax Features

Descriptive Terms

drug 38.8%, deliveri 14.8%, drug.delivery 4.9%, target 2.1%, formul 1.4%, cancer 1.4%, cell 1.3%, therapeut 1.2%, system 1.0%, oral 0.9%, nanoparticl 0.8%, releas 0.8%, carrier 0.7%, lipid 0.7%, conjug 0.6%

Discriminating Terms

drug 23.6%, deliveri 9.1%, drug.delivery 3.0%, film 1.7%, target 1.0%, cancer 0.8%, formul 0.8%, therapeut 0.7%, surfac 0.7%, structur 0.6%, temperatur 0.6%, carbon 0.6%, oral 0.5%, layer 0.5%, nanotub 0.5%

Single Word Terms

drug 147, deliveri 119, system 90, cell 82, target 69, nanoparticl 61, formul 50, carrier 50, releas 48, potenti 47, applic 44, therapeut 43, new 42, treatment 42, control 41

Double Word Terms

drug.delivery 85, delivery.systems 33, delivery.system 26, drug.release 17, drug.targeting 13, cellular.uptake 13, cancer.cells 13, targeted.drug 12, drug.carriers 11, drug.carrier 10, vitro.vivo 9, oral.administration 9, targeted.delivery 8, controlled.release 8, differential.scanning 7

Triple Word Terms

drug.delivery.systems 23, drug.delivery.system 20, targeted.drug.delivery 11, differential.scanning.calorimetry 7, transmission.electron.microscopy 5, dynamic.light.scattering 5, poly.ethylene.glycol 5, poly.lactic.glycolic 5, lactic.glycolic.acid 5, solid.lipid.nanoparticles 4, lipid.nanoparticles.slns 4, atomic.force.microscopy 4, magnetic.drug.targeting 4, scanning.calorimetry.dsc 4, human.serum.albumin 4

Term Cliques

28.80% formul system oral releas carrier lipid
35.67% deliveri system oral nanoparticl releas carrier lipid
37.02% deliveri therapeut system oral nanoparticl releas carrier
40.63% drug formul system releas carrier lipid
36.69% drug formul cancer carrier conjug
39.29% drug formul cancer releas carrier
46.61% drug deliveri drug.delivery cell system nanoparticl releas carrier lipid
46.98% drug deliveri drug.delivery target cell therapeut system nanoparticl releas carrier
42.54% drug deliveri drug.delivery target cancer cell therapeut nanoparticl carrier conjug
43.85% drug deliveri drug.delivery target cancer cell therapeut nanoparticl releas carrier

Sample Cluster Record Titles

[Inorganic nanoparticles as carriers for efficient cellular delivery](#)

[Nanoscale polymer carriers to deliver chemotherapeutic agents to tumours](#)

[Targeted nanoparticles for drug delivery through the blood-brain barrier for Alzheimer's disease](#)

[The design and evaluation of a novel targeted drug delivery system using cationic emulsion-antibody conjugates](#)

[First report implants on the efficacy of L-alanine-based in situ-forming for the long-term parenteral delivery of drugs](#)

[Nanosystems in drug targeting: Opportunities and challenges](#)

[Sonic activation of molecularly-targeted nanoparticles accelerates transmembrane lipid delivery to cancer cells through contact-mediated mechanisms: Implications for enhanced local drug delivery](#)

[Nanotechnology-based drug delivery for cancer](#)

[Polymeric particulates to improve oral bioavailability of peptide drugs](#)

Cluster Metrics

Authors

zimmer, a 4
weyermann, j 4
lochmann, d 4
baker, jr 4
wickline, sa 3
pandey, r 3
majoros, ij 3
lanza, gm 3
kreuter, j 3
khuller, gk 3
kabanov, av 3
jain, nk 3
batrakova, ev 3
yamamoto, h 2
wouters, d 2

Sources

journal of controlled release 17
journal of drug targeting 6
international journal of pharmaceutics 6
journal of magnetism and magnetic materials 5
european journal of pharmaceutics and biopharmaceutics 5
technology in cancer research & treatment 4
journal of pharmacy and pharmacology 4
drug delivery 4
pharmaceutical research 3
journal of pharmaceutical sciences 3
journal of nanoscience and nanotechnology 3
journal of drug delivery science and technology 3
current pharmaceutical biotechnology 3
current opinion in chemical biology 3
bioconjugate chemistry 3

Keywords

pharmacology & pharmacy 44
chemistry, multidisciplinary 35
pharmacology & pharmacy 29
nanoparticles 25
liposomes 21
nanoparticles 19
in-vitro 18
delivery 17
drug delivery 14

drug-delivery 13
microspheres 12
delivery 10
systems 10
polymers 10
in-vivo 10

Publication Year

2005 152
2004 14
2006 3

Country

usa 51
germany 19
india 18
switzerland 10
peoples r china 10
france 10
japan 9
netherlands 8
italy 7
england 7
canada 7
spain 6
south korea 6
taiwan 4
singapore 4

Institution

univ michigan 5
univ frankfurt 5
univ texas 4
univ nebraska 4
sch pharm 4
washington univ 3
postgrad inst med educ & res 3
nci 3
natl univ singapore 3
karl franzens univ graz 3
dr hs gour univ 3
wayne state univ 2
univ zurich 2
univ washington 2
univ utrecht 2

- **CLUSTER 81**

Ethical, health, and social issues of nanotechnology (especially biological applications), weighing the risks and benefits to the public (142 Records)

(Countries: USA very dominant, Germany. Institutions: NSF, UCSD, NCI. Other USA include University of Wisconsin, UCB, Cornell University, University of Texas, University of Pennsylvania, University of Michigan, UCSB, Thomas Jefferson University, SNL).

Cluster Syntax Features

Descriptive Terms

nanotechnolog 66.7%, scienc 1.7%, technolog 1.4%, diatom 1.3%, ethic 0.9%, public 0.8%, health 0.8%, new 0.8%, applic 0.7%, innov 0.6%, inform 0.6%, biologi 0.5%, risk 0.4%, global 0.4%, human 0.4%

Discriminating Terms

nanotechnolog 38.8%, film 1.7%, scienc 0.9%, diatom 0.8%, surfac 0.7%, technolog 0.7%, temperatur 0.5%, ethic 0.5%, carbon 0.5%, layer 0.5%, particl 0.5%, public 0.5%, health 0.5%, magnet 0.5%, structur 0.5%

Single Word Terms

nanotechnolog 109, applic 51, new 50, system 39, materi 37, field 35, potenti 34, scienc 33, paper 31, inform 30, technolog 28, molecular 28, advanc 25, gener 25, on 25

Double Word Terms

real.time 7, nanotechnology.new 7, emerging.technologies 6, materials.devices 6, nanotechnology.applications 6, new.materials 5, materials.science 5, nanotechnology.science 5, molecular.biology 5, application.nanotechnology 5, united.states 5, nanoscale.materials 5, nanotechnology.nanotechnology 5, new.technologies 5, human.health 5

Triple Word Terms

physical.chemical.properties 3, three dimensional.structures 2, potential.new.class 2, central.nervous.system 2, nervous.system.cns 2, new.class.materials 2, drug.delivery.systems 2, properties.nanoscale.materials 2, length.scale.100 2, polymerase.chain.reaction 1, materials.nano.scale 1, low.cost.large 1, positron.emission.tomography 1, quantum.dots.molecular 1, chemistry.materials.science 1

Term Cliques

21.48% health new applic inform risk human
21.71% health new applic inform biologi human
15.02% ethic public health new risk human
17.78% diatom applic inform global
22.07% technolog health new applic inform risk
22.30% technolog health new applic inform biologi
17.61% technolog public health new risk
26.06% nanotechnolog ethic public new risk human
24.88% nanotechnolog ethic public new innov risk
31.19% nanotechnolog scienc new applic inform risk human
28.52% nanotechnolog scienc new applic inform biologi global human
31.46% nanotechnolog scienc new applic innov global
28.99% nanotechnolog scienc public new risk human
31.69% nanotechnolog scienc technolog new applic inform risk
31.89% nanotechnolog scienc technolog new applic inform biologi
29.98% nanotechnolog scienc technolog new applic innov risk
26.66% nanotechnolog scienc technolog public new innov risk

Sample Cluster Record Titles

[Nanotechnology: Scientific challenges and societal benefits and risks](#)

[Nanotechnology: From Feynman to the grand challenge of molecular manufacturing](#)

[The politics of small things: Nanotechnology, risk, and uncertainty](#)

[Anticipating military nanotechnology](#)

[Societal dimensions of nanotechnology](#)

[Application of nanotechnology in construction - Summary of a state-of-the-art report](#)

[Imagining nanotechnology: cultural support for technological innovation in Europe and the United States](#)

[Ethical issues on nanotechnology in Asia](#)

[Environmentally responsible development of nanotechnology](#)

Cluster Metrics

Authors

roco, mc 4
[anon] 3
suk, wa 2
singer, pa 2
silva, ga 2
scheufele, da 2
salamanca-buentello, f 2
romig, ad 2
lopez, pj 2
lewenstein, bv 2
jain, kk 2
hahn, sh 2
freitas, ra 2
ferrari, m 2
daar, as 2

Sources

on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 7
journal of nanoscience and nanotechnology 7
journal of nanoparticle research 6
ieee technology and society magazine 6
science communication 4
issues in science and technology 4
gaia-ecological perspectives for science and society 4
current nanoscience 4
toxicological sciences 2
technovation 2

small 2
science and technology of advanced materials 2
science and engineering ethics 2
revue scientifique et technique-office international des epizooties 2
public understanding of science 2

Keywords

nanotechnology 22
chemistry, multidisciplinary 20
materials science, multidisciplinary 19
nanotechnology 18
materials science, multidisciplinary 10
nanoparticles 8
science 7
engineering, industrial 7
engineering, electrical & electronic 7
communication 7
biotechnology & applied microbiology 7
engineering, multidisciplinary 6
dna 6
multidisciplinary sciences 5
engineering, chemical 5

Publication Year

2005 123
2004 19

Country

usa 68
germany 15
england 7
france 6
switzerland 5
italy 5
south korea 4
thailand 3
japan 3
canada 3
taiwan 2
scotland 2
new zealand 2
israel 2
india 2

Institution

natl sci fdn 5

univ calif san diego 4
nci 4
univ wisconsin 3
univ calif berkeley 3
cornell univ 3
vdi technol zentrum gmbh 2
univ toronto 2
univ texas 2
univ penn 2
univ michigan 2
univ calif santa barbara 2
thomas jefferson univ 2
stn zool 2
sandia natl labs 2

DataBase
science citation index 142

• CLUSTER 99

Network and self-organization processes, with emphasis on self-organizing neural networks, self-organized maps (SOMs), and learning systems (132 Records)

(Countries: USA very dominant, China, Japan, Germany. Institutions: Riken, Northwestern University. Other USA include University of Massachusetts, University of Florida, Rice University, Ohio University, North Carolina State University, Boston University, Arizona State University).

Cluster Syntax Features

Descriptive Terms

network 17.6%, self.organizing 8.5%, neural 6.6%, self 5.6%, learn 5.3%, organ 4.9%,

map 4.1%, neural.network 2.5%, som 1.6%, algorithm 1.6%, self.organization 1.5%,
neural.networks 1.0%, system 1.0%, data 1.0%, model 0.9%

Discriminating Terms

network 10.2%, self.organizing 5.5%, neural 4.2%, learn 3.4%, map 2.4%, self 2.2%,
organ 2.0%, film 1.8%, neural.network 1.6%, som 1.1%, self.organization 0.9%,
algorithm 0.9%, surfac 0.8%, neural.networks 0.6%, carbon 0.6%

Single Word Terms

self 110, organ 96, network 84, structur 69, paper 67, model 50, system 48, neural 47,
map 45, gener 39, data 39, learn 36, two 35, new 35, set 33

Double Word Terms

self.organizing 66, neural.network 32, self.organization 24, neural.networks 24,
organizing.map 22, organizing.maps 17, data.set 10, map.som 9, artificial.neural 9,
network.model 7, paper.new 7, network.structure 7, networks.paper 6, three dimensional
6, multilayer.perceptron 5

Triple Word Terms

self.organizing.map 22, self.organizing.maps 17, organizing.map.som 9,
artificial.neural.networks 7, growing.self.organizing 5, self.organizing.neural 5,
neural.network.model 5, artificial.neural.network 4, mechanism.self.organization 3,
mean.square.error 3, neural.networks.paper 3, three dimensional.space 3,
data.two dimensional 2, neural.network.ann 2, organizing.maps.som 2

Term Cliques

52.65% self organ self.organization system
49.24% self organ algorithm self.organization
39.17% self.organizing neural self learn organ map neural.network som algorithm data
37.65% network neural self learn map neural.network algorithm neural.networks data
model
55.56% network self.organizing self learn organ system
41.94% network self.organizing neural self learn organ map neural.network algorithm
neural.networks data

Sample Cluster Record Titles

[Neural-network midcourse guidance with consideration of the head-on attack condition](#)

[Curve and surface reconstruction from points: an approach based on self-organizing maps](#)

[Self-organization scenario relevant for nanoscale science and technology](#)

[Optimization of supervised self-organizing maps with genetic algorithms for classification of urinary calculi](#)

[Self-organizing information fusion and hierarchical knowledge discovery: a new framework using ARTMAP neural networks](#)

[Trellis-based virtual regular addressing structures in self-organized networks](#)

[Clustering high-dimensional data using growing SOM](#)

[Combining classifiers in software quality prediction: A neural network approach](#)

[Network structure, self-organization, and the growth of international collaboration in science](#)

Cluster Metrics

Authors

tani, j 3
zhu, z 2
starzyk, ja 2
oh, sk 2
kim, d 2
jalan, s 2
fortes, jab 2
amritkar, re 2
zupan, j 1
zhu, yw 1
zhu, lp 1
zhu, j 1
zhu, b 1
zhou, jl 1
zhong, cj 1

Sources

neural information processing 5
artificial neural networks: biological inspirations - icann 2005, pt 1, proceedings 5
physical review e 4
on the convergence of bio-information-, environmental-, energy-, space- and nano-technologies, pts 1 and 2 4
computational intelligence and bioinspired systems, proceedings 4
ieee transactions on neural networks 3
biosystems 3

advances in neural networks - issn 2005, pt 2, proceedings 3
physica a-statistical mechanics and its applications 2
pattern recognition 2
neurocomputing 2
neural networks 2
nano letters 2
international journal of neural systems 2
expert systems with applications 2

Keywords

computer science, artificial intelligence 18
self-organization 6
self-organizing map 5
engineering, electrical & electronic 5
electronic 5
biology 5
self-organization 5
physics, mathematical 5
engineering, electrical & 5
dynamics 5
self-organizing maps 4
physics, fluids & plasmas 4
networks 4
network 4
systems 4

Publication Year

2005 105
2004 25
2006 1
2001 1

Country

usa 38
peoples r china 13
japan 10
germany 10
south korea 9
england 9
spain 7
italy 7
india 6
taiwan 5
france 4
poland 3
canada 3

sweden 2
russia 2

Institution

riken 3
northwestern univ 3
zhejiang univ 2
univ southampton 2
univ massachusetts 2
univ heidelberg 2
univ granada 2
univ florida 2
univ bologna 2
rice univ 2
phys res lab 2
ohio univ 2
n carolina state univ 2
boston univ 2
arizona state univ 2

DataBase

science citation index 132

• CLUSTER 22

Microtubule motor proteins (kinesin and dynein), with models and analysis of movement mechanism (106 Records)

(Countries: USA very dominant, Japan, England, China. Institutions: University of Illinois, University of Tokyo, CAS. Other USA include

University of Washington, University of Texas, University of Michigan, UCSC, UCSD, UCI.).

Cluster Syntax Features

Descriptive Terms

motor 52.8%, kinesin 7.7%, molecular.motors 5.7%, microtubul 3.3%, atp 2.2%, molecular 1.8%, cargo 1.5%, transport 1.5%, dynein 1.2%, movement 1.0%, protein 0.8%, filament 0.6%, motion 0.6%, walk 0.6%, molecular.motor 0.5%

Discriminating Terms

motor 31.2%, kinesin 4.6%, molecular.motors 3.4%, microtubul 1.9%, film 1.7%, atp 1.3%, cargo 0.9%, surfac 0.8%, dynein 0.7%, nanoparticl 0.6%, carbon 0.5%, movement 0.5%, temperatur 0.5%, layer 0.5%, magnet 0.5%

Single Word Terms

motor 98, molecular 72, mechan 45, protein 41, model 40, kinesin 40, transport 37, function 36, microtubul 35, two 31, motion 31, cell 29, forc 28, molecu 27, direct 27

Double Word Terms

molecular.motors 48, molecular.motor 27, motor.proteins 20, motor.protein 10, atp.hydrolysis 10, single.molecule 8, cytoplasmic.dynein 7, kinesin.motor 7, cytoskeletal.filaments 6, intracellular.transport 6, adenosine.triphosphate 6, transport.microtubules 5, brownian.motor 5, kinesin.dynein 5, two.state 5

Triple Word Terms

two.state.model 4, protein.kinase.pka 3, adenosine.triphosphate.atp 3, single.molecule.level 3, single.molecule.experiments 3, dependent.protein.kinase 2, monte.carlo.simulations 2, green.fluorescent.protein 2, pre.steady.state 2, monte.carlo.simulation 1, temperature.ionic.strength 1, flight.mass.spectrometry 1, desorption.ionization.time 1, single.particle.tracking 1, ionization.time.flight 1

Term Cliques

46.46% motor protein motion molecular.motor
42.30% motor molecular movement filament motion molecular.motor
38.95% motor molecular cargo transport movement filament molecular.motor
36.39% motor microtubul cargo transport dynein protein molecular.motor
33.96% motor microtubul cargo transport dynein movement molecular.motor
41.24% motor microtubul molecular cargo transport movement molecular.motor
37.42% motor microtubul atp cargo protein molecular.motor
42.30% motor microtubul atp molecular cargo molecular.motor
40.57% motor molecular.motors molecular movement filament motion walk
41.78% motor molecular.motors molecular cargo transport movement filament
49.53% motor kinesin protein motion
38.14% motor kinesin microtubul cargo transport dynein protein

39.47% motor kinesin microtubul atp cargo protein
43.53% motor kinesin molecular.motors molecular movement motion walk
36.91% motor kinesin molecular.motors microtubul cargo transport dynein movement
43.28% motor kinesin molecular.motors microtubul molecular cargo transport movement
44.47% motor kinesin molecular.motors microtubul atp molecular cargo

Sample Cluster Record Titles

[Evidence for glucocorticoid receptor transport on microtubules by dynein](#)

[Transport of Drosophila fragile X rental retardation protein-containing ribonucleoprotein granules by kinesin-1 and cytoplasmic dynein](#)

[Transport in a molecular motor system](#)

[Exploring molecular motors and switches at the single-molecule level](#)

[Analytical model of a Brownian motor with a fluctuating potential](#)

[Molecular motors and mechanisms of directional transport in neurons](#)

[Effective potential of a two-state model for molecular motor](#)

[Walks of molecular motors interacting with immobilized filaments](#)

[Mechanism for unidirectional movement of kinesin](#)

Cluster Metrics

Authors

lipowsky, r 5
klumpp, s 5
tagerud, s 3
sundberg, m 3
omling, p 3
nieuwenhuizen, tm 3
nicholls, ia 3
montelius, l 3
mansson, a 3
bunk, r 3
wang, py 2
wang, hy 2

unger, e 2
stukalin, eb 2
serpinskaya, as 2

Sources

physical review e 6
physica a-statistical mechanics and its applications 6
proceedings of the national academy of sciences of the united states of america 5
journal of biological chemistry 5
ieee transactions on advanced packaging 5
biophysical journal 5
physical review letters 3
nature chemical biology 3
europhysics letters 2
european physical journal e 2
communications in theoretical physics 2
chinese physics letters 2
chinese physics 2
cell 2
biochemistry 2

Keywords

biochemistry & molecular biology 23
physics, multidisciplinary 18
molecular motors 18
kinesin 18
molecular motors 15
protein 13
microtubules 12
mechanism 12
hand-over-hand 10
dynamics 9
model 8
force 8
cytoplasmic dynein 8
transport 7
motion 7

Publication Year

2005 92
2004 10
2006 4

Country

usa 41
germany 16

japan 13
england 10
peoples r china 9
france 6
netherlands 5
switzerland 3
sweden 3
russia 3
ukraine 2
scotland 2
israel 2
canada 2
argentina 2

Institution

univ illinois 7
univ tokyo 5
chinese acad sci 5
univ leeds 3
univ kalmar 3
lund univ 3
kyoto univ 3
univ washington 2
univ texas 2
univ michigan 2
univ edinburgh 2
univ calif santa cruz 2
univ calif san diego 2
univ calif irvine 2
univ amsterdam 2

DataBase

science citation index 106

• CLUSTER 4

Microfilament proteins (myosin and actin), emphasizing dynamics of muscle contraction and function of myosin heads (84 Records)

(Countries: USA dominant, England, followed by France, Japan, Germany. Institutions: University of Vermont, University of London, University of Florence, RAS, Osaka University, NHIBI, National Institute of Medical Research, European Synchrotron Radiation Facility. Other USA include Yale University, University of Pennsylvania, University of Massachusetts).

Cluster Syntax Features

Descriptive Terms

myosin 58.6%, actin 10.8%, filament 4.4%, muscl 3.2%, head 2.5%, motor 2.1%, domain 1.0%, myosin.heads 0.5%, actomyosin 0.4%, actin.filaments 0.4%, atpas 0.4%, forc 0.3%, skelet 0.3%, atp 0.3%, protein 0.3%

Discriminating Terms

myosin 34.0%, actin 6.2%, filament 2.4%, muscl 1.8%, film 1.7%, head 1.3%, motor 1.1%, surfac 0.7%, nanoparticl 0.6%, carbon 0.5%, magnet 0.5%, particl 0.5%, temperatur 0.5%, layer 0.5%, nanotub 0.5%

Single Word Terms

myosin 68, actin 56, motor 44, molecular 42, filament 40, structur 40, head 36, muscl 35, mechan 33, function 33, forc 32, singl 30, model 29, two 28, bind 27

Double Word Terms

molecular.motor 20, actin.filaments 17, myosin.heads 17, actin.myosin 13, ray.diffraction 9, myosin.motor 9, myosin.actin 9, myosin.head 9, actin.binding 8, light.chain 8, actin.filament 8, skeletal.muscle 8, force.microscopy 8, atomic.force 8, molecular.motors 8

Triple Word Terms

atomic.force.microscopy 8, myosin.molecular.motor 4, angle.ray.diffraction 3, myosin.light.chain 3, atomic.force.microscope 3, mechanical.properties.single 2, green.fluorescent.protein 2, scanning.electron.microscopy 2, yeast.two.hybrid 2, force.microscopy.afm 2, nucleotide.binding.site 2, low.angle.ray 2, small.angle.ray 2, dissociation.rate.constant 2, thermodynamic.kinetic.properties 1

Term Cliques

33.50% myosin head myosin.heads actin.filaments forc skelet atp

30.27% myosin head myosin.heads actomyosin actin.filaments skelet atp

38.29% myosin head domain actin.filaments forc atp
 38.10% myosin muscl domain atpas forc atp
 36.56% myosin muscl head myosin.heads forc skelet atp
 33.33% myosin muscl head myosin.heads actomyosin skelet atp
 41.87% myosin muscl head domain forc atp
 41.67% myosin filament head myosin.heads actin.filaments forc
 43.25% myosin filament head domain actin.filaments forc
 45.24% myosin filament muscl head myosin.heads forc
 46.83% myosin filament muscl head domain forc
 50.48% myosin actin motor actin.filaments protein
 40.48% myosin actin motor domain actomyosin atpas atp
 39.58% myosin actin head motor myosin.heads actomyosin actin.filaments atp
 40.77% myosin actin head motor domain actomyosin actin.filaments atp
 38.95% myosin actin muscl domain actomyosin atpas atp
 40.82% myosin actin muscl head myosin.heads actomyosin atp
 42.18% myosin actin muscl head domain actomyosin atp
 42.01% myosin actin filament head myosin.heads actomyosin actin.filaments
 43.37% myosin actin filament head domain actomyosin actin.filaments
 45.07% myosin actin filament muscl head myosin.heads actomyosin
 46.43% myosin actin filament muscl head domain actomyosin

Sample Cluster Record Titles

[Switch movements and the myosin crossbridge stroke](#)

[Slip sliding away: Load-dependence of velocity generated by skeletal muscle myosin molecules in the laser trap](#)

[Myosin-X: a molecular motor at the cell's fingertips](#)

[Thermodynamic characterization of different actin isoforms](#)

[Packaging actomyosin-based biomolecular motor-driven devices for nanoactuator applications](#)

[Vertebrate myosin VIIb is a high duty ratio motor adapted for generating and maintaining tension](#)

[Covalent immobilization of myosin for in-vitro motility of actin](#)

[The requirement for mechanical coupling between head and S2 domains in smooth muscle myosin ATPase regulation and its implications for dimeric motor function](#)

[Actomyosin systems of biological motility](#)

Cluster Metrics

Authors

narayanan, t 5
sellers, jr 4
ferenczi, ma 4
sweeney, hl 3
sun, yb 3
reconditi, m 3
piazzesi, g 3
lombardi, v 3
linari, m 3
irving, t 3
yanagida, t 2
warshaw, dm 2
wang, f 2
tsaturyan, ak 2
sun, sx 2

Sources

biophysical journal 9
journal of molecular biology 7
journal of biological chemistry 6
philosophical transactions of the royal society of london series b-biological sciences 5
proceedings of the national academy of sciences of the united states of america 4
journal of muscle research and cell motility 3
cell motility and the cytoskeleton 3
structure 2
sliding filament mechanism in muscle contraction: fifty years of research 2
nature 2
journal of theoretical biology 2
journal of physiology-london 2
trends in cell biology 1
tissue & cell 1
russian journal of plant physiology 1

Keywords

biochemistry & molecular biology 22
molecular motor 16
actin 16
cell biology 12
biophysics 10
skeletal-muscle 10
myosin 10

complex 9
biology 8
molecular motors 8
mechanism 8
myosin 7
muscle 7
light-chain 7
cell biology 7

Publication Year

2005 72

2004 12

Country

usa 41

england 17

france 11

japan 10

germany 10

russia 5

italy 5

hungary 4

switzerland 3

peoples r china 2

australia 2

vietnam 1

slovenia 1

singapore 1

poland 1

Institution

univ vermont 4

univ london kings coll 4

univ london imperial coll sci technol & med 4

univ florence 4

russian acad sci 4

osaka univ 4

nhlbi 4

natl inst med res 4

european synchrotron radiat facil 4

yale univ 3

univ penn 3

univ massachusetts 3

univ leeds 3

univ basel 3

moscow mv lomonosov state univ 3

DataBase
science citation index 84